

County: Madison Co.

Control: 6373-91-001

Highway: US 190, ETC.

GENERAL NOTES:

General Project Description – This is a MATERIALS ONLY Contract for the purchase and delivery of HYDRAULIC CEMENT CONCRETE (READY MIX) and FLOWABLE BACKFILL to locations provided to the Contractor by Work Order.

Pre-Bid Contractor questions on this project are to be addressed to the following individual:

Joe Seago, Jr., P.E., Joe.Seago@txdot.gov

Contractor questions will be accepted through email by the above individual.

All contractor questions will be reviewed by the Engineer. Once a response is developed, it will be posted to TxDOT's Public FTP at the following Address:

<https://ftp.dot.state.tx.us/pub/txdot-info/Pre-Letting Responses/>

All questions submitted that generate a response will be posted through this site. The site is organized by District, Project Type (Construction or Maintenance), Letting Date, MMC/Project Name.

General Requirements and Covenants - Items 1 thru 9

All work on this Contract will be scheduled and directed by the TxDOT Maintenance Supervisor given below or their assigned representative:

Madison County Maintenance Supervisor

William Connor
910 North May Street
Madisonville, Texas 77864
936-348-2759

Item 2 – Instructions to Bidders

View the plans on-line or download from the web at:

<http://www.dot.state.tx.us/business/plansonline/plansonline.htm>

Order plans from any of the plan reproduction companies shown on the web at:

http://www.dot.state.tx.us/business/contractors_consultants/repro_companies.htm

County: Madison Co.

Control: 6373-91-001

Highway: US 190, ETC.

Attention Material Providers: Below is a link to TxDOT's website that explains the State's new bidding process for roadway material contracts and the steps for prospective bidders to follow in preparation of a bid:

<https://www.txdot.gov/business/letting-bids/attention-vendors.html>

By signing this proposal, a bidder acknowledges that he/she has a copy of the "Standard Specifications for Construction of Highways, Streets and Bridges", adopted by the Texas Department of Transportation, November 1, 2014. This specification book may be purchased from the Department.

Item 3 – Award and Execution of Contract

Each contract awarded by the Department stands on its own and as such, is separate from other contracts. A contractor awarded multiple contracts, must be capable and sufficiently staffed to concurrently process any or all contracts at the same time.

Material requests shall be issued by Work Order. Each Work Order shall specify the material, quantities and location for delivery.

Prior to beginning operations, the Department will arrange a preconstruction conference between representatives of the Department and the Contractor to discuss execution of the Contract.

Item 4 – Scope of Work

This contract allows for two (2) four-month extensions as allowed by Special Provision 004-004 provided both the Contractor and TxDOT agree.

Item 6 – Control of Materials

Use materials from pre-qualified producers. A list of material producers pre-qualified by the Construction Division (CST) of the Texas Department of Transportation (TxDOT) can be found at the following website:

<https://www.txdot.gov/business/resources/producer-list.html>.

Item 8 - Prosecution and Progress

Contract time charges shall begin upon issuance of "Authorization to Begin Work" letter. This Contract is for one-hundred and twenty (120) days and shall be computed and charged in

County: Madison Co.

Control: 6373-91-001

Highway: US 190, ETC.

accordance with Article 8.3.1.5 “Calendar Day.”

Individual Work Order charge days shall run concurrently with Contract time charges.

Contractor will be given no less than 48 hours’ notice by Work Order specifying the location(s), quantity and type of material to be delivered.

The delivery hours will be Monday through Thursday from 7:00AM to 5:00PM.

Contractor’s driver shall report to the State’s representative at the time of arrival at the final delivery location and obtain a signature documenting the date and time on the haul ticket which will include the Work Order number.

Notify the Maintenance Supervisor when encountering any unforeseen delays.

In accordance with Article 8.6 “Failure to Complete Work on Time,” liquidated damages shall be charged for failure to complete each Work Order for the number of days specified in the Work Order. The amount assessed per day for liquidated damages shall be 5% of the estimated cost of the Work Order, not to be less than \$250 per day and not to exceed \$1000 per day.

Item 9 – Measurement and Payment

In accordance with Article 9.2 “Plans Quantity Measurement,” plans quantity measurement requirements are not applicable for this contract. Quantities shown in the plans are for bidding purposes only. TxDOT does not guarantee that all quantities shown in plans will be requested for delivery.

Item 500 – Mobilization

Mobilization does not apply to this non-site-specific materials contract.

Item 8014 – Hydraulic Cement Concrete (Materials Only)

Hydraulic cement concrete shall meet the specifications of Class ‘B’ material in accordance to Special Specification SS8014 “HYDRAULIC CEMENT CONCRETE (MATERIALS ONLY)”.

Contractor shall provide a copy of approved concrete mix designs on record at the Bryan District Lab prior to or at the preconstruction conference for the classes of concrete found in this Contract.

Delivery cost is subsidiary to Item 8014 materials found in this Contract.

County: Madison Co.

Control: 6373-91-001

Highway: US 190, ETC.

Minimum Work Order quantity for any given day will be five (5) cubic yards.

Volumetric truck (auger) mixers are not allowed in this Contract.

Testing of fresh concrete will, at a minimum, consist of making and curing specimens (Tex-447-A) and testing for 7-day compressive strength (Tex-418-A). TxDOT reserves the right to perform additional sampling and testing of concrete in accordance to Special Specification SS8014 Section 4.7.1 "Fresh Concrete".

Contractor will supply TxDOT with test specimen cylinders. The means for the Contractor to provide TxDOT with cylinders will be determined at the preconstruction conference.

Item 8015 – Flowable Backfill (Materials Only)

Contractor shall provide a copy of approved concrete mix designs on record at the Bryan District Lab prior to or at the preconstruction conference for the classes of concrete found in this Contract.

Flowable backfill mix design shall achieve the non-excavatable requirement of having a 28-day compressive strength greater than 200 PSI in accordance with Table 2 under SS8015.2.6 "Mix Design Properties". The Engineer has the discretion to waive fresh concrete testing for compressive strength or to take samples to verify the material reaches design strength.


Delivery cost is subsidiary to Item 8015 materials found in this Contract.

Minimum Work Order quantity for any given day will be five (5) cubic yards. Final delivery to a location to finish the job can be less than five (5) cubic yards.

Volumetric truck (auger) mixers are not allowed in this Contract.

Contractor will supply TxDOT with test specimen cylinders. The means for the Contractor to provide TxDOT with cylinders will be determined at the preconstruction conference.

MAP OF MADISON CO. MAINTENANCE SECTION BOUNDARIES



DISTRICT	COUNTY	PROJECT	SHEET NO
BRY - 17	MADISON	MMC - 6373-91-001	4