

FWA TEXAS DIVISION	PROJECT NO.	SHEET NO.
RMC	6411-47-001	1
STATE DISTRICT	COUNTY	
TEXAS LFK	SHELBY	
CONTROL SECTION	JOB	HIGHWAY NO.
6411-47	001	US 96, ETC.

SEE SHEET 2 FOR INDEX OF SHEETS

STATE OF TEXAS  
DEPARTMENT OF TRANSPORTATION


PLANS OF PROPOSED  
STATE HIGHWAY ROUTINE MAINTENANCE CONTRACT  
TYPE OF WORK:  
**REPAIR AND MAINTENANCE OF METAL BEAM GUARD FENCE**

RMC 6411-47-001

**US 96, ETC.**

SHELBY COUNTY

LIMITS: VARIOUS LOCATIONS THROUGHOUT THE SHELBY COUNTY MAINTENANCE SECTION



**BARRICADES AND WARNING SIGNS**  
PROJECT LIMIT BARRICADES WILL NOT BE REQUIRED. THE CONTRACTOR SHALL PROVIDE AND ERECT WARNING SIGNS IN ACCORDANCE WITH THE BARRICADE & CONSTRUCTION STANDARDS, TOP STANDARDS, THE TEXAS MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES, AND AS DIRECTED.



**WORK LOCATION MAP**

N. T. S.

SPECIFICATIONS ADOPTED BY THE TEXAS DEPARTMENT OF TRANSPORTATION NOVEMBER 1, 2014 AND SPECIAL SPECIFICATION ITEMS INCLUDED IN THE CONTRACT SHALL GOVERN ON THIS PROJECT.

© 2022 BY TEXAS DEPARTMENT OF TRANSPORTATION. ALL RIGHTS RESERVED.

RECOMMENDED FOR LETTING: Jeremy King, P.E. 6/16/2022  
DISTRICT MAINTENANCE ENGINEER DATE  
5135292FE4184A4  
APPROVED FOR LETTING: [Signature] 6/16/2022  
SUPERVISOR OF OPERATIONS DATE

6/8/2022 10:24:11 AM T:\LKID\AM\Gmt Contracts\FY22 Plans\6411-47-001 Shelby MBF\DDN\TITLE\_Shelby\_MBF\_63411-10-001.dgn

**INDEX OF SHEETS**

SHEET NO.	DESCRIPTION
<b>GENERAL</b>	
1	TITLE SHEET
2	INDEX OF SHEETS
3, 3A-3B	GENERAL NOTES
4, 4A	ESTIMATE AND QUANTITY SHEET
5	QUANTITY SUMMARY
<b>TRAFFIC CONTROL PLAN</b>	
# 6-17	BC (1)-14 THRU BC (12)-21
# 18-23	TCP (2-1)-18 THRU TCP (2-6)-18
# 24	WZ (RS)-22
<b>ROADWAY DETAILS</b>	
# 25	MBGF-19
# 26	MBGF (SR)-19
# 27	MBGF (T101)-19
# 28	MBGF (TR)-19
# 29	GF (31)-19
# 30	GF (31)DAT-19
# 31	GF (31)LS-19
# 32	GF (31)T101-19
# 33	GF (31)TRL2-19
# 34-35	GF (31)TRL3-20
# 36	CCCC-20
# 37	TRACC (W)-16
# 38	QG (M) (W)-21
# 39	OGELITE (M10) (W)-20
# 40	D & OM (1)-20
# 41	D & OM (3)-20
# 42	D & OM (VIA)-20
# 43	SGT (10S)31-16
# 44	SGT (11S)31-18
# 45	SGT (12S)31-18
# 46	RAIL-ADJ (A)-19
<b>BRIDGE ITEMS</b>	
# 47	T631-CM
# 48-49	T631
# 50-51	T631LS
# 52	BED (28)-19
# 53	BED-14
# 54	T202TR (MOD)
# 55	T2/T201TR (MOD)
<b>INFORMATIONAL SHEETS</b>	
56	"AS BUILT" TYPE T6
57	"AS BUILT" TYPE T101
58-60	"AS BUILT" TYPE T101RC (MOD)
<b>ENVIRONMENTAL SHEETS</b>	
61	EPIC



THE STANDARD SHEETS SPECIFICALLY IDENTIFIED BY # HAVE BEEN SELECTED BY ME OR UNDER MY RESPONSIBLE SUPERVISION AS BEING APPLICABLE TO THIS PROJECT.

*Jeremy King, P.E.* 6/16/2022  
 ENGINEER NAME, P. E. DATE  
 -133202FE4194M...

**INDEX OF SHEETS**

©2022 Texas Department of Transportation

CONT	SECT	JOB	HIGHWAY
6411	47	001	US 96, ETC.
DIST	COUNTY	SHEET NO.	
LFK	SHELBY	2	

6/15/2022 2:08:08 PM T:\LFK\DM\Gint\Contracts\0-RMC - Routine Maintenance Contracts\FY22 Plans\6411-47-001\_Sheiby\_MBF\DDN\INDEX\_Sheiby\_MBF\_6411-47-001.dgn

County: SHELBY Control: 6411-47-001

Highway: US 96, ETC.

GENERAL NOTES:

PROJECT DESCRIPTION: This project consists of Repair/Upgrade Metal Beam Guard Fence, Crash Attenuator Systems and Bridge Rail, on a call-out basis in Shelby County.

TXDOT PROJECT SUPERVISORS: All work on this contract will be scheduled and directed by the Maintenance Section Supervisor(s) listed below. Payment will be made on a monthly basis for work completed and accepted according to specifications. All payment requests should be directed to the following Maintenance Section Supervisor(s) listed below.

COUNTY	SUPERVISOR	ADDRESS	CONTACT #
SHELBY	Clint Norton	638 SH 7 East Center, TX 75935	(936) 598-4113

CONTRACT PROSECUTION: Each contract awarded by the Department stands on its own and, as such, is separate from other contracts. A Contractor awarded multiple contracts must be capable and sufficiently staffed to concurrently process any or all contracts at the same time.

There is a potential for work to be done in environmentally sensitive areas within these maintenance sections. All work shall be performed as directed by the Maintenance Section Supervisor to avoid impacts to these areas.

Minimize vehicles and equipment in construction areas to lessen the impact on existing vegetation. The intent of the plans is to prepare only that portion of the right-of-way necessary for construction.

Contractor questions on this project are to be emailed to the following individual(s):

Jeremy King [Jeremy.King@TxDOT.gov](mailto:Jeremy.King@TxDOT.gov)  
 Tammy Gibson [Tamara.Gibson@TxDOT.gov](mailto:Tamara.Gibson@TxDOT.gov)

Contractor questions will be accepted through email, phone, and in person by the above individual(s).

All contractor questions will be reviewed by the Engineer. Once a response is developed, it will be posted to TxDOT's Public FTP at the following Address:

<http://ftp.dot.state.tx.us/pub/txdot-info/Pre-Letting Responses/>

All questions submitted that generate a response will be posted through this site. The site is organized by District, Project Type (Construction or Maintenance), Letting Date, CCSJ/Project Name.

In case of emergency, the contractor shall begin work within 48 hours after verbal notification.

County: SHELBY Control: 6411-47-001

Highway: US 96, ETC.

All workers on TxDOT right-of-way shall wear reflective clothing meeting ANSI Class II requirements during the day and ANSI Class III requirements during the night. Non-compliance with any of these requirements shall be grounds for suspension of work.

The following standard detail sheets have been modified:

T202TR & T2/T201TR

ITEM 2: INSTRUCTIONS TO BIDDERS

View plans on-line or download from the web at: <https://www.txdot.gov/business/letting-bids/plans-online.html>

Order plans from any of the plan reproduction companies shown on the web at: [https://www.dot.state.tx.us/business/contractors\\_consultants/repro\\_companies.htm](https://www.dot.state.tx.us/business/contractors_consultants/repro_companies.htm)

ITEM 4: SCOPE OF WORK

The contract may be extended if in the judgment of the Engineer, the Contractor has satisfactorily fulfilled the terms and conditions of the contract. The extension must be agreed upon in writing by both parties to the contract and may be extended for an additional period of time not to exceed the original contract time period. The extended contract may be for additional quantities up to the original bid quantities plus any quantities added by an approved change order. The extensions will meet the terms and conditions of the original contract or any mutually agreed modifications to the said terms and conditions by one or more cumulative change orders. The Engineer will set a deadline for completing the agreements. This deadline will be based on the time needed to re-let and award a new contract if no extension is agreed upon.

ITEM 5: CONTROL OF THE WORK

The Contractor shall become knowledgeable of the location of utilities within the right-of-way and shall use care when working near them.

ITEM 7: LEGAL RELATIONS AND RESPONSIBILITIES

The proposed work of this project is to repair damaged guard fence, attenuator, and metal rail within the State right-of-way that may affect the safety of the traveling public. This activity maintains the original line and grade, hydraulic capacity and original purpose of the site. Therefore, this project meets the definition of a routine maintenance activity as defined in the TPDES General Permit No. TXR150000 issued March 5, 2013 and TCEQ's TPDES CGP does not apply. However, the contractor shall place BMP's as directed.

Several roadways in Shelby County are located on property owned by the US Forest Service (USFS). The Maintenance Section Office will notify the appropriate USFS District Ranger before any work begins on any roadway that is located on USFS property.

County: SHELBY

Control: 6411-47-001

Highway: US 96, ETC.

In order to maintain compliance with Chapter 64 of the Texas Parks and Wildlife Code and Migratory Bird Treaty Act (MBTA), ROW clearing activities shall be conducted outside of the nesting season (March 15 to September 15). In the event birds or active nests (eggs and/or nestlings present) are encountered, contact the area engineer prior to conducting work.

Red-cockaded Woodpecker (federally listed endangered species) habitat is present adjacent to the ROW along FM 2261 and FM 3184. Conservation measures have been agreed upon by the United States Fish and Wildlife Service and TxDOT to ensure that the proposed action will not adversely affect the red-cockaded woodpecker. The conservation measures below must be followed in order to be in compliance with the Endangered Species Act:

1. NO WORK shall be performed on FM 2261 from CR 2821 to FR 126 and on FM 3184 from CR 2791 to the end of FM 3184 from April 1 to July 31.
2. Work shall begin one hour after sunrise and cease one hour before sunset.
3. No STOCKPILES or EQUIPMENT STORAGE shall be allowed along or within the ROW along FM 2261 and FM 3184.

**ITEM 8: PROSECUTION AND PROGRESS**

For this project, calendar days will be computed and charged in accordance with Item 8, Section 3.1.5 "Calendar Day."

Contract Time: The contract time for this contract shall be 365 calendar days or 1 year after the execution of this contract.

Contractor shall be on site within 48 hours for emergency work, and within five business days for regular callout work orders, unless otherwise agreed upon with the Engineer.

Notify the Engineer or his Representative at least 24 hours prior to beginning work.

**ITEM 9: MEASUREMENT AND PAYMENT**

This Contract includes callout work. In accordance with Article 9.2., "Plans Quantity Measurement", plans quantity measurement requirements are not applicable. The quantities shown are for estimates only and payment will be based on the actual quantities placed.

County: SHELBY

Control: 6411-47-001

Highway: US 96, ETC.

**NONCOMPLIANCE PENALTY** – A penalty will be assessed for each instance the contractor is in noncompliance. A noncompliance instance is defined by the following:

1. The contractor fails to begin work at the specified time and/or location(s).
2. The contractor does not have all the personnel and pieces of equipment necessary to fulfill the requirement of the item(s) called out at the specified time and/or location(s).
3. The contractor does not complete the work continuously, unless approved by the Engineer.

The noncompliance penalty will be deducted from any money due or to become due for any completed item(s) or work. The Noncompliance Penalty will be assessed as follows: \$250 per instance, per location, and per day until the contractor returns to a state of compliance.

**ITEM 502: BARRICADES, SIGNS, AND TRAFFIC HANDLING**

Traffic Control Plan (TCP):

Furnish and maintain all warning signs, flaggers, channelizing devices, etc. required for traffic control on this contract in accordance with Item 502.1 & 502.2. This work will not be paid for directly but will be considered subsidiary to the various bid items.

For protection of the traveling public, direct traffic through the work area using signs, flaggers and other devices. Required signs are shown in the plans on the Barricade And Construction Standards and Traffic Control Plan Sheets. The latest edition of the "Texas Manual On Uniform Traffic Control Devices" shall also be used as a guide for handling traffic on this project.

Texas Transportation Code 547.105 authorizes the use of warning lights to promote safety and provides an effective means of gaining the travelling public's attention as they drive in areas where construction crews are present. In order to influence the public to move over when high risk construction activities are taking place, minimize the utilization of blue warning lights. These lights must be used only while performing work on or near the travel lanes or shoulder where the travelling public encounters construction crews that are not protected by a standard work zone set up such as a lane closure, shoulder closure, or one-way traffic control. Refrain from leaving the warning lights engaged while travelling from one work location to another or while parked on the right of way away from the pavement or a work zone.

Restrict construction work to single lane widths with only minor disruptions in traffic flow. Lane closures shall conform to the traffic control plan for lane closures as shown in the plans. No overnight closures will be permitted.

Provide temporary Rumble Strips as shown on WZ(RS)-22 when lane closures are necessary.

Provide a flashing arrow panel and a truck-mounted attenuator to supplement required signs and devices for each lane closure.



County: SHELBY

Control: 6411-47-001

Highway: US 96, ETC.

Provide adequate flaggers to protect the traveling public. All flaggers shall wear approved hardhats and reflective safety vests while flagging. Safety vests shall be clean and worn fully fastened.

Install "Be Prepared to Stop" (CW20-7B) and "Flagger Ahead" (CW22-7D) signs when flaggers are present. Position the signs where good visibility and traffic control can be maintained.

Provide one high-intensity yellow, rotating dome-light on all equipment such as distributors, spreader boxes, lay-down machines, rollers, backhoes, road graders, loaders, etc. Mount lights high enough to be visible from all directions and operating when the equipment is within 30 ft. of the travel way. On all other equipment such as trucks, trailers, automobiles, etc., use emergency flashers while within the work zone.

No lane closures will be allowed after 12:00 Noon on Fridays or on days preceding Major Holidays on US 59, US 84, and US 96, unless otherwise directed.

Plan the sequence of work so as to minimize the time lane closures are in place.

All traffic control for this project, with the exception of Truck Mounted Attenuators (TMA's), shall be subsidiary to the various bid items.

**ITEM 540: METAL BEAM GUARD FENCE & ITEM 770: GUARD FENCE REPAIR**

GF(31)-19, GF(31)TRTL2-19, GF(31)TRTL3-20, SGT(10S)31-16, SGT(11S)31-18, SGT(12S)31-18, MBGF-19 & BED-14 standards shall be used on upgrades unless otherwise directed by the Engineer.

All materials removed shall become the property of the Contractor.

All materials furnished by the Contractor shall be new.

Existing concrete that will conflict with installing the new system shall be completely removed and disposed of by the Contractor. This work will not be paid for directly but shall be considered subsidiary to removal of the existing guardrail terminal.

Timber posts shall be domed. When posts are placed, new posts shall match the existing post such that each is uniform in height.

At the close of work each day, if repairs are not complete, the Contractor shall protect the ends of metal beam guard fence in an approved manner, so that no blunt ends are exposed to approaching traffic. Plastic drums will be required at these locations. This work will be subsidiary to the work performed under Item 540, Metal Beam Guard Fence (MBGF) or Item 770, Guard Fence Repair.

Completely clean the area of all debris including debris left from reconstruction of the Guardrail or Bridge Rail assembly as well as any litter created by the crew. Remove or spread surplus soil and material that has collected under the rail to the natural grade of the surrounding area.

General Notes

County: SHELBY

Control: 6411-47-001

Highway: US 96, ETC.

**ITEM 658: DELINEATOR AND OBJECT MARKER ASSEMBLIES**

Install delineators on the departure side of posts when mounting to metal beam guard fence and guardrail end treatments.

Install CTB barrier reflectors on top of concrete bridge rail and concrete barriers.

Install D-SW delineators on the departure side of steel bridge rail posts.

**ITEM 774: ATTENUATOR REPAIR**

The contractor shall furnish details on the method proposed to "Retrofit" the new systems at the existing crash cushion locations, prior to beginning this work.

**ITEM 6185: TRUCK MOUNTED ATTENUATOR**

Truck Mounted Attenuators (TMA's) shall meet the requirements of this item and the Department's Compliant Work Zone Traffic Control Device List.

Truck Mounted Attenuators (TMA's) as shown on the TCP's shall be used. Whether shown on the TCP's or added by the Department, TMA's shall be paid for under Item 6185, "Truck Mounted Attenuator" for the type of operation being performed.

General Notes

3B



CONTROLLING PROJECT ID 6411-47-001

DISTRICT Lufkin  
HIGHWAY US0096

COUNTY Shelby

## Estimate & Quantity Sheet

CONTROL SECTION JOB				6411-47-001		TOTAL EST.	TOTAL FINAL
PROJECT ID				A00189458			
COUNTY				Shelby			
HIGHWAY				US0096			
ALT	BID CODE	DESCRIPTION	UNIT	EST.	FINAL		
	104-6021	REMOVING CONC (CURB)	LF	75,000		75,000	
	429-6007	CONC STR REPAIR (VERTICAL & OVERHEAD)	SF	100,000		100,000	
	429-6009	CONC STR REPAIR (STANDARD)	SF	15,000		15,000	
	450-6018	RAIL (TY T631)	LF	50,000		50,000	
	450-6019	RAIL (TY T631LS)	LF	20,000		20,000	
	500-6033	MOBILIZATION (CALLOUT)	EA	10,000		10,000	
	540-6001	MTL W-BEAM GD FEN (TIM POST)	LF	400,000		400,000	
	540-6005	TERMINAL ANCHOR SECTION	EA	2,000		2,000	
	540-6006	MTL BEAM GD FEN TRANS (THRIE-BEAM)	EA	2,000		2,000	
	540-6008	MTL BEAM GD FEN TRANS (T101)	EA	2,000		2,000	
	540-6014	SHORT RADIUS	LF	50,000		50,000	
	540-6015	DRIVEWAY TERMINAL ANCHOR SECTION	EA	2,000		2,000	
	540-6016	DOWNSTREAM ANCHOR TERMINAL SECTION	EA	2,000		2,000	
	540-6017	MTL BM GD FEN (LONG SPAN SYSTEM)	LF	50,000		50,000	
	540-6020	MTL W - BEAM GD FEN (LOW FILL CULVERT)	LF	50,000		50,000	
	542-6001	REMOVE METAL BEAM GUARD FENCE	LF	2,000,000		2,000,000	
	542-6002	REMOVE TERMINAL ANCHOR SECTION	EA	3,000		3,000	
	542-6003	REMOVE DOWNSTREAM ANCHOR TERMINAL	EA	20,000		20,000	
	542-6004	RM MTL BM GD FENCE TRANS (THRIE-BEAM)	EA	3,000		3,000	
	544-6001	GUARDRAIL END TREATMENT (INSTALL)	EA	10,000		10,000	
	544-6002	GUARDRAIL END TREATMENT (MOVE & RESET)	EA	2,000		2,000	
	545-6005	CRASH CUSH ATTEN (REMOVE)	EA	1,000		1,000	
	545-6027	CRASH CUSHION ATTEN (INSTALL) (QUAD)(W)	EA	1,000		1,000	
	658-6016	INSTL DEL ASSM (D-SWISZ (BRFJGF1 (BI)	EA	5,000		5,000	
	658-6099	INSTL OM ASSM (OM-2Z)(WFLX)GND	EA	5,000		5,000	
	770-6001	REPAIR RAIL ELEMENT (W - BEAM)	LF	1,200,000		1,200,000	
	770-6003	REP RAIL ELMNT(THRIE-BM TRANS TO W -BM)	LF	25,000		25,000	
	770-6010	REM / REPL TIMBER/STL POST W/O CONC FND	EA	40,000		40,000	
	770-6011	REM / REPL TIMBER / STL POST W/CONC FND	EA	25,000		25,000	
	770-6016	REPAIR STEEL POST WITH BASE PLATE	EA	5,000		5,000	
	770-6017	REALIGN POSTS	EA	25,000		25,000	
	770-6018	INSTALL BLOCKOUT (TYPE SPECIFIED)	EA	15,000		15,000	
	770-6019	REMOVE & REPLACE BLOCKOUT	EA	25,000		25,000	
	770-6021	REPLACE SINGLE GDRAIL TERMINAL RAIL	LF	60,000		60,000	
	770-6022	REPLACE SINGLE GDRAIL TERMINAL POST	EA	10,000		10,000	
	770-6023	REPAIR OF TERMINAL ANCHORS POSTS	EA	5,000		5,000	
	770-6024	REPLACE TERMINAL ANCHOR POSTS	EA	5,000		5,000	



Report Generated By: txdotconnect\_internal\_ext

Report Created On: Jun 16, 2022 7:39:02 AM

DISTRICT	COUNTY	CCSJ	SHEET
Lufkin	Shelby	6411-47-001	4



CONTROLLING PROJECT ID 6411-47-001

DISTRICT Lufkin  
HIGHWAY US0096

COUNTY Shelby

## Estimate & Quantity Sheet

CONTROL SECTION JOB				6411-47-001		TOTAL EST.	TOTAL FINAL
PROJECT ID				A00189458			
COUNTY				Shelby			
HIGHWAY				US0096			
ALT	BID CODE	DESCRIPTION	UNIT	EST.	FINAL		
	770-6027	REMOVE GDRAIL END TRT / REPL WITH SGT	EA	10,000			10,000
	770-6028	REPL SINGLE GDRAIL TERM IMPACT HEAD	EA	2,000			2,000
	770-6029	REM & RESET SGT IMPACT HEAD	EA	10,000			10,000
	770-6030	REPLACE SGT CABLE ASSEMBLY	EA	2,000			2,000
	770-6031	REPLACE SGT CABLE ANCHOR	EA	2,000			2,000
	770-6032	REPLACE SGT STRUT	EA	2,000			2,000
	770-6033	REPLACE SGT OBJECT MARKER	EA	2,000			2,000
	770-6034	REPAIR RAIL ELEMENT(W - BEAM FURNISHED)	LF	25,000			25,000
	774-6017	REPAIR (WIDE QUAD)	EA	2,000			2,000
	776-6004	REPAIR (STL POST W/ DOUBLED W-BEAMS-T6)	LF	25,000			25,000
	776-6020	REPAIR (TY T101RC)	LF	25,000			25,000
	6185-6002	TMA (STATIONARY)	DAY	12,000			12,000


DISTRICT	COUNTY	CCSJ	SHEET
Lufkin	Shelby	6411-47-001	4A

6/16/2022 7:33:48 AM T:\LFK\DDM\GInt\_Contracts\0-RMC - Routine Maintenance\_Contracts\FY22 P.ions\6411-1-01-SheBy\_MBF\DDN\SUM\_She\_By\_MBF\_6341-1-0-001.dgn

SUMMARY OF GUARD FENCE, ATTENUATOR & RAIL REPAIR			
BID ITEM	DESCRIPTION	UNIT	QUANTITY
0104-6021	REMOVING CONC (CURB)	LF	75
0429-6007	CONC STR REPAIR (VERTICAL & OVERHEAD)	SF	100
0429-6009	CONC STR REPAIR (STANDARD)	SF	15
0450-6018	RAIL (TY T631)	LF	50
0450-6019	RAIL (TY T631LS)	LF	20
0540-6001	MTL W-BEAM GD FEN (TIM POST)	LF	400
0540-6005	TERMINAL ANCHOR SECTION	EA	2
0540-6006	MTL BEAM GD FEN TRANS (THRIE-BEAM)	EA	2
0540-6008	MTL BEAM GD FEN TRANS (T101)	EA	2
0540-6014	SHORT RADIUS	LF	50
0540-6015	DRIVEWAY TERMINAL ANCHOR SECTION	EA	2
0540-6016	DOWNSTREAM ANCHOR TERMINAL SECTION	EA	2
0540-6017	MTL BM GD FEN (LONG SPAN SYSTEM)	LF	50
0540-6020	MTL W - BEAM GD FEN (LOW FILL CULVERT)	LF	50
0542-6001	REMOVE METAL BEAM GUARD FENCE	LF	2000
0542-6002	REMOVE TERMINAL ANCHOR SECTION	EA	3
0542-6003	REMOVE DOWNSTREAM ANCHOR TERMINAL	LF	20
0542-6004	RM MTL BM GD FENCE TRANS (THRIE-BEAM)	EA	3
0544-6001	GUARDRAIL END TREATMENT (INSTALL)	EA	10
0544-6002	GUARDRAIL END TREATMENT (MOVE & RESET)	EA	2
0545-6005	CRASH CUSH ATTEN (REMOVE)	EA	1
0545-6027	CRASH CUSH ATTEN (INSTALL) (QUAD) (W)	EA	1
0658-6016	INSTL DEL ASSM (D-SW)SZ (BRF)GF1 (BI)	EA	5
0658-6099	INSTL OM ASSM (OM-2Z) (FLX)GND	EA	5
0770-6001	REPAIR RAIL ELEMENT (W - BEAM)	LF	1200
0770-6003	REP RAIL ELEMNT (THRIE-BM TRANS TO W -BM)	LF	25
0770-6010	REM / REPL TIMBER/STL POST W/O CONC FND	EA	40
0770-6011	REM / REPL TIMBER / STL POST W/CONC FND	EA	25
0770-6016	REPAIR STEEL POST WITH BASE PLATE	EA	5
0770-6017	REALIGN POSTS	EA	25
0770-6018	INSTALL BLOCKOUT (TYPE SPECIFIED)	EA	15
0770-6019	REMOVE & REPLACE BLOCKOUT	EA	25
0770-6021	REPLACE SINGLE GDRAIL TERMINAL RAIL	LF	60
0770-6022	REPLACE SINGLE GDRAIL TERMINAL POST	EA	10
0770-6023	REPAIR OF TERMINAL ANCHORS POSTS	EA	5
0770-6024	REPLACE TERMINAL ANCHOR POSTS	EA	5
0770-6027	REMOVE GDRAIL END TRT / REPL WITH SGT	EA	10
0770-6028	REPL SINGLE GDRAIL TERM IMPACT HEAD	EA	2
0770-6029	REM & RESET SGT IMPACT HEAD	EA	10
0770-6030	REPLACE SGT CABLE ASSEMBLY	EA	2
0770-6031	REPLACE SGT CABLE ANCHOR	EA	2
0770-6032	REPLACE SGT STRUT	EA	2
0770-6033	REPLACE SGT OBJECT MARKER	EA	2
0770-6034	REPAIR RAIL ELEMENT (W - BEAM FURNISHED)	LF	25
0774-6017	REPAIR (WIDE QUAD)	EA	2
0776-6020	REPAIR (TY T101RC)	LF	25
0776-6004	REPAIR (STL POST W/DOUBLED W-BEAMS-T6)	LF	25

TRUCK MOUNTED ATTENUATOR SUMMARY			
BID ITEM	DESCRIPTION	UNIT	QUANTITY
6185-6002	TMA (STATIONARY)	DAY	12

QUANTITY SUMMARY

©2022  Texas Department of Transportation®

CONT	SECT	JOB	HIGHWAY
6411	47	001	US 96, ETC.
DIST	COUNTY	SHEET NO.	
LFK	SHELBY	5	

**BARRICADE AND CONSTRUCTION (BC) STANDARD SHEETS GENERAL NOTES:**

1. The Barricade and Construction Standard Sheets (BC sheets) are intended to show typical examples for placement of temporary traffic control devices, construction pavement markings, and typical work zone signs. The information contained in these sheets meet or exceed the requirements shown in the "Texas Manual on Uniform Traffic Control Devices" (TMUTCD).
2. The development and design of the Traffic Control Plan (TCP) is the responsibility of the Engineer.
3. The Contractor may propose changes to the TCP that are signed and sealed by a licensed professional engineer for approval. The Engineer may develop, sign and seal Contractor proposed changes.
4. The Contractor is responsible for installing and maintaining the traffic control devices as shown in the plans. The Contractor may not move or change the approximate location of any device without the approval of the Engineer.
5. Geometric design of lane shifts and detours should, when possible, meet the applicable design criteria contained in manuals such as the American Association of State Highway and Transportation Officials (AASHTO), "A Policy on Geometric Design of Highways and Streets," the TxDOT "Roadway Design Manual" or engineering judgment.
6. When projects abut, the Engineer(s) may omit the END ROAD WORK, TRAFFIC FINES DOUBLE, and other advance warning signs if the signing would be redundant and the work areas appear continuous to the motorists. If the adjacent project is completed first, the Contractor shall erect the necessary warning signs as shown on these sheets, the TCP sheets or as directed by the Engineer. The BEGIN ROAD WORK NEXT X MILES sign shall be revised to show appropriate work zone distance.
7. The Engineer may require duplicate warning signs on the median side of divided highways where median width will permit and traffic volumes justify the signing.
8. All signs shall be constructed in accordance with the details found in the "Standard Highway Sign Designs for Texas," latest edition. Sign details not shown in this manual shall be shown in the plans or the Engineer shall provide a detail to the Contractor before the sign is manufactured.
9. The temporary traffic control devices shown in the illustrations of the BC sheets are examples. As necessary, the Engineer will determine the most appropriate traffic control devices to be used.
10. Where highway construction or maintenance work is being undertaken, other than mobile operations as defined by the Texas Manual on Uniform Traffic Control Devices, CSJ limit signs are required. CSJ limit signs are shown on BC(2). The OBEY WARNING SIGNS STATE LAW sign, STAY ALERT TALK OR TEXT LATER and the WORK ZONE TRAFFIC FINES DOUBLE sign with plaque shall be erected in advance of the CSJ limits. The BEGIN ROAD WORK NEXT X MILES, CONTRACTOR and END ROAD WORK signs shall be erected at or near the CSJ limits. For mobile operations, CSJ limit signs are not required.
11. Traffic control devices should be in place only while work is actually in progress or a definite need exists.
12. The Engineer has the final decision on the location of all traffic control devices.
13. Inactive equipment and work vehicles, including workers' private vehicles must be parked away from travel lanes. They should be as close to the right-of-way line as possible, or located behind a barrier or guardrail, or as approved by the Engineer.

**WORKER SAFETY NOTES:**

1. Workers on foot who are exposed to traffic or to construction equipment within the right-of-way shall wear high-visibility safety apparel meeting the requirements of ISEA "American National Standard for High-Visibility Apparel," or equivalent revisions, and labeled as ANSI 107-2004 standard performance for Class 2 or 3 risk exposure. Class 3 garments should be considered for high traffic volume work areas or night time work.
2. Except in emergency situations, flagger stations shall be illuminated when flagging is used at night.

**COMPLIANT WORKZONE TRAFFIC CONTROL DEVICES**

1. Only pre-qualified products shall be used. The "Compliant Work Zone Traffic Control Devices List" (CWZTCD) describes pre-qualified products and their sources.
2. Work zone traffic control devices shall be compliant with the Manual for Assessing safety Hardware (MASH).


<p>THE DOCUMENTS BELOW CAN BE FOUND ON-LINE AT  <a href="http://www.txdot.gov">http://www.txdot.gov</a></p>
COMPLIANT WORK ZONE TRAFFIC CONTROL DEVICES LIST (CWZTCD)
DEPARTMENTAL MATERIAL SPECIFICATIONS (DMS)
MATERIAL PRODUCER LIST (MPL)
ROADWAY DESIGN MANUAL - SEE "MANUALS (ONLINE MANUALS)"
STANDARD HIGHWAY SIGN DESIGNS FOR TEXAS (SHSD)
TEXAS MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (TMUTCD)
TRAFFIC ENGINEERING STANDARD SHEETS

DISCLAIMER: THIS MANUAL IS PROVIDED AS A SERVICE TO THE PUBLIC. IT IS NOT TO BE USED FOR ANY OTHER PURPOSE. THE TEXAS DEPARTMENT OF TRANSPORTATION ASSUMES NO LIABILITY FOR THE CONSTRUCTION OF ANY PROJECTS BASED ON THE INFORMATION CONTAINED HEREIN. THE USER OF THIS MANUAL ASSUMES ALL LIABILITY FOR ANY DAMAGE, LOSS, OR INJURY RESULTING FROM ITS USE.

SHEET 1 OF 12


<p><b>BARRICADE AND CONSTRUCTION                  GENERAL NOTES                  AND REQUIREMENTS</b></p>			
<p><b>BC (1) - 21</b></p>			
Title: BC(1)-21 Date: November 2002	Rev: 1.000 Cont: 47	Des: 1.000 Job: 001	Proj: 1.000 Sheet: US 96, ETC.
REVISIONS 4-01 1-13 9-07 8-14 5-10 5-21	DIST: LFK	COUNTY: SHELBY	SHEET NO.: 6

**TYPICAL LOCATION OF CROSSROAD SIGNS**



1. The typical minimum signing on a crossroad approach should be a "ROAD WORK AHEAD" (CW20-10) sign and a (G20-21) "END ROAD WORK" sign, unless noted otherwise in plans.
2. The Engineer may use the reduced size 36" x 36" ROAD WORK AHEAD (CW20-10) sign mounted back to back with the reduced size 36" x 18" "END ROAD WORK" (G20-21) sign on low volume crossroads (see Note 4 under "Typical Construction Warning Sign Size and Spacing"). See the "Standard Highway Sign Designs for Texas" manual for sign details. The Engineer may omit the advance warning signs on low volume crossroads. The Engineer will determine whether a road is low volume as per TMUTCD Part 5. This information shall be shown in the plans.
3. Based on existing field conditions, the Engineer/Inspector may require additional signs such as FLAGGER AHEAD, LOOSE GRAVEL, or other appropriate signs. When additional signs are required, these signs will be considered part of the minimum requirements. The Engineer/Inspector will determine the proper location and spacing of any sign not shown on the BC sheets, Traffic Control Plan sheets or the Work Zone Standard Sheets.
4. The "ROAD WORK NEXT X MILES" (G20-101) sign shall be required at high volume crossroads to advise motorists of the length of construction in either direction from the intersection. The Engineer will determine whether a roadway is considered high volume.
5. Additional traffic control devices may be shown elsewhere in the plans for higher volume crossroads.
6. When work occurs in the intersection area, appropriate traffic control devices, as shown elsewhere in the plans or as determined by the Engineer/Inspector, shall be in place.

**T-INTERSECTION**



**CSJ LIMITS AT T-INTERSECTION**

1. The Engineer will determine the types and location of any additional traffic control devices, such as a flagger and accompanying signs, or other signs, that should be used when work is being performed at or near an intersection.
2. If construction closes the road at a T-intersection, the Contractor shall place the "CONTRACTOR NAME" (G20-61) sign behind the Type 3 Barricades for the road closure (see BC110) also. The "ROAD WORK NEXT X MILES" left arrow (G20-101L) and "ROAD WORK NEXT X MILES" right arrow (G20-101R) signs shall be replaced by the detour signing called for in the plans.

**TYPICAL CONSTRUCTION WARNING SIGN SIZE AND SPACING<sup>15,6</sup>**


Sign Number or Series	SIZE		SPACING	
	Conventional Road	Expressway/Freeway	Posted Speed MPH	Sign Δ Spacing "x"
CW20 <sup>4</sup>	48" x 48"	48" x 48"	30	120
CW21			35	160
CW23			40	240
CW25			45	320
CW1, CW2, CW7, CW8, CW9, CW11, CW14	36" x 36"	48" x 48"	50	400
			55	500 <sup>2</sup>
			60	600 <sup>2</sup>
CW3, CW4, CW5, CW6, CW8-5, CW10, CW12	48" x 48"	48" x 48"	70	800 <sup>2</sup>
			75	900 <sup>2</sup>
			80	1000 <sup>2</sup>
			*	*

\* For typical sign spacings on divided highways, expressways and freeways, see Part 6 of the "Texas Manual on Uniform Traffic Control Devices" (TMUTCD) typical application diagrams or TDP Standard Sheets.

Δ Minimum distance from work area to first Advance Warning sign nearest the work area and/or distance between each additional sign.


- GENERAL NOTES**
- Special or larger size signs may be used as necessary.
  - Distance between signs should be increased as required to have 1500 feet advance warning.
  - Distance between signs should be increased as required to have 1/2 mile or more advance warning.
  - 36" x 36" "ROAD WORK AHEAD" (CW20-10) signs may be used on low volume crossroads at the discretion of the Engineer as per TMUTCD Part 5. See Note 2 under "Typical Location of Crossroad Signs".
  - Only diamond shaped warning sign sizes are indicated.
  - See sign size listing in "TMUTCD", Sign Appendix or the "Standard Highway Sign Designs for Texas" manual for complete list of available sign design sizes.

**WORK AREAS IN MULTIPLE LOCATIONS WITHIN CSJ LIMITS**




When extended distances occur between minimal work spaces, the Engineer/Inspector should ensure additional "ROAD WORK AHEAD" (CW20-10) signs are placed in advance of these work areas to remind drivers they are still within the project limits. See the applicable TDP sheets for exact location and spacing of signs and channelizing devices.

**SAMPLE LAYOUT OF SIGNING FOR WORK BEGINNING AT THE CSJ LIMITS**



Beginning of NO-PASSING line should coordinate with sign location.

**SAMPLE LAYOUT OF SIGNING FOR WORK BEGINNING DOWNSTREAM OF THE CSJ LIMITS**



**NOTES**

- The Contractor shall determine the appropriate distance to be placed on the G20-1 series signs and "BEGIN ROAD WORK NEXT X MILES" (G20-61) sign for each specific project. This distance shall replace the "x" and shall be rounded to the nearest whole mile with the approval of the Engineer. No decimals shall be used.
- The "BEGIN WORK ZONE" (G20-91P) and "END WORK ZONE" (G20-21) shall be used as shown on the sample layout when advance signs are required outside the CSJ Limits. They inform the motorist of entering or leaving a part of the work zone lying outside the CSJ Limits where traffic fines may double if workers are present.
- \* CSJ limit signing is required for highway construction and maintenance work, with the exception of mobile operations.
- ◇ Area for placement of "ROAD WORK AHEAD" (CW20-10) sign and other signs or devices as called for on the Traffic Control Plan.
- ⊘ Contractor will install a regulatory speed limit sign at the end of the work zone.

**LEGEND**

—	Type 3 Barricade
○ ○ ○	Channelizing Devices
◇	Sign
x	See Typical Construction Warning Sign Size and Spacing chart or the TMUTCD for sign spacing requirements.

SHEET 2 OF 12

Texas Department of Transportation  
Traffic Safety Division Standard

**BARRICADE AND CONSTRUCTION PROJECT LIMIT**

BC (2) - 21


Plan:	BC-21, 091	Rev:	1/001	En:	1/001	Rev:	1/001	En:	1/001
Date:	11/001	Rev:	1/001	Date:	11/001	Rev:	1/001	Date:	11/001
Revisions:	6411	47	001	US	96	ETC.			
9-07	8-14	1-13	5-21	LFK	SHELBY				

DISCLAIMER: This document is the property of the State of Texas. It is loaned to you for your use only. It is not to be distributed, copied, or otherwise used for any purpose other than that for which it was loaned. The State of Texas is not responsible for any errors or omissions resulting from its use.

## TYPICAL APPLICATION OF WORK ZONE SPEED LIMIT SIGNS

Work zone speed limits shall be regulatory, established in accordance with the "Procedures for Establishing Speed Zones," and approved by the Texas Transportation Commission, or by City Ordinance when within Incorporated City Limits.

Reduced speeds should only be posted in the vicinity of work activity and not throughout the entire project. Regulatory work zone speed signs (R2-1) shall be removed or covered during periods when they are not needed.



### GUIDANCE FOR USE:

#### LONG/INTERMEDIATE TERM WORK ZONE SPEED LIMITS

This type of work zone speed limit should be included on the design of the traffic control plans when restricted geometrics with a lower design speed are present in the work zone and modification of the geometrics to a higher design speed is not feasible.

Long/Intermediate Term Work Zone Speed Limit signs, when approved as described above, should be posted and visible to the motorist when work activity is present. Work activity may also be defined as a change in the roadway that requires a reduced speed for motorists to safely negotiate the work area, including:

- a) rough road or damaged pavement surface
- b) substantial alteration of roadway geometrics (diversions)
- c) construction detours
- d) grade
- e) width
- f) other conditions readily apparent to the driver

As long as any of these conditions exist, the work zone speed limit signs should remain in place.

#### SHORT TERM WORK ZONE SPEED LIMITS

This type of work zone speed limit may be included on the design of the traffic control plans when workers or equipment are not behind concrete barrier, when work activity is within 10 feet of the traveled way or actually in the traveled way.


Short Term Work Zone Speed Limit signs should be posted and visible to the motorists only when work activity is present. When work activity is not present, signs shall be removed or covered. (See Removing or Covering on BC(4)).

#### GENERAL NOTES

1. Regulatory work zone speed limits should be used only for sections of construction projects where speed control is of major importance.
2. Regulatory work zone speed limit signs shall be placed on supports at a 7 foot minimum mounting height.
3. Speed zone signs are illustrated for one direction of travel and are normally posted for each direction of travel.
4. Frequency of work zone speed limit signs should be:
  - 40 mph and greater 0.2 to 2 miles
  - 35 mph and less 0.2 to 1 mile
5. Regulatory speed limit signs shall have black legend and border on a white reflective background (See "Reflective Sheeting" on BC(4)).
6. Fabrication, erection and maintenance of the "ADVANCE SPEED LIMIT" (CW3-5) sign, "WORK ZONE" (G20-5aP) plaque and the "SPEED LIMIT" (R2-1) signs shall not be paid for directly, but shall be considered subsidiary to Item 502.
7. Turning signs from view, laying signs over or down will not be allowed, unless as otherwise noted under "REMOVING OR COVERING" on BC(4).
8. Techniques that may help reduce traffic speeds include but are not limited to:
  - A. Low enforcement.
  - B. Flagger stationed next to sign.
  - C. Portable changeable message sign (PCMS).
  - D. Low power (dome) radar transmitter.
  - E. Speed monitor trailers or signs.
9. Speeds shown on details above are for illustration only. Work Zone Speed Limits should only be posted as approved for each project.
10. For more specific guidance concerning the type of work, work zone conditions and factors impacting allowable regulatory construction speed zone reduction see TxDOT form #1204 in the TxDOT e-form system.

DISCLAIMER: This manual is governed by the Texas Engineering Practice Act. No warranty of any kind is made by the State of Texas or the Texas Department of Transportation for the use of this manual in any project. The user assumes all liability for any damages resulting from its use.

SHEET 3 OF 12




Texas Department of Transportation  
Traffic Safety Division Standard

### BARRICADE AND CONSTRUCTION WORK ZONE SPEED LIMIT

BC (3) - 21

Field	BC-21, 09/11	Rev 1/07	Rev 1/07	Rev 1/07	Rev 1/07
© 1/07	November 2002	CONT	SHEET	JOB	HS/MS/ETC
REVISIONS	6411	47	001	US 96, ETC.	
9-07	8-14			COUNTY	
7-13	5-21	LFK	SHELBY	SHEET NO.	8


TYPICAL MINIMUM CLEARANCES FOR LONG TERM AND INTERMEDIATE TERM SIGNS



\* When placing skid supports on uneven ground, the leg post lengths must be adjusted so the sign appears straight and plumb. Objects shall NOT be placed under skids as a means of leveling.

\*\* When plaques are placed on dual-leg supports, they should be attached to the upright nearest the travel lane. Supplemental plaques (advisory or distance) should not cover the surface of the parent sign.


ATTACHMENT FOR SIGN SUPPORTS



Nails shall NOT be allowed. Each sign shall be attached directly to the sign support. Multiple signs shall not be joined or spliced by any means. Wood supports shall not be extended or repaired by splicing or other means.

STOP/SLOW PADDLES

1. STOP/SLOW paddles are the primary method to control traffic by flaggers. The STOP/SLOW paddle size should be 24" x 24".
2. STOP/SLOW paddles shall be retroreflective when used at night.
3. STOP/SLOW paddles may be attached to a staff with a minimum length of 6' to the bottom of the sign.
4. Any lights incorporated into the STOP or SLOW paddle faces shall only be as specifically described in Section 65.03 Hand Signaling Devices in the TMLTC.



SHEETING REQUIREMENTS (WHEN USED AT NIGHT)		
USAGE	COLOR	SIGN FACE MATERIAL
BACKGROUND	RED	TYPE B OR C SHEETING
BACKGROUND	ORANGE	TYPE B <sub>1</sub> OR C <sub>1</sub> SHEETING
LEGEND & BORDER	WHITE	TYPE B OR C SHEETING
LEGEND & BORDER	BLACK	ACRYLIC NON-REFLECTIVE FILM

CONTRACTOR REQUIREMENTS FOR MAINTAINING PERMANENT SIGNS WITHIN THE PROJECT LIMITS

1. Permanent signs are used to give notice of traffic laws or regulations, call attention to conditions that are potentially hazardous to traffic operations, show route designations, destinations, directions, distances, services, points of interest, and other geographical, recreational, specific service (LOCO), or cultural information. Drivers proceeding through a work zone need the same, if not better route guidance as normally installed on a roadway without construction.
2. When permanent regulatory or warning signs conflict with work zone conditions, remove or cover the permanent signs until the permanent sign message matches the roadway condition. For details for covering large guide signs see the TSD standards.
3. When existing permanent signs are moved and relocated due to construction purposes, they shall be visible to motorists at all times.
4. If existing signs are to be relocated on their original supports, they shall be installed on crashworthy bases as shown on the SMD Standard sheets. The signs shall meet the required mounting heights shown on the BC Sheets or the SMD Standards. This work should be paid for under the appropriate pay item for relocating existing signs.
5. If permanent signs are to be removed and relocated using temporary supports, the Contractor shall use crashworthy supports as shown on the BC standard sheets, TLRs standard sheets or the CWZICD list. The signs shall meet the required mounting heights shown on the BC, or the SMD standard sheets during construction. This work should be paid for under the appropriate pay item for relocating existing signs.
6. Any sign or traffic control device that is struck or damaged by the Contractor or his/her construction equipment shall be replaced as soon as possible by the Contractor to ensure proper guidance for the motorists. This will be subsidiary to Item 502.

GENERAL NOTES FOR WORK ZONE SIGNS

1. Contractor shall install and maintain signs in a straight and plumb condition and/or as directed by the Engineer.
2. Wooden sign posts shall be painted white.
3. Barricades shall NOT be used as sign supports.
4. All signs shall be installed in accordance with the plans or as directed by the Engineer. Signs shall be used to regulate, warn, and guide the traveling public safely through the work zone.
5. The Contractor may furnish either the sign design shown in the plans or in the "Standard Highway Sign Designs for Texas" (SHSD). The Engineer/Inspector may require the Contractor to furnish other work zone signs that are shown in the TMLTC but may have been omitted from the plans. Any variation in the plans shall be documented by written agreement between the Engineer and the Contractor's Responsible Person. All changes must be documented in writing before being implemented. This can include documenting the changes in the Inspector's TxDOT diary and having both the Inspector and Contractor initial and date the agreed upon changes.
6. The Contractor shall furnish sign supports listed in the "Compliant Work Zone Traffic Control Device List" (CWZICD) for small roadside signs. Supports for temporary large roadside signs shall meet the requirements detailed on the Temporary Large Roadside Signs (TLRS) standard sheets. The Contractor shall install the sign support in accordance with the manufacturer's recommendations. If there is a question regarding installation procedures, the Contractor shall furnish the Engineer a copy of the manufacturer's installation recommendations so the Engineer can verify the correct procedures are being followed.
7. The Contractor is responsible for installing signs on approved supports and replacing signs when damaged or cracked substrates and/or damaged or marred reflective sheeting as directed by the Engineer/Inspector.
8. Identification markings may be shown only on the back of the sign substrate. The maximum height of letters and/or company logos used for identification shall be 1 inch.
9. The Contractor shall replace damaged wood posts. New or damaged wood sign posts shall not be spliced.

DURATION OF WORK (as defined by the "Texas Manual on Uniform Traffic Control Devices" Part 6)

- a. Long-term stationary - work that occupies a location more than 3 days.
- b. Intermediate-term stationary - work that occupies a location more than one daylight period up to 3 days, or nighttime work lasting more than one hour.
- c. Short-term stationary - daytime work that occupies a location for more than 1 hour in a single daylight period.
- d. Short duration - work that occupies a location up to 1 hour.
- e. Mobile - work that moves continuously or intermittently (stopping for up to approximately 15 minutes.)

SIGN MOUNTING HEIGHT

1. The bottom of Long-term/Intermediate-term signs shall be at least 7 feet, but not more than 9 feet, above the paved surface, except as shown for supplemental plaques mounted below other signs.
2. The bottom of Short-term/Short Duration signs shall be a minimum of 1 foot above the pavement surface but no more than 2 feet above the roadway.
3. Long-term/Intermediate-term signs may be used in lieu of Short-term/Short Duration signing.
4. Short-term/Short Duration signs shall be used only during daylight and shall be removed at the end of the workday or raised to appropriate Long-term/Intermediate sign height.
5. Regulatory signs shall be mounted at least 7 feet, but not more than 9 feet, above the paved surface regardless of work duration.

SIZES OF SIGNS

1. The Contractor shall furnish the sign sizes shown on BC (2) unless otherwise shown in the plans or as directed by the Engineer.

SIGN SUBSTRATES

1. The Contractor shall ensure the sign substrate is installed in accordance with the manufacturer's recommendations for the type of sign support that is being used. The CWZICD lists sign substrate that can be used on the different types and models of sign supports.
2. "Mesh" type materials are NOT an approved sign substrate, regardless of the tightness of the weave.
3. All wooden individual sign panels fabricated from 2 or more pieces shall have one or more plywood cleat, 1/2" thick by 6" wide, fastened to the back of the sign and extending fully across the sign. The cleat shall be attached to the back of the sign using wood screws that do not penetrate the face of the sign panel. The screws shall be placed on both sides of the splice and spaced at 6" centers. The Engineer may approve other methods of splicing the sign face.

REFLECTIVE SHEETING

1. All signs shall be retroreflective and constructed of sheeting meeting the color and retro-reflectivity requirements of DMS-8300 for rigid signs or DMS-8310 for roll-up signs. The web address for DMS specifications is shown on BC(1).
2. White sheeting, meeting the requirements of DMS-8300 type A<sub>1</sub>, shall be used for signs with a white background.
3. Orange sheeting, meeting the requirements of DMS-8300 type B<sub>1</sub> or type C<sub>1</sub>, shall be used for rigid signs with orange backgrounds.

SIGN LETTERS

1. All sign letters and numbers shall be clear, and open rounded type uppercase alphabet letters as approved by the Federal Highway Administration (FHWA) and as published in the "Standard Highway Sign Design for Texas" manual. Signs, letters and numbers shall be of first class workmanship in accordance with Department Standards and Specifications.

REMOVING OR COVERING

1. When sign messages may be confusing or do not apply, the signs shall be removed or completely covered.
2. Long-term stationary or intermediate stationary signs installed on square metal tubing may be turned away from traffic 90 degrees when the sign message is not applicable. This technique may not be used for signs installed in the median of divided highways or near any intersections where the sign may be seen from approaching traffic.
3. Signs installed on wooden skids shall not be turned at 90 degree angles to the roadway. These signs should be removed or completely covered when not required.
4. When signs are covered, the material used shall be opaque, such as heavy mil black plastic, or other materials which will cover the entire sign face and maintain their opaque properties under automobile headlights at night, without damaging the sign sheeting.
5. Burlap shall NOT be used to cover signs.
6. Duct tape or other adhesive material shall NOT be affixed to a sign face.
7. Signs and anchor studs shall be removed and holes backfilled upon completion of work.

SIGN SUPPORT WEIGHTS

1. Where sign supports require the use of weights to keep from turning over, the use of sandbags with dry, cohesionless sand should be used.
2. The sandbags will be filled shut to keep the sand from spilling and to maintain a constant weight.
3. Rock, concrete, iron, steel or other solid objects shall not be permitted for use as sign support weights.
4. Sandbags should weigh a minimum of 35 lbs and a maximum of 50 lbs.
5. Sandbags shall be made of a durable material that tears upon vehicular impact. Rubber (such as tire inner tubes) shall NOT be used.
6. Rubber ballasts designed for chromelizing devices should not be used for ballast on portable sign supports. Sign supports designed and manufactured with rubber bases may be used when shown on the CWZICD list.
7. Sandbags shall only be placed along or laid over the base supports of the traffic control device and shall not be suspended above ground level or hung with rope, wire, chains or other fasteners. Sandbags shall be placed along the length of the skids to weigh down the sign support.
8. Sandbags shall NOT be placed under the skid and shall not be used to level sign supports placed on slopes.

FLAGS ON SIGNS

1. Flags may be used to draw attention to warning signs. When used, the flag shall be 16 inches square or larger and shall be orange or fluorescent red-orange in color. Flags shall not be allowed to cover any portion of the sign face.

SHEET 4 OF 12


Texas Department of Transportation  
Traffic Safety Division Standard

## BARRICADE AND CONSTRUCTION TEMPORARY SIGN NOTES

BC (4) - 21


File#	bc-21.dgn	Rev	1/007	En	1/007	Am	1/007	En	1/007
Drawn	ljk	Checked	ljk	Job		Issue#			
Revised	6/11	4/7	001	US	96	ETC.			
Date	9-07	8-14	9/97	City		Sheet No.			
Author	LFK	County		State		Sheet No.			
Drawn	LFK	County		State		Sheet No.			
Checked		County		State		Sheet No.			
Issue#		County		State		Sheet No.			





**SKID MOUNTED WOOD SIGN SUPPORTS**


\* LONG/INTERMEDIATE TERM STATIONARY - PORTABLE SKID MOUNTED SIGN SUPPORTS



**GROUND MOUNTED SIGN SUPPORTS**


Refer to the CRZTCO and the manufacturer's installation procedure for each type sign support. The maximum sign square footage shall adhere to the manufacturer's recommendation. Two post installations can be used for larger signs.

DISCLAIMER: THIS DRAWING IS PROVIDED BY THE TEXAS DEPARTMENT OF TRANSPORTATION FOR INFORMATIONAL PURPOSES ONLY. IT IS NOT TO BE USED AS A CONTRACT DOCUMENT. THE USER ASSUMES ALL RESPONSIBILITY FOR THE ACCURACY AND COMPLETENESS OF THIS DRAWING. THE TEXAS DEPARTMENT OF TRANSPORTATION SHALL NOT BE HELD RESPONSIBLE FOR ANY ERRORS OR OMISSIONS. DATE: 6/9/2022 9:48:57 AM FILE: TEXAS/STANDARD CONTRACTS/3.0 - BARRICADE AND CONSTRUCTION TYPICAL SIGN SUPPORT



**SKID MOUNTED PERFORATED SQUARE STEEL TUBING SIGN SUPPORTS**

\* LONG/INTERMEDIATE TERM STATIONARY - PORTABLE SKID MOUNTED SIGN SUPPORTS



**WEDGE ANCHORS**  
Both steel and plastic Wedge Anchor Systems as shown on the STD Standard Sheets may be used as temporary sign supports for signs up to 10 square feet of sign face. They may be set in concrete or in sturdy soils if approved by the Engineer. (See web address for "Traffic Engineering Standard Sheets" on BC1111).

**OTHER DESIGNS**  
MORE DETAILS OF APPROVED LONG/INTERMEDIATE AND SHORT TERM SUPPORTS CAN BE FOUND ON THE CRZTCO LIST. SEE BC(1) FOR WEBSITE LOCATION.

**GENERAL NOTES**

- Nails may be used in the assembly of wooden sign supports, but 3/8" bolts with nuts or 3/8" x 3 1/2" lag screws must be used on every joint for final connection.
- No more than 2 sign posts shall be placed within a 7 ft. circle, except for specific materials noted on the CRZTCO List.
- When project is completed, all sign supports and foundations shall be removed from the project site. This will be considered subsidiary to Item 502.

\* See BC(14) for definition of "Work Duration."  
 \*\* Wood sign posts MUST be one piece. Splicing will NOT be allowed. Posts shall be painted white.  
 See the CRZTCO for the type of sign substrate that can be used for each approved sign support.

SHEET 5 OF 12

Texas Department of Transportation Traffic Safety Division Standard

**BARRICADE AND CONSTRUCTION TYPICAL SIGN SUPPORT**

**BC (5) - 21**

Rev	Rev Date	Rev Description	Rev Date	Rev Description
1	11/07	11/07	11/07	11/07
2	11/07	11/07	11/07	11/07
3	11/07	11/07	11/07	11/07
4	11/07	11/07	11/07	11/07
5	11/07	11/07	11/07	11/07
6	11/07	11/07	11/07	11/07
7	11/07	11/07	11/07	11/07
8	11/07	11/07	11/07	11/07
9	11/07	11/07	11/07	11/07
10	11/07	11/07	11/07	11/07

WHEN NOT IN USE, REMOVE THE PCMS FROM THE RIGHT-OF-WAY OR PLACE THE PCMS BEHIND BARRIER OR GUARDRAIL WITH SIGN PANEL TURNED PARALLEL TO TRAFFIC

**PORTABLE CHANGEABLE MESSAGE SIGNS**

- The Engineer/Inspector shall approve all messages used on portable changeable message signs (PCMS).
- Messages on PCMS should contain no more than 8 words (about four to eight characters per word), not including simple words such as "TO," "FOR," "AT," etc.
- Messages should consist of a single phase, or two phases that alternate. Three-phase messages are not allowed. Each phase of the message should convey a single thought, and must be understood by itself.
- Use the word "EXIT" to refer to an exit ramp on a freeway; i.e., "EXIT CLOSED." Do not use the term "RAMP."
- Always use the route or interstate designation (IH, US, SH, FM) along with the number when referring to a roadway.
- When in use, the bottom of a stationary PCMS message panel should be a minimum 7 feet above the roadway, where possible.
- The message term "REOPEN" should be used only if the work is to start on Saturday morning and end by Sunday evening at midnight. Actual days and hours of work should be displayed on the PCMS if work is to begin on Friday evening and/or continue into Monday morning.
- Do not display the message "LANES SHIFT LEFT" or "LANES SHIFT RIGHT" on a PCMS, if drivers do not understand the message.
- Do not display messages that scroll horizontally or vertically across the face of the sign.
- The following table lists abbreviated words and two-word phrases that are acceptable for use on a PCMS. Both words in a phrase must be displayed together. Words or phrases not on this list should not be abbreviated, unless shown in the TMC/CO.
- PCMS character height should be at least 18 inches for trailer mounted units. They should be visible from 0.1 to 1.25 mile and the text should be legible from at least 600 feet at night and 800 feet in daylight. Truck mounted units must have a character height of 10 inches and must be legible from at least 400 feet.
- Each line of text should be centered on the message board rather than left or right justified.
- If displayed, the PCMS should default to an illegible display that will not alarm motorists and will only be used to alert workers that the PCMS has malfunctioned. A pattern such as a series of horizontal solid bars is appropriate.

**RECOMMENDED PHASES AND FORMATS FOR PCMS MESSAGES DURING ROADWORK ACTIVITIES**  
(The Engineer may approve other messages not specifically covered here.)

**Phase 1: Condition Lists**

**Road/Lane/Ramp Closure List**

FREWAY CLOSED X MILE	FRONTAGE ROAD CLOSED
ROAD CLOSED AT SH XXX	SHOULDER CLOSED XXX FT
ROAD CLSD AT FM XXXX	RIGHT LN CLOSED XXX FT
RIGHT X LANES CLOSED	RIGHT X LANES OPEN
CENTER LANE CLOSED	DAYTIME LANE CLOSURES
NIGHT LANE CLOSURES	I-XX SOUTH CLOSED
VARIOUS LANES CLOSED	EXIT XXX CLOSED X MILE
EXIT CLOSED	RIGHT LN TO BE LANES
MALL DRIVEWAY CLOSED	X LANES CLOSED TUE - FRI
XXXXXXXXX BLVD CLOSED	

**Other Condition List**

ROADWORK XXX FT	ROAD REPAIRS XXXX FT
FLAGGER XXXX FT	LANE NARROWS XXXX FT
RIGHT LN NARROWS XXXX FT	TWO-WAY TRAFFIC XX MILE
MERGING TRAFFIC XXX FT	CONST TRAFFIC XXX FT
LOOSE GRAVEL XXXX FT	UNEVEN LANES XXXX FT
DETOUR X MILE	ROUGH ROAD XXXX FT
ROADWORK NEXT FRI-SUN	
BUMP XXXX FT	US XXX EXIT X MILES
TRAFFIC SIGNAL XXXX FT	LANES SHIFT *

\* LANES SHIFT in Phase 1 must be used with STAY IN LANE in Phase 2.

**Phase 2: Possible Component Lists**

**Action to Take/Effect on Travel**

MERGE RIGHT	DETOUR NEXT X EXITS	USE EXIT XXX	STAY ON US XXX SOUTH	TRUCKS FOR US XXX N	WATCH FOR TRUCKS	EXPECT DELAYS	REDUCE SPEED XXX FT	USE OTHER ROUTES	STAY IN LANE *
-------------	---------------------	--------------	----------------------	---------------------	------------------	---------------	---------------------	------------------	----------------

**Location List**

AT FM XXXX	BEFORE RAILROAD CROSSING	NEXT X MILES	PAST US XXX EXIT	XXXXXXXXX TO XXXXXXXX	US XXX TO FM XXXX
------------	--------------------------	--------------	------------------	-----------------------	-------------------

**Warning List**

SPEED LIMIT XX MPH	MAXIMUM SPEED XX MPH	MINIMUM SPEED XX MPH	ADVISORY SPEED XX MPH	RIGHT LANE EXIT	USE CAUTION	DRIVE SAFELY	DRIVE WITH CARE
--------------------	----------------------	----------------------	-----------------------	-----------------	-------------	--------------	-----------------

**\*\* Advance Notice List**

TUE-FRI XX AM-X PM	APR XX-XX X PM-X AM	BEGINS MONDAY	BEGINS MAY XX	MAY X-X XX PM - XX AM	NEXT FRI-SUN	XX AM TO XX PM	NEXT TUE AUG XX	TONIGHT XX PM-XX AM
--------------------	---------------------	---------------	---------------	-----------------------	--------------	----------------	-----------------	---------------------

\*\* See Application Guidelines Note 6.

**APPLICATION GUIDELINES**

- Only 1 or 2 phases are to be used on a PCMS.
- The 1st phase (or both) should be selected from the "Road/Lane/Ramp Closure List" and the "Other Condition List".
- A 2nd phase can be selected from the "Action to Take/Effect on Travel", "Location", "General Warning", or "Advance Notice Phase Lists".
- A Location Phase is necessary only if a distance or location is not included in the first phase selected.
- If two PCMS are used in sequence, they must be separated by a minimum of 1000 ft. Each PCMS shall be limited to two phases, and should be understandable by themselves.
- For advance notice, when the current date is within seven days of the actual work date, calendar days should be replaced with days of the week. Advance notification should typically be for no more than one week prior to the work.

**WORDING ALTERNATIVES**

- The words RIGHT, LEFT and ALL can be interchanged as appropriate.
- Roadway designations IH, US, SH, FM and LP can be interchanged as appropriate.
- EAST, WEST, NORTH and SOUTH (or abbreviations E, W, N and S) can be interchanged as appropriate.
- Highway names and numbers replaced as appropriate.
- ROAD, HIGHWAY and FREEWAY can be interchanged as needed.
- AHEAD may be used instead of distances if necessary.
- FT and MILE and MILES interchanged as appropriate.
- AT, BEFORE and PAST interchanged as needed.
- Distances or AHEAD can be eliminated from the message if a location phase is used.

PCMS SIGNS WITHIN THE R.O.W. SHALL BE BEHIND GUARDRAIL OR CONCRETE BARRIER OR SHALL HAVE A MINIMUM OF FOUR (4) PLASTIC DRUMS PLACED PERPENDICULAR TO TRAFFIC ON THE UPSTREAM SIDE OF THE PCMS, WHEN EXPOSED TO ONE DIRECTION OF TRAFFIC. WHEN EXPOSED TO TWO WAY TRAFFIC, THE FOUR DRUMS SHOULD BE PLACED WITH ONE DRUM AT EACH OF THE FOUR CORNERS OF THE UNIT.

**FULL MATRIX PCMS SIGNS**

- When Full Matrix PCMS signs are used, the character height and legibility/visibility requirements shall be maintained as listed in Note 15 under "PORTABLE CHANGEABLE MESSAGE SIGNS" above.
- When symbol signs, such as the "Flagger Symbol" (CR20-7) are represented graphically on the Full Matrix PCMS sign and, with the approval of the Engineer, it shall maintain the legibility/visibility requirement listed above.
- When symbol signs are represented graphically on the full Matrix PCMS, they shall only supplement the use of the static sign represented, and shall not substitute for, or replace that sign.
- A full matrix PCMS may be used to simulate a flashing arrow board provided it meets the visibility, flash rate and dimming requirements on BC(7), for the same size arrow.

DISCLAIMER: The user of this document is responsible for the accuracy of the information contained herein. The user of this document is responsible for the accuracy of the information contained herein. The user of this document is responsible for the accuracy of the information contained herein.

WORD OR PHRASE	ABBREVIATION	WORD OR PHRASE	ABBREVIATION
Access Road	ACCS RD	Major	MAJ
Alternative	ALT	Miles	MP
Avenue	AVE	Miles Per Hour	MPH
Best Route	BEST RTE	Minor	MIN
Boulevard	BLVD	Monday	MON
Bridge	BRDG	Normal	NORM
Center	CENT	North	N
Center	CTR	Northbound	Troute1 N
Construction Ahead	CONST AHD	Parking	PRKNG
CROSSING	XING	Road	RD
Detour Route	DETOUR RTE	Right Lane	RT LN
Do Not	DNOT	Saturday	SAT
East	E	Service Road	SERV RD
Eastbound	Troute1 E	Shoulder	SLDR
Emergency	EMER	Slippery	SLIP
Emergency Vehicle	EMER VEH	South	S
Entrance	ENTR	Southbound	Troute1 S
Express Lane	EXP LN	Speed	SPD
Expressway	EXPWY	Street	ST
XXXX Feet	XXXX FT	Sunday	SUN
Fog Ahead	FOG AHD	Telephone	PHONE
Freeway	FRWAY	Temporary	TEMP
Freeway Blocked	FRW BLKD	Thursday	THURS
Friday	FRI	To Downtown	TO DWTN
Hazardous Driving	HAZ DRIVING	Traffic	TRAF
Hazardous Meter Id	HAZMET	Travelers	TRVLRS
High Occupancy	HOV	Tuesday	TUES
Vehicle	VEH	Time Minutes	TIME MIN
Highway	HWY	Upper Level	UPR LEVEL
Hour(s)	HR HRS	Vehicles 1st	VEH1 VEHS
Information	INFO	Warning	WARN
It Is	ITS	Wednesday	WED
Junction	JCT	Weight Limit	WT LMIT
Left	L	West	W
Left Lane	LFT LN	Westbound	Troute1 W
Lane Closed	LN CLSD	West Pointment	WT PWT
Lower Level	LWR LEVEL	W/11 Not	WNT
Maintenance	MAINT		

Roadway designation # IH-number, US-number, SH-number, FM-number

Texas Department of Transportation  
Traffic Safety Division Standard

**BARRICADE AND CONSTRUCTION PORTABLE CHANGEABLE MESSAGE SIGN (PCMS)**

**BC (6) - 21**


Revisions: 6411 47 001 US 96, ETC.

9-07 8-14 1-13 9-21

9-07 8-14 1-13 9-21


9-07 8-14 1-13 9-21

- Barrier Reflectors shall be pre-qualified, and conform to the color and reflectivity requirements of DM-8500. A list of prequalified Barrier Reflectors can be found at the Material Producer List web address shown on BC11).
- Color of Barrier Reflectors shall be as specified in the MUTCD. The cost of the reflectors shall be considered subsidiary to Item 512.



**CONCRETE TRAFFIC BARRIER (CTB)**


- Where traffic is on one side of the CTB, two (2) Barrier Reflectors shall be mounted in approximately the midsection of each section of CTB. An alternate mounting location is uniformly spaced on one end of each CTB. This will allow for attachment of a barrier grate without damaging the reflector. The Barrier Reflector mounted on the side of the CTB shall be located directly below the reflector mounted on top of the barrier, as shown in the detail above.
- Where CTB separates two-way traffic, three barrier reflectors shall be mounted on each section of CTB. The reflector unit on top shall have two yellow reflective faces (bi-directional) while the reflectors on each side of the barrier shall have one yellow reflective face, as shown in the detail above.
- When CTB separates traffic traveling in the same direction, no barrier reflectors will be required on top of the CTB.
- Barrier Reflector units shall be yellow or white in color to match the edge line being supplemented.
- Maximum spacing of Barrier Reflectors is forty (40) feet.
- Pavement markers or temporary flexible-reflective roadway marker tabs shall NOT be used as CTB delineation.
- Attachment of Barrier Reflectors to CTB shall be per manufacturer's recommendations.
- Missing or damaged Barrier Reflectors shall be replaced as directed by the Engineer.
- Single slope barriers shall be delineated as shown on the above detail.



**LOW PROFILE CONCRETE BARRIER (LPCB) USED IN WORK ZONES**

LPCB is approved for use in work zone locations, where the posted speed is 45mph, or less. See Roadway Standard Sheet LPCB.

**LOW PROFILE CONCRETE BARRIER (LPCB)**




**DELINEATION OF END TREATMENTS**

**END TREATMENTS FOR CTB'S USED IN WORK ZONES**

End treatments used on CTB's in work zones shall meet the appropriate crashworthy standards as defined in the Manual for Assessing Safety Hardware (MASH). Refer to the CRWCD List for approved end treatments and manufacturers.

Arrow Boards may be located behind channelizing devices in place for a shoulder taper or merging taper, otherwise they shall be delineated with four (4) channelizing devices placed perpendicular to traffic on the upstream side of traffic.

- The Flashing Arrow Board should be used for all lane closures on multi-lane roadways, or slow moving maintenance or construction activities on the travel lanes.
- Flashing Arrow Boards should not be used on two-lane, two-way roadways, detours, diversions or work on shoulders unless the "CAUTION" display (see detail below) is used.
- The Engineer/Inspector shall choose all appropriate signs, barricades and/or other traffic control devices that should be used in conjunction with the Flashing Arrow Board.
- The Flashing Arrow Board should be able to display the following symbols:



- The "CAUTION" display consists of four corner lamps flashing simultaneously, or the Alternating Diamond Caution mode as shown.
- The straight line caution display is NOT ALLOWED.
- The Flashing Arrow Board shall be capable of minimum 50 percent dimming from rated lamp voltage. The flashing rate of the lamps shall not be less than 25 nor more than 40 flashes per minute.
- Minimum lamp "on time" shall be approximately 50 percent for the flashing arrow and equal intervals of 25 percent for each sequential phase of the flashing chevron.
- The sequential arrow display is NOT ALLOWED.
- The Flashing arrow display is the TxDOT standard; however, the sequential chevron display may be used during daylight operations.
- The Flashing Arrow Board shall be mounted on a vehicle, trailer or other suitable support.
- A flashing Arrow Board SHALL NOT BE USED to laterally shift traffic.
- A full matrix PMS may be used to simulate a Flashing Arrow Board provided it meets visibility, flash rate and dimming requirements on this sheet for the same size arrow.
- Minimum mounting height of trailer mounted Arrow Boards should be 7 feet from roadway to bottom of panel.

**BARRIER REFLECTORS FOR CONCRETE TRAFFIC BARRIER AND ATTENUATORS**

**WARNING LIGHTS**

- Warning lights shall meet the requirements of the MUTCD.
- Warning lights shall NOT be installed on barricades.
- Type A Low Intensity Flashing Warning Lights are commonly used with drums. They are intended to warn of or mark a potentially hazardous area. Their use shall be as indicated on this sheet and/or other sheets of the plans by the designation "FL". The Type A Warning Lights shall not be used with signs manufactured with Type B<sub>2</sub> or G<sub>2</sub> Sheeting meeting the requirements of Departmental Material Specification DM-8300.
- Type C and Type D 360 degree Steady Burn Lights are intended to be used in a series for delineation to supplement other traffic control devices. Their use shall be as indicated on this sheet and/or other sheets of the plans by the designation "SB".
- The Engineer/Inspector or the plans shall specify the location and type of warning lights to be installed on the traffic control devices.
- When required by the Engineer, the Contractor shall furnish a copy of the warning lights certification. The warning light manufacturer will certify the warning lights meet the requirements of the latest ITE Purchase Specifications for Flashing and Steady-Burn Warning Lights.
- When used to delineate curves, Type C and Type D Steady Burn Lights should only be placed on the outside of the curve, not the inside.
- The location of warning lights and warning reflectors on drums shall be as shown elsewhere in the plans.

**WARNING LIGHTS MOUNTED ON PLASTIC DRUMS**

- Type A flashing warning lights are intended to warn drivers that they are approaching or are in a potentially hazardous area.
- Type A random flashing warning lights are not intended for delineation and shall not be used in a series.
- A series of sequential flashing warning lights placed on channelizing devices to form a merging taper may be used for delineation. If used, the successive flashing of the sequential warning lights should occur from the beginning of the taper to the end of the merging taper in order to identify the desired vehicle path. The rate of flashing for each light shall be 65 flashes per minute, plus or minus 10 flashes.
- Type C and D steady-burn warning lights are intended to be used in a series to delineate the edge of the travel lane on detours, on lane changes, on lane closures, and on other similar conditions.
- Type A, Type C and Type D warning lights shall be installed at locations as detailed on other sheets in the plans.
- Warning lights shall not be installed on a drum that has a sign, chevron or vertical panel.
- The maximum spacing for warning lights on drums should be identical to the channelizing device spacing.

**WARNING REFLECTORS MOUNTED ON PLASTIC DRUMS AS A SUBSTITUTE FOR TYPE C (STEADY BURN) WARNING LIGHTS**

- A warning reflector or approved substitute may be mounted on a plastic drum as a substitute for a Type C, steady burn warning light at the discretion of the Contractor unless otherwise noted in the plans.
- The warning reflector shall be yellow in color and shall be manufactured using a sign substrate approved for use with plastic drums listed on the CRWCD.
- The warning reflector shall have a minimum retroreflective surface area (one-side) of 30 square inches.
- Round reflectors shall be fully reflectorized, including the area where attached to the drum.
- Square substrates must have a minimum of 30 square inches of reflectorized sheeting. They do not have to be reflectorized where it attaches to the drum.
- The side of the warning reflector facing approaching traffic shall have sheeting meeting the color and retroreflectivity requirements for DM-8300-Type B or Type C.
- When used near two-way traffic, both sides of the warning reflector shall be reflectorized.
- The warning reflector should be mounted on the side of the handle nearest approaching traffic.
- The maximum spacing for warning reflectors should be identical to the channelizing device spacing requirements.

REQUIREMENTS			
TYPE	MINIMUM SIZE	MINIMUM NUMBER OF PANEL LAMPS	MINIMUM VISIBILITY DISTANCE
A	30 x 60	13	3/4 mile
B	30 x 60	13	3/4 mile
C	48 x 96	15	1 mile

**ATTENTION**  
Flashing Arrow Boards shall be equipped with automatic dimming devices.

WHEN NOT IN USE, REMOVE THE ARROW BOARD FROM THE RIGHT-OF-WAY OR PLACE THE ARROW BOARD BEHIND CONCRETE TRAFFIC BARRIER OR GUARDRAIL.

**FLASHING ARROW BOARDS**

**TRUCK-MOUNTED ATTENUATORS**

- Truck-mounted attenuators (TMA) used on TxDOT facilities must meet the requirements outlined in the Manual for Assessing Safety Hardware (MASH).
- Refer to the CRWCD for the requirements of Level 2 or Level 3 TMAs.
- Refer to the CRWCD for a list of approved TMAs.
- TMAs are required on freeways unless otherwise noted in the plans.
- A TMA should be used anytime that it can be positioned 30 to 100 feet in advance of the area of crew exposure without adversely affecting the work performance.
- The only reason a TMA should not be required is when a work area is spread down the roadway and the work crew is on an extended distance from the TMA.

Texas Department of Transportation  
Traffic Safety Division Standard

**BARRICADE AND CONSTRUCTION ARROW PANEL, REFLECTORS, WARNING LIGHTS & ATTENUATOR**

BC (7) - 21

Plan No.	80-21(09)	Rev	1/00	En	1/00	Am	1/00	En	1/00
Date	11/07	November	2002	Sheet	1427	Job	001	US 96, ETC.	Sheet No.
Revisions	6411	47	001	US 96, ETC.	9-01	8-14	9-13	8-21	12
Drawn	LFK	Checked	SHELBY	Scale		Project		Location	

DISCLAIMER: This drawing is governed by the Texas Engineer's Practice Act. No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of units or the accuracy of the information resulting from its use.  
 DATE: 6/9/2002 9:48:50 AM  
 FILE: \\TXDOT\ADMIN\CONTRACTS\1722\PLANS\BARRI\1722.PLAN\$BARRI-1722.DWG

**GENERAL NOTES**

- For long term stationary work zones on freeways, drums shall be used as the primary channelizing device.
- For intermediate term stationary work zones on freeways, drums should be used as the primary channelizing device but may be replaced in tangent sections by vertical panels, or 42" two-piece cones. In tangent sections, one-piece cones may be used with the approval of the Engineer but only if personnel are present on the project at all times to maintain the cones in proper position and location.
- For short term stationary work zones on freeways, drums are the preferred channelizing device but may be replaced in tapers, transitions and tangent sections by vertical panels, two-piece cones or one-piece cones as approved by the Engineer.
- Drums and all related items shall comply with the requirements of the current version of the "Texas Manual on Uniform Traffic Control Devices" (TMUTCD) and the "Compliant Work Zone Traffic Control Devices List" (CWZCD).
- Drums, bases, and related materials shall exhibit good workmanship and shall be free from objectionable marks or defects that would adversely affect their appearance or serviceability.
- The Contractor shall have a maximum of 24 hours to replace any plastic drums identified for replacement by the Engineer/Inspector. The replacement device must be an approved device.

**GENERAL DESIGN REQUIREMENTS**

Pre-qualified plastic drums shall meet the following requirements:



- Plastic drum shall be a two-piece design; the "body" of the drum shall be the top portion and the "base" shall be the bottom.
- The body and base shall lock together in such a manner that the body separates from the base when impacted by a vehicle traveling at a speed of 20 MPH or greater but prevents accidental separation due to normal handling and/or air turbulence created by passing vehicles.
- Plastic drums shall be constructed of lightweight, flexible, and deformable materials. The Contractor shall NOT use metal drums or single piece plastic drums as channelizing devices or sign supports.
- Drums shall present a profile that is a minimum of 18 inches in width at the 36 inch height when viewed from any direction. The height of drum unit (body installed on base) shall be a minimum of 36 inches and a maximum of 42 inches.
- The top of the drum shall have a built-in handle for easy pickup and shall be designed to drain water and not collect debris. The handle shall have a minimum of two widely spaced 9/16 inch diameter holes to allow attachment of a warning light, warning reflector unit or approved compliant sign.
- The exterior of the drum body shall have a minimum of four alternating orange and white retroreflective circumferential stripes not less than 4 inches nor greater than 8 inches in width. Any non-reflectorized space between any two adjacent stripes shall not exceed 2 inches in width.
- Bases shall have a maximum width of 36 inches, a maximum height of 4 inches, and a minimum of two footholds of sufficient size to allow base to be held down while separating the drum body from the base.
- Plastic drums shall be constructed of ultraviolet stabilized, orange, high-density polyethylene (HDPE) or other approved material.
- Drum body shall have a maximum unballasted weight of 11 lbs.
- Drum and base shall be marked with manufacturer's name and model number.

**RETROREFLECTIVE SHEETING**

- The stripes used on drums shall be constructed of sheeting meeting the color and retroreflectivity requirements of Departmental Materials Specification DMS-8300, "Sign Face Materials," Type A or Type B reflective sheeting shall be supplied unless otherwise specified in the plans.
- The sheeting shall be suitable for use on and shall adhere to the drum surface such that, upon vehicular impact, the sheeting shall remain adhered in place and exhibit no delaminating, cracking, or loss of retroreflectivity other than that loss due to abrasion of the sheeting surface.


**BALLAST**

- Unballasted bases shall be large enough to hold up to 50 lbs. of sand. This base, when filled with the ballast material, should weigh between 35 lbs (minimum) and 50 lbs (maximum). The ballast may be sand in one to three sandbags separate from the base, sand in a sand-filled plastic base, or other ballasting devices as approved by the Engineer. Stacking of sandbags will be allowed, however height of sandbags above pavement surface may not exceed 12 inches.
- Bases with built-in ballast shall weigh between 40 lbs. and 50 lbs. Built-in ballast can be constructed of an integral crumb rubber base or a solid rubber base.
- Recycled truck tire sidewalls may be used for ballast on drums approved for this type of ballast on the CRZCD list.
- The ballast shall not be heavy objects, water, or any material that would become hazardous to motorists, pedestrians, or workers when the drum is struck by a vehicle.
- When used in regions susceptible to freezing, drums shall have drainage holes in the ballasts so that water will not collect and freeze becoming a hazard when struck by a vehicle.
- Ballast shall not be placed on top of drums.
- Adhesives may be used to secure base of drums to pavement.



**DETECTABLE PEDESTRIAN BARRICADES**

- When existing pedestrian facilities are disrupted, closed, or relocated in a TTC zone, the temporary facilities shall be detectable and include accessibility features consistent with the features present in the existing pedestrian facility. Refer to CRZCD (B5-2) for Pedestrian Control requirements for Sidewalk Diversions, Sidewalk Detours and Crosswalk Closures.
- Where pedestrians with visual disabilities normally use the closed sidewalk, a Detectable Pedestrian Barricade shall be placed across the full width of the closed sidewalk instead of a Type B Barricade.
- Detectable pedestrian barricades similar to the one pictured above, longitudinal channelizing devices, some concrete barriers, and wood or chain link fencing with a continuous detectable edging can satisfactorily delineate a pedestrian path.
- Tube, rope, or plastic chain strung between devices are not detectable, do not comply with the design standards in the "Americans with Disabilities Act Accessibility Guidelines (ADAAG)" and should not be used as a control for pedestrian movements.
- Warning lights shall not be attached to detectable pedestrian barricades.
- Detectable pedestrian barricades should use 8" nominal barricade rolls as shown on BC(10) provided that the top rail provides a smooth continuous rail suitable for hand trailing with no splinters, burrs, or sharp edges.



18" x 24" Sign (Maximum Sign Dimension)  
Chevron (M-8, Opposing Traffic Lane Divider, Driveway Sign D100, Keep Right R4 series or other signs as approved by Engineer)


12" x 24" Vertical Panel  
mount with diagonals sloping down toward travel way

Plywood, Aluminum or Metal sign substrates shall NOT be used on plastic drums

**SIGNS, CHEVRONS, AND VERTICAL PANELS MOUNTED ON PLASTIC DRUMS**

- Signs used on plastic drums shall be manufactured using substrates listed on the CRZCD.
- Chevrons and other work zone signs with an orange background shall be manufactured with Type B<sub>2</sub> or Type G<sub>2</sub> Orange sheeting meeting the color and retroreflectivity requirements of DMS-8300, "Sign Face Material," unless otherwise specified in the plans.
- Vertical Panels shall be manufactured with orange and white sheeting meeting the requirements of DMS-8300 Type A or Type B. Diagonal stripes on Vertical Panels shall slope down toward the intended traveled lane.
- Other sign messages (text or symbolic) may be used as approved by the Engineer. Sign dimensions shall not exceed 18 inches in width or 24 inches in height, except for the R9 series signs discussed in note 8 below.
- Signs shall be installed using a 1/2 inch bolt (nominal) and nut, two washers, and one locking washer for each connection.
- Mounting bolts and nuts shall be fully engaged and adequately torqued. Bolts should not extend more than 1/2 inch beyond nuts.
- Chevrons may be placed on drums on the outside of curves, on merging tapers or on shifting tapers. When used in these locations, they may be placed on every drum or spaced not more than an every third drum. A minimum of three (3) should be used of each location called for in the plans.
- R9-9, R9-10, R9-11 and R9-11a Sidewalk Closed signs which are 24 inches wide may be mounted on plastic drums, with approval of the Engineer.

SHEET 8 OF 12





**BARRICADE AND CONSTRUCTION CHANNELIZING DEVICES**

BC (8) - 21

FILED	REVISED	DATE	BY	CHKD	DATE	BY	CHKD	DATE	BY
01/07	11/07	11/07	001	001	11/07	001	001	11/07	001
04-03	8-14	9-07	5-21	LFK	SHELBY	US 96	ETC.		13


DISCLAIMER: This standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of units or the accuracy of the information contained herein.

DISCLAIMER: This drawing is governed by the Texas Department of Transportation (TxDOT) Standard Specifications for Roadway Construction and Maintenance. The user of this drawing assumes no responsibility for the conversion of this drawing to any other units of measurement. The user of this drawing assumes no responsibility for the conversion of this drawing to any other units of measurement.




**VERTICAL PANELS (VPs)**

- Vertical Panels (VP's) are normally used to channelize traffic or divide opposing lanes of traffic.
- VP's may be used in daytime or nighttime situations. They may be used at the edge of shoulder drop-offs and other areas such as lane transitions where positive daytime and nighttime delineation is required. The Engineer/Inspector shall refer to the Roadway Design Manual for additional requirements on the use VP's for drop-offs.
- VP's should be mounted back to back if used at the edge of cuts adjacent to two-way two lane roadways. Stripes are to be reflective orange and reflective white and should always slope downward toward the travel lane.
- VP's used on expressways and freeways or other high speed roadways, may have more than 270 square inches of retroreflective area facing traffic.
- Self-lighting supports are available with portable base. See "Compliant Work Zone Traffic Control Devices List" (CWZTCD).
- Sheeting for the VP's shall be retroreflective Type A or Type B conforming to Departmental Material Specification DMS-8300, unless noted otherwise.
- Where the height of reflective material on the vertical panel is 36 inches or greater, a panel stripe of 6 inches shall be used.



**OPPOSING TRAFFIC LANE DIVIDERS (OTLD)**

- Opposing Traffic Lane Dividers (OTLD) are delineation devices designed to convert a normal one-way roadway section to two-way operation. OTLD's are used on temporary centerlines. The upward and downward arrows on the sign's face indicate the direction of traffic on either side of the divider. The base is secured to the pavement with an adhesive or rubber weight to minimize movement caused by a vehicle impact or wind gust.
- The OTLD may be used in combination with 42" cones or VPS.
- Spacing between the OTLD shall not exceed 500 feet. 42" cones or VPS placed between the OTLD's should not exceed 100 foot spacing.
- The OTLD shall be orange with a black non-reflective legend. Sheeting for the OTLD shall be retroreflective Type B<sub>2</sub> or Type C<sub>2</sub> conforming to Departmental Material Specification DMS-8300, unless noted otherwise. The legend shall meet the requirements of DMS-8300.



**CHEVRONS**

- The chevron shall be a vertical rectangle with a minimum size of 12 by 18 inches.
- Chevrons are intended to give notice of a sharp change of alignment with the direction of travel and provide additional emphasis and guidance for vehicle operators with regard to changes in horizontal alignment of the roadway.
- Chevrons, when used, shall be erected on the outside of a sharp curve or turn, or on the far side of an intersection. They shall be in line with and at right angles to approaching traffic. Spacing should be such that the motorist always has three in view, until the change in alignment eliminates its need.
- To be effective, the chevron should be visible for at least 500 feet.
- Chevrons shall be orange with a black non-reflective legend. Sheeting for the chevron shall be retroreflective Type B<sub>2</sub> or Type C<sub>2</sub> conforming to Departmental Material Specification DMS-8300, unless noted otherwise. The legend shall meet the requirements of DMS-8300.
- For Long Term Stationary use on tapers or transitions on freeways and divided highways, self-lighting chevrons may be used to supplement plastic drums but not to replace plastic drums.

**GENERAL NOTES**

- Work zone channelizing devices illustrated on this sheet may be installed in close proximity to traffic and are suitable for use on high or low speed roadways. The Engineer/Inspector shall ensure that spacing and placement is uniform and in accordance with the "Texas Manual on Uniform Traffic Control Devices" (TMUTCD).
- Channelizing devices shown on this sheet may have a driveable, fixed or portable base. The requirement for self-lighting channelizing devices must be specified in the General Notes or other plan sheets.
- Channelizing devices on self-lighting supports should be used in work zone areas where channelizing devices are frequently impacted by errant vehicles or vehicle related wind gusts making alignment of the channelizing devices difficult to maintain. Locations of these devices shall be detailed elsewhere in the plans. These devices shall conform to the TMUTCD and the "Compliant Work Zone Traffic Control Devices List" (CWZTCD).
- The Contractor shall maintain devices in a clean condition and replace damaged, non-reflective, faded, or broken devices and bases as required by the Engineer/Inspector. The Contractor shall be required to maintain proper device spacing and alignment.
- Portable bases shall be fabricated from virgin and/or recycled rubber. The portable bases shall weigh a minimum of 30 lbs.
- Pavement surfaces shall be prepared in a manner that ensures proper bonding between the adhesives, the fixed mount bases and the pavement surface. Adhesives shall be prepared and applied according to the manufacturer's recommendations.
- The installation and removal of channelizing devices shall not cause detrimental effects to the final pavement surfaces, including pavement surface discoloration or surface integrity. Driveable bases shall not be permitted on final pavement surfaces. The Engineer/Inspector shall approve all application and removal procedures of fixed bases.

**LONGITUDINAL CHANNELIZING DEVICES (LCD)**

- LCDs are crossworthy, lightweight, deformable devices that are highly visible, have good target value and can be connected together. They are not designed to contain or redirect a vehicle on impact.
- LCDs may be used instead of a line of cones or drums.
- LCDs shall be placed in accordance to application and installation requirements specific to the device, and used only when shown on the CWZTCD list.
- LCDs should not be used to provide positive protection for obstacles, pedestrians or workers.
- LCDs shall be supplemented with retroreflective delineation as required for temporary barriers on BC(1) when placed roughly parallel to the travel lanes.
- LCDs used as barricades placed perpendicular to traffic should have at least one row of reflective sheeting meeting the requirements for barricade rolls as shown on BC(10). Place reflective sheeting near the top of the LCD along the full length of the device.

**WATER BALLASTED SYSTEMS USED AS BARRIERS**

- Water ballasted systems used as barriers shall not be used solely to channelize road users, but also to protect the work space per the appropriate Manual for Assessing Safety Hardware (MSAH) crossworthiness requirements based on roadway speed and barrier application.
- Water ballasted systems used to channelize vehicular traffic shall be supplemented with retroreflective delineation or channelizing devices to improve daytime/nighttime visibility. They may also be supplemented with pavement markings.
- Water ballasted systems used as barriers shall be placed in accordance to application and installation requirements specific to the device, and used only when shown on the CWZTCD list.
- Water ballasted systems used as barriers should not be used for a merging taper except in low speed (less than 45 MPH) urban areas. When used on a taper in a low speed urban area, the taper shall be delineated and the taper length should be designed to optimize road user operations considering the available geometric conditions.
- When water ballasted systems used as barriers have blunt ends exposed to traffic, they should be attenuated as per manufacturer recommendations or fixed to a point outside the clear zone.

If used to channelize pedestrians, longitudinal channelizing devices or water ballasted systems must have a continuous detectable bottom for users of long cones and the top of the unit shall not be less than 32 inches in height.

**HOLLOW OR WATER BALLASTED SYSTEMS USED AS LONGITUDINAL CHANNELIZING DEVICES OR BARRIERS**

Posted Speed	Formula	Minimum Desirable Taper Lengths			Suggested Maximum Spacing of Channelizing Devices	
		10' Offset	11' Offset	12' Offset	On a Taper	On a Target
30	L = WS/60	150	165	180	30'	60'
40		205	225	245	35'	70'
45	L = WS	265	285	320	40'	80'
50		450	495	540	45'	90'
55	L = WS	500	550	600	50'	100'
60		550	605	660	55'	110'
65	L = WS	600	660	720	60'	120'
70		650	715	780	65'	130'
75	L = WS	700	770	840	70'	140'
80		750	825	900	75'	150'
80	L = WS	800	880	960	80'	160'
80		800	880	960	80'	160'

\*Taper lengths have been rounded off.  
 L=Length of Taper (ft.) W=Width of Offset (ft.)  
 S=Posted Speed (MPH)

**SUGGESTED MAXIMUM SPACING OF CHANNELIZING DEVICES AND MINIMUM DESIRABLE TAPER LENGTHS**

SHEET 9 OF 12



**BARRICADE AND CONSTRUCTION CHANNELIZING DEVICES**


BC (9) - 21

Plan:	BC-21, 091	Rev:	1/001	Rev:	1/001	Rev:	1/001
Date:	11/001	Rev:	1/001	Rev:	1/001	Rev:	1/001
Revisions:	641	47	001	US	96	ETC.	
9-01	8-14	93F	COUNTY				
1-13	5-71	LFK	SHELBY				

**TYPE 3 BARRICADES**



1. Refer to the Compliant Mark Zone Traffic Control Devices List (CMZCD) for details of the Type 3 Barricades and a list of all materials used in the construction of Type 3 Barricades.
2. Type 3 Barricades shall be used at each end of construction projects closed to all traffic.
3. Barricades extending across a roadway should have stripes that slope downward in the direction toward which traffic must turn in detouring. When both right and left turns are provided, the chevron striping may slope downward in both directions from the center of the barricade. Where no turns are provided at a closed road, striping should slope downward in both directions toward the center of roadway.
4. Striping of rails, for the right side of the roadway, should slope downward to the left. For the left side of the roadway, striping should slope downward to the right.
5. Identification markings may be shown only on the back of the barricade rails. The maximum height of letters and/or company logos used for identification shall be 1".
6. Barricades shall not be placed parallel to traffic unless an adequate clear zone is provided.
7. Warning lights shall NOT be installed on barricades.
8. Where barricades require the use of weights to keep from turning over, the use of sandbags with dry, cohesionless sand is recommended. The sandbags will be tied shut to keep the sand from spilling and to maintain a constant weight. Sand bags shall not be stacked in a manner that covers any portion of a barricade rails reflective sheeting. Rock, concrete, iron, steel or other solid objects will NOT be permitted. Sandbags should weigh a minimum of 35 lbs and a maximum of 50 lbs. Sandbags shall be made of a durable material that tears upon vehicular impact. Rubber (such as tire inner tubes) shall not be used for sandbags. Sandbags shall only be placed along or upon the base supports of the device shall not be suspended above ground level or hung with rope, wire, chains or other fasteners.
9. Sheeting for barricades shall be retroreflective Type A or Type B conforming to Departmental Material Specification DMS-8300 unless otherwise noted.

Barricades shall NOT be used as a sign support.





**TYPICAL PANEL DETAIL FOR SKID OR POST TYPE BARRICADES**

Each roadway of a divided highway shall be barricaded in the same manner.




**TYPE 3 BARRICADE (POST AND SKID) TYPICAL APPLICATION**



1. Where positive redirection capability is provided, drums may be omitted.
2. Plastic construction fencing may be used with drums for safety as required in the plans.
3. Vertical Panels on flexible support may be substituted for drums when the shoulder width is less than 4 feet.
4. When the shoulder width is greater than 12 feet, steady-burn lights may be omitted if drums are used.
5. Drums must extend the length of the culvert widening.


LEGEND	
	Plastic drum
	Plastic drum with steady burn light or yellow warning reflector
	Steady burn warning light or yellow warning reflector

**CULVERT WIDENING OR OTHER ISOLATED WORK WITHIN THE PROJECT LIMITS**



28" Cones shall have a minimum weight of 9 1/2 lbs.  
42" 2-piece cones shall have a minimum weight of 30 lbs, including base.

1. Traffic cones and tubular markers shall be predominantly orange, and meet the height and weight requirements shown above.
2. One-piece cones have the body and base of the cone molded in one consolidated unit. Two-piece cones have a cone shaped body and a separate rubber base, or ballast, that is added to keep the device upright and in place.
3. Two-piece cones may have a handle or loop extending up to 8" above the minimum height shown, in order to aid in retrieving the device.
4. Cones or tubular markers shall have white or white and orange reflective bands as shown above. The reflective bands shall have a smooth, sealed outer surface and meet the requirements of Departmental Material Specification DMS-8300 Type A or Type B.
5. 28" cones and tubular markers are generally suitable for short duration and short-term stationary work as defined on BC141. These should not be used for intermediate-term or long-term stationary work unless personnel is on-site to maintain them in their proper upright position.
6. 42" two-piece cones, vertical panels or drums are suitable for all work zone durations.
7. Cones or tubular markers used on each project should be of the same size and shape.



**TRAFFIC CONTROL FOR MATERIAL STOCKPILES**

SHEET 10 OF 12

**BARRICADE AND CONSTRUCTION CHANNELIZING DEVICES**

**BC (10) - 21**

File No. BC-21-091	Rev. T1007	Rev. T1007	Rev. T1007	Rev. T1007
01/007	11/007	06/1007	06/1007	06/1007
REVISIONS	6411	47	001	US 96, ETC.
9-07	8-14	9157	COUNTY	
7-13	5-21	LFK	SHELBY	15

DISCLAIMER: THIS SHEET IS DESIGNED BY THE TEXAS DEPARTMENT OF TRANSPORTATION. NO WARRANTY OF ANY KIND IS MADE BY THE TEXAS DEPARTMENT OF TRANSPORTATION FOR THE CONSTRUCTION OF ANY WORK OR FOR THE RESULTS OF ANY WORK RESULTING FROM ITS USE.

**WORK ZONE PAVEMENT MARKINGS**

**GENERAL**

1. The Contractor shall be responsible for maintaining work zone and existing pavement markings. In accordance with the standard specifications and special provisions, on all roadways open to traffic within the CSJ limits unless otherwise stated in the plans.
2. Color, patterns and dimensions shall be in conformance with the "Texas Manual on Uniform Traffic Control Devices" (TMUTCD).
3. Additional supplemental pavement marking details may be found in the plans or specifications.
4. Pavement markings shall be installed in accordance with the TMUTCD and as shown on the plans.
5. When short term markings are required on the plans, short term markings shall conform with the TMUTCD, the plans and details as shown on the Standard Plan Sheet WZ(S15PM).
6. When standard pavement markings are not in place and the roadway is opened to traffic, DO NOT PASS signs shall be erected to mark the beginning of the sections where passing is prohibited and PASS WITH CARE signs at the beginning of sections where passing is permitted.
7. All work zone pavement markings shall be installed in accordance with Item 662, "Work Zone Pavement Markings."

**RAISED PAVEMENT MARKERS**

1. Raised pavement markers are to be placed according to the patterns on BC(11).
2. All raised pavement markers used for work zone markings shall meet the requirements of Item 672, "RAISED PAVEMENT MARKERS" and Departmental Material Specification DMS-4200 or DMS-4300.

**PREFABRICATED PAVEMENT MARKINGS**

1. Removable prefabricated pavement markings shall meet the requirements of DMS-8241.
2. Non-removable prefabricated pavement markings (fall back) shall meet the requirements of DMS-8240.


**MAINTAINING WORK ZONE PAVEMENT MARKINGS**

1. The Contractor will be responsible for maintaining work zone pavement markings within the work limits.
2. Work zone pavement markings shall be inspected in accordance with the frequency and reporting requirements of work zone traffic control device inspections as required by Form 599.
3. The markings should provide a visible reference for a minimum distance of 300 feet during normal daylight hours and 160 feet when illuminated by automobile low-beam headlights at night, unless sight distance is restricted by roadway geometrics.
4. Markings failing to meet this criteria within the first 30 days after placement shall be replaced at the expense of the Contractor as per Specification Item 662.

**REMOVAL OF PAVEMENT MARKINGS**

1. Pavement markings that are no longer applicable, could create confusion or direct a motorist toward or into the closed portion of the roadway shall be removed or obliterated before the roadway is opened to traffic.
2. The above shall not apply to detours in place for less than three days, where flaggers and/or sufficient channelizing devices are used in lieu of markings to outline the detour route.
3. Pavement markings shall be removed to the fullest extent possible, so as not to leave a discernable marking. This shall be by any method approved by Item Specification Item 677 for "Eliminating Existing Pavement Markings and Markers".
4. The removal of pavement markings may require resurfacing or seal coating portions of the roadway as described in Item 677.
5. Subject to the approval of the Engineer, any method that proves to be successful on a particular type pavement may be used.
6. Blast cleaning may be used but will not be required unless specifically shown in the plans.
7. Over-painting of the markings SHALL NOT BE permitted.
8. Removal of raised pavement markers shall be as directed by the Engineer.
9. Removal of existing pavement markings and markers will be paid for directly in accordance with Item 677, "ELIMINATING EXISTING PAVEMENT MARKINGS AND MARKERS," unless otherwise stated in the plans.
10. Block-out marking tape may be used to cover conflicting existing markings for periods less than two weeks when approved by the Engineer.

**Temporary Flexible-Reflective Roadway Marker Tabs**



**STAPLES OR NAILS SHALL NOT BE USED TO SECURE TEMPORARY FLEXIBLE-REFLECTIVE ROADWAY MARKER TABS TO THE PAVEMENT SURFACE**

1. Temporary flexible-reflective roadway marker tabs used as guidemarks shall meet the requirements of DMS-8242.
2. Tabs detailed on this sheet are to be inspected and accepted by the Engineer or designated representative. Sampling and testing is not normally required, however at the option of the Engineer, either "A" or "B" below may be imposed to assure quality before placement on the roadway.
  - A. Select five (5) or more tabs at random from each lot or shipment and submit to the Construction Division, Materials and Pavement Section to determine specification compliance.
  - B. Select five (5) tabs and perform the following test. Affix five (5) tabs at 24 inch intervals on an asphaltic pavement in a straight line. Using a medium size passenger vehicle or pickup, run over the markers with the front and rear tires at a speed of 35 to 40 miles per hour, four (4) times in each direction. No more than one (1) out of the five (5) reflective surfaces shall be lost or displaced as a result of this test.
3. Small design variances may be noted between tab manufacturers.
4. See Standard Sheet WZ(S15PM) for tab placement on new pavements. See Standard Sheet TOP(T-1) for tab placement on seal coat work.

**RAISED PAVEMENT MARKERS USED AS GUIDEMARKS**

1. Raised pavement markers used as guidemarks shall be from the approved product list, and meet the requirements of DMS-4200.
  2. All temporary construction raised pavement markers provided on a project shall be of the same manufacturer.
  3. Adhesive for guidemarks shall be bituminous material hot applied or butyl rubber pad for all surfaces, or thermoplastic for concrete surfaces.
- Guidemarks shall be designated as:  
 YELLOW - (two amber reflective surfaces with yellow body).  
 WHITE - (one silver reflective surface with white body).

**DEPARTMENTAL MATERIAL SPECIFICATIONS**

PAVEMENT MARKERS (REFLECTORIZED)	DMS-4200
TRAFFIC BUTTONS	DMS-4300
EPOXY AND ADHESIVES	DMS-6100
BITUMINOUS ADHESIVE FOR PAVEMENT MARKERS	DMS-6130
PERMANENT PREFABRICATED PAVEMENT MARKINGS	DMS-8240
TEMPORARY REMOVABLE, PREFABRICATED PAVEMENT MARKINGS	DMS-8241
TEMPORARY FLEXIBLE, REFLECTIVE ROADWAY MARKER TABS	DMS-8242




A list of prequalified reflective raised pavement markers, non-reflective traffic buttons, roadway marker tabs and other pavement markings can be found at the Material Producer List web address shown on BC(1).

DISCLAIMER: This drawing is prepared by the Texas Department of Transportation. The user of this drawing assumes no responsibility for the consequences of any use of this drawing. The user of this drawing shall be held responsible for any errors or omissions resulting from its use.

SHEET 11 OF 12



		Traffic Safety Division Standard
<b>BARRICADE AND CONSTRUCTION PAVEMENT MARKINGS</b>		
<b>BC(11)-21</b>		
Files: bc-21.dgn 1/2007 February 1998	Rev: 1/2007 Cont: 1/2007 Job: 641147	Des: 1/2007 Job: 001 US 96, ETC.
REVISIONS 2-88 9-07 9-21 1-02 1-13 11-97 8-14 LDC	DESIGNED BY: LFK CHECKED BY: SHELBY	COUNTY: SHELBY SHEET NO.: 16

### PAVEMENT MARKING PATTERNS





Pattern A is the TxDOT Standard, however Pattern B may be used if approved by the Engineer. Prefabricated markings may be substituted for reflectORIZED pavement markings.

### CENTER LINE & NO-PASSING ZONE BARRIER LINES FOR TWO-LANE, TWO-WAY HIGHWAYS





Prefabricated markings may be substituted for reflectORIZED pavement markings.

### EDGE & LANE LINES FOR DIVIDED HIGHWAY



Prefabricated markings may be substituted for reflectORIZED pavement markings.


### LANE & CENTER LINES FOR MULTILANE UNDIVIDED HIGHWAYS





Prefabricated markings may be substituted for reflectORIZED pavement markings.

### TWO-WAY LEFT TURN LANE


### STANDARD WORK ZONE PAVEMENT MARKINGS DETAILS




### SOLID LINES




### BROKEN LINES



### AUXILIARY OR LANEDROP LINE



### REMOVABLE MARKINGS WITH RAISED PAVEMENT MARKERS



SHEET 12 OF 12

Raised pavement markers used as standard pavement markings shall be from the approved products list and meet the requirements of Item 672 "RAISED PAVEMENT MARKERS."

Texas Department of Transportation Traffic Safety Division Standard

### BARRICADE AND CONSTRUCTION PAVEMENT MARKING PATTERNS

BC (12) - 21


Plan: 00-21.000	Rev: TxDOT	On: 10/07	Rev: TxDOT	On: 10/07
01/07 February 1998	cont: 10/07	job: 6411	47	001
REVISED: 1-97 9-07 5-21	6411	47	001	US 96, ETC.
2-98 7-13	915T	COUNTY	SHEET NO.	
11-07 8-14	LFK	SHELBY	17	

DISCLAIMER: THIS SPECIFICATION IS GOVERNED BY THE "Texas Department of Transportation" No part of this specification is to be construed as a contract. The user of this specification assumes no responsibility for the consequences of any use of this specification. The user of this specification assumes no responsibility for the consequences of any use of this specification.

DATE: 06/09/2022 09:49:02 AM  
 FILE: \\NFLEX\ADMIN\Contract\31530\_000 - Roadway Maintenance Contract\31530\_000 - Roadway Maintenance Contract\31530\_000.dwg




DATE: 6/9/2022 9:48:05 AM  
 FILE: \\TXDOT\Mainline\Contract\3-0-SMC - Routine Maintenance\Contract\3-0-SMC - Routine Maintenance\Drawings\40D1-F43481EB26C8\Drawings\40D1-F43481EB26C8-TCP(2-1)18.dgn  
 DISCUSSION: This drawing is governed by the Texas Engineering Practice Act. No warranty of any kind is made by the State of Texas or any of its agencies, or any of its employees, for damages resulting from its use.  
 TxDOT Standard Plan No. 40D1-F43481EB26C8-18




TCP (2-1a)

**WORK SPACE NEAR SHOULDER**  
Conventional Roads



TCP (2-1b)

**WORK SPACE ON SHOULDER**  
Conventional Roads



TCP (2-1c)

**WORK VEHICLES ON SHOULDER**  
Conventional Roads

LEGEND							
Type 3 Barricade				Channelizing Devices			
Heavy Work Vehicle				Truck Mounted Attenuator (TMA)			
Trailer Mounted Flashing Arrow Board				Portable Changeable Message Sign (PCMS)			
Sign				Traffic Flow			
Flag				Flagger			

Posted Speed (MPH)	Formula	Minimum Desirable Taper Lengths (ft)	Suggested Maximum Spacing of Channelizing Devices	Minimum Sign Spacing Distance	Suggested Longitudinal Buffer Space "B"
30	L = WS <sup>2</sup> / 60	150'	On a Taper 30'	120'	90'
35		205'	On a Target 40'	160'	120'
40	L = WS	265'	On a Target 40'	240'	155'
45		450'	On a Target 45'	320'	195'
50	L = WS	550'	On a Target 50'	400'	240'
55		605'	On a Target 55'	500'	295'
60	L = WS	600'	On a Target 60'	600'	350'
65		715'	On a Target 65'	700'	410'
70	L = WS	700'	On a Target 70'	800'	475'
75		825'	On a Target 75'	900'	540'

\* Conventional Roads Only  
 \*\* Taper lengths have been rounded off.  
 L=Length of Taper (ft) W=Width of Offset (ft) S=Posted Speed (MPH)

TYPICAL USAGE				
MOBILE	SHORT DURATION	SHORT TERM STATIONARY	INTERMEDIATE TERM STATIONARY	LONG TERM STATIONARY
✓	✓	✓	✓	✓

**GENERAL NOTES**

- Flags attached to signs where shown, are REQUIRED.
- All traffic control devices illustrated are REQUIRED, except those denoted with the triangle symbol may be omitted when stated in the plans, or for routine maintenance work, when approved by the Engineer.
- Stockpiled material should be placed a minimum of 30 feet from nearest traveled way.
- Shadow vehicle with TMA and high intensity rotating, flashing, oscillating or strobe lights. A shadow vehicle with a TMA should be used anytime it can be positioned 30 to 100 feet in advance of the area of crew exposure without adversely affecting the performance or quality of the work. If workers are no longer present but road or work conditions require the traffic control to remain in place, Type 3 Barricades or other channelizing devices may be substituted for the shadow vehicle and TMA.
- Additional shadow vehicles with TMAs may be positioned off the paved surface, next to those shown in order to protect a wider work space.
- See TCP(5-1) for shoulder work on divided highways, expressways and freeways.
- Inactive work vehicles or other equipment should be parked near the right-of-way line and not parked on the paved shoulder.
- CP-2-15 "SHOULDER WORK" signs may be used in place of CP-2-10 "ROAD WORK AHEAD" signs for shoulder work on conventional roadways.



**TRAFFIC CONTROL PLAN  
CONVENTIONAL ROAD  
SHOULDER WORK**

TCP (2-1) - 18

Rev	Date	Description	By	App
1	007	December 1985	6411	47
2	04	4-88	001	US 96, ETC.
3	05	2-12	DIST	COUNTY
4	01	2-18	LPK	SHELBY

Sheet No. 18

DISCUSS: This plan is governed by the Texas Engineering Practice Act. No warranty of any kind is made by the State of Texas or the Department of Transportation for any damages resulting from its use.



Posted Speed		Formula		Minimum Desirable Taper Lengths		Suggested Max. Spacing of Channelizing Devices		Minimum Sign Spacing		Suggested Longitudinal Buffer Space		Stopping Sight Distance	
#	MPH	10'	11'	12'	On a Taper	On a Taper	Distance	Distance	'A'	'B'	'A'	'B'	
30	L	150'	165'	180'	30'	60'	120'	90'	200'				
35	L	205'	225'	245'	35'	70'	140'	120'	250'				
40	L	265'	295'	320'	40'	80'	160'	155'	305'				
45	L	450'	495'	540'	45'	90'	320'	195'	360'				
50	L	500'	550'	600'	50'	100'	400'	240'	425'				
55	L	550'	605'	660'	55'	110'	500'	295'	495'				
60	L	600'	660'	720'	60'	120'	600'	350'	570'				
65	L	650'	715'	780'	65'	130'	700'	410'	645'				
70	L	700'	770'	840'	70'	140'	800'	475'	730'				
75	L	750'	825'	900'	75'	150'	900'	540'	820'				

\* Conventional Roads Only  
 \*\* Taper lengths have been rounded off.  
 L=Length of Taper (FT) W=Width of Offset (FT) S=Posted Speed (MPH)



TYPICAL USAGE				
MOBILE	SHORT DURATION	SHORT TERM STATIONARY	INTERMEDIATE TERM STATIONARY	LONG TERM STATIONARY
	✓	✓	✓	

- GENERAL NOTES**
- Flags attached to signs where shown, are REQUIRED.
  - All traffic control devices illustrated are REQUIRED, except those denoted with the triangle symbol may be omitted when stated elsewhere in the plans, or for routine maintenance work, when approved by the Engineer.
  - The CW3-4 "BE PREPARED TO STOP" sign may be installed after the CW20-4 "ONE LANE ROAD XXX FT" sign, but proper sign spacing shall be maintained.
  - Flaggers should use two-way radios or other methods of communication to control traffic.
  - Length of work space should be based on the ability of flaggers to communicate.
  - A Shadow Vehicle with a TMA should be used anytime it can be positioned 30 to 100 feet in advance of the area of crew exposure without adversely affecting the performance or quality of the work. If workers are no longer present but road or work conditions require the traffic control to remain in place, Type 3 Barricades or other channelizing devices may be substituted for the Shadow Vehicle and TMA.
  - Additional Shadow Vehicles with TMAs may be positioned off the paved surface, next to those shown in order to protect a wider work space.
- TCP (2-2a)**
- The R1-2 "YIELD" sign traffic control may be used on projects with approaches that have adequate sight distance. For projects in urban areas, work space should be no longer than one half city block. In rural areas, roadways with less than 2000 ADT, work space should be no longer than 400 feet.
  - The R1-2a "YIELD TO ONCOMING TRAFFIC" sign shall be placed on a support of a 7 foot minimum mounting height.
- TCP (2-2b)**
- Channelizing devices on the center line may be omitted when a pilot car is leading traffic and approved by the Engineer.
  - If the work space is located near a horizontal or vertical curve, the buffer distances should be increased in order to maintain stopping sight distance to the flagger and a queue of stopped vehicles. (See Table above).
  - Flaggers should use 24" STOP/SLOW paddles to control traffic. Flags should be limited to emergency situations.

**TRAFFIC CONTROL PLAN**  
**ONE-LANE TWO-WAY**  
**TRAFFIC CONTROL**  
**TCP (2-2) - 18**

Field	Project	Year	Sheet	Job	City
1001	2-18	1985	6411	47	001
REVISED	DATE	BY	COUNTY	STATE	SHEET NO.
8-95	3-03	LFK	US 96	ETC.	19
1-97	2-12				
4-98	2-18				

DATE: 03/09/2012 04:40:07 AM  
FILE: TX\KCM\Main\Contract\315\22-CP\315-CP-TCP (2-3) (2).DWG  
DISCLAIMER:  
This drawing is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by the Engineer for the use of this drawing for purposes other than those intended.  
The use of this drawing is limited to the specific project and any changes to the design shall be made by the Engineer.  
This drawing is the property of the Engineer and shall not be reproduced or transmitted in any form or by any means electronic, mechanical, photocopying, recording, or by any information storage or retrieval system without the prior written consent of the Engineer.



LEGEND									
[Symbol]	Type 3 Barricade	[Symbol]	Channelizing Devices						
[Symbol]	Heavy Work Vehicle	[Symbol]	Truck Mounted Attenuator (TMA)						
[Symbol]	Trailer Mounted Flashing Arrow Board	[Symbol]	Raised Pavement Markers Type II-AA						
[Symbol]	Sign	[Symbol]	Traffic Flow						
[Symbol]	Flag	[Symbol]	Flagger						

Posted Speed	Formula	Minimum Desirable Taper Lengths * X	Suggested Maximum Spacing of Channelizing Devices	Minimum Sign Spacing	Suggested Longitudinal Buffer Space
30	$L = S^2$	10'	30'	60'	120'
35		150'	45'	90'	180'
40		205'	60'	120'	240'
45	$L = WS$	265'	75'	150'	300'
50		330'	90'	180'	360'
55	400'	105'	210'	420'	
60	480'	120'	240'	480'	
65	570'	135'	270'	540'	
70	670'	150'	300'	600'	
75	780'	165'	330'	660'	

\* Conventional Roads Only  
\*\* Taper lengths have been rounded off.  
L- Length of Taper (FT) W- Width of Offset (FT) S- Posted Speed (MPH)  
**TYPICAL USAGE**

MOBILE	SHORT DURATION	SHORT TERM STATIONARY	INTERMEDIATE TERM STATIONARY	LONG TERM STATIONARY

- GENERAL NOTES**
- Flags attached to signs where shown, are REQUIRED.
  - All traffic control devices illustrated are REQUIRED, except those denoted with the triangle symbol may be omitted when stated elsewhere in the plans, or for routine maintenance work, when approved by the Engineer.
  - When work space will be in place less than three days existing pavement markings may remain in place. Channelizing devices shall be used to separate traffic.
  - Flagger control should NOT be used unless roadway conditions or heavy traffic volume require additional emphasis to safely control traffic. Flagger should be positioned at end of traffic queue.
  - The R4-1 "DO NOT PASS," R4-2 "PASS WITH CARE" and construction regulatory speed zone signs may be installed within CW20-1D "ROAD WORK AHEAD" signs. Proper spacing of signs shall be maintained.
  - Conflicting pavement marking shall be removed for long term projects.
  - A Shadow Vehicle with a TMA should be used anytime it can be positioned 30 to 100 feet in advance of the area of crew exposure without adversely affecting the performance or quality of the work. If workers are no longer present but road or work conditions require the traffic control to remain in place, Type 3 Barricades or other channelizing devices may be substituted.
  - Additional Shadow Vehicles with TMAs may be positioned off the paved surface, next to those shown in order to protect a wider work space.
- TCP (2-3a)**
- Conflicting pavement markings shall be removed for long-term projects. For shorter durations where traffic is directed over a yellow centerline, channelizing devices which separate two-way traffic should be spaced on tapers at 25' or 15' if posted speeds are 35 mph or slower, and for tangent sections, at 1/2(S) where S is the speed in mph. This tighter device spacing is intended for the area of the conflicting markings, not the entire work zone.

Texas Department of Transportation Traffic Operations Division Standard



## TRAFFIC CONTROL PLAN

### TRAFFIC SHIFTS ON TWO-LANE ROADS

#### TCP (2-3) - 18

Plan No.	Revisions	Project	Sheet	Of	Date	Drawn	Checked	By
18-28	1	6411	47	001	08/01/08			
18-28	2-18	LFK	SHELBY	20				

DATE: 6/28/2022 08:40:00 AM  
FILE: \\NEXCOM\Maint\Contractors\0 - BMC - Rout Line Maintenance\Contractors\157229\01\TrafficControlPlan\TrafficControlPlan-TCP-18.dwg  
DISCUSSION:  
The use of this standard is governed by the Texas Engineering Practice Act. No warranty of any kind is made by the Texas Department of Transportation for damages resulting from its use.



### LEGEND

[Symbol]	Type 3 Barricade	[Symbol]	Channelizing Devices
[Symbol]	Truck Mounted Attenuator (TMA)	[Symbol]	Portable Changeable Message Sign (PCMS)
[Symbol]	Trailer Mounted Flashing Arrow Board	[Symbol]	Traffic Flow
[Symbol]	Sign	[Symbol]	Flag
[Symbol]	Flag	[Symbol]	Flagger

Posted Speed * X	Formula	Minimum Desirable Taper Lengths † ‡	Suggested Maximum Spacing of Channelizing Devices †	Minimum Sign Spacing †	Suggested Longitudinal Buffer Space †
30	L WS	10' 11' 12' Dissimilar / Dissimilar	30'	120'	90'
35	L WS	150' 165' 180'	30'	160'	120'
40	L WS	205' 225' 245'	40'	240'	155'
45	L WS	265' 295' 320'	40'	320'	195'
50	L WS	450' 495' 540'	45'	400'	240'
55	L WS	550' 605' 660'	55'	500'	295'
60	L WS	600' 660' 720'	60'	600'	350'
65	L WS	650' 715' 780'	65'	700'	410'
70	L WS	700' 770' 840'	70'	800'	475'
75	L WS	750' 825' 900'	75'	900'	540'

\* Conventional Roads Only  
 † Taper lengths have been rounded off.  
 ‡ L-Length of Taper (FT) W-Width of Offser (FT) S-Posted Speed (MPH)

### TYPICAL USAGE

MOBILE	SHORT DURATION	SHORT TERM STATIONARY	INTERMEDIATE TERM STATIONARY	LONG TERM STATIONARY
		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

- ### GENERAL NOTES
- Flags attached to signs where shown, are REQUIRED.
  - All traffic control devices illustrated are REQUIRED, except those denoted with the triangle symbol may be omitted when stated elsewhere in the plans, or for routine maintenance work, when approved by the Engineer.
  - The downstream taper is optional. When used, it should be 100 feet minimum length per lane.
  - For short term applications, when post mounted signs are not used, the distance legends may be shown on the sign face rather than on a CW16-3SP supplemental plaque.
  - A Shadow Vehicle with a TMA should be used anytime it can be positioned 30 to 100 feet in advance of the area of crew exposure without adversely affecting the performance or quality of the work. If workers are no longer present but road or work conditions require the traffic control to remain in place, Type 3 Barricades or other channelizing devices may be substituted for the Shadow Vehicle and TMA.
  - Additional Shadow Vehicles with TMAs may be positioned in each closed lane, on the shoulder or off the paved surface, next to those shown in order to protect a wider work space.
- TCP (2-4a)**
- If this TCP is used for a left lane closure, CW20-5TL "LEFT LANE CLOSED" signs shall be used and channelizing devices shall be placed on the centerline to protect the work space from opposing traffic with the arrow board placed in the closed lane near the end of the merging taper.
- TCP (2-4b)**
- For shorter durations where traffic is directed over a yellow centerline, channelizing devices which separate two-way traffic should be spaced on tapers at 20' or 15' if posted speeds are 35 mph or slower, and for tangent sections, at 1/2S where S is the speed in mph. This tighter device spacing is intended for the area of conflicting markings, not the entire work zone.



**Texas Department of Transportation**  
 Traffic Operations Division Standard

**TRAFFIC CONTROL PLAN  
 LANE CLOSURES ON MULTILANE  
 CONVENTIONAL ROADS**

**TCP (2-4) - 18**

Plan No.	1022-4-18.dgn	REV.		DATE	BY
Project No.	0007	Revisions	6411	47	001
Date	December 1995	Dist	LFX	County	SHELBY
Sheet No.	21	US 96, ETC.			

DISCUSSION: This standard is governed by the Texas Engineering Practice Act. No warranty of any kind is made by the State of Texas for the use of this standard. The use of this standard is limited to the specific project and location. The use of this standard for any other project or location is at the user's risk.



**LEGEND**

	Type 3 Barricade		Channelizing Devices
	Heavy Work Vehicle		Truck Mounted Flashing Arrow Board (TMA)
	Trailer Mounted Flashing Arrow Board		Portable Changeable Message Sign (PCMS)
	Sign		Traffic Flow
	Flag		Flagger

Posted Speed	Formula	Minimum Desirable Taper Lengths	Suggested Maximum Spacing of Channelizing Devices	Minimum Sign Spacing	Suggested Longitudinal Buffer Space			
X	L = WS	10' 11' 12'	On a Taper	"X"	"B"			
30		150'	165'	180'	30'	60'	120'	90'
35		205'	225'	245'	35'	70'	160'	120'
40		265'	295'	320'	40'	80'	240'	155'
45		450'	495'	540'	45'	90'	320'	195'
50		500'	550'	600'	50'	100'	400'	240'
55	L=WS	550'	605'	660'	55'	110'	500'	295'
60		600'	660'	720'	60'	120'	600'	350'
65		650'	715'	780'	65'	130'	700'	410'
70		700'	770'	840'	70'	140'	800'	475'
75		750'	825'	900'	75'	150'	900'	540'

\* Conventional Roads Only  
 \*\* Taper lengths have been rounded off.  
 L=Length of Taper (FT) W=Width of Offset (FT) S=Posted Speed (MPH)

**TYPICAL USAGE**

MOBILE	SHORT DURATION	INTERMEDIATE TERM STATIONARY	LONG TERM STATIONARY

**GENERAL NOTES**

- Flags attached to signs where shown, are REQUIRED.
- All traffic control devices illustrated are REQUIRED, except those denoted with the triangle symbol may be omitted when stated elsewhere in the plans, or for routine maintenance work, when approved by the Engineer.
- A Shadow Vehicle with a TMA should be used anytime it can be positioned 30 to 100 feet in advance of the area of crew exposure without adversely affecting the performance or quality of the work. If workers are no longer present but road or work conditions require the traffic control to remain in place, Type 3 Barricades or other channelizing devices may be substituted for the Shadow Vehicle and TMA. Additional Shadow Vehicles with TMAs may be positioned in each closed lane, on the shoulder or off the paved surface, next to those shown in order to protect a wider work space.
- The downstream taper is optional. When used, it should be 100 feet approximately per lane, with channelizing devices spaced at 20 feet.

**TCP (2-5a)**  
 6. If this TCP is used for a left lane closure, CW20-5TL "LEFT LANE CLOSED" signs shall be used and channelizing devices shall be placed on the centerline to protect the work space from opposing traffic, with the arrow board placed in the closed lane near the end of the merging taper.  
**TCP (2-5b)**  
 7. Conflicting pavement markings shall be removed for long-term projects.

**Traffic Department of Transportation** Traffic Operations Division Standard

**TRAFFIC CONTROL PLAN**  
**LONG TERM LANE CLOSURES**  
**MULTILANE CONVENTIONAL RDS.**

**TCP (2-5) - 18**

FILED: 10-20-18, dgn	DATE: 10-20-18	BY: [Signature]	CHK: [Signature]
1001	December	6411	47
1-97 1-03	REVISING	001	US 96, ETC.
1-98 2-12		DIST	COUNTY
1-99 3-03		FILED	SHELBY
1-99 2-18			SHEET NO. 22




Warning sign and rumble strip sequence in opposite direction is same as below.

Flagger to Flagger (Length of Work Area)	ADT	# of Rumble Strip Arrays
1/8 Mile	< 4,500	1
	≥ 4,500	2
1/4 Mile	< 3,500	1
	≥ 3,500	2
1/2 Mile	< 2,600	1
	≥ 2,600	2
1 Mile	< 1,600	1
	≥ 1,600	2
> 1 Mile	N/A	2

DISCUSSION: This standard is governed by the Texas Engineering Practice Act. No portions of any sign may be used without the express written consent of the Texas Department of Transportation.

DATE: 6/8/2022 9:40:13 AM  
 FILE: \\FLX\SSA\Main\Contract\3130\_001 - Routine Maintenance Contract\3130\_001 - Rumble Strips.dwg



**GENERAL NOTES**

- Each Rumble Strip Array should consist of three rumble strips spaced equal to center of the spacing shown in Table 2, placed transverse across the lane at locations shown.
- The CW17-2T "RUMBLE STRIPS AHEAD" sign should be located after the CW20-1D "ROAD WORK AHEAD" sign and spaced as shown. If traffic is observed to be queuing, or is expected to queue beyond the Rumble Strips, the CW17-2T sign and the first Rumble Strip Array may be located upstream of the CW20-1D sign as necessary to provide needed warning.
- Temporary Rumble Strips will be considered subsidiary to Item 502, and shall be a product listed on the Compliant Work Zone Traffic Control Devices.
- Remove Temporary Rumble Strips before removing the advanced warning signs.
- Temporary Rumble Strips should not be used on horizontal curves, loose gravel, soft or bleeding asphalt, heavily rutted pavements or unpaved surfaces.
- Temporary Rumble Strips shall be installed and maintained as per manufacturer's recommendations.
- This standard shall be used in conjunction with other appropriate TCP standard, MUTCD typical application or project specific detail for the project.
- The one-lane two-way application may utilize a flagger, an Automated Flagger Assistance Device (AFAD) or a Portable Traffic Signal (PTS).
- Replace defective Temporary Rumble Strips as directed by the Engineer.
- Temporary Rumble Strips may be used on freeways or expressways based on engineering judgment and written direction from the Engineer.

	Type 3 Barricade		Channelizing Devices
	Heavy Work Vehicle		Truck Mounted Attenuator (TMA)
	Trailer Mounted Flashing Arrow Panel		Portable Changeable Message Sign (PCMS)
	Flag		Traffic Flow
	Flagger		

Posted Speed * 30 35 40 45 50 55 60 65 70 75	Formula L = WS 60	Minimum Desirable Taper Lengths Off/On/Off/Off/Off/Off			Suggested Maximum Spacing of Channelizing Devices			Minimum Sign Spacing Distance "A"	Suggested Longitudinal Buffer Space "B"
		On a Taper	On a tangent	On a tangent	On a tangent	On a tangent			
30		150'	165'	180'	30'	60'	120'	90'	
35		205'	225'	245'	35'	70'	160'	120'	
40		265'	295'	320'	40'	80'	240'	155'	
45		450'	495'	540'	45'	90'	320'	195'	
50		500'	550'	600'	50'	100'	400'	240'	
55		550'	605'	660'	55'	110'	500'	295'	
60		600'	660'	720'	60'	120'	600'	350'	
65		650'	715'	780'	65'	130'	700'	410'	
70		700'	770'	840'	70'	140'	800'	475'	
75		750'	825'	900'	75'	150'	900'	540'	

\* Conventional Roads Only  
 \*\* Taper lengths have been rounded off.  
 L=Length of Taper (FT) W=Width of Offset (FT)  
 S=Posted Speed (MPH)

MOBILE	SHORT TERM STATIONARY	INTERMEDIATE TERM STATIONARY	LONG TERM STATIONARY
✓	✓		

◆ Signs are for illustrative purposes only. Signs required may vary depending on the TCP, MUTCD typical application, or project specific details for the project.  
 \* For posted speeds in excess of 65 MPH, it is recommended that spacing is increased as speed limits increase. Increasing space between rumble strips will improve effectiveness.

Speed	Approximate distance between strips in an array
≤ 40 MPH	10'
> 40 MPH & ≤ 55 MPH	15'
= 60 MPH	20'
≥ 65 MPH	* 35'


Texas Department of Transportation

**TEMPORARY RUMBLE STRIPS**


**WZ (RS) - 22**

Plan: 407-22-001	Rev: 1/2007	Rev: 1/2007	Rev: 1/2007	Rev: 1/2007
01/2007	November 2012	04/11	04/11	04/11
REVISIONS		6411	47	001
2-14	1-22	DIST	COUNTY	US 96, ETC.
4-16		LFK	SHELBY	SHEET NO. 24


DISCLAIMER: This standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use. DATE: 6/9/2022 FILE: \\NEXCOM\Mainline\_Contract\315122\_Plan\315111-47-001\_Spec\BY-MBGF\MBGF\MBGF18.dgn




**TYPICAL POST**




**WOOD BLOCK TO ROUND WOOD POST**




**WOOD BLOCK TO RECTANGULAR WOOD POST**




**WOOD BLOCK TO STEEL POST**



**LOW FILL CULVERT POST**



**RAIL SPLICE DETAIL**



**ELEVATION 12 1/2\"/>**

**GENERAL NOTES**


- The type of post (round wood post, rectangular wood post, or steel post) will be shown elsewhere in the plans. The exact position of MBGF shall be shown elsewhere in the plans or as directed by the Engineer. Steel posts to be galvanized in accordance with Item 445, "Galvanizing".
- Rail element shall meet the requirements of Item 540, "Metal Beam Guard Fence" except as modified on the plans. The Contractor may furnish rail elements of 12 1/2" or 25 foot nominal lengths.
- Buttress head "post" bolts (ASTM A307) shall be of sufficient length to extend through the full thickness of the nut (ASTM A563) and type A (1 3/4" O.D.) washer and not more than 1" beyond it. Buttress head "splice" bolts (ASTM A307) are 3/4" x 1 1/2" for 2" long or triple rail splices with a 3/4" double recessed nut (ASTM A563).
- Fittings (bolts, nuts, and washers) shall be galvanized in accordance with Item 445, "Galvanizing." Fittings shall be subsidiary to the bid item.
- Crown shall be widened to accommodate the Metal Beam Guard Fence.
- The lateral approach to the guard fence, shall have a slope rate of not more than 10:100.
- Unless otherwise shown in the plans, guard fence placed in the vicinity of curbs shall be positioned so that the face of curb is located directly below or behind the face of the block. Rail placed over curbs shall be installed so that the post bolt is located approximately 21 inches above the gutter pan or roadway surface.
- If solid rock is encountered within 0 to 18" of the finished grade, drill a 22" dia. hole, 24" into the rock, or drill a 12" dia. front to back overlapping holes, 24" into the rock. If solid rock is encountered below 18", drill a 12" dia. hole, 12" into the rock or to the standard embedment depth, whichever is less. Any excess post length, after meeting these depths, may be field cut to ensure proper guardrail mounting height. Backfill with a cohesionless material.
- Posts shall not be set in concrete, of any depth.
- Special fabrication will be required at installations having a curvature of less than 150 ft. radius.
- The terminal anchor section (TAS) post shall be set in Class A concrete (unless otherwise shown in the plans) in accordance with Item 421, "Hydraulic Cement Concrete." Concrete shall be subsidiary to the bid item requiring construction of the terminal anchor section (TAS). Terminal anchor post to be galvanized in accordance with Item 445, "Galvanizing."
- Unless otherwise shown in the plans, a composite material post and/or block that meets the requirements of DMS-7210, "Composite Material Posts and Blocks for Metal Beam Guard Fence" may be substituted for posts and/or blocks of similar dimensions. The Construction Division, TxDOT maintains a Material Producer List (MPL) for producers of materials conforming to DMS-7210. Only producers on the MPL can furnish composite material posts and/or blocks.

**ONLY FOR USE IN MAINTENANCE REPAIRS OR HIGHLY CONSTRAINED SITE CONDITIONS.**


Texas Department of Transportation  
 Design Division Standard

**METAL BEAM GUARD FENCE**  
**MBGF-19**


File: mbgf19.dgn	Rev: 1.00	Rev: 1.00	Rev: 1.00	Rev: 1.00	Rev: 1.00
DATE: NOVEMBER 2019	CONTRACT:	JOB:	SECTION:	DATE:	DATE:
REVISIONS:	641147	001	US 96, ETC.	SHEET NO.:	25
	LFK	SHELBY			




**Terminal Anchor Section (TAS)**  
Terminal anchor sections are only for downstream use, when located outside the horizontal clearance area of opposing traffic.




**Terminal Anchor Post Options**  
(See General Note 11)



**Terminal Concrete Anchor Options**  
(See General Note 11)







**Terminal Connector**  
For connection hardware to concrete rails, see the MBGF transition standards.



**BUTTRESS HEAD BOLT**  
Post and Splice Bolts (See General Note 3)




DATE: 6/9/2022  
 FILE: T:\EXTRA\Maint\Contractors\T22 P.Lots\4411-47-001\_Signage\_MBGF\04\22\MBGF\19.dgn  
 THIS STANDARD IS GOVERNED BY THE "TEXAS ENGINEERING PRACTICE ACT". NO WARRANTY OF ANY KIND IS MADE BY TxDOT FOR ANY PURPOSE WHATSOEVER THAT ASSUMES NO RESPONSIBILITY FOR THE CONVERSION OF THIS STANDARD TO OTHER FORMATS OR FOR INCORRECT RESULTS OR DAMAGES RESULTING FROM ITS USE.



**GENERAL NOTES**

- The type of (CRT) post (round wood post, or rectangular wood post) will be shown elsewhere in the plans. The exact position of MBGF shall be shown elsewhere in the plans or as directed by the Engineer.
- Steel posts are not permitted at CRT post positions.
- Rail element shall meet the requirements of Item 540, "Metal Beam Guard Fence" except as modified on the plans. The Contractor may furnish rail elements of 12 1/2' or 25' foot nominal lengths.
- Button head "post" bolts (ASTM A307) shall be of sufficient length to extend through the full thickness of the nut (ASTM A563) and Type A (1 1/2" O.D.) washer and not more than 1" beyond it. Button head "splice" bolts (ASTM A307) are 3/4" x 1 1/2" or 2" long at triple rail splices with a 3/8" double recessed nut (ASTM A563).
- Fittings (bolts, nuts, and washers) shall be galvanized in accordance with Item 445, "Galvanizing." Fittings shall be subsidiary to the bid item.
- Crown shall be widened to accommodate the Metal Beam Guard Fence.
- The lateral approach to the guard fence, shall have a slope rate of not more than 1V:10H.
- Unless otherwise shown in the plans, guard fence placed in the vicinity of curbs shall be positioned so that the face of curb is located directly below or behind the face of the block. Rail placed over curbs shall be installed so that the post bolt is located approximately 21 inches above the gutter pan or roadway surface.
- If solid rock is encountered within 0 to 18" of the finished grade, drill a 22" dia. hole, 24" into the rock, or drill two 12" dia. front to back overlapping holes, 24" into the rock. If solid rock is encountered below 18", drill a 12" dia. hole, 12" into the rock or to the standard embedment depth, whichever is less. Any excess post length, after meeting these depths, may be field cut to ensure proper guardrail mounting height. Backfill with a cohesionless material.
- Guardrail posts shall not be set in concrete, or any depth.
- Special rail fabrication will be required at installations having a curvature of less than 150 ft. radius. The required radius shall be shown on the plans.
- The terminal anchor section (TAS) post shall be set in Class A concrete (unless otherwise shown in the plans) in accordance with Item 421, "Hydraulic Cement Concrete." Concrete shall be subsidiary to the bid item requiring construction of the terminal anchor section (TAS). Terminal anchor post to be galvanized in accordance with Item 445, "Galvanizing."
- Unless otherwise shown in the plans, a composite material post and/or block that meets the requirements of DMS-7210, "Composite Material Posts and Blocks for Metal Beam Guard Fence" may be substituted for posts and/or blocks of similar dimensions. The Construction Division, TxDOT maintains a Material Producer List (MPL) for producers of materials conforming to DMS-7210. Only producers on the MPL can furnish composite material posts and/or blocks.




**(CRT) POST DETAIL CONTROLLED RELEASE TERMINAL POST**

Two or more wood CRT post(s) are required at any radius installation located at intersecting roadways or driveways.



**PLAN VIEW SHOWING TYPICAL RADIUS**

The required radius is shown elsewhere on the plans.



**"DRIVEWAY" TERMINAL ANCHOR SECTION**

Only for use within driveway locations, where a standard (TAS) Terminal Anchor Section can not be installed.




**ONLY FOR USE IN MAINTENANCE REPAIRS OR HIGHLY CONSTRAINED SITE CONDITIONS.**


Texas Department of Transportation Design Division Standard

**METAL BEAM GUARD FENCE (SHORT RADIUS) MBGF (SR) - 19**

File No: MBGF19.dgn	Rev 1: 001	Rev 2: 001	Rev 3: 001	Rev 4: 001
DATE: NOVEMBER 2019	DATE: 6/11/21	DATE: 10/1/21	DATE: 10/1/21	DATE: 10/1/21
DESIGNED BY: LFK	CHECKED BY: 47	APPROVED BY: 001	DATE: 10/1/21	US 96, ETC.
SHEET NO. 26				



TYPICAL PLAN VIEW




TYPICAL ELEVATION VIEW

**GENERAL NOTES**


1. The type of post (round wood post, rectangular wood post, or steel post) will be shown elsewhere in the plans. The exact position of transitions shall be shown elsewhere in the plans or as directed by the Engineer.
2. Rail element shall meet the requirements of Item 540, "Metal Beam Guard Fence" except as modified on the plans.
3. Button head "post" bolts (ASTM A307) shall be of sufficient length to extend through the full thickness of the nut (ASTM A563) and the Type A 1 3/4" O.D. washer and not more than 1" beyond it. Button head "splice" bolts (ASTM A307) are 3/8" x 2" (at triple rail splices) with a 3/8" double recessed nuts (ASTM A563).
4. Fittings (bolts, nuts, and washers) shall be galvanized in accordance with Item 445, "Galvanizing." Fittings shall be subsidiary to the bid item requiring construction of the transition.
5. Crown will be widened to accommodate transitions.
6. If solid rock is encountered. See the MBGF standard sheet for proper installation guidance.
7. Posts shall not be set in concrete.
8. Unless otherwise shown in the plans, a composite material post and/or block that meets the requirements of DMS-7210, "Composite Material Posts and Blocks for Metal Beam Guard Fence" may be substituted for posts and/or blocks of similar dimensions. The Construction Division, T400T, maintains a Material Producer List (MPL) for producers of materials conforming to DMS-7210. Only producers on the MPL can furnish composite material posts and/or blocks.

DATE: 6/9/2022  
 FILE: \\NEXCOM\Mainline\_Contractors\O\_RMC - Routline Maintenance Contractors\1722 P.Lans\4411-47-001\_SHELBY\_MBF\_GUARD\_FENCE\T101.DWG


DESIGN: THIS STANDARD IS COVERED BY THE "TEXAS ENGINEERING PRACTICE ACT". NO WARRANTY OF ANY KIND IS MADE BY TxDOT FOR ANY PURPOSE WHATSOEVER. THE USER ASSUMES ALL LIABILITY FOR THE CONVERSION OF THIS STANDARD TO OTHER FORMATS OR FOR INCORRECT RESULTS OR DAMAGES RESULTING FROM ITS USE.




SECTION A-A



WOOD BLOCK TO ROUND WOOD POST














WOOD BLOCK TO RECTANGULAR WOOD POST



WOOD BLOCK TO STEEL POST

**ONLY FOR USE IN MAINTENANCE REPAIRS.**

		Design Division Standard	
<b>METAL BEAM GUARD FENCE TRANSITION (T101) (T101 BRIDGE RAIL) MBGF (T101)-19</b>			
Title: mbgf110119.dwg Date: NOVEMBER 2019	Job No: 641147 Job Name: 001	District: LFK County: SHELBY	Sheet No: 27






- GENERAL NOTES**
- Concrete curb may be cast-in-place or precast as shown on this sheet. When used in conjunction with thrie-beam guard fence transitions, curb shall be Type II (typically 5 3/4" height above surface). See CCCD standard sheet unless otherwise shown in the plans. If other curb heights are shown in the plans in conjunction with the transition, the curb height may be from 4" to 8" with a relatively vertical face. Concrete curb shall be continuous to the seventh post.
  - Contact the Design Division for drainage cut options needed within the curb section of the transition.
  - The type of post (round wood, rectangular wood or steel) will be shown elsewhere in the plans.
  - The post length shall be marked on all 7'-0" long posts by the Manufacturer. The mark shall be located within the top 1 ft. region of the post, at least 3/8" in height, and visible after installation. Wooden posts shall be marked with a brand, and steel posts with a stencil before galvanizing.
  - Roll element shall meet the requirements of Item 540, "Metal Beam Guard Fence" except as modified on the plans. The thrie-beam terminal connector and the thrie-beam transition to w-beam shall be of the same material, but shall not be less than 10 gauge.
  - Contractor shall verify that the locations of bolt holes match those in the thrie-beam terminal connector prior to ordering materials.
  - Unless otherwise shown in the plans, transitions shall be placed with the block face in front of or directly above the curb face.
  - Install terminal connector with (12) rectangular guardrail plate washers (FWR03) and (12) 3/8" x 2" button head splice bolts with recessed nuts.
  - Button head "post bolts & nuts" shall meet the requirements of (ASTM A307), and shall be of sufficient length to extend through the full thickness of the nut and 3/4" washer (if applicable) and not more than 1" beyond it. Trim remaining bolt length to meet required length.
  - Fittings (bolts, nuts, and washers) shall be galvanized in accordance with Item 445, "Galvanizing". Fittings shall be subsidiary to the bid item.
  - Crown shall be widened to accommodate transitions.
  - If solid rock is encountered, See the MBEF standard sheet for the proper installation guidance.
  - Posts shall not be set in concrete.
  - Unless otherwise shown in the plans, a composite material post and/or block that meets the requirements of DMS-7210, "Composite Material Posts and Blocks for Metal Beam Guard Fence" may be substituted for posts and/or blocks of similar dimensions. The Construction Division, TxDOT, maintains a Material Producer List (MPL) for producers of materials conforming to DMS-7210. Only producers on the MPL can furnish composite material posts and/or blocks.

**ONLY FOR USE IN MAINTENANCE REPAIRS.**

Texas Department of Transportation		Design Division Standard	
<b>METAL BEAM GUARD FENCE TRANSITION (THRIE-BEAM TRANSITION) MBEF (TR) - 19</b>			
File No. MBEF19-000	Rev. 1 (00)	Rev. 10 (10)	Rev. 11 (11)
01/007 NOVEMBER 2019	6411 47	001	US 96, ETC.
REVISED BY	LFK	SHELBY	28

THIS STANDARD IS COVERED BY THE "TEXAS ENGINEERING PRACTICE ACT". NO WARRANTY OF ANY KIND IS MADE BY TxDOT FOR ANY PURPOSE WHATSOEVER. THE USER ASSUMES ALL LIABILITY FOR THE CONVERSION OF THIS STANDARD TO OTHER FORMATS OR FOR INCORRECT RESULTS OR DAMAGES RESULTING FROM ITS USE.


DECLARATION: THIS STANDARD IS GOVERNED BY THE TEXAS ENGINEERING PRACTICE ACT. NO WARRANTY OF ANY KIND IS MADE BY TxDOT FOR ANY PURPOSE WHATSOEVER. TxDOT ASSUMES NO RESPONSIBILITY FOR THE CONVERSION OF THIS STANDARD TO OTHER FORMATS OR FOR INCORRECT RESULTS OR DAMAGES RESULTING FROM ITS USE.



**GENERAL NOTES**


1. THE TYPE OF POST (ROUND WOOD POST, RECTANGULAR WOOD POST, OR STEEL POST) WILL BE AS SHOWN IN THE PLANS. THE EXACT POSITION OF MBSP SHALL BE SHOWN IN THE PLANS OR AS DIRECTED BY THE ENGINEER. STEEL POSTS TO BE GALVANIZED IN ACCORDANCE WITH ITEM 445, "GALVANIZING."
2. RAIL ELEMENTS SHALL MEET THE REQUIREMENTS OF ITEM 540, "METAL BEAM GUARD FENCE" EXCEPT AS MODIFIED IN THE PLANS. THE CONTRACTOR MAY FURNISH RAIL ELEMENTS OF 25'-0", OR 12'-6" (NOM.) LENGTHS. RAIL ELEMENTS MAY HAVE SLOTTED HOLES AT 3'-1 1/2" C-C OR 6'-3" C-C. A SPECIAL LENGTH OF RAIL MAY BE MANUFACTURED TO ACCOMMODATE THE DOWNSTREAM ANCHOR TERMINAL (DAT) AND THE TRANSITION SECTIONS OF GUARDRAIL.
3. BUTT HEAD "POST BOLTS & NUTS" SHALL MEET THE REQUIREMENTS OF (ASTM A307), AND SHALL BE OF SUFFICIENT LENGTH TO EXTEND THROUGH THE FULL THICKNESS OF THE NUT AND 3/4" WASHER (IF C160) AND NOT MORE THAN 1" BEYOND IT. TRIM REMAINING BOLT LENGTH TO MEET REQUIRED LENGTH.
4. FITTINGS (BOLTS, NUTS, AND WASHERS) SHALL BE GALVANIZED IN ACCORDANCE WITH ITEM 445, "GALVANIZING." FITTINGS SHALL BE SUBSIDIARY TO THE BID ITEM.
5. CROWN SHALL BE WIDENED TO ACCOMMODATE THE METAL BEAM GUARD FENCE.
6. THE LATERAL APPROACH TO THE GUARD FENCE, SHALL HAVE A MAXIMUM SLOPE OF 1V:10H.
7. IF SHOWN ELSEWHERE IN THE PLANS OR AS DIRECTED BY THE ENGINEER, THE GUARD FENCE MAY BE FLARED AT A RATE OF 25:1 OR FLATTER.
8. UNLESS OTHERWISE SHOWN IN THE PLANS, GUARD FENCE PLACED IN THE VICINITY OF CURBS SHALL BE POSITIONED SO THAT THE FACE OF CURB IS LOCATED DIRECTLY BELOW OR BEHIND THE FACE OF THE RAIL. RAIL PLACED OVER CURBS SHALL BE INSTALLED SO THAT THE POST BOLT IS LOCATED APPROXIMATELY 25 INCHES ABOVE THE GUTTER PAN OR EDGE OF SHOULDER.
9. APPLICATIONS IN SOLID ROCK ARE ONLY ALLOWED WITH STEEL POSTS. IF SOLID ROCK IS ENCOUNTERED WITHIN 0 TO 18" OF THE FINISHED GRADE, DRILL A 24" DIA. HOLE, 24" INTO THE ROCK. IF SOLID ROCK IS ENCOUNTERED BELOW 18", DRILL A 12" DIA. HOLE, 12" INTO THE ROCK OR TO THE STANDARD EMBEDMENT DEPTH, WHICHEVER MAYBE LESS. ANY EXCESS POST LENGTH, AFTER MEETING THESE DEPTHS, MAY BE FIELD CUT TO ENSURE PROPER GUARDRAIL MOUNTING HEIGHT. BACKFILL WITH COARSE AGGREGATE MATERIAL.
10. POSTS SHALL NOT BE SET IN CONCRETE, OF ANY DEPTH.
11. SPECIAL FABRICATION WILL BE REQUIRED AT INSTALLATION LOCATIONS HAVING A CURVATURE OF LESS THAN 150 FT. RADIUS.
12. UNLESS OTHERWISE SHOWN IN THE PLANS, A COMPOSITE MATERIAL BLOCK THAT MEETS THE REQUIREMENTS OF DMS-7210, "COMPOSITE MATERIAL POSTS AND BLOCKS FOR METAL BEAM GUARD FENCE" MAY BE SUBSTITUTED FOR BLOCKS OF SIMILAR DIMENSIONS. THE CONSTRUCTION DIVISION, TxDOT MAINTAINS A MATERIAL PRODUCER LIST (MPL) FOR PRODUCERS OF MATERIALS CONFORMING TO DMS-7210 ONLY PRODUCERS ON THE MPL MAY FURNISH COMPOSITE MATERIAL BLOCKS.
13. FOR THE LOW FILL CULVERT OPTION, POSTS LOCATED PARTIALLY OR WHOLLY BETWEEN PRECAST BOX CULVERT UNITS, THE USE OF A CAST-IN-PLACE CONCRETE CLOSURE BETWEEN BOXES IS REQUIRED. THE LENGTH OF THE CAST-IN-PLACE CONCRETE CLOSURE SHALL ACCOMMODATE THE PLACEMENT OF THE LOW FILL CULVERT OPTION. SEE CONCRETE CLOSURE DETAILS ON BRIDGE STANDARD SCP-MO.
14. GUARDRAIL HEIGHT MEASUREMENT: WHEN THE GUARDRAIL IS LOCATED ABOVE PAVEMENT, MEASURE THE HEIGHT FROM THE PAVEMENT TO THE TOP OF THE FINISHED GRADE. DRILL A 24" DIA. HOLE, 24" INTO THE ROCK. IF SOLID ROCK IS ENCOUNTERED BELOW 18", DRILL A 12" DIA. HOLE, 12" INTO THE ROCK OR TO THE STANDARD EMBEDMENT DEPTH, WHICHEVER MAYBE LESS. ANY EXCESS POST LENGTH, AFTER MEETING THESE DEPTHS, MAY BE FIELD CUT TO ENSURE PROPER GUARDRAIL MOUNTING HEIGHT. BACKFILL WITH COARSE AGGREGATE MATERIAL.

**TYPICAL POST PLACEMENT**



**ELEVATION MID-SPAN RAIL SPLICE**


SHOWING A 25'-0" SECTION OF W-BEAM RAIL. (SEE GENERAL NOTE 2)



**ELEVATION 25'-0" (NOM.) W-BEAM SECTION**

NOTE: SEE GENERAL NOTE 2 FOR ALLOWABLE RAIL TYPES. SEE RAIL SPLICE DETAIL FOR REQUIRED HARDWARE.



\*POST(S) MAY REQUIRE FIELD MODIFICATION TO ENSURE PROPER GUARDRAIL HEIGHT.




1. BOLT-THROUGH OPTION: REQUIRES A 6" MIN. SLAB THICKNESS. 3/4" DIA (ASTM A449) HEAVY HEX BOLTS WITH TWO HARDENED WASHER EACH AND HEAVY HEX NUTS. NOTE: BOLT LENGTH = SLAB PLUS 2 1/4" MIN.
2. EPOXY ANCHOR OPTION: THIS OPTION MAY ONLY BE USED IF THE CULVERT SLAB IS 9" MIN. THICK. THREADED ANCHOR RODS MUST BE 3/4" DIA. ASTM A449 OR A193 GRADE BY WITH HEAVY HEX NUT, AND ONE HARDENED WASHER EACH. EMBED ANCHOR RODS 6" WITH HILTI HIT RE 500 EPOXY ADHESIVE. OTHER TYPE III CLASS C EPOXY ADHESIVES MEETING THE REQUIREMENTS OF DMS-6100, "EPOXIES AND ADHESIVES", MAY BE USED IF IT CAN BE DEMONSTRATED THAT THEY MEET OR EXCEED THE STRENGTH OF HILTI HIT RE 500 WITH THE SAME EMBEDMENT DEPTH AND THREADED ROD DIA. FOLLOW THE MANUFACTURER'S REQUIREMENTS FOR INSTALLING EPOXIED THREADED RODS. EXTEND RODS 1/4" MIN. BEYOND NUT.

NOTE: CULVERTS OF 25 FT. OR LESS, SEE GF(31)LS STANDARD FOR "LONG SPAN" OPTION.

**NOTE:** FOUR TYPES OF BUTT-HEAD GUARD RAIL BOLTS COME WITH A RECESSED NUT.



Texas Department of Transportation		Design Division Standard	
<b>METAL BEAM GUARD FENCE</b>			
<b>TL-3 MASH COMPLIANT</b>			
<b>GF (31) - 19</b>			
FILED 03/15/2019	DATE	BY	CHK'D
NOVEMBER 2019	6/11/19	001	US 96, ETC.
REVISED	DIST	COUNTY	SHEET NO.
	LFK	SHELBY	29



**DOWNSTREAM ANCHOR TERMINAL (DAT)**  
NOTE: ONLY FOR DOWNSTREAM USE, WHEN LOCATED OUTSIDE THE HORIZONTAL CLEARANCE AREA OF OPPOSING TRAFFIC.


**GENERAL NOTES**

1. THE DETAIL SHOWN IS THE MINIMUM LENGTH OF NEED (LON) FOR A DOWNSTREAM ANCHOR TERMINAL (DAT) CONNECTED TO A CONCRETE RAIL.
2. THE RAIL SECTION AT THE END POST IS SUPPORTED BY THE SHELF ANGLE BRACKET. THE RAIL ELEMENT IS NOT ATTACHED TO THE END POST.
3. THE FOUNDATION TUBES SHALL NOT PROJECT MORE THAN 3 3/4" ABOVE THE FINISHED GRADE.
4. ALL HARDWARE FOR DAT SHALL BE ASTM A307 UNLESS OTHERWISE SHOWN.
5. REFER TO GF (31) SHEET FOR TERMINAL CONNECTION DETAILS.

**MOW STRIP INSTALLATION**

IF A MOW STRIP IS REQUIRED WITH THE DAT INSTALLATION THE LEAVE-OUT AREA AROUND THE STEEL FOUNDATION TUBES AND THE TWO CHANNEL STRUTS MAY BE OMITTED. THIS WILL REQUIRE A FULL POUR AT THE FOUNDATION TUBES.


#	(DAT) PARTS LIST	QTY
1	STEEL FOUNDATION TUBE	2
2	DAT TERMINAL POST	2
3	CHANNEL STRUT	2
4	TERMINAL RAIL ELEMENT	1
5	SHELF ANGLE BRACKET	1
6	BCT BEARING PLATE	1
7	BCT POST SLEEVE	1
8	GUARDRAIL ANCHOR BRACKET	1
9	(ROUNDED) W-BEAM END SECTION	1
10	BCT CABLE ANCHOR	1
11	RECESSED NUT, GUARDRAIL	20
12	1 1/4" BUTTON HEAD BOLT	4
13	10" BUTTON HEAD BOLT	2
14	3/8" X 2" HEX HEAD BOLT	8
15	3/8" X 8" HEX HEAD BOLT	4
16	3/8" X 10" HEX HEAD BOLT	2
17	3/4" FLAT WASHER	18



**8 GUARDRAIL ANCHOR BRACKET**




**9 W-BEAM END SECTION (ROUNDED) (12 GA.)**




**6 BEARING PLATE**  
8" x 8" x 1/2"




**5 SHELF ANGLE BRACKET**



**3 CHANNEL STRUT**  
C3 x 5 x 80, GRADE A36



**2 TERMINAL POST**  
7 1/4" x 5 1/4" x 46" WOOD POST




**1 STEEL FOUNDATION TUBE**  
8" x 8" x 1/4" x 72" STEEL TUBE

**Design Division Standard**  
**METAL BEAM GUARD FENCE**  
**(DOWNSTREAM ANCHOR TERMINAL)**  
**TL-3 MASH COMPLIANT**  
**GF (31) DAT-19**  
 FILED: 03/10/19, 001    DW: FROST    DW: JIM    DW: VP    DW: COL/AD  
 03 NOVEMBER 2019    DW: TJEET    DW: JIM    DW: VP    DW: COL/AD  
 REVISIONS:    641147    001    US 96, ETC.  
 DWG:    COUNTY    SHEET NO.  
 LFK    SHELBY    30


THIS STANDARD IS GOVERNED BY THE TEXAS ENGINEERING PRACTICE ACT. NO WARRANTY OF ANY KIND IS MADE BY TxDOT FOR ANY PURPOSE WHATSOEVER. THE USER ASSUMES ALL RESPONSIBILITY FOR THE CONVERSION OF THIS STANDARD TO OTHER FORMATS OR FOR INCORRECT RESULTS OR DAMAGES RESULTING FROM ITS USE.

NOTE: TOENAIL WITH ONE 16D GALV. NAIL TO PREVENT BLOCK ROTATION.



**RECTANGULAR CRT POST  
(6' X 8" X 6' LONG)**

(6) CRT REQUIRED  
SEE ELEVATION DETAIL FOR LOCATIONS




**LATERAL OFFSET BETWEEN THE  
GUARDRAIL AND THE CULVERT HEADWALL**

DIRECTION OF TRAFFIC

**GENERAL NOTES**

1. THE TYPE OF LINE POST (ROUND WOOD POST, RECTANGULAR WOOD POST, OR STEEL POST) WILL BE AS SHOWN IN THE PLANS. THE EXACT POSITION OF THE TRANSITIONS SHALL BE AS SHOWN IN THE PLANS OR AS DIRECTED BY THE ENGINEER. STEEL POSTS TO BE GALVANIZED IN ACCORDANCE WITH ITEM 445, "GALVANIZING."
2. RAIL ELEMENT SHALL MEET ALL REQUIREMENTS OF ITEM 540, "METAL BEAM GUARD FENCE" EXCEPT AS MODIFIED ON THE PLANS. THE CONTRACTOR MAY FURNISH RAIL ELEMENTS OF 12'-6" OR 25'-0" NOMINAL LENGTHS.
3. RAIL POST HOLES ARE OFFSET 3'-1 1/2" FROM STANDARD GUARDRAIL TO ACCOMMODATE THE MIDSPAN SPLICING.
4. BUTTON HEAD "POST BOLTS & NUTS" SHALL MEET THE REQUIREMENTS OF (ASTM A307), AND SHALL BE OF SUFFICIENT LENGTH TO EXTEND THROUGH THE FULL THICKNESS OF THE NUT AND 3/8" WASHER (FWC160) AND NO MORE THAN 1" BEYOND IT.
5. FITTINGS (BOLTS, NUTS, AND WASHERS) SHALL BE GALVANIZED IN ACCORDANCE WITH ITEM 445, "GALVANIZING". FITTINGS SHALL BE SUBSIDIARY TO THE BID ITEM.
6. WHERE SOLID ROCK IS ENCOUNTERED, CONTACT THE DESIGN DIVISION FOR ADDITIONAL GUIDANCE. (512) 416-2678
7. POSTS SHALL NOT BE SET IN CONCRETE, OF ANY DEPTH.
8. REFER TO GF(31) STANDARD SHEET FOR ADDITIONAL DETAILS.
9. FLAME CUTTING OF HOLES IN GUARDRAIL SHALL NOT BE PERMITTED. IF YOU ENCOUNTER MIS-ALIGNED BOLT HOLES IN GUARDRAIL CONTACT THE DESIGN DIVISION FOR ADDITIONAL INFORMATION & OPTIONS.

NOTE: SEE GF(31) STANDARD FOR STANDARD LINE POSTS.




**ELEVATION DETAIL  
LONG SPAN GUARDRAIL**

		Design Division Standard
<b>METAL BEAM GUARD FENCE LONG SPAN TL-3 MASH COMPLIANT GF(31)LS-19</b>		
FILED: gf(31)ls19.dgn © 2019 NOVEMBER 2019	DWG NO: 641147 CONT: SHEET	CHK: JAM JOB: 001 US 96, ETC.
REVISIONS	DWG VP: LFK COUNTY: SHELBY	SHEET NO.: 31


THIS STANDARD IS GOVERNED BY THE "TEXAS ENGINEERING PRACTICE ACT". NO WARRANTY OF ANY KIND IS MADE BY TxDOT FOR ANY PURPOSE WHATSOEVER. THE CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR THE CONVERSION OF THIS STANDARD TO OTHER FORMATS OR FOR INCORRECT RESULTS OR DAMAGES RESULTING FROM ITS USE.

DECLARATION: THIS STANDARD IS GOVERNED BY THE "TEXAS ENGINEERING PRACTICE ACT". NO WARRANTY OF ANY KIND IS MADE BY TxDOT FOR ANY PURPOSE WHATSOEVER. TxDOT ASSUMES NO RESPONSIBILITY FOR THE CONVERSION OF THIS STANDARD TO OTHER FORMATS OR FOR INCORRECT RESULTS OR DAMAGES RESULTING FROM ITS USE.  
 DATE: 6/9/2022  
 FILE: \\NFLEX\Mainline\Contractors\01-47-001\_Signage\_Maintenance\Contractors\110119\_09P




- GENERAL NOTES**
1. THE TYPE OF POST (ROUND WOOD POST, RECTANGULAR WOOD POST, OR STEEL POST) WILL BE AS SHOWN IN THE PLANS. THE EXACT POSITION OF MBSF SHALL BE SHOWN IN THE PLANS OR AS DIRECTED BY THE ENGINEER. STEEL POSTS TO BE GALVANIZED IN ACCORDANCE WITH ITEM 445, "GALVANIZING."
  2. RAIL ELEMENT SHALL MEET THE REQUIREMENTS OF ITEM 540, "METAL BEAM GUARD FENCE" EXCEPT AS MODIFIED IN THE PLANS. THE CONTRACTOR MAY FURNISH RAIL ELEMENTS OF 25'-0", OR 12'-6" (WOM.) LENGTHS. RAIL ELEMENTS MAY HAVE SLOTTED HOLES AT 3'-1 1/2" C-C OR 6'-3" C-C. A SPECIAL LENGTH OF RAIL MAY BE MANUFACTURED TO ACCOMMODATE THE TRANSITION SECTIONS OF GUARDRAIL.
  3. BUTTON HEAD "POST" BOLTS (ASTM A307 GR. A) SHALL BE OF SUFFICIENT LENGTH TO EXTEND THROUGH THE FULL THICKNESS OF THE NUT (ASTM A563) AND 3/4" ROUND WASHER (ASTM F436) AND NOT MORE THAN 1" BEYOND IT. BUTTON HEAD "SPLICE" BOLTS (ASTM A307) ARE 3/4" X 1-1/4" WITH 3/8" NUTS (ASTM A563).
  4. FITTINGS (BOLTS, NUTS, AND WASHERS) SHALL BE GALVANIZED IN ACCORDANCE WITH ITEM 445, "GALVANIZING." FITTINGS SHALL BE SUBSIDIARY TO THE BID ITEM REQUIRING CONSTRUCTION OF THE TRANSITION.
  5. CROWN SHALL BE WIDENED TO ACCOMMODATE THE METAL BEAM GUARD FENCE.
  6. WHERE SOLID ROCK IS ENCOUNTERED, CONTACT THE DESIGN DIVISION FOR ADDITIONAL GUIDANCE. (S12) 416-2678
  7. POSTS SHALL NOT BE SET IN CONCRETE.
  8. UNLESS OTHERWISE SHOWN IN THE PLANS, A COMPOSITE MATERIAL BLOCK THAT MEETS THE REQUIREMENTS OF DMS-7210, "COMPOSITE MATERIAL POSTS AND BLOCKS FOR METAL BEAM GUARD FENCE" MAY BE SUBSTITUTED FOR BLOCKS OF SIMILAR DIMENSIONS. THE CONSTRUCTION DIVISION, TxDOT MAINTAINS A MATERIAL PRODUCER LIST (MPL) FOR PRODUCERS OF MATERIALS CONFORMING TO DMS-7210. ONLY PRODUCERS ON THE MPL MAY FURNISH COMPOSITE MATERIAL BLOCKS.
  9. REFER TO STANDARD OF (31) AND APPLICABLE BRIDGE RAILING STANDARD FOR ADDITIONAL DETAILS.

\* "WOOD" INDICATES DIMENSIONS FOR BOTH ROUND AND RECTANGULAR WOOD POST SYSTEMS.






		Design Division Standard	
<b>METAL BEAM GUARD FENCE TRANSITION (T101)</b>			
<b>GF(31)T101-19</b>			
FILED: 11/01/2019	DN: TXDOT	DN: I&M	DN: COL: AD
REVISED: 11/01/2019	641	47	001
DIST: LFK	COUNTY: SHELBY	US 96, ETC.	SHEET NO.: 32

DESIGNER: THIS STANDARD IS COVERED BY THE "TEXAS ENGINEERING PRACTICE ACT". NO WARRANTY OF ANY KIND IS MADE BY TxDOT FOR ANY PURPOSE WHATSOEVER. TxDOT ASSUMES NO RESPONSIBILITY FOR THE CONVERSION OF THIS STANDARD TO OTHER FORMATS OR FOR INDIRECT RESULTS OR DAMAGES RESULTING FROM ITS USE.  
 DATE: 6/8/2022 04:48:24 AM  
 FILE: \\S:\EXAMINING\CONTRACTS\122 P.LONAS\411-47-001\_SINIDY.MEET\DDAS\STD\311TR1219.DWG



- GENERAL NOTES**
1. THE TYPE OF POST (ROUND WOOD POST, RECTANGULAR WOOD POST, OR STEEL POST) WILL BE AS SHOWN IN THE PLANS. THE EXACT POSITION OF TRANSITIONS SHALL BE AS SHOWN IN THE PLANS OR AS DIRECTED BY THE ENGINEER. REFER TO GF(31) STANDARD SHEET.
  2. RAIL ELEMENT SHALL MEET THE REQUIREMENTS OF ITEM 540, "METAL BEAM GUARD FENCE" EXCEPT AS MODIFIED IN THE PLANS.
  3. FITTINGS (BOLTS, NUTS, AND WASHERS) SHALL BE GALVANIZED IN ACCORDANCE WITH ITEM 445, "GALVANIZING." FITTINGS SHALL BE SUBSIDIARY TO THE BID ITEM REQUIRING CONSTRUCTION OF THE TRANSITION.
  4. BUTTON HEAD "POST BOLTS & NUTS" SHALL MEET THE REQUIREMENTS OF (ASTM A307), AND SHALL BE OF SUFFICIENT LENGTH TO EXTEND THROUGH THE FULL THICKNESS OF THE NUT AND 3/4" WASHER (FWC160) AND NOT MORE THAN 1" BEYOND IT. TRIM BOLT LENGTH TO MEET REQUIRED LENGTH.
  5. POSTS SHALL NOT BE SET IN CONCRETE, OF ANY DEPTH.
  6. CROWN SHALL BE WIDENED TO ACCOMMODATE TRANSITIONS.
  7. WHERE SOLID ROCK IS ENCOUNTERED, CONTACT THE DESIGN DIVISION FOR ADDITIONAL GUIDANCE. (512) 416-2678
  8. UNLESS OTHERWISE SHOWN IN THE PLANS, A COMPOSITE MATERIAL BLOCK THAT MEETS THE REQUIREMENTS OF DMS-7210, "COMPOSITE MATERIAL POSTS AND BLOCKS FOR METAL BEAM GUARD FENCE" MAY BE SUBSTITUTED FOR BLOCKS OF SIMILAR DIMENSIONS. THE CONSTRUCTION DIVISION, TxDOT, MAINTAINS A MATERIAL PRODUCER LIST (MPL) FOR PRODUCERS OF MATERIALS CONFORMING TO DMS-7210. ONLY PRODUCERS ON THE MPL CAN FURNISH COMPOSITE MATERIAL BLOCKS.
  9. REFER TO GF(31) STANDARD SHEET & BRIDGE RAILING DETAILS FOR ADDITIONAL DETAILS.
  10. FOR ROUND WOOD POSTS SYSTEMS, ALL ROUND WOOD POSTS SHALL BE 7 1/2" DIA. MINIMUM THROUGHOUT THE TRANSITION.








- (2) 3/4" BUTTON HEAD POST BOLTS & NUTS: (FBB04)
- (1) 3/4" FLAT WASHER: (FWC140) UNDER EACH NUT
- (1) 3/4" BUTTON HEAD POST BOLT & NUT: (FBB04)
- (1) 3/4" FLAT WASHER: (FWC140) UNDER EACH NUT

**PLATE WASHER INSTRUCTIONS**

**BRIDGE APPROACH - UPSTREAM:** THE SHORT RAIL LAPS OVER THE TERMINAL CONNECTOR. PLATE WASHERS ARE INSTALLED UNDER THE SPLICE NUTS AGAINST INSIDE OF CONNECTOR.

**BRIDGE EXIT - DOWNSTREAM:** THE TERMINAL CONNECTOR LAPS OVER THE NESTED RAIL. PLATE WASHERS ARE INSTALLED UNDER THE BOLT HEAD AGAINST OUTSIDE OF CONNECTOR.




NOTE: \* "WOOD" INDICATES DIMENSIONS FOR BOTH ROUND AND RECTANGULAR WOOD POST SYSTEMS.

**LOW-SPEED TRANSITION**




**METAL BEAM GUARD FENCE**  
**THRIE-BEAM TRANSITION**  
**TL-2 MASH COMPLIANT**  
**GF(31) TR TL2-19**

FILED: 3/11/2019 09:00	DW: TxDOT	CHK: JAM	DRW: VP	CHK: COL/AG
© 2019 NOVEMBER 2019	DATE: 06/08/2022	JOB: 411-47-001	JOB: 411-47-001	JOB: 411-47-001
REVISITORS:	6411	47	001	US 96, ETC.
	DIST:	COUNTY:	SHEET NO.:	
	LFK	SHELBY	33	





- GENERAL NOTES**
- CONTACT THE DESIGN DIVISION FOR DRAINAGE CUT OUT OPTIONS NEEDED WITHIN THE CURB SECTION OF THE THRIE-BEAM TRANSITION. (512) 416-2678
  - CONCRETE CURB MAY BE CAST-IN-PLACE OR PRECAST AS SHOWN ON THIS SHEET. WHEN USED IN CONJUNCTION WITH THE THRIE-BEAM TRANSITIONS, CURB SHALL BE TYPE II (5'-3/2" HEIGHT); SEE CURRENT CCCC STANDARD SHEET FOR FURTHER DETAILS. IF OTHER CURB HEIGHTS ARE SHOWN IN THE PLANS IN CONJUNCTION WITH THE TRANSITION, THE CURB HEIGHT MAY BE FROM 4" TO 8" WITH A RELATIVELY VERTICAL FACE. CONCRETE CURB SHALL BE CONTINUOUS TO THE SEVENTH POST UNLESS OTHERWISE SHOWN IN THE PLANS. SEE GENERAL NOTE 17 FOR CIRCUMSTANCES WHERE CURB CONTINUES PAST POST 7.
  - CONCRETE CURB TYPE II SUBSIDIARY TO "METAL BEAM GUARD FENCE TRANSITION". IF NO ADDITIONAL CURB IS INDICATED BEYOND THE TRANSITION, THEN ANY CURB HEIGHT GREATER THAN 4" WILL BE TAPERED DOWN BEGINNING AT THE LAST 7 FT. POST TO A MAXIMUM HEIGHT OF 4" AT POST 7. IF SHOWN ELSEWHERE IN THE PLANS, ADDITIONAL CURB UNDERNEATH GUARDRAIL WILL BE PAID FOR BY THE LINEAR FOOT.
  - UNLESS OTHERWISE SHOWN IN THE PLANS, TRANSITIONS SHALL BE PLACED WITH THE BLOCKOUT FACE IN FRONT OF OR DIRECTLY ABOVE THE CURB FACE, SEE SECTION A-A.
  - FOR ROUND WOOD POST SYSTEMS, ALL ROUND WOOD POSTS SHALL BE 7 1/2" DIA. MINIMUM THROUGHOUT THE THRIE-BEAM TRANSITION.
  - THE TYPE OF POST (ROUND WOOD POST, RECTANGULAR WOOD POST OR STEEL POST) WILL BE AS SHOWN IN THE PLANS. REFER TO GF(31) STANDARD SHEET.
  - THE POST LENGTH SHALL BE MARKED ON ALL 7'-0" LONG POSTS BY THE MANUFACTURER. THE MARK SHALL BE LOCATED WITHIN THE TOP 1 FT. REGION OF THE POST, AT LEAST 3/4" IN HEIGHT, AND VISIBLE AFTER INSTALLATION. WOODEN POSTS SHALL BE MARKED WITH A BRAND, AND STEEL POSTS WITH A STENCIL BEFORE GALVANIZING.
  - POSTS SHALL NOT BE SET IN CONCRETE, OF ANY DEPTH.
  - RAIL ELEMENTS SHALL MEET THE REQUIREMENTS OF ITEM 540, "METAL BEAM GUARD FENCE" EXCEPT AS MODIFIED ON THE PLANS. THE THRIE-BEAM TERMINAL CONNECTOR AND THE THRIE-BEAM TRANSITION TO W-BEAM SHALL BE OF THE SAME MATERIAL, BUT SHALL NOT BE LESS THAN 1/8" GAUGE. CONTRACTOR SHALL VERIFY THAT THE LOCATIONS OF BOLT HOLES MATCH THOSE IN THE THRIE-BEAM TERMINAL CONNECTOR PRIOR TO ORDERING MATERIALS.
  - BUTTON HEAD "POST BOLTS & NUTS" SHALL MEET THE REQUIREMENTS OF (ASTM A307), AND SHALL BE OF SUFFICIENT LENGTH TO EXTEND THROUGH THE FULL THICKNESS OF THE NUT AND 3/4" WASHER (FW160) AND NOT MORE THAN 1" BEYOND IT. TRIM REMAINING BOLT LENGTH TO MEET REQUIRED LENGTH.
  - FITTINGS (BOLTS, NUTS, AND WASHERS) SHALL BE GALVANIZED IN ACCORDANCE WITH ITEM 445, "GALVANIZING". FITTINGS SHALL BE SUBSIDIARY TO THE BID ITEM.
  - CROWN SHALL BE WIDENED TO ACCOMMODATE TRANSITIONS.
  - WHERE SOLID ROCK IS ENCOUNTERED, CONTACT THE DESIGN DIVISION FOR ADDITIONAL GUIDANCE. (512) 416-2678
  - UNLESS OTHERWISE SHOWN IN THE PLANS, A COMPOSITE MATERIAL BLOCK THAT MEETS THE REQUIREMENTS OF DMS-7210, "COMPOSITE MATERIAL POSTS AND BLOCKS FOR METAL BEAM GUARD FENCE" MAY BE SUBSTITUTED FOR BLOCKS OF SIMILAR DIMENSIONS. TROTT'S MATERIALS AND TESTS DIVISION MAINTAINS A MATERIAL PRODUCER LIST (MPL) FOR PRODUCERS OF MATERIALS CONFORMING TO DMS-7210. ONLY PRODUCERS ON THE MPL CAN FURNISH COMPOSITE MATERIAL BLOCKS.
  - REFER TO GF(31) STANDARD SHEET & BRIDGE RAILING DETAILS FOR ADDITIONAL DETAILS.
  - THE INSTALLATION OF THE TYPE II CURB IS CRITICAL FOR THE PERFORMANCE OF THE THRIE-BEAM TRANSITION SYSTEM. THE CURB PREVENTS VEHICLE SNAGGING AT THE CONCRETE RAIL AND IS REQUIRED TO MEET MASH CRASH TEST CRITERIA.
  - IF CURB EXTENDS BEYOND POST 7, 25' OF NESTED W-BEAM GUARDRAIL SHALL BE INSTALLED BEYOND THE PAY LIMITS OF THRIE-BEAM TRANSITION SECTION. (SEE SHT. 2). PAYMENT FOR THIS 25' SECTION WILL BE BY LINEAR FOOT, PAY ITEM "540 GXX MTL W-BEAM CD FEN (NESTED) (TIM POST)" OR "540 GXX MTL W-BEAM CD FEN (NESTED) (STEEL POST)" AS APPLICABLE FOR POST TYPE. SEE SHT. 2 FOR ADDITIONAL INFORMATION.



**THRIE-BEAM TERMINAL - CURB TABLE**

PRECAST CURB FULL LENGTH EQUALS 12'-2" (THE PRECAST CURB MAY BE FORMED INTO TWO SECTIONS.)

CURB (1) LENGTH 5'-8"

CURB (2) LENGTH 6'-6"


TAPER CURB (2) TO A HEIGHT OF 4" AT POST 7

CONNECTING PRECAST CURB SECTIONS (1) & (2): FORM OR CORE 1" DIA. HOLE 9" LONG INTO EACH CURB END. USE (1) #5 GR. 60 REBAR 18" LONG TO CONNECT BOTH CURBS.

SECURING PRECAST OR CAST-IN-PLACE TO FINISHED GRADE: FORM OR CORE (4) 1" DIA. HOLES. SEE PLAN AND ELEVATION VIEWS FOR HOLE LOCATIONS. DRIVE (4) #5 GR. 60 REBAR STAKES 18" LONG INTO THE GROUND AND 1/2" BELOW TOP OF CURB. FILL HOLES WITH APPROVED GROUT MIXTURE.

\* NOTES: NOT NEEDED FOR CAST-IN-PLACE. SEE TYPE II CURB DETAIL FOR REBAR AND COVER REQUIREMENTS. PERCUSSION DRILLING IS NOT PERMITTED WITH TYPE II CURB, BRIDGE RAIL OR CONCRETE TRAFFIC RAIL.

**TYPE II CURB DETAILS**



**HIGH-SPEED TRANSITION**  
SHEET 1 OF 2

Texas Department of Transportation Design Division Standard




**METAL BEAM GUARD FENCE**  
**THRIE-BEAM TRANSITION**  
**TL-3 MASH COMPLIANT**  
**GF(31) TR TL3-20**

FILED: 03/17/11 1:32:00 PM	DATE PLOTTED	DATE PRINTED	DATE CHECKED
03/17/2011 11:00:00 AM	03/17/2011 11:00:00 AM	03/17/2011 11:00:00 AM	03/17/2011 11:00:00 AM
REVISIONS	DATE	BY	DESCRIPTION
6411	4/7	001	US 96, ETC.
DIST	COUNTY	SHEET NO.	
LFK	SHELBY	34	

THIS STANDARD IS GOVERNED BY THE "TEXAS ENGINEERING PRACTICE ACT". NO WARRANTY OF ANY KIND IS MADE BY TROTT FOR ANY PURPOSE WHATSOEVER. TROTT ASSUMES NO RESPONSIBILITY FOR THE CONVERSION OF THIS STANDARD TO OTHER FORMATS OR FOR INCORRECT RESULTS OR DAMAGES RESULTING FROM ITS USE.

DATE: 6/9/2012  
 FILE: \\VLEX\ADMIN\Inte\_Contract\3122\_P\031221-47-001\_Sht1.DWG

REQUIRED ALTERNATIVE FOR CONTINUOUS CURB EXTENDING PAST POST 7 (SEE SHT. 1 GENERAL NOTE 17)




THIS STANDARD IS GOVERNED BY THE "TEXAS ENGINEERING PRACTICE ACT", NO WARRANTY OF ANY KIND IS MADE BY TxDOT FOR ANY PURPOSE WHATSOEVER. TxDOT ASSUMES NO RESPONSIBILITY FOR THE CONVERSION OF THIS STANDARD TO OTHER FORMATS OR FOR INCORRECT RESULTS OR DAMAGES RESULTING FROM ITS USE.


HIGH-SPEED TRANSITION  
SHEET 2 OF 2

Texas Department of Transportation		Design Division Standard
<b>METAL BEAM GUARD FENCE THRIE-BEAM TRANSITION TL-3 MASH COMPLIANT</b>		
<b>GF(31)TR TL3-20</b>		
FILED: gf31tr+1320.dgn © 2001 NOVEMBER 2020	DW: F00T CONT: SECT REVISIONS:	DW: JAM JOB: HIGHWAY US 96, ETC. SHEET NO.
DIST: LFK	COUNTY: SHELBY	SHEET NO.: 35


DISCLAIMER: This standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.




**TYPE I CURB (MONOLITHIC)**  
2" - 4" HEIGHT




**TYPE I CURB**  
2" - 4" HEIGHT




**TYPE I CURB AND GUTTER**  
2" - 4" HEIGHT




**TYPE II CURB (MONOLITHIC)**  
5" - 5 3/4" HEIGHT




**TYPE II CURB**  
5" - 5 3/4" HEIGHT




**TYPE II CURB AND GUTTER**  
5" - 5 3/4" HEIGHT




**TYPE III CURB (KEYED)**  
2" - 4" HEIGHT




**TYPE IIIa CURB**  
5" - 5 3/4" HEIGHT




**TYPE IIIa CURB AND GUTTER**  
5" - 5 3/4" HEIGHT



**TYPE IV CURB (KEYED)**  
5" - 5 3/4" HEIGHT




**EXPANSION JOINT DETAIL**




**CURB TRANSITION**  
Notes: To be paid for as Highest Curb

**GENERAL NOTES**

- All materials and construction shall be in accordance with Item 529, "Concrete Curb, Gutter, and Combined Curb and Gutter."
- Concrete shall be Class A.
- When reinforcing bars are used, they shall be No. 4 unless otherwise shown. The use of fiber reinforced concrete in lieu of reinforcing steel is acceptable. Use fibers meeting the requirements of SWS 4550, "Fibers for Concrete," and dose fibers in accordance with Material Producers List (MPL) "Fibers for Class A and B Concrete Applications."
- Round exposed sharp edges with a rounding tool, to a minimum radius of 1/4 inch.
- All existing curbs and driveways to be removed shall be sawed or removed at existing joints.
- Where concrete curb is to be placed on existing concrete pavement, Bar B may be drilled and the grouted in place, or may be inserted into fresh concrete.
- Expansion and contraction joints shall be constructed to match pavement joints in all curbs and curb and gutter adjacent to jointed concrete pavement. Where placement of curb or curb and gutter is not adjacent to concrete pavement, expansion joints shall be provided at structures, curb returns at streets, and at locations directed by the Engineer.
- Vertical and horizontal dowel bars and transverse reinforcing bars shall be placed at four feet C-C.
- Dimension 'T' shown is the thickness of concrete pavement. When curb is installed adjacent to flexible pavement dimension 'T' is 8" maximum.
- Usual profile grade line. Refer to typical sections and plan-profile sheets for exact locations.
- One-half inch expansion joint material shall be provided where curb or curb and gutter is adjacent to sidewalk or riprap.
- When horizontal permissible construction joints are used, the longitudinal pavement steel shall be placed in accordance with pavement details shown elsewhere in the plans. Reinforcing steel for curb section shall then conform to that required for concrete curb.
- Bar B used as needed to support curb reinforcing steel during concrete placement.



Texas Department of Transportation		Design Division Standard	
<b>CONCRETE CURB AND GUTTER</b>			
<b>CCCC-21</b>			
FILES: cccc21.dgn	REVISED: FEBRUARY 2021	DESIGNED BY: LFK	CHECKED BY: SHELBY
PROJECT NO: 641147	CONTRACT NO: 001	COUNTY: US 96, ETC.	SHEET NO: 36



- GENERAL NOTES**
- For specific information regarding installation and technical guidance of the system, contact: Trinity Highway at 1 (888) 323-6374, 2525 N. Stemmons Freeway - Dallas, TX 75207
  - Contact the company for: Custom widths from 31" up to 57" wide, and transition panels for bi-directional traffic applications.
  - Details of components for the WideTRACC, Backups and re-inforcing details will be shown on the manufacturer's shop drawings furnished to the Engineer.
  - Concrete shall be class "S" with a min. compressive strength 4,000 p.s.i.
  - If the cross-slope varies more than 2% over the length of the system, the concrete pad will require leveling. Maximum permissible cross-slope 8%.
  - The installation area should be free from curbs, elevated objects, or depressions.
  - The WideTRACC system should be approximately parallel with the barrier or  $\frac{1}{2}$  of merging barriers.
  - The unit shown is flared on both sides, but can be flared on a single side either left or right. The flares will effect the length and width of the system. (See Wing Extension Tables)

**Wide-TRACC - BILL OF MATERIAL**

PART #	QTY	Wide-TRACC		DESCRIPTION
		FAST TRACC	SHORT TRACC	
25937A	1			WIDEFASTRACC UNIT ASSEMBLY
25939A	1			WIDE SHORTTRACC UNIT ASSEMBLY
25991A	1			WIDE SHORTTRACC UNIT ASSEMBLY
3310C	4	4	4	3/4" LOCKWASHER
4372G	4	4	4	3/4" FLATWASHER
4451G	4	4	4	3/4" DIA X 6" EXP. WEDGE ANCHOR
6531B	1	1	1	PLASTIC NOSEPIECE
6668B	4	4	4	REFLECTIVE SHEETING
<b>ANCHOR HARDWARE (CONCRETE BASE)</b>				
5204B	72	50	18	3/4" DIA X 7-1/2" THD ANCHOR STUD
4372G	72	50	18	3/4" FLATWASHER
3310G	72	50	18	3/4" LOCKWASHER
3361G	72	50	18	3/4" HEX NUT
5206B	6	4	2	Adhesive, HILTI HIT HY-150
<b>ANCHOR HARDWARE (ASPHALT BASE)</b>				
6380G	72	50	18	3/4" Dia x 18" Thd Anchor Stud
4372G	72	50	18	3/4" Flatwasher
3310G	72	50	18	3/4" Lockwasher
3361G	72	50	18	3/4" Hex Nut
5206B	15	11	4	ADHESIVE, HILTI HIT HY-150
<b>ANCHOR HARDWARE (OPTIONAL ITEMS, AS NEEDED)</b>				
5207B	A/R	A/R	A/R	NOZZLE, MIXER, HILTI HIT HY-150
5208B	A/R	A/R	A/R	EXT. TUBE, MIXER, HILTI HIT HY-150
5205B	A/R	A/R	A/R	DISPENSER GUN, HILTI HIT HY-150
5209B	A/R	A/R	A/R	DRILL BIT, 3/4", HILTI SDS

**Wide-FASTRACC WING EXTENSIONS**

NUMBER OF WING EXTENSIONS	WIDTH	SYSTEM LENGTH	EFFECTIVE LENGTH	Wide-FASTRACC EXTENSION PART NUMBER (LEFT# / RIGHT#)
0 (BASE UNIT)	71"	25'-11"	27'-11"	33940
1	78"	28'-3"	30'-3"	33941 / 33942
2	85"	30'-7"	32'-7"	33943 / 33944
3	92"	32'-11"	34'-11"	33945 / 33946
4	99"	35'-2"	37'-2"	33947 / 33948
5	106"	37'-6"	39'-6"	33949 / 33950
6	113"	39'-10"	41'-10"	33951 / 33952
7	120"	42'-2"	44'-2"	33953 / 33954
8	127"	44'-5"	46'-5"	33955 / 33956
9	134"	46'-9"	48'-9"	33957 / 33958
10	141"	49'-1"	51'-1"	33959 / 33960
10+				CONSULT TRINITY SALES PERSON

**Wide-TRACC WING EXTENSIONS**

NUMBER OF WING EXTENSIONS	WIDTH	SYSTEM LENGTH	EFFECTIVE LENGTH	Wide-TRACC EXTENSION PART NUMBER (LEFT# / RIGHT#)
0 (BASE UNIT)	58"	21'	23'	33920
1	65"	23'-4"	25'-4"	33921 / 33922
2	72"	25'-8"	27'-8"	33923 / 33924
3	79"	28'-0"	30'	33925 / 33926
4	86"	30'-4"	32'-4"	33927 / 33928
5	93"	32'-8"	34'-8"	33929 / 33930
6	99"	35'	37'	33931 / 33932
7	106"	37'-4"	39'-4"	33933 / 33934
8	113"	39'-8"	41'-8"	33935 / 33936
9	120"	42'	44'	33937 / 33938
10	127"	44'-4"	46'-4"	33939 / 33940
10+				CONSULT TRINITY SALES PERSON

**Wide-SHORTTRACC WING EXTENSIONS**

NUMBER OF WING EXTENSIONS	WIDTH	SYSTEM LENGTH	EFFECTIVE LENGTH	Wide-SHORTTRACC EXTENSION PART NUMBER (LEFT# / RIGHT#)
0 (BASE UNIT)	39"	15'	17'	33940
1	46"	17'-4"	19'-4"	33941 / 33942
2	53"	19'-9"	20'-9"	33943 / 33944
3	60"	21'-1"	23'-1"	33945 / 33946
4	66"	23'-5"	25'-5"	33947 / 33948
5	73"	25'-8"	27'-8"	33949 / 33950
6	80"	28'-0"	30'-1"	33951 / 33952
7	87"	30'-4"	32'-4"	33953 / 33954
8	94"	32'-7"	34'-7"	33955 / 33956
9	101"	34'-11"	36'-11"	33957 / 33958
10	108"	37'-3"	39'-3"	33959 / 33960
10+				CONSULT TRINITY SALES PERSON

- BACKUP SUPPORT OPTIONS**
- SQUARE CONCRETE BACKUP
  - CONCRETE BARRIER (CTB) BACKUP
  - SINGLE SLOPE CONCRETE BARRIER (SSCB)
  - GUARDRAIL BACKUP (BASE-PLATED POST)
  - GUARDRAIL BACKUP (DRIVEN POST)
- TRANSITION OPTIONS**
- VERTICAL WALL
  - MODIFIED (CTB) TO VERTICAL WALL
  - CONCRETE BARRIER (CTB)
  - GUARDRAIL (W-BEAM)
  - GUARDRAIL (THRIE-BEAM)
- FOR BI-DIRECTIONAL TRANSITION PANEL DETAILS (SEE MANUFACTURER'S PRODUCT MANUAL).
- BACKUP AND TRANSITION TYPES ARE SHOWN ELSEWHERE ON THE PLANS. (I.E. ATTENUATOR LOCATION DETAILS OR IN THE GENERAL NOTES).

- FOUNDATION OPTIONS**
- 6" REINFORCED CONCRETE
  - 8" UNREINFORCED CONCRETE
  - 3" MIN. ASPHALT OVER 3" MIN. CONCRETE
  - 6" ASPHALT OVER 6" COMPACT SUBBASE
  - 8" MINIMUM ASPHALT
- FOR STEEL PLACEMENT IN CONCRETE FOUNDATIONS, (SEE MANUFACTURER'S PRODUCT MANUAL).

TYPE (WIDE)	TEST LEVEL
FASTRACC (4 Stage System)	70
TRACC (3 Stage System)	TL-3
SHORTTRACC (2 Stage System)	TL-2

NOTE: The Stage System refers to number of replaceable "sled sections" that could be replaced independently.

Texas Department of Transportation Design Division Standard


**TRINITY HIGHWAY**

**CRASH CUSHION (WIDE UNIT)**


**TRACC (W) - 16**

FILED: 1/20/2016, 10:00 AM  
 COUNTY: TARRANT  
 PROJECT: 2016-001  
 SHEET NO.: 37

REVISIONS: 6/41/17 001 US 96, ETC.  
 1/10/2017 February 2006  
 1/10/2017 February 2006  
 1/10/2017 February 2006



KEY	DESCRIPTION	KEY	DESCRIPTION
1	QUADGUARD CARTRIDGE	5	NOSE ASSEMBLY
2	DIAPHRAGM	6	TYPE OF BACKUP
3	FENDER PANEL	7	REINFORCED CONCRETE FOUNDATION PAD
4	MONORAIL		



**BACKUP ASSEMBLY TYPES FOR SYSTEM TRANSITIONS**

SEE GENERAL NOTE 11 FOR CLEARANCE LIMITATIONS

SYSTEM TRANSITIONS TYPES	
1	QUAD-BEAM TO W-BEAM RAIL
2	QUAD-BEAM TO THRIE-BEAM RAIL
3	QUAD-BEAM TO CONCRETE SAFETY BARRIER
4	QUAD-BEAM TO SINGLE SLOPE BARRIER
5	QUAD-BEAM TO CONCRETE END SHOE
6	QUAD-BEAM TO CONCRETE BRIDGE RAIL

NOTE: TRANSITION ASSEMBLIES FOR THE QUADGUARD M WIDE TO THRIE-BEAM OR W-BEAM FENCE REQUIRES 1-BEAM POSTS; ALL POSTS W6x8.5/9 1-BEAMS (78" LONG).

6 TENSION STRUT BACKUP

NOTE: CONTACT THE MANUFACTURER WITH SITE SPECIFIC DATA (SSD) FOR THE CORRECT BACKUP ASSEMBLY AND TRANSITION PANELS OR SIDE PANELS USED FOR STANDARD AND BI-DIRECTIONAL INSTALLATIONS; AT DIVIDED-HIGHWAY MEDIANS OR UNDIVIDED ROADWAYS WHERE THE SYSTEM IS EXPOSED TO IMPACTS FROM ONE OR TWO DIFFERENT DIRECTIONS OF TRAFFIC FLOW.

NOTE: CONTACT THE MANUFACTURER WITH SITE SPECIFIC DATA (SSD) FOR CONCRETE PAD AND ANCHOR BLOCK INSTALLATION REQUIREMENTS.

A MANUFACTURER'S DRAWING PACKAGE UNIQUE AND SPECIFIC FOR THE QUADGUARD M WIDE FIELD INSTALLATION AND INFORMATION REGARDING THE TYPE OF BACKUP ASSEMBLY REQUIRED FOR THE TRANSITION WILL BE PROVIDED BY THE MANUFACTURER TO THE ENGINEER AND INSTALLER.

6" REINFORCED CONCRETE PAD REQUIRES THE INSTALLATION OF AN ANCHOR BLOCK AS SHOWN ON THE MANUFACTURER'S DRAWING PACKAGE.

8" NON-REINFORCED CONCRETE PAD MAY NOT REQUIRE AN ANCHOR BLOCK, IF THE PAD IS INSTALLED AGAINST AN IMMOVABLE CONCRETE BACKUP.

CONCRETE PAD AND ANCHOR BLOCK COMBINATIONS SHALL BE CONFIRMED WITH THE MANUFACTURER BASED UPON SITE SPECIFIC DATA (SSD).

NOTE: THE QUADGUARD M WIDE 6-BAY SYSTEM TESTED TO MASH TL-3.

TL-3 MODEL#	QM10069 (627515)	CARTRIDGE TYPES IN BAYS	
BAYS	6	TYPE I	TYPE II
DIAPHRAGMS	6	4	3
WIDTH	69"	REAR	FRONT

**GENERAL NOTES**

- FOR SPECIFIC INFORMATION REGARDING INSTALLATION AND TECHNICAL GUIDANCE OF THE SYSTEM, CONTACT: TRINITY HIGHWAY - ENERGY ABSORPTION INC. AT 1(888)323-6374 OR WEBSITE www.trinityhighways.com.
- SEE THE RECENT QUADGUARD M WIDE PRODUCT DESCRIPTION ASSEMBLY MANUAL FOR IMPACT PERFORMANCE CHARACTERISTICS AND DESIGN LIMITATIONS AND THE DRAWING PACKAGE FOR THE SIX (6) BAY WIDE (69") SYSTEM BEFORE INSTALLING THE QUADGUARD M WIDE AT ANY GIVEN LOCATION.
- COMPONENTS FOR THE QUADGUARD M WIDE BACKUP AND REINFORCING DETAILS ARE SHOWN ON THE QUADGUARD M WIDE PRODUCT DESCRIPTION & ASSEMBLY MANUAL.
- THE INSTALLATION AREA SHOULD BE FREE OF CURBS, ELEVATED OBJECTS, OR DEPRESSIONS.
- FOR PERMANENT APPLICATIONS, QUADGUARD M WIDE SHOULD BE ASSEMBLED ON AN EXISTING OR FRESHLY PLACED AND CURED CONCRETE BASE 28MPa (4,000 PSI) MINIMUM. QUADGUARD M WIDE SYSTEM MAY ALSO BE ASSEMBLED ON REINFORCED OR NON-REINFORCED CONCRETE ROADWAY (MINIMUM 8" THICK).
- CONCRETE PAD SHALL BE 6" MIN. REINFORCED 28MPa (4,000 PSI) (P.C.C.) OR 8" MIN. NON-REINFORCED 28MPa (4,000 PSI) CONCRETE ROADWAY MEASURING AT LEAST 12'-0" WIDE BY 50'-0" LONG. ANCHOR BLOCK IS NOT REQUIRED WHEN USING 8" CONCRETE PAD INSTALLED AGAINST AN IMMOVABLE STRUCTURE, E.G. CONCRETE WALL.
- IF THE CROSS-SLOPE VARIES MORE THAN 2% OVER THE LENGTH OF THE SYSTEM, THE CONCRETE PAD WILL REQUIRE LEVELING. MAXIMUM PERMISSIBLE CROSS-SLOPE IS 8%.
- FOR BI-DIRECTIONAL TRAFFIC: THE LOCATION AND OR WIDTH OF THE QUADGUARD M WIDE IS RESTRICTED. AS BI-DIRECTIONAL TRAFFIC APPROACHES THE REAR OF THE QUADGUARD M WIDE, THE QUADGUARD M WIDE SHOULD NOT EXTEND FURTHER INTO THE TRAFFIC-SIDE OF THE BARRIER THAN THE OBSTACLE. ANY TRANSITION INSTALLED MUST EITHER BE TANGENT TO BOTH QUADGUARD M WIDE AND OBSTACLE OR MUST ANGLE TOWARD FIELD SIDE OF THE BARRIER.
- SYSTEM TRANSITION: APPROPRIATE TRANSITION PANELS OR SIDE PANELS WILL BE REQUIRED FOR PROPER IMPACT PERFORMANCE. THE CORRECT PANEL(S) TO USE WILL DEPEND ON THE DIRECTION OF TRAFFIC FLOW AND WHAT TYPE OF BARRIER OR ROAD FEATURE THE QUADGUARD M WIDE SYSTEM IS SHIELDING. SEE THE QUADGUARD M WIDE PRODUCT DESCRIPTION & ASSEMBLY MANUAL FOR FURTHER DETAILS.
- THE QUADGUARD M WIDE SYSTEM SHOULD BE INSTALLED APPROXIMATELY PARALLEL WITH THE BARRIER.
- FOR THE TENSION STRUT BACKUP, THE DISTANCE BETWEEN THE BACK OF BACKUP AND THE BARRIER WALL SHOULD NOT EXCEED 7' IN ANY CASE.
- THE WIDE QUADGUARD M WIDE SYSTEM IS ONLY AVAILABLE IN A 69" WIDTH AND HAS A 6-BAY SYSTEM THAT HAS BEEN TESTED TO MASH TEST LEVEL 3.
- IF THE OUTSIDE WIDTH OF OBSTACLE(S) BEING SHIELDED IS 53" OR GREATER, THE OUTSIDE OF OBSTACLE(S) MUST BE CHAMFERED. SEE THE QUADGUARD M WIDE PRODUCT DESCRIPTION & ASSEMBLY MANUAL FOR FURTHER DETAILS.
- SEE THE "QUADGUARD M WIDE SYSTEM PRODUCT MANUAL" FOR A DESCRIPTION OF ITS IMPACT PERFORMANCE CHARACTERISTICS AND DESIGN LIMITATIONS BEFORE PLACING A SYSTEM AT A GIVEN SITE. INFORMATION AND COPIES OF ABOVE MANUAL ARE AVAILABLE BY CALLING CUSTOMER SERVICE DEPARTMENT AT (888) 323-6374.

**FOUNDATION AND ANCHORING REQUIREMENTS FOUNDATION TYPES: A & B**

FOUNDATION TYPE-A	REINFORCED CONCRETE PAD OR ROADWAY
FOUNDATION:	6" MINIMUM DEPTH WITH ANCHOR BLOCK (P.C.C.)
ANCHORAGE:	7" STUDS EMBEDDED 5 1/2" - APPROVED ADHESIVE
FOUNDATION TYPE-B	REINFORCED OR NON-REINFORCED CONCRETE PAD OR ROADWAY
FOUNDATION:	8" MINIMUM DEPTH (P.C.C.)
ANCHORAGE:	7" STUDS EMBEDDED 5 1/2" - APPROVED ADHESIVE

KEY: COMPACTED SUBBASE (C.S.)  
PORTLAND CEMENT CONCRETE (P.C.C.)

NOTE: SEE TRINITY'S PRODUCT DESCRIPTION ASSEMBLY MANUAL FOR THE APPROVED ADHESIVE.

TENSION STRUT BACKUP MAY NOT BE USED IN ASPHALT CONCRETE (A.C.). SEE TRINITY'S PRODUCT DESCRIPTION ASSEMBLY MANUAL FOR MORE INFORMATION.

Texas Department of Transportation  
Design Division Standard

**TRINITY HIGHWAY ENERGY ABSORPTION QUADGUARD M WIDE (MASH TL-3) QG (M) (W) - 21**


FILED	DATE	BY	CHKD	DATE	BY	DATE	BY
6/21/2021	JULY 2021	6411	47	001	US 96, ETC.	US 96, ETC.	38

REUSABLE

DATE: 6/16/2022  
FILE: 811515

DISCLAIMER: THIS STANDARD IS GOVERNED BY THE "TEXAS ENGINEERING PROFESION ACT". NO WARRANTY OF ANY KIND IS MADE BY TxDOT FOR ANY PURCHASE WHATSOEVER. THE USE OF THIS STANDARD IS AT THE USER'S SOLE RISK. TxDOT ASSUMES NO RESPONSIBILITY FOR THE CONVERSION OF THIS STANDARD TO OTHER FORMATS OR FOR ANY INACCURATE RESULTS OR DAMAGES RESULTING FROM THIS USE.

**QUADGUARD ELITE M10 69" WIDE (8 BAY) SYSTEM**




NOTE: A TRANSITION MAY BE REQUIRED TO INSTALL THE QUADGUARD ELITE M10 TO THE OBJECT BEING SHIELDED.

NOTE: PROVISION SHALL BE MADE FOR REAR FENDER SIDE PANELS TO SLIDE REARWARD UPON IMPACT, 30" MIN.

KEY	KEY
① ME3 CYLINDER ASSEMBLIES (REAR)	⑥ DIAPHRAGMS
② ME2 CYLINDER ASSEMBLIES (FRONT)	⑦ FENDER PANELS
③ ME1 CYLINDER ASSEMBLY (FRONT)	⑧ MONORAILS
④ GEN CYLINDER	⑨ TYPE OF BACKUP
⑤ NOSE BELT ASSEMBLY	⑩ HIT INDICATOR

NOTE: HIT INDICATOR WILL RAISE UPON IMPACT.

NOTE: HIT INDICATOR INSTALLED INSIDE OF NOSE BELT ASSEMBLY.



NOTES:

CONTACT THE MANUFACTURER WITH SITE SPECIFIC DATA (SSD) FOR CONCRETE PAD AND ANCHOR BLOCK INSTALLATION REQUIREMENTS.


A MANUFACTURER'S DRAWING PACKAGE UNIQUE AND SPECIFIC FOR THE QUADGUARD ELITE M10 FIELD INSTALLATION AND INFORMATION REGARDING THE TYPE OF BACKUP ASSEMBLY REQUIRED FOR THE TRANSITION WILL BE PROVIDED BY THE MANUFACTURER TO THE ENGINEER AND INSTALLER.

6" REINFORCED CONCRETE PAD REQUIRES THE INSTALLATION OF AN ANCHOR BLOCK AS SHOWN ON THE MANUFACTURER'S DRAWING PACKAGE.

8" NON-REINFORCED CONCRETE PAD MAY NOT REQUIRE AN ANCHOR BLOCK, IF THE PAD IS INSTALLED AGAINST AN IMMOVABLE CONCRETE BACKUP.

CONCRETE PAD AND ANCHOR BLOCK COMBINATIONS SHALL BE CONFIRMED WITH THE MANUFACTURER BASED UPON SITE SPECIFIC DATA (SSD).

**BACKUP ASSEMBLY TYPES FOR SYSTEM TRANSITIONS**



SYSTEM TRANSITIONS TYPES
1 QUAD-BEAM TO CONCRETE SAFETY BARRIER
2 QUAD-BEAM TO CONCRETE BRIDGE RAIL
3 QUAD-BEAM TO SINGLE SLOPE OFFSET
4 QUAD-BEAM TO SINGLE END SHOE
5 QUAD-BEAM TO THRIE-BEAM RAIL
6 QUAD-BEAM TO W-BEAM RAIL

NOTE: TRANSITION ASSEMBLIES FOR THE QUADGUARD ELITE M10 TO THRIE-BEAM OR W-BEAM FENCE REQUIRES 1-BEAM POSTS: ALL POSTS 6X8, 5/9 I-BEAMS (78" LONG).

NOTE: THE QUADGUARD ELITE M10 WIDE 8-BAY SYSTEM TESTED TO MASH TEST LEVEL 3.

TL-3 MODEL #	QMI0069E	CYLINDER TYPES IN BAYS			
BAYS	8	TYPE-ME3	TYPE-ME2	TYPE-ME1	TYPE-GEN
DIAPHRAGMS	8	4	3	1	1
WIDTH	69"	REAR	FRONT		NOSE

NOTES:

CONTACT THE MANUFACTURER WITH SITE SPECIFIC DATA (SSD) FOR THE CORRECT BACKUP ASSEMBLY AND TRANSITION PANELS OR SIDE PANELS USED FOR STANDARD AND BI-DIRECTIONAL INSTALLATIONS AT DIVIDED-HIGHWAY MEDIANS OR UNDIVIDED ROADWAYS WHERE THE SYSTEM IS EXPOSED TO IMPACTS FROM ONE OR TWO DIFFERENT DIRECTIONS OF TRAFFIC FLOW.

NOTE: THIS STANDARD IS A BASIC REPRESENTATION OF THE QUADGUARD ELITE M10 WIDE SYSTEM AND IS NOT INTENDED TO REPLACE THE PRODUCT DESCRIPTION ASSEMBLY MANUAL.

**GENERAL NOTES**

- FOR SPECIFIC INFORMATION REGARDING INSTALLATION AND TECHNICAL GUIDANCE OF THE SYSTEM, CONTACT: TRINITY HIGHWAY - ENERGY ABSORPTION INC. AT 1(888)323-6374.
- SEE THE RECENT QUADGUARD ELITE M10 WIDE PRODUCT DESCRIPTION ASSEMBLY MANUAL FOR IMPACT PERFORMANCE CHARACTERISTICS AND DESIGN LIMITATIONS AND THE DRAWING PACKAGE FOR THE WIDE 69" SYSTEM BEFORE INSTALLING THE QUADGUARD ELITE M10 AT ANY GIVEN LOCATION.
- FOR BI-DIRECTIONAL TRAFFIC: THE LOCATION AND OR WIDTH OF THE QUADGUARD ELITE M10 WIDE 69" IS RESTRICTED. AS BI-DIRECTIONAL TRAFFIC APPROACHES THE REAR OF THE QUADGUARD ELITE M10 WIDE 69", THE QUADGUARD ELITE M10 SHOULD NOT EXTEND FURTHER INTO THE TRAFFIC-SIDE OF THE BARRIER THAN THE OBSTACLE. ANY TRANSITION INSTALLED MUST EITHER BE TANGENT TO BOTH QUADGUARD ELITE M10 AND OBSTACLE OR MUST ANGLE TOWARD FIELD SIDE OF THE BARRIER.
- SYSTEM TRANSITION: APPROPRIATE TRANSITION PANELS OR SIDE PANELS WILL BE REQUIRED FOR PROPER IMPACT PERFORMANCE. THE CORRECT PANEL(S) TO USE WILL DEPEND ON THE DIRECTION OF TRAFFIC FLOW AND WHAT TYPE OF BARRIER OR ROAD FEATURE THE QUADGUARD ELITE M10 SYSTEM IS SHIELDING. SEE THE QUADGUARD ELITE M10 WIDE (69") PRODUCT DESCRIPTION & ASSEMBLY MANUAL FOR FURTHER DETAILS.
- COMPONENTS FOR THE QUADGUARD ELITE (M10) BACKUP AND REINFORCING DETAILS ARE SHOWN ON THE QUADGUARD ELITE M10 WIDE PRODUCT DESCRIPTION & ASSEMBLY MANUAL.
- CONCRETE PAD SHALL BE 6" MIN. REINFORCED 28MPa (4,000 PSI) (P.C.) OR 8" MIN. NON-REINFORCED 28MPa (4,000 PSI) CONCRETE ROADWAY MEASURING AT LEAST 12'-0" WIDE BY 50'-0" LONG. ANCHOR BLOCK IS NOT REQUIRED WHEN USING 8" CONCRETE PAD INSTALLED AGAINST AN IMMOVABLE STRUCTURE, E.G. CONCRETE WALL.
- IF THE CROSS-SLOPE VARIES MORE THAN 2% OVER THE LENGTH OF THE SYSTEM, THE CONCRETE PAD WILL REQUIRE LEVELING. MAXIMUM PERMISSIBLE CROSS-SLOPE IS 8%.
- THE INSTALLATION AREA SHOULD BE FREE OF CURBS, ELEVATED OBJECTS, OR DEPRESSIONS.
- THE QUADGUARD ELITE M10 SYSTEM SHOULD BE INSTALLED APPROXIMATELY PARALLEL WITH THE BARRIER.
- FOR THE TENSION STRUT BACKUP, THE DISTANCE BETWEEN THE BACK OF BACKUP AND THE BARRIER WALL SHOULD NOT EXCEED 7' IN ANY CASE.
- THE WIDE QUADGUARD ELITE M10 SYSTEM IS ONLY AVAILABLE IN A 69" WIDTH.

**FOUNDATION & ANCHORING REQUIREMENTS**

FOUNDATION TYPE:	REINFORCED CONCRETE PAD OR ROADWAY
FOUNDATION:	6" MINIMUM DEPTH (P.C.C.)
ANCHORAGE:	7" STUDS EMBEDDED 5 1/2" - APPROVED ADHESIVE
FOUNDATION TYPE:B	ASPHALT OVER P.C.C.
FOUNDATION:	3" MIN. (A.C.) OVER 3" MIN. (P.C.C.)
ANCHORAGE:	18" THREADED ROD EMBEDDED 16 1/2" - APPROVED ADHESIVE
FOUNDATION TYPE:C	ASPHALT OVER SUBBASE
FOUNDATION:	6" MIN. (A.C.) OVER 6" MIN. (C.S.)
ANCHORAGE:	18" THREADED ROD EMBEDDED 16 1/2" - APPROVED ADHESIVE
FOUNDATION TYPE:D	ASPHALT ONLY
FOUNDATION:	8" MIN. (A.C.)
ANCHORAGE:	18" THREADED ROD EMBEDDED 16 1/2" - APPROVED ADHESIVE

KEY:

ASPHALT CONCRETE (A.C.)

COMPACTED SUBBASE (C.S.)

PORTLAND CEMENT CONCRETE (P.C.C.)

NOTE: SEE TRINITY'S PRODUCT DESCRIPTION ASSEMBLY MANUAL FOR THE APPROVED ADHESIVE.

IF THE UNIT IS ANCHORED TO ASPHALTIC CONCRETE, IT SHOULD BE RELOCATED TO FRESH, UNDISTURBED ASPHALT AND RE-ANCHORED AFTER EACH IMPACT TO ENSURE ADEQUATE FUTURE PERFORMANCE.

TENSION STRUT BACKUP MAY BE USED IN CONSTRUCTION ZONES ON ASPHALT CONCRETE (A.C.) FOR TEMPORARY USE ONLY.

Texas Department of Transportation  
**TRINITY HIGHWAY**  
**ENERGY ABSORPTION**  
**QUADGUARD ELITE M10 WIDE**  
**(MASH TL-3)**  
**QCELITE (M10) (W) - 20**

FILES: 04/11/2020	DATE: 11/05/2020	DATE: 11/05/2020	DATE: 11/05/2020	DATE: 11/05/2020
01/001	001	001	001	001
NOVEMBER 2020	NOVEMBER 2020	NOVEMBER 2020	NOVEMBER 2020	NOVEMBER 2020
REVISTIONS	6411	47	001	US 96, ETC.
DIST	LFK	COUNTY	SHELBY	SHEET NO.
				39

**LOW MAINTENANCE**

**REFLECTOR UNIT SIZES FOR DELINEATORS AND OBJECT MARKERS**

DEVICE	SIZE 1	SIZE 2	SIZE 3	SIZE 4
SHEETING	Yellow, White or Red Type B or C reflective sheeting			
NOTE	1. Size 1 and 4 - Direct applied reflective sheeting for use on flexible post (Fix). 2. Size 2 and 3 - For use on wing channel (wc) post only. Use approved metal, plastic or fiberglass backplate with 1/8" mounting holes.			

**DELINEATORS**

DEVICE	SINGLE		DOUBLE	
SHEETING	Yellow, White or Red Type B or C Reflective Sheeting			
POST TYPE	WC	YFLX, WFLX	WC	YFLX, WFLX
MOUNT TYPE	GND	GND, SRF	GND	GND, SRF

**D & OM DESCRIPTIVE CODES**

**INSTR DEL ASSM (D-XX)SZ X (XXXX)XXX (XX)**

NUMBER OF REFLECTORS  
 S = Single  
 D = Double

COLOR OF REFLECTORS  
 W = White  
 Y = Yellow  
 R = Red

REFLECTOR UNIT SIZE  
 1 or 2

TYPE OF POST OR DELINEATOR  
 WC = Wing Channel Post  
 YFLX = Yellow Flexible Post  
 WFLX = White Flexible Post  
 BRF = Barrier Reflector

TYPE OF MOUNT  
 GND = Embedded (or/variable or set in concrete)  
 CTB = Concrete Barrier Mount  
 GF1 or GF2 = Guard Fence Attachment  
 SRF = Surface Mount

**DIRECTION**  
 If Required  
 BI = Bi-Directional  
 BR = Bi-Directional with red on back

**OBJECT MARKERS**

DEVICE	Type 1 (OM-1)	Type 2 (OM-2)	Type 3 (OM-3)	Type 4 (OM-4)
SHEETING	Yellow-Type B or C Sheeting	Yellow - Type B or C Sheeting		Red - Type B <sub>L</sub> or C <sub>L</sub> Sheeting
POST TYPE	TWT	WC	WFLX	TWT
MOUNT TYPE	WAS, WAP	GND	GND, SRF	WAS, WAP

**INSTR OM ASSM (OM-XX) (XXXX)XXX (XX)**

TYPE OF OBJECT MARKER  
 1, 2, 3, or 4

NUMBER OF REFLECTORS OR DIRECTION  
 Y = 3-Size 2 reflector units (Type 2 only)  
 Z = 3-Size 1 or 1-Size 4 reflector units (Type 2 only)  
 L = Left Side (Type 3 Object Marker only)  
 R = Right Side (Type 3 Object Marker only)  
 C = Center (Type 3 Object Marker only)

TYPE OF POST  
 WC = Wing Channel Post  
 WFLX = White Flexible Post  
 TWT = Thin Walled Tubing

TYPE OF MOUNT  
 GND = Embedded (or/variable)  
 SRF = Surface Mount  
 WAS = Wedge Anchor Steel  
 WAP = Wedge Anchor Plastic

**DIRECTION**  
 If Required  
 BI = Bi-Directional

**DEPARTMENTAL MATERIAL SPECIFICATIONS**

FLEXIBLE DELINEATOR & OBJECT MARKER POSTS (EMBEDDED & SURFACE MOUNT TYPES)	DMS-4400
SIGN FACE MATERIALS	DMS-8300
DELINEATORS, OBJECT MARKERS AND BARRIER REFLECTORS	DMS-8600

**BARRIER REFLECTORS (BRF)**

DEVICE	GF1	GF2	CTB
NOTE	1. Barrier reflectors shall meet the requirements of DMS 8600. 2. Approved Barrier Reflectors are listed on the "Barrier Reflectors" Material Producer List at: www.txdot.gov.		
SHEETING	Yellow, White, Red		
NOTE	1. Reflective sheeting shall have a minimum dimension of 3 inches and minimum surface area of 9 square inches.		

**CHEVRONS**

DEVICE	W1-8
SIZE (W x L)	18" x 24" (Conventional)   24" x 30" (Conventional Oversize)   30" x 36" (Expressway)   36" x 48" (Freeway)
MOUNTING HEIGHT	4'-0" or 7'-0"   7'-0" Only
NOTE	1. CHEVRON (W1-8) signs and ONE DIRECTION LARGE ARROW (W1-6) Signs shall be installed per Sign Mounting Details (SMD) Standard. Sheets and paid under Item 644 (Small Roadside Sign Assemblies). 2. When there is a need to increase conspicuity, the Texas version of the ONE DIRECTION LARGE ARROW sign (W1-9) may be used instead of the ONE DIRECTION LARGE ARROW (W1-6).

**ONE DIRECTION LARGE ARROW**

DEVICE	W1-6
SIZE (W x L)	48" x 24" (Conventional)   60" x 30" (Expressway & Freeway)
MOUNTING HEIGHT	7'-0"

**NOTE:**  
 Delineator and object marker substrates and sign substrates shall be 0.080" Aluminum sign blank to conform to ASTM B-209 Alloy 6061-T6 or approved alternative.

Texas Department of Transportation  
 Traffic Safety Division Standard

**DELINEATOR & OBJECT MARKER MATERIAL DESCRIPTION**  
**D & OM (1) -20**

Revised	08/15/20	by	TJ001	on	10/01	for	TJ001	of	10/01
Revised	08/15/20	by	TJ001	on	10/01	for	TJ001	of	10/01
Revised	08/15/20	by	TJ001	on	10/01	for	TJ001	of	10/01
Revised	08/15/20	by	TJ001	on	10/01	for	TJ001	of	10/01

16-09 3-15  
 4-10 7-00


20A

DISCLAIMER: This document is governed by the Texas Engineering Practice Act. No warranty of any kind is made by the State of Texas or any of its agencies for the use of this standard. The use of this standard is at the user's own risk. The user assumes all liability for damages resulting from its use.

**MINIMUM WARNING DEVICES AT CURVES WITH ADVISORY SPEEDS**


Amount by which Advisory Speed is less than Posted Speed	Curve Advisory Speed	
	Turn (30 MPH or less)	Curve (35 MPH or more)
5 MPH & 10 MPH	• RPMs	• RPMs
15 MPH & 20 MPH	• RPMs and One Direction Large Arrow sign	• RPMs and Chevrons; or • RPMs and One Direction Large Arrow sign where geometric conditions or roadside obstacles prevent the installation of chevrons.
25 MPH & more	• RPMs and Chevrons; or • RPMs and One Direction Large Arrow sign where geometric conditions or roadside obstacles prevent the installation of chevrons	• RPMs and Chevrons

**SUGGESTED SPACING FOR DELINEATORS ON HORIZONTAL CURVES**



**NOTE**  
ONE DIRECTION LARGE ARROW (W1-6) sign should be located at approximately and perpendicular to the extension of the centerline of the tangent section of approach lane.

**SUGGESTED SPACING FOR CHEVRONS ON HORIZONTAL CURVES**



**NOTE**  
At least one chevron pair is installed beyond the point of tangent in tangent section.

**DELINEATOR AND CHEVRON SPACING**

Degree of Curve	WHEN DEGREE OF CURVE OR RADIUS IS KNOWN			
	FEET			
	Radius of Curve	Spacing in Curve	Spacing in Straightway	Chevron Spacing in Curve
	A	2A	B	
1	5730	225	450	—
2	2865	160	320	—
3	1910	130	260	200
4	1433	110	220	160
5	1146	100	200	160
6	955	90	180	160
7	819	85	170	160
8	716	75	150	160
9	637	75	150	120
10	573	70	140	120
11	521	65	130	120
12	478	60	120	120
13	441	60	120	120
14	409	55	110	80
15	382	55	110	80
16	358	55	110	80
19	302	50	100	80
23	249	40	80	80
29	198	35	70	40
38	151	30	60	40
57	101	20	40	40

Curve delineator approach and departure spacing should include 3 delineators spaced at 2A. This spacing should be used during design preparation or when the degree of curve is known.

**DELINEATOR AND CHEVRON SPACING**

Advisory Speed (MPH)	WHEN DEGREE OF CURVE OR RADIUS IS NOT KNOWN		
	Spacing in Curve	Spacing in Straightway	Chevron Spacing in Curve
	A	2xA	B
65	130	260	200
60	110	220	160
55	100	200	160
50	85	170	160
45	75	150	120
40	70	140	120
35	60	120	120
30	55	110	80
25	50	100	80
20	40	80	80
15	35	70	40

If the degree of curve is not known, delineator spacing may be determined based on the Advisory Speed of the curve. Use the delineator curve spacing for each Advisory Speed (MPH).

**DELINEATOR AND OBJECT MARKER APPLICATION AND SPACING**

CONDITION	REQUIRED TREATMENT	MINIMUM SPACING
Fwy./Exp. Tangent	RPMs	See PM-series and FPM-series standard sheets
Fwy./Exp. Curve	Single delineators on right side	See delineator spacing table
Fwy./Exp. Ramp	Single delineators on at least one side of ramp (should be on outside of curves) (see Detail 3 on D&OM(4))	100 feet on ramp tangents Use delineator spacing table for ramp curves ("straightway spacing" does not apply to ramp curves)
Acceleration/Deceleration Lane	Double delineators (see Detail 3 on D&OM(4))	100 feet (See Detail 3 on D & OM (4))
Truck Escape Ramp	Single red delineators on both sides	50 feet
Bridge Rail (steel or concrete) and Metal Beam Guard Fence	B1-Directional Delineators when undivided with one lane each direction Single Delineators when multiple lanes each direction	Equal spacing (100' max) but not less than 3 delineators
Concrete Traffic Barrier (CTB) or Steel Traffic Barrier	Barrier reflectors matching the color of the edge line	Equal spacing 100' max
Cable Barrier	Reflectors matching the color of the edge line	Every 5th cable barrier post (up to 100' max)
Guard Rail Terminus/Impact Head	Divided highway - Object marker on approach end Undivided 2-lane highways - Object marker on approach and departure end	Requires reflective sheeting provided by manufacturer per D & OM (VIA) or a Type 3 Object Marker (OM-3) in front of the terminal end See D & OM (5) and D & OM (6)
Bridges with no Approach Rail	Type 3 Object Marker (OM-3) at end of rail and 3 single delineators approaching rail	See D & OM(5)
Reduced Width Approaches to Bridge Rail	Type 2 and Type 3 Object Markers (OM-3) and 3 single delineators approaching bridge	Requires reflective sheeting provided by manufacturer per D & OM (VIA) or a Type 3 Object Marker (OM-3) in front of the terminal end See D & OM (5)
Culverts without MBGF	Type 2 Object Markers	See Detail 2 on D & OM(4)
Crossovers	Double yellow delineators and RPMs	See Detail 1 on D & OM (4)
Pavement Narrowing (lane merge) on Freeways/Expressway	Single delineators adjacent to affected lane for full length of transition	100 feet

**NOTES**

- Unless indicated otherwise, the delineator or barrier reflector color shall conform to the color of the pavement edge line on the side of the road where the delineators or barrier reflectors are placed.
- Barrier reflectors may be used to replace required delineators.
- Single red delineators may be mounted on the back side of delineator posts for wrong way driver applications

LEGEND	
	B1-directional Delineator
	Delineator
	Sign

Texas Department of Transportation Traffic Safety Division Standard

**DELINEATOR & OBJECT MARKER PLACEMENT DETAILS**

**D & OM(3)-20**






Field: 0803-20, 0901	Rev: T1001	On: T1001	Rev: T1001	On: T1001
01/001 August 2004	6411	47	001	US 96, ETC.
3-15 8-15 8-15 1-20	REVISIONS	0151	0151	SHEET NO.
	LFK	SHELBY		41

20C





DISCOUNTS  
 This standard is governed by the Texas Engineering Practice Act. No warranty of any kind is made by the State of Texas or the Department of Transportation for damages resulting from its use.

DATE: 6/15/2023 11:14:58 AM  
 FILE: T:\LFX\2023\Main\Contract\130\_001 - Routine Maintenance Contract\130\_001 - 20



OBJECT MARKERS SMALLER THAN 3 FT<sup>2</sup>










- NOTES**
1. Spacing should be adjusted to attach through centerline of drum, per attenuator manufacturer's recommendation, or as directed by the Engineer.
  2. Mounting should be flush with top of attenuator. Minimum size 96" x 24".

- NOTES**
1. Object Markers shall conform to the Texas MUTCD and meet the color and reflectivity requirement of Department Material Specification DMS 8300. Background shall be yellow reflective sheeting (Type B or C) and Chevron shall be black.
  2. Object Markers may be fabricated from adhesive backed reflective sheeting applied directly to guardrail end treatment, or applied directly to an "end cap" as per the manufacturer's recommendation. Direct applied sheeting shall provide a smooth surface and have no wrinkles, air bubbles, cuts or tears. A radius at the corners is not required for direct applied sheeting.
  3. Object Marker size may be reduced to fit smaller devices. Width of alternating black and yellow stripes are typically 6". Object Markers smaller than 3ft may have reduced width stripes of a minimum of 2 1/4".
  4. Pop rivets, screws, or nuts and bolts may be used to attach object markers and reflectors. Holes, slots or other openings may be cut or drilled through object markers to allow cable or other attachments.
  5. Object Marker at nose of attenuator is subsidiary to the attenuator.
  6. See D & OM (1-4) for required barrier reflectors.

Texas Department of Transportation		Traffic Safety Division Standard	
<b>DELINEATOR &amp; OBJECT MARKER FOR VEHICLE IMPACT ATTENUATORS</b> <b>D &amp; OM(VIA) - 20</b>			
Title: <u>conv/130_001</u> Date: <u>December 1989</u>	Rev: <u>1001</u> Cont: <u>1001</u>	Job: <u>001</u> Job: <u>001</u>	State: <u>US 96, ETC.</u> County: <u>LFX</u> District: <u>SHELBY</u>
REVISIONS 4-92 8-04 8-95 3-15 4-98 7-70		SHEET NO. <b>42</b>	SHEET NO. <b>42</b>

NOTES: STEEL I-BEAM POST #6 X 8.5 (6'-0") PNI 5330  
STANDARD WOOD BLOCKOUTS (6"X8"X14") PNI 4076B  
AT POSTS 2 THRU 8



- GENERAL NOTES**
- FOR SPECIFIC INFORMATION REGARDING INSTALLATION AND TECHNICAL GUIDANCE OF THE SYSTEM, CONTACT: TRINITY HIGHWAY AT 18881323-6374, 3225 N. STEWARTS FREEWAY, DALLAS, TX 75207
  - FOR INSTALLATION, REPAIR AND MAINTENANCE REFER TO THE SoftStop END TERMINAL, PRODUCT DESCRIPTION ASSEMBLY MANUAL, PNI 620237B
  - APPLY HIGH INTENSITY REFLECTIVE SHEETING, "OBJECT MARKERS" ON THE FRONT FACE OF THE DEVICE PER MANUFACTURER'S RECOMMENDATIONS. OBJECT MARKER SHALL CONFORM TO THE STANDARDS REQUIRED IN TEXAS MUTCD.
  - FOR POST LEAVE-OUT INSTALLATION AND GUIDANCE SEE TRODT'S LATEST ROADWAY MSH STRIP STANDARD.
  - HARDWARE (BOLTS, NUTS, & WASHERS) SHALL BE GALVANIZED IN ACCORDANCE WITH ITEM 445, GALVANIZING, FITTINGS SHALL BE SUBSIDIARY TO THE BID ITEM.
  - A COMPOSITE MATERIAL BLOCKOUT THAT MEETS THE REQUIREMENTS OF OMS-1210, MAY BE SUBSTITUTED FOR BLOCKOUTS OF SIMILAR DIMENSIONS. SEE CONSTRUCTION DIVISION MATERIAL PRODUCER LIST (MPL) FOR CERTIFIED PRODUCERS.
  - IF SOLID ROCK IS ENCOUNTERED SEE THE MANUFACTURER'S INSTALLATION MANUAL AND REFER TO THE LATEST ROADWAY MSH STANDARD FOR INSTALLATION GUIDANCE.
  - POSTS SHALL NOT BE SET IN CONCRETE.
  - IF IT IS ACCEPTABLE TO INSTALL THE SoftStop IMPACT HEAD PARALLEL TO THE GRADE LINE OR WITH AN UPWARD TILT.
  - DO NOT ATTACH THE SoftStop SYSTEM DIRECTLY TO A RIGID BARRIER.
  - UNDER NO CIRCUMSTANCES SHALL THE GUARDRAIL WITHIN THE SoftStop SYSTEM BE CURVED.
  - A FLARE RATE OF UP TO 25% MAY BE USED TO PREVENT THE TERMINAL HEAD FROM ENCRUSCHING ON THE SHOULDER. THE FLARE MAY BE DECREASED OR ELIMINATED FOR SPECIFIC INSTALLATIONS, IF DIRECTED BY THE ENGINEER.

**NOTE 1:** THE INSTALLATION HEIGHT OF FULLY ASSEMBLED ANCHOR POST WILL VARY FROM 3 1/2" MIN. TO 4" MAX. ABOVE FINISHED GRADE.

**NOTE 2:** PART PNI 5852B RIGHT-SIDE (HIGH INTENSITY REFLECTIVE SHEETING) PART PNI 5851B LEFT-SIDE (HIGH INTENSITY REFLECTIVE SHEETING)

**NOTE 3:** W-BEAM SPLICE LOCATED BETWEEN LINE POST (4) AND LINE POST (5) GUARDRAIL PANEL 25'-0" PNI 610 GUARDRAIL PANEL 25'-0" PNI 15215G LAP GUARDRAIL IN DIRECTION OF TRAFFIC FLOW.

PART	QTY	MAIN SYSTEM COMPONENTS
620237B	1	PRODUCT DESCRIPTION ASSEMBLY MANUAL (LATEST REV.)
15206A	1	SoftStop HEAD (SEE MANUAL FOR RIGHT-LEFT APPROACH)
15215G	1	SoftStop ANCHOR RAIL (12GA) WITH CUTOUT SLOTS
610	1	SoftStop DOWNSTREAM W-BEAM RAIL (12GA) (25'-0")
15205A	1	POST #0 - ANCHOR POST (6" - 5 1/2")
15203G	1	POST #1 - (SYTP) (4" - 9 1/2")
15000G	1	POST #2 - (SYTP) (6" - 0")
5335	6	POST #3 THRU #8 - I-BEAM (6" X 8.5) (6'-0")
4076B	7	BLOCKOUT - WOOD (ROUTED) (6" X 8" X 14")
6777B	7	BLOCKOUT - COMPOSITE (14" X 7 1/2" X 14")
15204A	1	ANCHOR PADDLE
15207G	1	ANCHOR KEEPER PLATE (24 GA)
15206G	1	ANCHOR PLATE WASHER (1/2" THICK)
15201G	2	ANCHOR POST ANGLE (10" LONG)
15202G	1	ANGLE STRUT
<b>HARDWARE</b>		
4902C	1	1" ROUND WASHER F436
3909G	1	1" HEAVY HEX NUT A563 GR.DH
3717G	2	3/4" X 2 1/2" HEX BOLT A325
3701G	4	1/2" ROUND WASHER F436
3704C	2	3/4" HEAVY HEX NUT A563 GR.DH
3360G	16	3/4" X 1 1/2" W-BEAM RAIL SPLICE BOLTS HGR
3340G	25	3/4" W-BEAM RAIL SPLICE NUTS HGR
3500G	7	1/2" X 10" HGR POST BOLT A307
3391G	1	1/2" X 1 3/4" HEX HD BOLT A325
4489G	1	1/2" X 3" HEX HD BOLT A325
4375C	4	3/4" WASHER F436
105285G	2	1/2" X 2 1/2" HEX HD BOLT GR-S
105286G	1	1/2" X 1 1/2" HEX HD BOLT GR-S
3245G	6	1/2" ROUND WASHER (WIDE)
3245G	3	3/4" HEX NUT A563 GR.DH
5852B	1	HIGH INTENSITY REFLECTIVE SHEETING - SEE NOTE 1B

Texas Department of Transportation  
Design Division Standard


**TRINITY HIGHWAY  
SOFTSTOP END TERMINAL  
MASH - TL-3  
SGT (10S) 31-16**

FILED: 09/16/2016	BY: [Signature]	DATE: [Signature]	BY: [Signature]	DATE: [Signature]
09/16/2016	6:41	47	001	US 96, ETC.
LFK	SHELBY	43		

DATE: 04/16/2016  
FILE: T:\LK3020\Mainline\_Contract\SGT\SGT (10S) 31-16.dgn

DISCLAIMER: This standard is governed by the Texas Engineering Practice Act. No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or omissions resulting from its use.

DATE: 6/15/2022  
 FILE: T:\LK2024\Maint\_Contract\31-18\31-18-12\31-18-12-12.dwg  
 DISCUSS: 10:00 AM  
 DRAWN BY: J. L. WOOD  
 CHECKED BY: J. L. WOOD  
 DATE: 6/15/2022  
 FILE: T:\LK2024\Maint\_Contract\31-18\31-18-12\31-18-12-12.dwg  
 DISCUSS: 10:00 AM  
 DRAWN BY: J. L. WOOD  
 CHECKED BY: J. L. WOOD



- GENERAL NOTES**
- FOR SPECIFIC INFORMATION REGARDING INSTALLATION AND TECHNICAL GUIDANCE OF THE SYSTEM, CONTACT LINDSEY TRANSPORTATION SOLUTIONS (LTS) - BARRIER SYSTEMS, INC. AT (707) 374-6800
  - FOR INSTALLATION, REPAIR, & MAINTENANCE REFER TO THE MAX-TENSION INSTALLATION INSTRUCTION MANUAL, P/N MANMAX REV D TECH 33161.
  - APPLY HIGH INTENSITY REFLECTIVE SHEETING, "OBJECT MARKER" ON THE FRONT FACE OF THE DEVICE PER MANUFACTURER'S RECOMMENDATIONS. OBJECT MARKER SHALL CONFORM TO THE STANDARDS REQUIRED IN TEXAS MUTCD.
  - FOR POST (LEAVE-OUT) INSTALLATION AND GUIDANCE SEE TXDOT'S LATEST ROADWAY MOW STRIP STANDARD.
  - ALL STEEL COMPONENTS ARE GALVANIZED PER ASTM A123 OR EQUIVALENT (UNLESS OTHERWISE STATED).
  - SYSTEM SHOWN USING STEEL WIDE FLANGE POST WITH COMPOSITE BLOCKOUTS.
  - COMPOSITE MATERIAL BLOCKOUT THAT MEETS THE REQUIREMENTS OF DMS-7210, MAY BE SUBSTITUTED FOR BLOCKOUTS SIMILAR DIMENSIONS. SEE CONSTRUCTION DIVISION MATERIAL PRODUCER LIST (MPL) FOR CERTIFIED PRODUCERS.
  - REFER TO INSTALLATION MANUAL FOR SPECIFIC PANEL LAPPING GUIDANCE.
  - IF SOLID ROCK IS ENCOUNTERED SEE THE MANUFACTURER'S INSTALLATION MANUAL FOR INSTALLATION GUIDANCE.
  - POSTS SHALL NOT BE SET IN CONCRETE.
  - A DRIVING CAP WITH A TIMBER OR PLASTIC INSERT SHALL BE USED WHEN DRIVING POST TO PREVENT DAMAGE TO THE GALVANIZING ON TOP OF THE POST.
  - MAX-TENSION SYSTEM SHALL NEVER BE INSTALLED WITHIN A CURVED SECTION OF GUARDRAIL.
  - IF A DELINEATION MARKER IS REQUIRED, MARKER SHALL BE IN ACCORDANCE WITH TEXAS MUTCD.
  - THE SYSTEM IS SHOWN WITH 12'-6" MBGF PANELS, 25'-0" MBGF PANELS ARE ALSO ALLOWED.
  - A MINIMUM OF 12'-6" OF 12CA, MBGF IS REQUIRED IMMEDIATELY DOWNSTREAM OF THE MAX-TENSION SYSTEM.

ITEM #	PART NUMBER	DESCRIPTION	QTY
1	BS1-1610060-00	SOIL ANCHOR - GALVANIZED	1
2	BS1-1610061-00	GROUND STRUT - GALVANIZED	1
3	BS1-1610062-00	MAX-TENSION IMPACT HEAD	1
4	BS1-1610063-00	MBGF 1-BEAM POST OPT. - GALVANIZED	1
5	BS1-1610064-00	TSS PANEL - TRAFFIC SIDE SLIDER	1
6	BS1-1610065-00	TSS PANEL - INNER SIDE SLIDER	1
7	BS1-1610066-00	TOOTH - GEOMET	1
8	BS1-1610067-00	RSS PLATE - REAR SIDE SLIDER	1
9	BS1-1610068-00	CABLE FRICTION PLATE - HEAD UNIT	1
10	BS1-1610069-00	CABLE ASSEMBLY - MASH X-TENSION	2
11	BS1-1012078-00	X-LITE LINE POST-GALVANIZED	8
12	BD90534	8" W-BEAM COMPOSITE-BLOCKOUT XT110	8
13	BS1-400438	12'-6" W-BEAM GUARD FENCE PANELS 12CA	4
14	BS1-1102027-00	X-LITE SQUARE WASHER	1
15	BS1-2001886	3/4" X 7" THREAD BOLT HH (GR.5)GEOMET	1
16	BS1-2001885	3/4" X 3" ALL-THREAD BOLT HH (GR.5)GEOMET	4
17	4001115	3/4" X 1 1/2" GUARD FENCE BOLTS (GR.2)MICAL	48
18	2001840	3/4" X 10" GUARD FENCE BOLTS MICAL	8
19	2001836	3/4" WASHER F436 STRUCTURAL MICAL	2
20	4001116	3/4" RECESSED GUARD FENCE NUT (GR.2)MICAL	59
21	BS1-2001888	3/4" X 2" ALL-THREAD BOLT (GR.5)GEOMET	1
22	BS1-1701063-00	DELINEATION MOUNTING (BRACKET)	1
23	BS1-2001887	1/2" X 3/4" SCREW SD HH 410SS	7
24	4002051	GUARDRAIL WASHER RECT ASXTO FWD03	1
25	SEE NOTE BELOW	HIGH INTENSITY REFLECTIVE SHEETING	1
26	4002337	8" W-BEAM TIMBER-BLOCKOUT, P08018	8
27	BS1-4004431	25' W-BEAM GUARDRAIL PANEL, 8-SPACE, 17GA.	1
28	MANMAX Rev (ID)	MAX-TENSION INSTALLATION INSTRUCTIONS	1

**MAX-TENSION END TERMINAL**  
**MASH - TL-3**  
**SGT (11S) 31-18**


Design Division Standard

FILE: 601113118.dwg	DN: TxDOT	CR: KM	DR: TxDOT	EN: CL
DATE: 02/07/2018	CONF: SECT	JOB: HIGHWAY		
REVISIONS:	641147	DD1	US 96, ETC.	
DESIGN:	DLF	COUNTY:	SHELBY	SHEET NO. 44


NOTE: TXDOT GENERIC APPROACH GRADING LAYOUT USED FOR ALL TANGENT TYPE END TREATMENTS.

NOTE: THIS STANDARD IS A BASIC REPRESENTATION OF THE MAX-TENSION END TERMINAL. IT IS NOT INTENDED TO REPLACE THE PRODUCT DESCRIPTION ASSEMBLY MANUAL.


DISCLAIMER: THE STANDARD IS COMPOSED OF THE TEXAS HIGHWAY DEPARTMENT'S (THD) STANDARD DRAWINGS, WHICH ARE THE PROPERTY OF THE THD. THE THD ASSUMES NO RESPONSIBILITY FOR THE CONSEQUENCES OF ANY DAMAGE RESULTING FROM THE USE OF THIS STANDARD DRAWING. THE THD IS NOT RESPONSIBLE FOR THE CONSEQUENCES OF ANY DAMAGE RESULTING FROM THE USE OF THIS STANDARD DRAWING. THE THD IS NOT RESPONSIBLE FOR THE CONSEQUENCES OF ANY DAMAGE RESULTING FROM THE USE OF THIS STANDARD DRAWING.



- GENERAL NOTES**
- FOR SPECIFIC INFORMATION REGARDING INSTALLATION AND TECHNICAL GUIDANCE OF THE SYSTEM, CONTACT: ROAD SYSTEMS, INC. (432)263-2455, 3616 OLD HOWARD COUNTY AIRPORT, BIG SPRING, TX 79720
  - FOR INSTALLATION, REPAIR AND MAINTENANCE REFER TO THE: MSKT END TERMINAL, PRODUCT DESCRIPTION ASSEMBLY MANUAL (PUBLICATION-0627177).
  - APPLY HIGH INTENSITY REFLECTIVE SHEETING "OBJECT MARKER" ON THE FRONT FACE OF THE DEVICE PER MANUFACTURER'S RECOMMENDATION. OBJECT MARKER SHALL CONFORM TO THE STANDARDS REQUIRED IN TEXAS MUTCD.
  - FOR POST (LEAVE-OUT) INSTALLATION AND GUIDANCE SEE TXDOT'S LATEST ROADWAY MOW STRIP STANDARD.
  - HARDWARE (BOLTS, NUTS, & WASHERS) SHALL BE GALVANIZED IN ACCORDANCE WITH ITEM 445, "GALVANIZING". FITTINGS SHALL BE SUBSIDIARY TO THE BID ITEM.
  - SYSTEM SHOWN USING STEEL WIDE FLANGE POSTS WITH COMPOSITE BLOCKOUTS.
  - A COMPOSITE MATERIAL BLOCKOUTS THAT MEETS THE REQUIREMENTS OF DMS-7210, MAY BE SUBSTITUTED FOR BLOCKOUTS OF SIMILAR DIMENSIONS. SEE CONSTRUCTION DIVISION MATERIAL PRODUCER LIST (MPL) FOR CERTIFIED PRODUCERS.
  - IF SOLID ROCK IS ENCOUNTERED IN THE AREA OF (POST 1) AND /OR (POST 2) CONTACT THE MANUFACTURER, & REFER TO THE LATEST ROADWAY MBGF STANDARD FOR INSTALLATION GUIDANCE.
  - POSTS SHALL NOT BE SET IN CONCRETE.
  - SYSTEM MUST BE ATTACHED TO STANDARD 31" MBGF.
  - UNDER NO CIRCUMSTANCES SHALL THE GUARDRAIL WITHIN THE MSKT SYSTEM BE CURVED.
  - A FLARE RATE OF UP TO 25:1 MAY BE USED TO PREVENT THE TERMINAL HEAD FROM ENCRUING ON THE SHOULDER. THE FLARE MAY BE DECREASED OR ELIMINATED FOR SPECIFIC INSTALLATIONS, IF DIRECTED BY THE ENGINEER.
  - THE SYSTEM IS SHOWN WITH TWO 12'-6" MBGF PANELS, ONE 25'-0" MBGF PANEL IS ALSO ALLOWED IN THEIR PLACE.
  - A DRIVING CAP WITH A TIMBER OR PLASTIC INSERT SHALL BE USED WHEN DRIVING POSTS 3-8 TO PREVENT DAMAGE TO THE GALVANIZING ON TOP OF THE POSTS. SPECIAL DRIVING CAP TO BE USED ON LOWER POSTS. I & 2 TO PREVENT DAMAGE TO THE WELDED PLATES.



ITEM	QTY	MAIN SYSTEM COMPONENTS	ITEM NUMBERS
A	1	MSKT IMPACT HEAD	MS3000
B	1	W-BEAM GUARDRAIL END SECTION, 12' 6"	ST1303
C	1	POST 1 - TOP (6' X 6' X 1/2" TUBE)	MTPHP1A
D	1	POST 1 - BOTTOM (6' X 6' X 1/2" TUBE)	MTPHP1B
E	1	POST 2 - ASSEMBLY TOP	UMP2A
F	1	POST 2 - ASSEMBLY BOTTOM (6' X 6' X 1/2" TUBE)	HP2B
G	1	BEARING PLATE	E750
H	1	CABLE ANCHOR BOX	S760
J	1	BCT CABLE ANCHOR ASSEMBLY	E770
K	1	GROUND STRUT	MS785
L	6	W6x9 OR W6x8, 5 STEEL POST	PE21
M	6	COMPOSITE BLOCKOUTS	CBSP-14
N	1	W-BEAM MGS RAIL SECTION (9'-4 1/2")	G12025
O	2	W-BEAM MGS RAIL SECTION (12'-6")	G1203A
P	6	WOOD BLOCKOUT 6' X 8' X 14"	PE75
Q	1	W-BEAM MGS RAIL SECTION (25'-0")	G1209
<b>SMALL HARDWARE</b>			
o	2	1/2" x 1" HEX BOLT (GDR 449)	BS160104A
b	4	3/4" WASHER	W0516
c	2	1/2" HEX NUT	N0516
d	25	3/4" Dia. x 1 1/2" SPLICE BOLT (POST 2)	BS80122
e	2	1/2" Dia. x 3" HEX BOLT (GDR 449)	BS80004A
f	3	3/4" WASHER	W050
g	33	3/4" Dia. H.C.R. NUT	N050
h	1	3/4" Dia. x 8 1/2" HEX BOLT (GDR 449)	BS40854A
i	1	1/2" Dia. HEX NUT	N050
k	2	ANCHOR CABLE HEX NUT	N100
l	2	ANCHOR CABLE WASHER	N100
m	8	1/2" x 1 1/2" A325 BOLT WITH CAPTIVE WASHER	S012A
n	8	1/2" STRUCTURAL NUTS	N012A
o	8	1/4" O.D. x 1/4" I.D. STRUCTURAL WASHERS	W012A
p	1	BEARING PLATE RETAINER TIE	CT-1005T
q	6	1/2" x 10" H.C.R. BOLT	BS81002
r	1	OBJECT MARKER 18" X 18"	E3151



Texas Department of Transportation  
Design Division Standard


### SINGLE GUARDRAIL TERMINAL MSKT-MASH-TL-3

SGT (12S) 31-18

FILE: 40120218.dgn	DATE: 04/12/2018	BY: TDD	CHKD: JCL
REVISIONS	CONT	SECT	JOB
6411	47	001	US 96, ETC.
DIST	COUNTY	SHEET NO.	
LFK	SHELBY	45	

NOTE: TXDOT GENERIC APPROACH GRADING LAYOUT USED FOR ALL TANGENT TYPE END TREATMENTS.




NOTE: THIS STANDARD IS A BASIC REPRESENTATION OF THE MSKT END TERMINAL. IT IS NOT INTENDED TO REPLACE THE PRODUCT DESCRIPTION ASSEMBLY MANUAL.



**GENERAL NOTES**

1. THE TYPE OF POST (ROUND WOOD POST, RECTANGULAR WOOD POST, OR STEEL POST) WILL BE AS SHOWN IN THE PLANS. THE EXACT POSITION OF MBGF SHALL BE AS SHOWN IN THE PLANS OR AS DIRECTED BY THE ENGINEER. STEEL POSTS TO BE GALVANIZED IN ACCORDANCE WITH ITEM 445, "GALVANIZING."
2. RAIL ELEMENT SHALL MEET THE REQUIREMENTS OF ITEM 540, "METAL BEAM GUARD FENCE" EXCEPT AS MODIFIED IN THE PLANS. THE CONTRACTOR MAY FURNISH RAIL ELEMENTS OF 25'-0" OR 12'-6" (NOM.) LENGTHS. RAIL ELEMENTS MAY HAVE SLOTTED HOLES AT 3'-1 1/2" C-C OR 6'-3" C-C. A SPECIAL LENGTH OF RAIL MAY BE MANUFACTURED TO ACCOMMODATE THE TRANSITION SECTIONS OF GUARDRAIL.
3. BUTT HEAD "POST" BOLTS (ASTM A307) SHALL BE OF SUFFICIENT LENGTH TO EXTEND THROUGH THE FULL THICKNESS OF THE NUT (ASTM A563) AND 3/4" ROUND WASHER (ASTM F436) AND NOT MORE THAN 1" BEYOND IT. BUTT HEAD "SPLICE" BOLTS (ASTM A307) ARE 3/4" x 1-1/2" WITH 3/4" NUTS (ASTM A563).
4. FITTINGS (BOLTS, NUTS, AND WASHERS) SHALL BE GALVANIZED IN ACCORDANCE WITH ITEM 445, "GALVANIZING." FITTINGS SHALL BE SUBSIDIARY TO THE BID ITEM REQUIRING CONSTRUCTION OF THE TRANSITION.
5. CROWN SHALL BE WIDENED TO ACCOMMODATE THE METAL BEAM GUARD FENCE.
6. THE LATERAL APPROACH TO THE GUARD FENCE, SHALL HAVE A MAXIMUM SLOPE OF 1V:10H.
7. IF SHOWN ELSEWHERE IN THE PLANS OR AS DIRECTED BY THE ENGINEER, THE GUARD FENCE MAY BE FLARED AT A RATE OF 25:1 OR FLATTER.
8. APPLICATIONS IN SOLID ROCK ARE ONLY ALLOWED WITH STEEL POSTS. SEE GF(13) STANDARD FOR INSTALLATION GUIDANCE.
9. POSTS SHALL NOT BE SET IN CONCRETE.
10. UNLESS OTHERWISE SHOWN IN THE PLANS, A COMPOSITE MATERIAL BLOCK THAT MEETS THE REQUIREMENTS OF DMS-7210, "COMPOSITE MATERIAL POSTS AND BLOCKS FOR METAL BEAM GUARD FENCE" MAY BE SUBSTITUTED FOR BLOCKS OF SIMILAR DIMENSIONS. THE CONSTRUCTION DIVISION, TxDOT MAINTAINS A MATERIAL PRODUCER LIST (MPL) FOR PRODUCERS OF MATERIALS CONFORMING TO DMS-7210. ONLY PRODUCERS ON THE MPL MAY FURNISH COMPOSITE MATERIAL BLOCKS.
11. REFER TO STANDARD GF(13) FOR ADDITIONAL DETAILS.
12. RAIL HEIGHT ADJUSTMENT IS ASSESSED AT TL-3 MASH COMPLIANT FOR STEEL POST HEIGHT TRANSITION TO 28" STEEL POST GUARDRAIL.

\*"WOOD" INDICATES DIMENSIONS FOR BOTH ROUND AND RECTANGULAR WOOD POST SYSTEMS.




HARDWARE LIST	
QTY	DESCRIPTION
1	9'-4 1/2" W-BEAM RAIL ELEMENT 12GA.
1	25'-0" W-BEAM RAIL ELEMENT 12GA. (TYP)
6	7 1/2" DIA X 6'-0" DOMED ROUND WOOD POSTS (TYP)
6	6" X 8" X 68" RECTANGULAR WOOD POSTS (TYP)
6	W6 X 8.5 OR W6 X 9 X 72" STEEL POSTS (TYP)
6	6" X 8" X 14" WOOD BLOCKS OR COMPOSITE (TYP)
6	3/4" X 18" GUARDRAIL BOLTS WITH NUTS (FB804)
6	3/4" ROUND WASHERS (ASTM F436) (FWC16)
6	3/4" X 10" GUARDRAIL BOLTS WITH NUTS (FB803)
24	3/4" X 1-1/4" GUARDRAIL SPLICE BOLTS WITH DOUBLE RECESSED NUTS (ASTM A563) (FB801)

POST AND BLOCK-OUT TYPES AVAILABLE

FOR WOOD POST


FOR STEEL POST

NOTE: HARDWARE SHALL MEET THE FOLLOWING REQUIREMENTS.  
 GUARDRAIL POST BOLTS (ASTM A307 GR. A)  
 GUARDRAIL ROUND WASHERS (ASTM F436)  
 GUARDRAIL DOUBLE RECESSED NUTS (ASTM A563)  
 GUARDRAIL SPLICE BOLTS (ASTM A307 GR. A)  
 GUARDRAIL SPLICE NUTS (ASTM A563)




Texas Department of Transportation		Design Division Standard	
<b>METAL BEAM GUARD FENCE RAIL HEIGHT ADJUSTMENT (28" TO 31") TL-3 MASH COMPLIANT RAIL-ADJ(A)-19</b>			
FILES: 01/03/19	DATE: 01/03/19	BY: JMM	CHECKED: JAG
REVISIONS	CONT. SECT.	JOB	HIGHWAY
6411	47	001	US 96, ETC.
DIST	COUNTY	SHEET NO.	
LFK	SHELBY	46	


DATE: 6/12/2022 11:15:03 AM  
 FILE: T:\LFX\Box\Monte\CONTRACTS\3.0 - Box\1.0e Maintenance\CONTRACTS\3.0 - Box\1.0e Maintenance\DETAILS\T631L5\T631L5.dwg  
 PLOT: T:\LFX\Box\Monte\CONTRACTS\3.0 - Box\1.0e Maintenance\CONTRACTS\3.0 - Box\1.0e Maintenance\DETAILS\T631L5\T631L5.dwg  
 PLOT: T:\LFX\Box\Monte\CONTRACTS\3.0 - Box\1.0e Maintenance\CONTRACTS\3.0 - Box\1.0e Maintenance\DETAILS\T631L5\T631L5.dwg




**SECTION - TYPE 1**  
Used for curbs 1 1/2' and Less (Showing "C" = 1 1/2')




**SECTION - TYPE 2**  
Used for curbs over 1 1/2' to 3' (Showing "C" = 3')




**SECTION - TYPE 3**  
Used for curbs over 3' to 1'4" (Showing "C" = 1'4")



**SECTION - TYPE 4**  
Used for curbs over 1'4" to 5'4" (Showing "C" = 2'4")









**TYPICAL SECTION THRU PARALLEL WINGWALL**



**OPTIONAL ADHESIVE ANCHORAGE**

Optional adhesive anchor may replace cast-in-place anchor bolts for Type 1 thru Type 4 and on Typical Section Thru Parallel Wingwalls. Reinforcement for optional adhesive anchorage matches details shown for Type 1 thru Type 4 and on Typical Section Thru Parallel Wingwalls.

- 1 "C" is equal to the culvert top slab thickness. For precast boxes with slabs less than 8" thick, see SCP-AMD standard for additional details.
- 2 Adjust normal culvert slab bars as necessary to clear obstructions.
- 3 Omit normal culvert curb Bars K and H.
- 4 Place Bars L as shown. Tilt hook as necessary to maintain cover.
- 5 4 formed holes for anchor bolts at each rail post. See rail standard for information not shown.
- 6 Place normal culvert curb Bars H (#4) as shown. Adjust as necessary to clear obstructions.
- 7 Omit normal culvert curb Bars K. Place Bars S as shown. Tilt Bars S as necessary to maintain cover.
- 8 Place normal culvert curb Bars K spaced at 12" Max as shown. Tilt Bars K as necessary to maintain cover. Refer to box culvert details sheets for Bars K details.
- 9 Additional Bars H (#4) as required to maintain 12" Max spa.
- 10 All TYPE 4 mountings, replace normal culvert curb Bars K with one Bar U and two Bars V as shown spaced at 12" Max. Adjust length of Bars V as necessary to maintain clear cover.
- 11 Adjust parallel wing Bars G to positions shown.
- 12 Optional Bars L are to be used only for precast box culverts with 3'4" closure pour.
- 13 If "C" plus "C" is greater than 8", provide reinforcement per TYPE 1 mounting and anchor bolts per TYPE 2 mounting.
- 14 Quantities shown are for Contractor's information only. Quantities are per linear foot of curb length. The values for each section type in table can be interpolated for intermediate values of curb height. "C". Quantity includes Bars K (when applicable).
- 15 See "Cast-In-Place & Formed Hole Anchor Bolt Options".



**CAST-IN-PLACE & FORMED HOLE ANCHOR BOLT OPTIONS**  
Applies to T631L5 and T631 traffic rails.

TABLE OF ESTIMATED CURB QUANTITIES				
Curb Height "C"	Section Type	Conc (CY/LF)	Reinf Steel (LBS/LF)	
1 1/2'	1	0.005	4.7	
3'	2	0.009	8.4	
6'	3	0.019	8.9	
1'4"	3	0.037	8.9	
1'4"	4	0.056	14.3	
2'4"	4	0.074	15.4	
2'4"	4	0.093	17.7	
3'4"	4	0.111	19.8	
3'4"	4	0.130	21.2	
4'4"	4	0.148	22.6	
4'4"	4	0.167	24.6	
5'4"	4	0.185	25.8	

**CONSTRUCTION NOTES:**  
For vehicle safety, finished grade must be flush with top of curb. Adjust reinforcing as necessary to provide 1 1/2" cover. At the Contractor's option, anchor bolts may be an adhesive anchor system.  
Test adhesive anchors in accordance with Item 450.3.3 "Tests". Test 3 anchors per 100 anchors installed. Perform corrective measures to provide adequate capacity if any of the tests do not meet the required test bar. Repair damage from testing as directed.

**MATERIAL NOTES:**  
Provide concrete for curb of the same Class and strength as the box culvert top slab.  
Galvanize all steel components of steel rail system. Provide Grade 60 reinforcing steel. Galvanize all reinforcing steel if required elsewhere.  
Anchor bolts for base plate must be Gr A305 or A440 bolts (or ASTM A193 Gr B7 or F1554 Gr 105 threaded rods with one back welded heavy hex nut each) with one hardened steel washer (ASTM F436) and one regular lock washer placed under each heavy hex nut. Nuts must conform to ASTM A563 requirements.  
Optional adhesive anchor system must be 1/2" Dia ASTM A193 Gr B7 or F1554 Gr 105 fully threaded rods with one hardened steel washer (ASTM F436) and one regular lock washer placed under each heavy hex nut. Nuts must conform to ASTM A563 requirements. Embed fully threaded rod into slab and/or abutment wingwall using a Type III, Class C, D, E, or F anchor adhesive. Minimum adhesive anchor embedment depth is 4 1/2". Anchor adhesive chosen must be able to achieve a nominal bond strength in tension of a single anchor. No. of 6 lips/edge distance must be accounted for. Submit signed and sealed calculations or the manufacturer's published literature showing the proposed anchor adhesive's ability to develop this load to the Engineer for approval prior to use. Anchor installation, including hole size, drilling, and clean out, must be in accordance with Item 450, "Reinforcing".

**GENERAL NOTES:**  
Designed in accordance with AASHTO LRFD Bridge Design Specifications.  
See T631L5 or T631 rail standard for approved speed restrictions, notes and details not shown.  
The curb is considered as part of the box culvert for payment. These details are for use with curbs that are 5'4" tall and less only. Curb heights that are less than or greater than those shown will require special design.  
Cover dimensions are clear dimensions, unless noted otherwise. Reinforcing bar dimensions shown are out-to-out of bar.

The use of the T631L5 rail is restricted to speeds of 45 mph or less.


**Texas Department of Transportation** Bridge Division Standard

**BOX CULVERT MOUNTING DETAILS FOR TYPE T631L5 & T631 RAILS (CURBS 5' TALL AND LESS ONLY)**

**T631-CM**

REV	DESCRIPTION	BY	DATE	APP'D	CHK'D
0001	February 2020				
0002					


6411	47	001	US 96	ETC.
LFX	SHELBY			47




**ROADWAY ELEVATION OF RAIL**  
Showing without overlay.

- 1 9" Min, 5'4" Max
- 2 Maintain 3'-1" Rail Post spacing wherever possible for use with nominal 25'-4" or 12'-4" W-Beam sections. Symmetry of post spacing on both sides and along the structure is not necessary.
- 3 Increase 2" for structures with overlay.
- 4 Tighten the first hex nut by hand until the top and bottom edges of the W-Beam engage the Backer Plate (Backer Plate should be snug against the post). Then tighten hex nut one revolution with wrench and secure with the second hex nut.
- 5 PL 3/4" x 1 3/4" x 1 3/4" with 3/4" Dia Hole centered in PL (ASTM A36), Square Guardrail Washer (FWR01).
- 6 The post nearest to a slab joint or end of structure may be shifted up to 9" in order to satisfy the minimum offset dimension. Drill a new centerline of W-beam for shifted post. Paint hole with two coats of zinc-rich paint conforming to the term "Galvanizing". All other posts must remain on the typical spacing.
- 7 1 1/4" Dia formed holes for 1 1/4" Dia heavy hex head anchor bolt (ASTM F3125 Gr A325 or A448) or threaded rod (ASTM A193 Gr B7 or F1554 Gr 105) with one hardened steel washer (ASTM F436) and one regular lock washer placed under heavy hex nut (ASTM A563). One additional heavy hex nut must be furnished and lock welded for each threaded rod. See "Cast-In-Place & Formed Hole Anchor Bolt Options".
- 8 1 1/4" Dia heavy hex head anchor bolt (ASTM F3125 Gr A325 or A448) or threaded rod (ASTM A193 Gr B7 or F1554 Gr 105) with one hardened steel washer (ASTM F436) and one regular lock washer placed under heavy hex nut (ASTM A563). One additional heavy hex nut must be furnished and lock welded for each threaded rod. See "Cast-In-Place & Formed Hole Anchor Bolt Options".

DATE: 6/12/2023 11:15:04 AM  
 FILE: T:\LK\2023\Main\Contract\13122\Drawings\Rail\Rail Details on Bridge Slab.dwg  
 PROJECT: 13122  
 SHEET: 1 OF 2  
 DRAWN BY: JLD  
 CHECKED BY: JLD  
 APPROVED BY: JLD  
 CONTRACT: 13122  
 TITLE: RAIL DETAILS ON BRIDGE SLAB





**RAIL DETAILS ON BRIDGE SLAB**  
Showing without overlay.




**RAIL SECTION ON ABUTMENT WINGWALL**  
Showing without overlay.

SHEET 1 OF 2

		Bridge Division Standard
<b>TRAFFIC RAIL</b>		
<b>TYPE T631</b>		
REV	DATE	BY
001	September 2019	JLD
REVISION	DATE	BY
001	6/11/23	JLD
DRAWN BY	CHECKED BY	APPROVED BY
JLD	JLD	JLD
SCALE	SHEET NO.	TOTAL SHEETS
1/8" = 1'-0"	48	48



8 - 3/4" Dia x 1 1/2" button head splice bolts (ASTM A307) or with a double recessed hex nut (ASTM A563 or F8801).



3/4" Dia heavy hex head anchor bolt (ASTM F3125 Gr A325 or A449) or threaded rod (ASTM A193 Gr B7 or F1554 Gr 105) with one hardened steel washer (ASTM F436) and one regular lock washer placed under heavy hex nut (ASTM A563). One additional heavy hex nut must be furnished and tack welded for each threaded rod.

**CAST-IN-PLACE & FORMED HOLE ANCHOR BOLT OPTIONS**





- ① See "Rail Details: On Bridge Slab" and/or "Rail Section On Abutment Wingwall".
- ② See "Material Notes" for anchor bolt information.
- ③ Backer PL 1/2" x 8" x 13" (ASTM A1011 CS or SS Gr 33, or A1068 CS or SS Gr 33 (11 Gauge acceptable)).
- ④ Used for structures with overlay.
- ⑤ Used for structures without overlay.
- ⑥ At the nominal end of the bridge rail for payment, one 9/4" or 6-3/4" W-beam section is permitted in order to achieve the required W-beam splice location on the MBSF.

**MBGF AND END TREATMENT NOTES:**  
This traffic railing must be anchored by metal beam guard fence (MBGF) and guard fence end treatment. Determine MBGF length of need in accordance with the Roadway Design Manual, unless otherwise specified. The minimum MBGF length of need required for anchoring the railing is 2' of MBGF plus the appropriate end treatment.

**CONSTRUCTION NOTES:**  
Face of rail post must be plumb unless otherwise approved by the Engineer. Post must be perpendicular to adjacent roadway grade. Use epoxy mortar under post base plates if gaps larger than 1/8" exist.  
Fully anchored guardrail must be attached to each end of rail. A metal beam guard fence transition is not used with this rail. At the Contractor's option anchor bolts may be an adhesive anchor system. See "Material Notes".  
Test adhesive anchors in accordance with Item 455.3.3, "Tests". Test 2 anchors per 100 anchors installed. Perform corrective measures to provide adequate capacity if any of the tests do not meet the required test load. Repair damage from testing as directed.  
It is recommended to show a Rail Layout with rail posts and W-beam splices. Fabricator must submit erection drawings to the Engineer for approval.  
Round or chamfer exposed edges of rail post and backer plate to approximately 1/8" by grinding.  
Shop drawings are not required for this rail.

**MATERIAL NOTES:**  
Fabricate all steel components.  
Anchor bolts for base plate must be 3/4" Dia ASTM F3125 Gr A325 or A449 bolts or ASTM A193 Gr B7 or F1554 Gr 105 threaded rods with one tack welded heavy hex nut (each) with one hardened steel washer (ASTM F436) and one regular lock washer placed under each heavy hex nut. Nuts must conform to ASTM A563 requirements.  
Optional adhesive anchorage system must be 3/4" Dia ASTM A193 Gr B7 or F1554 Gr 105 fully threaded rods with one hardened steel washer (ASTM F436) and one regular lock washer placed under each heavy hex nut. Nuts must conform to ASTM A563 requirements. Embed fully threaded rod into slab and/or abutment wingwall using a Type III, Class C, D, E, or F anchor adhesive.  
Minimum adhesive anchor embedment depth is 4 3/4". Anchor adhesive chosen must be able to achieve a nominal bond strength in tension of a single anchor. No. of 8 kips (edge distance must be accounted for). Submit aligned and spaced calculations or the manufacturer's published Brochures showing the proposed anchor adhesive's ability to develop this load to the Engineer for approval prior to use. Anchor installation, including hole size, drilling, and clean out, must be in accordance with Item 450, "Railing".  
W-beam must meet the requirements of Item 500, "Metal Beam Guard Fence" except as modified in the plans. The Contractor may furnish rail elements of 25'-0" or 12'-0" (Nominal) lengths and a single rail element of 9'-4 1/2" or 6'-0" (Nominal) length. W-beam must have slotted holes at 3'-1 1/2".  
Some part numbers from the "Task Force 13" Guide to Standardized Highway Barrier Hardware have been furnished for quick reference.


**GENERAL NOTES:**  
This railing has been successfully evaluated by full-scale crash test to meet MASH TL-3 criteria. This railing can be used for speeds of 50 mph and greater.  
This rail is designed to deflect approximately 4" to 4'-0" as it contacts and reduces the impact velocity. This rail may not be installed on top of or behind curbs that project above finished grade, on bridges with expansion joints providing more than 5" movement, on retaining walls, or on grade separations and interchanges.  
Repair to impact-damaged post and base plate will not be permitted. Replace all impact-damaged posts with a new post and base plate unit.  
Average weight of railing with no overlay: 20 #/ft total.



<b>TRAFFIC RAIL</b>			
<b>TYPE T631</b>			
REV	DATE	BY	CHK
002	September 2019	JK	JTS
001	47	001	US 96, ETC.
DESIGNED BY	CHKD BY	DATE	SHEET NO.
LFK	SHELBY		49

DATE: 6/15/2022 11:15:05 AM  
 FILE: \\NFSDA\mnt\contractors\0\_0MC - Roadline Maintenance Contract\15122\shopdrawings\RAILING\MBSF\MBSF-T631-02.dwg  
 USER: JTS  
 PLOT: \\NFSDA\mnt\contractors\0\_0MC - Roadline Maintenance Contract\15122\shopdrawings\RAILING\MBSF\MBSF-T631-02.dwg





**ROADWAY ELEVATION OF RAIL**

Showing without overlay.

- 1 9" Min. 6'-0" Max
- 2 Maintain 6'-0" Rail Post spacing wherever possible for use with nominal 25'-0" or 12'-6" W-Beam sections. Symmetry of post spacing on both sides and along the structure is not necessary.
- 3 Increase 2" for structures with overlay.
- 4 Tighten the first hex nut by hand until the top and bottom edges of the W-Beam engage the Backer Plate (Backer Plate should be snug against the post). Then tighten hex nut one revolution with wrench and secure with the second hex nut.
- 5 PL 1/2" x 1 1/2" x 1/2" with 3/8" Dia Hole centered in PL (ASTM A36). Square Guardrail Washer (FWR01).
- 6 The post nearest to a slab joint or end of structure may be shifted up to 9" in order to satisfy the minimum offset dimension. Drill a new 3/4" Dia hole on the centerline of W-beam for shifted post. Paint hole with two coats of zinc-rich paint conforming to the item "Galvanizing". All other posts must remain on the typical spacing.
- 7 3/4" Dia formed holes for 1 1/2" Dia heavy hex head anchor bolt (ASTM F3125 Gr A325 or A449) or threaded rod (ASTM A193 Gr B7 or F1554 Gr 105) with one hardened steel washer (ASTM F436) and one regular lock washer placed under heavy hex nut (ASTM A563). One additional heavy hex nut must be furnished and tack welded for each threaded rod. See "Cast-In-Place & Formed Hole Anchor Bolt Options".
- 8 3/4" Dia heavy hex head anchor bolt (ASTM F3125 Gr A325 or A449) or threaded rod (ASTM A193 Gr B7 or F1554 Gr 105) with one hardened steel washer (ASTM F436) and one regular lock washer placed under heavy hex nut (ASTM A563). One additional heavy hex nut must be furnished and tack welded for each threaded rod. See "Cast-In-Place & Formed Hole Anchor Bolt Options".

Install a minimum of 2 CRT posts with blockouts immediately off the bridge. CRT post as part of a guardrail end treatment may satisfy this requirement.

The use of this railing is restricted to speeds of 45 mph or less.


SHEET 1 OF 2

Texas Department of Transportation		Bridge Division Standard
------------------------------------	--	--------------------------

**TRAFFIC RAIL**


**TYPE T631LS**

REV	REVISION	DATE	BY	CHK	APP
0001	September 2019		LFK	JTB	LFK
NO. OF SHEETS	DATE	SCALE	COUNTY	PROJECT NO.	SHEET NO.
4	6/11/21	1" = 4'-0"	LFK	US 96, ETC.	50



**RAIL DETAILS ON BRIDGE SLAB**

Showing without overlay.






**RAIL SECTION ON ABUTMENT WINGWALL**


Showing without overlay.

DATE: 6/12/2023 11:15:07 AM  
 FILE: T:\LK\2023\Main\Contr\0313\0313.DWG - Roadway Maintenance Contr\0313\122\031313\0313.dwg  
 PROJECT: 031313 - 122 - 031313  
 DRAWING: 031313.dwg  
 SHEET: 50 OF 50  
 SCALE: 1" = 4'-0"

DATE: 04/12/2022 11:15:08 AM  
 FILE: \\NFK02A\mnt\contract\310\_010 - Bountree Maintenance Contract\310\_010 - Bountree Maintenance Contract\310\_010 - Bountree Maintenance Contract.dwg  
 USER: JEFFREY.MCGEE@TDCS.COM  
 PROJECT: 310\_010 - Bountree Maintenance Contract



- 5 See "Rail Details On Bridge Slab" and/or "Rail Section On Abutment Wingwall".
- 6 See "Material Notes" for anchor bolt information.
- 7 Backer PL 1/2 x 8 x 1-3" (ASTM A1011 CS or SS Gr 33, or A1008 CS or SS Gr 33 (11 Gauge acceptable)).
- 8 Used for structures with overlay.
- 9 Used for structures without overlay.
- 10 At the nominal end of the bridge rail for payment, one 3'-4" or 6'-3" W-beam section is permitted in order to achieve the required W-beam splice location on the MBGF.



**MBGF AND END TREATMENT NOTES:**  
 This traffic railing must be anchored by metal beam guard fence (MBGF) and/or guard fence end treatments. Determine MBGF length of need in accordance with the Roadway Design Manual, unless otherwise specified. The minimum MBGF length of need required for anchoring the railing is: SGT or DAT plus 12-ft of MBGF, as applicable. Provide CRT posts as shown in "Roadway Elevation of Rail."

**CONSTRUCTION NOTES:**  
 Faces of rail post must be flush unless otherwise approved by the Engineer. Post must be perpendicular to adjacent roadway grade. Use epoxy mortar under post base plates if gaps larger than 1/8" exist.  
 Fully anchored guardrail must be attached to each end of rail. A metal beam guard fence transition is not used with this rail. At the Contractor's option anchor bolts may be an adhesive anchor system. See "Material Notes".  
 Test adhesive anchors in accordance with Item 455.3.3 "Tests". Test 2 anchors per 100 anchors installed. Perform corrective measures to provide adequate capacity if any of the tests do not meet the required test loads. Repair damage from testing as directed.  
 It is recommended to show a Rail Layout with rail posts and W-beam splices. Fabricator must submit erection drawings to the Engineer for approval.  
 Round or chamfer exposed edges of rail post and backer plate to approximately 1/8" by grinding.  
 Shop drawings are not required for this rail.




**MATERIAL NOTES:**  
 Fabricate all steel components.  
 Anchor bolts for base plate must be 3/4" Dia ASTM F3125 Gr A325 or A449 bolts (or ASTM A193 Gr B7 or F1554 Gr 105 threaded rods with one lock-welded heavy hex nut each) with one hardened steel washer (ASTM F436) and one regular lock washer placed under each heavy hex nut. Nuts must conform to ASTM A563 requirements.  
 Optional adhesive anchorage system must be 3/4" Dia ASTM A193 Gr B7 or F1554 Gr 105 fully threaded rods with one hardened steel washer (ASTM F436) and one regular lock washer placed under each heavy hex nut. Nuts must conform to ASTM A563 requirements. Embed fully threaded rod into slab and/or abutment wingwall using a Type III, Class C, D, E, or F anchor adhesive.  
 Minimum adhesive anchor embedment depth is 4 1/2". Anchor adhesive chosen must be able to achieve a nominal bond strength in tension of a single anchor. No. of 8 kips edge distance must be accounted for. Submit signed and sealed calculations or the manufacturer's published literature showing the proposed anchor adhesive's ability to develop this load to the Engineer for approval prior to use. Anchor installation, including hole size, drilling, and clean out, must be in accordance with Item 450, "Railing."  
 W-beam must meet the requirements of Item 510, "Metal Beam Guard Fence" except as modified in the plans. The Contractor may furnish rail elements of 25'-0" or 12'-6" (Nominal) lengths and a single rail element of 9'-4" 1/2" or 6'-0" (Nominal) length. W-beam must have slotted holes at 3'-1" 1/2".  
 Some part numbers from the "Task Force 13" Guide to Standardized Highway Barrier Hardware have been furnished for quick reference.

**GENERAL NOTES:**  
 This railing has been successfully evaluated by full-scale crash test to meet MASH TL-2 criteria. This railing may be used for speeds of 45 mph and less.  
 This rail is designed to deflect approximately 2' to 2'-6" as it contains and redirects the struck vehicle. This rail may not be installed on top of or behind curbs that project above finished grade, on bridges with expansion joints providing more than 5" movement, on retaining walls, or on grade separations and interchanges.  
 Repairs to impact-damaged post and base plate unit are not permitted. Replace all impact-damaged posts with a new post and base plate unit.  
 Average weight of railing with no overlay: 13 pft total.



SHEET 2 OF 2

		Bridge Division Standard
<b>TRAFFIC RAIL</b>		
<b>TYPE T631LS</b>		
REV	DATE	BY
001	September 2018	JK
002	September 2018	JK
003	September 2018	JK
004	September 2018	JK
005	September 2018	JK
006	September 2018	JK
007	September 2018	JK
008	September 2018	JK
009	September 2018	JK
010	September 2018	JK
011	September 2018	JK
012	September 2018	JK
013	September 2018	JK
014	September 2018	JK
015	September 2018	JK
016	September 2018	JK
017	September 2018	JK
018	September 2018	JK
019	September 2018	JK
020	September 2018	JK
021	September 2018	JK
022	September 2018	JK
023	September 2018	JK
024	September 2018	JK
025	September 2018	JK
026	September 2018	JK
027	September 2018	JK
028	September 2018	JK
029	September 2018	JK
030	September 2018	JK
031	September 2018	JK
032	September 2018	JK
033	September 2018	JK
034	September 2018	JK
035	September 2018	JK
036	September 2018	JK
037	September 2018	JK
038	September 2018	JK
039	September 2018	JK
040	September 2018	JK
041	September 2018	JK
042	September 2018	JK
043	September 2018	JK
044	September 2018	JK
045	September 2018	JK
046	September 2018	JK
047	September 2018	JK
048	September 2018	JK
049	September 2018	JK
050	September 2018	JK
051	September 2018	JK
052	September 2018	JK
053	September 2018	JK
054	September 2018	JK
055	September 2018	JK
056	September 2018	JK
057	September 2018	JK
058	September 2018	JK
059	September 2018	JK
060	September 2018	JK
061	September 2018	JK
062	September 2018	JK
063	September 2018	JK
064	September 2018	JK
065	September 2018	JK
066	September 2018	JK
067	September 2018	JK
068	September 2018	JK
069	September 2018	JK
070	September 2018	JK
071	September 2018	JK
072	September 2018	JK
073	September 2018	JK
074	September 2018	JK
075	September 2018	JK
076	September 2018	JK
077	September 2018	JK
078	September 2018	JK
079	September 2018	JK
080	September 2018	JK
081	September 2018	JK
082	September 2018	JK
083	September 2018	JK
084	September 2018	JK
085	September 2018	JK
086	September 2018	JK
087	September 2018	JK
088	September 2018	JK
089	September 2018	JK
090	September 2018	JK
091	September 2018	JK
092	September 2018	JK
093	September 2018	JK
094	September 2018	JK
095	September 2018	JK
096	September 2018	JK
097	September 2018	JK
098	September 2018	JK
099	September 2018	JK
100	September 2018	JK

THIS STANDARD IS GOVERNED BY THE "TEXAS ENGINEERING PRACTICE ACT". NO WARRANTY OF ANY KIND IS MADE BY TxDOT FOR ANY PURPOSE WHATSOEVER. TxDOT ASSUMES NO RESPONSIBILITY FOR THE CONVERSION OF THIS STANDARD TO OTHER FORMATS OR FOR INCORRECT RESULTS OR DAMAGES RESULTING FROM ITS USE.  
 DATE: 6/15/2022 11:23:20 AM  
 FILE: T:\LK\KDM\Main\Cont\2021\22 P\1018\B11-47-001 - Study MBGF UDA\STDS\BED(28)-19.dgn



- GENERAL NOTES**
- For more detail: See MBSG, SGT, and MBSG Transition standard sheets.
  - Quantities of metal beam guard fence (MBSG) at individual bridge ends are shown elsewhere in plans.
  - Use average daily traffic (ADT) for the current year to determine MBSG length of need in accordance with the Roadway Design Manual unless otherwise specified. Where significant traffic volume growth is anticipated on low volume (0-750 ADT) highways, use length determinations for the higher volume category.
  - MBSG may not be required to shield departure end of bridge unless other obstacles within the horizontal clearance limits or opposing traffic indicate a MBSG consideration.
  - Terminal anchor sections (TAS) are only for downstream end anchorage use, outside the horizontal clearance area of opposing traffic.
  - Direct connection of MBSG (at 6'-3" post spacing without transition) to concrete rail are only for downstream rail connections outside the horizontal clearance area of opposing traffic. (See Detail A)
  - The crown shall be widened to accommodate MBSG. Typically the "front slope" break should be 2'-0" from the back of the MBSG post. This applies to new construction on new alignment or where existing roadway cross section is to be widened to increase roadway width. This does not apply to rehabilitation work where existing roadway crown width is to be retained (See Typical Cross Section of MBSG).
  - For restrictive bridge widths: The MBSG should be properly transitioned from the existing bridge rail to the adjoining MBSG (See MBSG Transition Standard). Metal beam guard fence at these bridge locations shall be flared at the rate of 25:1 or flatter, and be of the length necessary to locate the terminal end at the 2 ft. "maximum" offset from the shoulder edge.
  - Transition length and post spacing will vary depending on the transition type. Transition type will be shown elsewhere in the plans.



All rail elements shall be lapped in the direction of adjacent traffic.

**ONLY FOR USE IN MAINTENANCE REPAIRS.**




Texas Department of Transportation  
 Design Division Standard

**BRIDGE END DETAILS  
 (28" METAL BEAM GUARD FENCE  
 APPLICATIONS TO RIGID RAILS)**


**BED (28) - 19**

FILED: Dec 28 2019	BY: TxDOT	CHK: JLM	DES: BD	APP: JLP
NOVEMBER 2019	CONV: SECT	JOB: 641147	001	US 96, ETC.
REVISIONS	DATE	BY	REASON	SHEET NO.
		LFK	SHELBY	52






DISCLAIMER: This standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or omissions resulting from its use. DATE: 6/15/2022 11:15:10 AM FILE: T:\LK\KDM\Main\Contract\31022\PI\03A\0411-47-001\_SHELBY\_MBF\03A\STD\BED-1.dgn




- GENERAL NOTES**
- For more detail: See GF (31), SGT (31), GF (31)TR, and GF (31)TL2 standard sheets.
  - Quantities of metal beam guard fence (MBGF) at individual bridge ends are as shown in the plans.
  - Use average daily traffic (ADT) for the current year to determine MBGF length of need in accordance with the Roadway Design Manual unless otherwise specified. Where significant traffic volume growth is anticipated on low volume (0-750 ADT) highways, use length determinations for the higher volume category.
  - MBGF may not be required to shield departure end of bridge unless other obstacles within the horizontal clearance limits or opposing traffic indicate a MBGF consideration.
  - Downstream anchor terminals (DAT) are only for downstream end anchorage use, outside the horizontal clearance area of opposing traffic.
  - Direct connection of MBGF to concrete rolls are only for downstream roll connections outside the horizontal clearance area of opposing traffic. (This requires a minimum of three standard line posts plus the DAT terminal, See Detail A)
  - The crown shall be widened to accommodate MBGF. Typically the "front slope" break should be 2'-0" from the back of the MBGF post. This applies to new construction on new alignment or where existing roadway cross section is to be widened to increase roadway width. This does not apply to rehabilitation work where existing roadway crown width is to be retained. (See Typical Cross Section of MBGF).
  - For restrictive bridge widths: The MBGF should be properly transitioned from the existing bridge rail to the adjoining MBGF. (See MBGF Transition Standards). Metal beam guard fence at these bridge location(s) shall be flared at the rate of 25:1 or flatter, and be of the length necessary to locate the terminal end at the 2' ft. "maximum" offset from the shoulder edge in the approach direction.
  - Transition length and post spacing will vary depending on the transition type. Transition type will be shown elsewhere in the plans.
  - A minimum 25' length of MBGF will be required.



Texas Department of Transportation		Design Division Standard	
<b>BRIDGE END DETAILS</b>			
<b>(METAL BEAM GUARD FENCE APPLICATIONS TO RIGID RAILS)</b>			
<b>BED-14</b>			
Plan: BED-14.dgn	Rev: 1/007	Ch: 001	Job: 000
1/007: December 2011	CONT: 1/007	DESIGN: 1/007	STANDARD: 1/007
REVISED SHEET BY:	REVISIONS:	DATE:	BY:
	641147	001	US 96, ETC.
	9357	COUNTY:	SHEET NO.
	LFK	SHELBY	53



**ANCHOR PLATE DETAILS**  
Anchor Plate shown is detailed for one end of one side of rail only. For other side, Anchor Plate must be built opposite hand.




**CONSTRUCTION NOTES:**  
Field verify dimensions before commencing work and ordering materials. Plugging of newly exposed existing bolt holes is not necessary except as stated here in or otherwise indicated on the plans. This work is considered subsidiary to the pertinent bid items.  
Attach the MBGF Transition to the existing parapet using the Anchor Plate assembly and the Three-Beam Terminal Connector. Splice the Three-Beam Terminal Connector to the Three-Beam with the normal 12 connection bolts. Refer to Metal Beam Guard Fence Transition and Metal Beam Guard Fence detail sheets for additional details and information not shown herein.

**MATERIAL NOTES:**  
Fabricate Anchor Plate assembly with steel conforming to either ASTM A36 or A572 Gr 50. Anchor Plate assembly must be free of burrs, sharp edges and weld splatter. Grind edges and corners to a 1/4" fillet or radius. Hot-dip galvanize Anchor Plate assembly in accordance with Item 445, "Galvanizing". Anchor bolts, nuts, and washers must conform to Item 449, "Anchor Bolts".

**GENERAL NOTES:**  
These details are for retrofitting existing rails only, not new construction with a Three-Beam Terminal Connector. Shop drawings are not required for this installation. Payment for materials, fabrication and installation of this assembly are to be included in unit price bid in accordance with Item 540 "MB GF Fen Trans (Anchor Plate)". Estimated weight of a single Anchor Plate assembly, including bolts, nuts, and washers, but not including the Three-Beam Terminal Connector = 190 Lbs.


This sheet is intended as a guide in preparing job-specific details to retrofit existing T202 rails with a Three-Beam terminal connector. This sheet may not be used without modification. The details shown may need to be amended if the exact existing conditions are not covered. In all cases, details and notes not required are to be removed or crossed out. "VOID" added, and the phrase "Not to be used as a standard" removed from the title block. This sheet must be signed, sealed, and dated by a registered Professional Engineer. The effective height of the existing rail (at the Anchor Plate location) above the finished riding surface, as seen by an errant vehicle, must be between 2'0" and 2'4". Alternate methods of retrofit must be used for effective heights beyond these limits. Dimensions of existing rail height (traffic side) should be shown. Particular care should be taken in identifying existing rail conditions and providing for proper Anchor Plate and MBGF Transition positioning.




- The Contractor must verify that locations of bolt holes match those in the Three-Beam Terminal Connector to be installed in that location prior to fabrication of the Anchor Plate assembly and prior to coring bolt holes in the existing T202 parapet.
- If the existing holes are aligned as expected, use the indicated existing 1" diameter hole in the installation of the Anchor Plate assembly and the Three-Beam Terminal Connector.
- If the existing holes are not aligned as expected, holes that cannot be utilized in the installation and are within 3" of a new bolt hole must be filled with epoxy grout prior to coring new holes.
- Drill new 1" diameter holes, each with a 2 1/2" diameter x 1" deep recess, through existing railing parapet. Recesses are only required when pedestrian sidewalks are adjacent to back of rail unless directed otherwise by the Engineer. Holes should be perpendicular to the roadside face of the parapet. Drill holes and recesses with coring type equipment. Percussion drilling is not allowed. Patch spalls, when directed by the Engineer, in accordance with Item 429, "Concrete Structure Repair", at the contractor's expense.
- 7/8" diameter ASTM F3125 Gr A325 Hex Head Anchor Bolts each with 2 x 1 1/2" O.D. washers. Place washer under each head and nut. Provide bolts of sufficient length to extend a minimum of 1/2" beyond nut. Cut excess bolt length and paint cut surface with zinc-rich paint if directed by the Engineer.

Texas Department of Transportation		Bridge Division Standard	
<b>T202 TRANSITION RETROFIT GUIDE</b>			
(NOT TO BE USED AS A STANDARD)			
<b>T202TR</b>			
REV	DATE	BY	CHKD
0001	September 2019	6411	47
0002		001	US 96, ETC.
0003		LFK	SHELBY
			54


DATE: 6/12/2023 11:15:12 AM  
 FILE: \\LFX00A\Maint\_Contractors\0 - Road Line Maintenance Contractors\T202 Transition\MBGF\Anchor Plate\T202 Transition\Anchor Plate.dwg



PLAN




LOCATION DETAILS




SECTION

ROADSIDE ELEVATION

THRIE-BEAM TERMINAL CONNECTION DETAILS



ROADSIDE ELEVATION




SECTION A-A

BRACE PLATE DETAIL

ANCHOR PLATE DETAILS

Anchor Plate shown is detailed for one-end of one side of rail only. For other side, Anchor Plate must be built opposite hand.



INSTALLATION DETAILS

**CONSTRUCTION NOTES:**  
 Field verify dimensions before commencing work and ordering materials.  
 On T2 rail remove any MBGF (W-beam) and attachment hardware from the face of rail if present, prior to installation of new MBGF Transition. Dispose of these materials as directed by the Engineer. Plugging of newly exposed existing bolt holes is not necessary except as stated here in or otherwise indicated on the plans. This work is considered subsidiary to the pertinent bid items.  
 Attach the MBGF Transition to the existing parapet using the Anchor Plate assembly and the Thrie-Beam Terminal Connector. Splice the Thrie-Beam Terminal Connector and Thrie-Beam with the normal T2 connection bolts. Refer to Metal Beam Guard Fence Transition and Metal Beam Guard Fence detail sheets for additional details and information not shown herein.

**MATERIAL NOTES:**  
 Fabricate Anchor Plate assembly with steel conforming to either ASTM A36 or A572 Gr 50. Anchor Plate assembly must be free of burrs, sharp edges and weld spatter. Grind edges and corners to a 1/4" fillet or radius. Hot-dip galvanize Anchor Plate assembly in accordance with Item 445 "Galvanizing". Anchor bolts, nuts, and washers must conform to Item 449, "Anchor Bolts".




**GENERAL NOTES:**  
 These details are for retrofitting existing rails only, not new construction, with a Thrie-Beam Terminal Connector.  
 Shop drawings are not required for this installation. Payment for materials, fabrication, and installation of this assembly are to be included in unit price bid in accordance with Item 602 "Rail (on) Gas-Fire Train (Anchor Plate)".  
 Estimate weight of a single Anchor Plate assembly, including bolts, nuts, and washers, but not including the Thrie-Beam Terminal Connector = 100 Lbs.

This sheet is intended as a guide in preparing job-specific details to retrofit existing T2 or T201 rails with a Thrie-Beam terminal connector. This sheet may not be used without modification. The details shown may need to be amended if the exact existing conditions are not covered. In all cases, details and notes not required are to be removed or crossed out. ("MOD") added, and the phrase "Not to be used as a standard" removed from the title block. This sheet must be signed, sealed, and dated by a registered Professional Engineer. The effective height of the existing rail (at the Anchor Plate location) above the finished riding surface, as seen by an aerial vehicle, must be between 2'-2" and 2'-4". Alternate methods of retrofit must be used for effective heights beyond these limits. Dimensions of existing rail height (traffic side) should be shown. Particular care should be taken in identifying existing rail conditions and providing for proper Anchorage Plate and MBGF transition positioning.





- 1 The Contractor must verify that locations of bolt holes match those in the Thrie-Beam Terminal Connector to be installed in that location, prior to fabrication of Anchor Plate assembly and prior to coring bolt holes in the existing T2/T201 parapet.
- 2 If the existing holes are aligned as expected, use the indicated existing 1" diameter hole in the installation of the Anchor Plate assembly and the Thrie-Beam Terminal Connector.
- 3 If the existing holes are not aligned as expected, holes that cannot be utilized in the installation and are within 3" of a new bolt hole must be filled with epoxy grout prior to coring new holes.
- 4 Drill new 1" diameter holes, each with a 2 1/2" diameter x 1" deep recess, through existing railing parapet. Note that recesses are only required when pedestrian sidewalks are adjacent to back of rail unless directed otherwise by the Engineer. Holes should be perpendicular to the roadside face of the parapet. Drill holes and recesses with coring type equipment. Percussion drilling is not allowed. Patch spalls, when directed by the Engineer, in accordance with Item 429, "Concrete Structure Repair", at the Contractor's expense.
- 5 7 - 3/4" diameter ASTM F3125 Gr A325 Hex Head Anchor Bolts each with 2 - 1" washers. Place washer under each head and nut. Provide bolts of sufficient length to extend a minimum of 1/2" beyond nut. Cut excess bolt length and paint cut surface with zinc-rich paint if directed by the Engineer.

Texas Department of Transportation		Bridge Division Standard	
<b>T2/T201 TRANSITION RETROFIT GUIDE</b>			
(NOT TO BE USED AS A STANDARD)			
<b>T2/T201TR</b>			
REV	DESCRIPTION	DATE	BY
0001	September 2019		
6411	47	001	US 96, ETC.
REV	DATE	BY	REVISION
LFK		SHELBY	55

DATE: 6/12/2022 11:15:13 AM  
 FILE: T:\LK\2022\Main\Contract\31330\_001 - Road Line Maintenance Contract\31330\_001 - Road Line Maintenance Contract\31330\_001.dwg



- ① Maintain 6'-3" Post spacing wherever possible for use with nominal 25'-0" W-beam sections (25'-0 1/2" overall). Symmetry of post spacing is not necessary. A single 7'-6" space followed by a single 5'-3" space is acceptable where necessary to miss joints.
- ② Increase 2" for Structures with Overlay
- ③ Tubular W-Beam Rail Member is to be fabricated from nominal 25'-0" W-Beam sections (25'-0 1/2" overall). Additional post mounting slots are to be made in each member 15" from the standard slots at 6'-3" centers. Top two bottom seams may be continuously welded with 80% penetration. In lieu of intermittent welding shown, Welds must be chipped and cleaned and the complete 27'-3 1/2" tubular member galvanized after fabrication.
- ④ See Section Thru Splice for Washers



**CONSTRUCTION NOTES:**  
 Tubular Rail Member must be extended and connected to at least the first rail embedded post at each end of the structure. More such posts must be used to utilize 25' standard sections. Approach guard fence posts must be spaced at 6'-3" adjacent to the tubular rail since its flexibility is similar to standard metal beam guard fence. Do not install additional posts at 3'-1 1/2" centers. Rail must be extended across all fixed armor joints, stop joints, or span form joints with no change in post spacing or continuity. At expansion armor joints or stop mounting bolts at intervening post must be snugly tightened to allow for rail expansion. An expansion armor joint over 1 1/2", suitably longer splice holes must be provided. Face of rail and posts must be vertical transversely unless otherwise approved by the Engineer. Posts must be perpendicular to adjacent roadway grade. Use epoxy mortar under post base plates if gaps larger than 1/8" exist.

**MATERIAL NOTES:**  
 All steel components except reinforcing must be galvanized unless otherwise shown in plans. Anchor bolts must be 3/4" Dia ASTM A307 Grade A bolts for A56 threaded rods with one top, welded hex nut each with one hex nut and one hardened steel washer on each bolt (1 3/4" O.D. or 2" O.D., as directed by the Engineer). Clipped washers may be used as necessary. Threaded rods may be 0.781" minimum diameter with rolled threads. Nuts must conform to A563 requirements.

**GENERAL NOTES:**  
 This rail was evaluated based on the results of previous crash tests and approved for a NCHRP Report 350 TL-2 rating. The 16 rail is only approved for low speed use, design speeds of 45 mph and less. This railing cannot be used on bridges with expansion joints providing more than 4" movement. Rail anchorage details shown on this standard may require modification for select structure types. See appropriate details elsewhere in plans for these modifications.  
 Payment for this rail must be in increments of 25'. Shop drawings to be submitted to the Engineer for approval are required only for the proposed rail splices at expansion joints greater than 1 1/4" and for rails not requiring shop drawings showing splice locations must be submitted to the Engineer for approval.  
 Average weight of railing (6'-3" Post spacing and no Overlay) = 23 plf.

**DESIGN/REPAIR CRITERIA**  
 The posts of this rail are designed to break away on impact from an errant vehicle. The rail is designed to deflect approx. two to three feet, as it contains and redirects the errant vehicle. This rail may not be installed on top of or behind curbs that obstruct above finished grade. Fully anchored guardrails must be attached to each end of rail. Repairs to impact-damaged post/baseplate units are not permitted. All impact-damaged posts must be replaced with a new post/baseplate unit. This railing is especially suitable for use on bridge with box culverts. The detail sheet titled "Box Culvert Mounting Details for Type T6 Rail, 16-CM" is then required, showing culvert curbs and wingwall modifications and additional reinforcing steel to be included as part of the railing for payment.

The use of this railing is restricted to design speeds of 45 mph or less and to horizontal curves with radius greater than 1000 feet.

Texas Department of Transportation  
 Bridge Division  
**TRAFFIC RAIL**


**TYPE T6**

FILE: F181001.dgn	DATE: 1/20/09	BY: JLR	ON: 1/20/09
PROJECT: 6411-47-001	DESIGNER: LFK	REVISION: 02/23/09-001	SHEET: 33
QUANTITY: POLK	CONTROL: 6233	SECTION: 29	DATE: 05/09

FOR INFORMATIONAL PURPOSES ONLY

"AS BUILT"  
 TYPE T6

STATE:	TX	COUNTY:	SHELBY
CONTRACT:	6411-47	JOB:	GOV
SECTION:	29	DATE:	05/09



**Texas Department of Transportation**  
 Bridge Division

**TRAFFIC RAIL**

**TYPE T101**

FILE: 1151003.dgn	DATE: 11/15/22	DESIGNED: JTB	CHECKED: JTB
PROJECT: 6411-47-001	DATE: 11/15/22	PROJECT NO: 6411-47-001	SHEET: 57
ISSUED: 11/15/22	BY: LFK	REV: 6253-82-001	46
DATE: 11/15/22	BY: MCKENDRICK	REV: 6253-82-001	47

**"AS BUILT" TYPE T101**





TEXAS DEPARTMENT OF TRANSPORTATION

STATE	COUNTY		
TEXAS	LFK SHELBY		
CONT.	SECT.	JOB	HIGHWAY NO.
6411	47	001	35 96, ETC

FOR INFORMATIONAL PURPOSES ONLY




6/15/2022 11:15:29 AM T:\LFPD\MM\TMC\Projects\6411-47-001 - Route Maintenance Contracts\722 Plans\6411-47-001 - Ret by MBF\UAD\Types\T101RC\For Info\0112.dgn



**EXAMPLE "A" RETROFIT WITH PARALLEL WING**  
(Showing 9" high and 8" wide curbs, higher and wider curbs similar)

**EXAMPLE "B" RETROFIT WITH PERPENDICULAR WING**  
(Showing 9" high and 8" wide curbs, higher and wider curbs similar)



- ① Increase by amount of existing overlay/seal coat thickness, not to exceed 2". If thickness of existing overlay/seal coat is greater than 2" of top of rail, taper overlay or 1:10 or flatter slope over the shoulder width to a thickness of 2" or less at top of rail.
- ② Splice may be on either side of bridge rail post web.
- ③ Match existing bridge curb height.
- ④ Cast transition curb 1'-0" into soil or top of concrete approach slab.
- ⑤ Match existing bridge curb face on traffic side of transition curb. Transition curb 8" x 3'-6" taper will remain vertical.
- ⑥ Minimum distance from end of curb or open joint in curb to post centerline is existing curb height without overlay/seal coats, but not less than 9".
- ⑦ Details similar to Example "A" may be used if no existing structure components (like Paving Brackets) interfere with or prevent locating first transition post at 1'-6 3/4" adjacent to first rail post splice on existing structure.



SHEET 1 OF 3

**Texas Department of Transportation**  
Bridge Division

**RETROFIT GUIDE FOR T101 RAIL ON CURBS**

TYPE T101RC (MOD)


FILE: 21318023.dgn	REV: T001	DATE: 04/11/2009	SHEET: 47
PROJECT NO.:	6411-47-001	PROJECT NO.:	6411-47-001
CONTRACT NO.:	6253-82-001	CONTRACT NO.:	6253-82-001
DISTRICT:	LFX	DISTRICT:	LFX
COUNTY:	SHELBY	COUNTY:	SHELBY
SECTION:	6253-82-001	SECTION:	6253-82-001

SHEET 1 OF 3

**"AS BUILT" TYPE T101RC (MOD)**

STATE:	TX	COUNTY:	SHELBY
DISTRICT:	LFX	SECTION:	6253-82-001
CONTRACT NO.:	6411-47-001	PROJECT NO.:	6411-47-001
SHEET NO.:	58	DATE:	04/11/2009

FOR INFORMATIONAL PURPOSES ONLY



Notes: Bridge rail must be attached to the MRF (T101) transition which then attaches to a metal beam guard fence and extends along the embankment. The splice joining the approach guard fence transition to the bridge rail requires 1'-6 3/4\"/>

**CONSTRUCTION NOTES:**  
 Panel lengths of tube members must be attached continuously to a minimum of three posts (except at abutments with expansion joints).  
 Rail Posts must be set perpendicular to adjacent roadway grade. Use epoxy mortar under post base plates if gaps larger than 1/4\"/>

**MATERIAL NOTES:**  
 All steel components except reinforcing must be galvanized unless otherwise shown in plans.

**GENERAL NOTES:**  
 A similar full-height railing (T101) has been evaluated to meet NCHRP Report 350 Test Level 3 (TL-3) criteria. This retrofit railing has been structurally evaluated to have strength equal to or exceeding that of the tested railing. See Traffic Rail Type T101 standard for details and notes not shown herein. Using this sheet with the T101 standard, note that anchor bolts, ball expansion nuts, base plate and post lengths are not used as shown on the T101 standard. This sheet replaces or omits some items on the T101 standard.  
 All bolts, nuts, washers, adhesive anchors, reinforcement, and transition curb concrete are considered as parts of the rail for payment.  
 Erection drawings showing panel lengths, splice locations, post spacing, anchor bolt locations and adhesive anchor test data to demonstrate pullout strength must be submitted to the Engineer for approval. Shop drawings will not be required.  
 Avg weight with no overlay increase and w/ 11\"/>



4-11-13

SHEET 2 OF 3

Texas Department of Transportation  
**RETROFIT GUIDE FOR T101 RAIL ON CURBS**

**TYPE T101RC (MOD)**

FILE #	1518023.dgn	REV	1/001	DATE	1/001	BY	JTB	CHK	JMB
DATE	10/11/2009	REVISION		PROJECT NO.		SHEET			
WORKBOOK	LFK	PROJECT	RMC 6253-82-001	48					
		ISSUED	ISSUED	DATE	ISSUED	DATE	ISSUED	DATE	ISSUED
		MODIFIED	6253.82.001.9.11						

- 1 Increase by amount of existing overlay/seal coat thickness, not to exceed 2". If thickness of existing overlay/seal coat is greater than 2" at toe of rail, taper overlay at a 1:10 or flatter slope over the shoulder width to a thickness of 2" or less at toe of rail.
- 2 Splice may be on either side of bridge rail post web.
- 3 Match existing bridge curb height.
- 4 Cast transition curb 1'-0" into soil.
- 5 Match existing bridge curb face on traffic side of transition curb. Transition curb 8" x 1'-6" taper will remain vertical.
- 6 Minimum distance from end of curb or open joint in curb to post centerline is existing curb height without overlay/seal coats, but not less than 3".
- 7 Remove all existing structure area from top of existing curb. Cut and grind all existing reinforcing extending from top of existing curb. Flush and paint ends with two coats of zinc-rich paint conforming to the item "Galvanizing".

6/15/2022 11:51:35 AM  
 T:\LFCD\DM\Print Contracts\DRMC - Routine Maintenance Contracts\722 Plans\6411-47-001 - Shelby MRF UDM\TYPE T101RC For Info\DM 13.dgn

FOR INFORMATIONAL PURPOSES ONLY


SHEET 2 OF 3

**"AS BUILT"  
 TYPE T101RC  
 (MOD)**


TEXAS DEPARTMENT OF TRANSPORTATION  
 © 2002

PROJECT NO.	6411-47-001	SHEET	59
STATE	TEXAS	COUNTY	SHELBY
CONTRACT	6411-47	JOB	GOV 35 96, ETC

6/15/2022 11:51:41 AM T:\LF\DDM\Highway Contracts\DRMC - Route Maintenance Contracts\722 Plans\6411-47-001 - Shelby M&F UOAN\Typeset\T101RCForInfo\001\1.dgn




**SECTION A-A OF 9" HIGH CURBS**  
(Showing example of 8" Min width curb, wider curbs similar)




**OPTIONAL 9" HIGH CURB BASE PLATE DETAIL**  
(Bend one piece base plate)

- 1 Increase by amount of existing overlay/seal coat thickness, not to exceed 2". If thickness of existing overlay/seal coat is greater than 2" at toe of rail, taper overlay at a 1:10 or less at toe of rail.
- 2 See elsewhere in plans for dimensions (curb width and height, slope and overlay thickness). Slope of curb may differ from what is shown. Adjust base plate as necessary to conform to curb face geometry.
- 3 1/2" Bolt Projection (Typ).
- 4 In lieu of front flange weld shown, a 3/8" fillet weld all around including edges of flange may be used.
- 5 Remove existing rolling (including posts), cut and grind anchor bolts flush and point ends with two coats of zinc-rich paint conforming to the item "galvanizing".
- 6 Complete joint penetration weld. Optional one piece base plate may be used. See "Optional 9" High Curb Base Plate Detail".




**SECTION A-A OF 11" & 12" HIGH CURBS**  
(Showing example of 8" Min width curb, wider curbs similar)




**OPTIONAL 11" & 12" HIGH CURB BASE PLATE DETAIL**  
(Bend one piece base plate)

- 4 Note size, hole cleaning and other installation requirements must conform to manufacturer's instructions. Use a Type III Class 2 epoxy.
- 5 Complete joint penetration weld. Optional one piece base plate may be used. See "Optional 11" & 12" High Curb Base Plate Detail".
- 6 On 11" Curbs, Posts are 1'-3 1/4". On 12" Curbs, Posts are 1'-2 1/4".
- 7 Complete joint penetration weld. Optional one piece base plate may be used. See "Optional 18" High Curb Base Plate Detail".
- 8 See T101 standard for details and notes not shown.
- 9 This retrofit condition will only accommodate one top HSS 4 x 3 member under rib-deck.
- 10 See T101 standard for post spacing, unless shown otherwise.



**SECTION A-A OF 18" HIGH CURBS**  
(Showing example of 8" Min width curb, wider curbs similar)



**OPTIONAL 18" HIGH CURB BASE PLATE DETAIL**  
(Bend one piece base plate)

- 1 Increase by amount of existing overlay/seal coat thickness, not to exceed 2". If thickness of existing overlay/seal coat is greater than 2" at toe of rail, taper overlay at a 1:10 or less at toe of rail.
- 2 See elsewhere in plans for dimensions (curb width and height, slope and overlay thickness). Slope of curb may differ from what is shown. Adjust base plate as necessary to conform to curb face geometry.
- 3 1/2" Bolt Projection (Typ).
- 4 In lieu of front flange weld shown, a 3/8" fillet weld all around including edges of flange may be used.
- 5 Remove existing rolling (including posts), cut and grind anchor bolts flush and point ends with two coats of zinc-rich paint conforming to the item "galvanizing".
- 6 Complete joint penetration weld. Optional one piece base plate may be used. See "Optional 9" High Curb Base Plate Detail".



SHEET 3 OF 3

Texas Department of Transportation  
Bridge Division

**RETROFIT GUIDE FOR  
T101 RAIL ON CURBS**

**TYPE T101RC (MOD)**

PLAN: 6/15/2022.dgn	REV: T1002	REV: T1001	REV: JOB	REV: JOB
DATE: April 2009	DISTRICT: LFK	PROJECT NO.: RMC 6411-47-001	SHEET: 49	
REVISIONS:		DATE:	DESCRIPTION:	
		6/25/21	82-001 9/1, 1/E	

FOR INFORMATIONAL PURPOSES ONLY

SHEET 3 OF 3

**"AS BUILT"  
TYPE T101RC  
(MOD)**

TEXAS DEPARTMENT OF TRANSPORTATION			
STATE:	6	PROJECT NO.:	RMC 6411-47-001
COUNTY:	LFK	QUANTITY:	60
CONTRACT:	6411-47	JOB:	05 96, ETC

DISCLAIMER: This document is governed by the Texas Engineering Practice Act. No portion of any contract or agreement shall be construed to alter the provisions of this Act. The use of this standard is governed by the Texas Engineering Practice Act. No portion of any contract or agreement shall be construed to alter the provisions of this Act. FILED IN LFK004A Maint. Contract 15/12/2015 11:15:48 AM

**I. STORMWATER POLLUTION PREVENTION-CLEAN WATER ACT SECTION 402**

TPDES TXR 150000: Stormwater Discharge Permit or Construction General Permit required for projects with 1 or more acres disturbed soil. Projects with any disturbed soil must protect for erosion and sedimentation in accordance with Item 506.  
List MS4 Operator(s) that may receive discharges from this project. They may need to be notified prior to construction activities.

No Action Required  Required Action

1. The proposed work of this project consists of metal beam guard fence at various locations in Sabine County.  
This activity maintains the original line and grade, hydraulic capacity, and original purpose of the site. Therefore, this project meets the definition of a routine maintenance activity as defined in the TPDES General Permit No. TXR150000 issued March 5, 2018 and TCEQ's TPDES CDP does not apply.

**II. WORK IN OR NEAR STREAMS, WATERBODIES AND WETLANDS CLEAN WATER ACT SECTIONS 401 AND 404**

USACE Permit required for filling, dredging, excavating or other work in any water bodies, rivers, creeks, streams, wetlands or wet areas.  
The Contractor must adhere to all of the terms and conditions associated with the following permit(s):

- No Permit Required
- Nationwide Permit 14 - PCN not Required (less than 1/10th acre waters or wetlands affected)
- Nationwide Permit 14 - PCN Required (1/10 to <1/2 acre, 1/3 in tidal waters)
- Individual 404 Permit Required
- Other Nationwide Permit Required: NWP# \_\_\_\_\_

Required Actions: List waters of the US permit applies to, location in project and check Best Management Practices planned to control erosion, sedimentation and post-project TSS.

The elevation of the ordinary high water marks of any areas requiring work to be performed in the waters of the US requiring the use of a nationwide permit can be found on the Bridge Layouts.

**Best Management Practices:**

<b>Erosion</b>	<b>Sedimentation</b>	<b>Post-Construction TSS</b>
<input type="checkbox"/> Temporary Vegetation	<input type="checkbox"/> Silt Fence	<input type="checkbox"/> Vegetative Filter Strips
<input type="checkbox"/> Blankets/Matting	<input type="checkbox"/> Rock Berm	<input type="checkbox"/> Retention/Irrigation Systems
<input type="checkbox"/> Mulch	<input type="checkbox"/> Triangular Filter Dike	<input type="checkbox"/> Extended Detention Basin
<input type="checkbox"/> Seeding	<input type="checkbox"/> Sand Bag Berm	<input type="checkbox"/> Constructed Wetlands
<input type="checkbox"/> Interceptor Swale	<input type="checkbox"/> Straw Bale Dike	<input type="checkbox"/> Wet Basin
<input type="checkbox"/> Diversion Dike	<input type="checkbox"/> Brush Berms	<input type="checkbox"/> Erosion Control Compost
<input type="checkbox"/> Erosion Control Compost	<input type="checkbox"/> Erosion Control Compost	<input type="checkbox"/> Mulch Filter Berm and Socks
<input type="checkbox"/> Mulch Filter Berm and Socks	<input type="checkbox"/> Mulch Filter Berm and Socks	<input type="checkbox"/> Compost Filter Berm and Socks
<input type="checkbox"/> Compost Filter Berm and Socks	<input type="checkbox"/> Compost Filter Berm and Socks	<input type="checkbox"/> Vegetation Lined Ditches
	<input type="checkbox"/> Stone Outlet Sediment Traps	<input type="checkbox"/> Sand Filter Systems
	<input type="checkbox"/> Sediment Basins	<input type="checkbox"/> Grassy Swales

**III. CULTURAL RESOURCES**

Refer to TxDOT Standard Specifications in the event historical issues or archeological artifacts are found during construction. Upon discovery of archeological artifacts (bones, burnt rock, flint, pottery, etc.) cease work in the immediate area and contact the Engineer immediately.

No Action Required  Required Action

1.

**IV. VEGETATION RESOURCES**

Preserve native vegetation to the extent practical.  
Contractor must adhere to Construction Specification Requirements Specs 162, 164, 192, 193, 506, 730, 751, 752 in order to comply with requirements for invasive species, beneficial landscaping, and tree/brush removal commitments.

No Action Required  Required Action

Action No.

1. N/A

**V. FEDERAL LISTED, PROPOSED THREATENED, ENDANGERED SPECIES, CRITICAL HABITAT, STATE LISTED SPECIES, CANDIDATE SPECIES AND MIGRATORY BIRDS.**

If any of the listed species are observed, cease work in the immediate area, do not disturb species or habitat and contact the Engineer immediately.

No Action Required  Required Action

Action No.

1. In order to maintain compliance with Chapter 64 of the Texas Parks and Wildlife Code and Migratory Bird Treaty Act (MBTA), ROW clearing activities shall be conducted outside of the nesting season (March 15 to September 15). In the event birds or active nests (eggs and/or nestlings present) are encountered, contact the area engineer prior to conducting work.

2. Red-cockaded Woodpecker (federally listed endangered species) habitat adjacent to the ROW along FM 2261 and FM 3184. Conservation measures have been agreed upon by the United States Fish and Wildlife Service and TxDOT to ensure that the proposed action will not adversely affect the red-cockaded woodpecker. The conservation measures below must be followed in order to be in compliance with the Endangered Species Act:

1. NO WORK shall be performed on FM 2261 from CR 2821 to FR 126 and on FM 3184 from CR 2791 to the end of FM 3184 from April 1 to July 31.
2. Work shall begin one hour after sunrise and cease one hour before sunset.
3. No STOCKPILES or EQUIPMENT STORAGE shall be allowed along or within the ROW along FM 2261 and FM 3184.

**LIST OF ABBREVIATIONS**

BMP: Best Management Practice	SPCC: Spill Prevention Control and Countermeasures
CGP: Construction General Permit	SWP3: Storm Water Pollution Prevention Plan
DSHS: Texas Department of State Health Services	PN: Pre-Construction Notification
FHWA: Federal Highway Administration	PSL: Project Specific Location
MOA: Memorandum of Agreement	TCEQ: Texas Commission on Environmental Quality
MOU: Memorandum of Understanding	TDES: Texas Pollutant Discharge Elimination System
MS4: Municipal Separate Stormwater Sewer System	TPWD: Texas Parks and Wildlife Department
MBTA: Migratory Bird Treaty Act	TxDOT: Texas Department of Transportation
NOI: Notice of Intent	TLE: Threatened and Endangered Species
NWP: Nationwide Permit	USACE: U.S. Army Corps of Engineers
NOI: Notice of Intent	USFWS: U.S. Fish and Wildlife Service

**VI. HAZARDOUS MATERIALS OR CONTAMINATION ISSUES**

General applies to all projects!  
Comply with the Hazard Communication Act (the Act) for personnel who will be working with hazardous materials by conducting safety meetings prior to beginning construction and making workers aware of potential hazards in the workplace. Ensure that all workers are provided with personal protective equipment appropriate for any hazardous materials used. Obtain and keep on-site Material Safety Data Sheets (MSDS) for all hazardous products used on the project, which may include, but are not limited to the following categories: Paints, acids, solvents, asphalt products, chemical additives, fuels and concrete curing compounds or additives. Provide protected storage, off bare ground and covered, for products which may be hazardous. Maintain product labeling as required by the Act. Maintain an adequate supply of on-site spill response materials, as indicated in the MSDS. In the event of a spill, take actions to mitigate the spill as indicated in the MSDS. In accordance with safe work practices, and contact the District Spill Coordinator immediately. The Contractor shall be responsible for the proper containment and cleanup of all product spills.

Contact the Engineer if any of the following are detected:  
\* Dead or distressed vegetation (not identified as normal)  
\* Trash piles, drums, canister, barrels, etc.  
\* Undesirable smells or odors  
\* Evidence of leaching or seepage of substances

Does the project involve any bridge class structure rehabilitation or replacements (bridge class structures not including box culverts)?  
 Yes  No

If "No", then no further action is required.  
If "Yes", then TxDOT is responsible for completing asbestos assessment/inspection.  
Are the results of the asbestos inspection positive (is asbestos present)?  
 Yes  No

If "Yes", then TxDOT must retain a DSHS licensed asbestos consultant to assist with the notification, develop abatement/mitigation procedures, and perform management activities as necessary. The notification form to DSHS must be postmarked at least 15 working days prior to scheduled demolition.

If "No", then TxDOT is still required to notify DSHS 15 working days prior to any scheduled demolition.  
In either case, the Contractor is responsible for providing the details for abatement activities and/or demolition with careful coordination between the Engineer and asbestos consultant in order to minimize construction delays and subsequent claims.  
Any other evidence indicating possible hazardous materials or contamination discovered on site. Hazardous Materials or Contamination Issues Specific to this Project:

No Action Required  Required Action

Action No.

1. N/A

**VII. OTHER ENVIRONMENTAL ISSUES**

(includes regional issues such as Edwards Aquifer District, etc.)

No Action Required  Required Action

Action No.

1. If work is located within the Sabine National Forest, notify the National Forest prior to starting work.

		Design Division Standard
<b>EPIC</b> <b>(ENVIRONMENTAL PERMITS, ISSUES AND COMMITMENTS)</b>		
SHEET 1 OF 1		
FILES: 10/11/2015	REVISED: 02/01/2015	DATE: 02/01/2015
PROJECT: 641147	JOB: 001	US 96, ETC.
SECTION: 01ST	COUNTY: LFK	SHEET NO: 61