

SEE SHEET 2 FOR INDEX OF SHEETS

STATE OF TEXAS DEPARTMENT OF TRANSPORTATION

| | | | |
|---------------------------|-----------------------------|----------|----------------|
| FHWA TEXAS DIVISION | PROJECT NO. F 2022 (449) | | SHEET NO. 1 |
| STATE | DISTRICT | COUNTY | |
| TEXAS | LFK | ANGELINA | |
| CONTROL | SECTION | JOB | HIGHWAY NO. |
| 0911 | 00 | 122 | VA |

PLANS OF PROPOSED STATE HIGHWAY IMPROVEMENT

PROJECT NO. F 2022 (449)

VARIOUS ANGELINA COUNTY

FINAL PLANS

LETTING DATE: _____
 DATE CONTRACTOR BEGAN WORK: _____
 DATE WORK WAS COMPLETED: _____
 DATE WORK WAS ACCEPTED: _____
 FINAL CONTRACT COST: \$ _____
 CONTRACTOR: _____

CONSTRUCTION WORK ON THIS PROJECT WAS PERFORMED IN ACCORDANCE WITH PLANS, CONTRACT AND APPROVED CHANGE ORDERS.

_____ DATE _____

LIMITS: VARIOUS LOCATIONS DISTRICTWIDE

FOR THE CONSTRUCTION OF BRIDGE MAINTENANCE
CONSISTING OF BRIDGE REPAIR MAINTENANCE



SEE SHEET 3-5 FOR LOCATION MAP

BARRICADES AND WARNING SIGNS

PROVIDE AND ERECT BARRICADES AND WARNING SIGNS IN ACCORDANCE WITH THE BARRICADE & CONSTRUCTION STANDARDS, TCP STANDARDS, THE "TEXAS MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES" AND AS DIRECTED.



NO EXCEPTIONS, NO EQUATIONS
 RAILROADS CROSSINGS:
 SL 287 & US 59 @ UPRR
 SL 287 @ FM 324 & SPRR
 FM 2609 @ UPRR & BONITA CREEK
 SH 21 @ BNSF & AYISH BAYOU & CITY ST

© 2022 BY TEXAS DEPARTMENT OF TRANSPORTATION ALL RIGHTS RESERVED

RECOMMENDED FOR LETTING: 1/27/2022
 APPROVED FOR LETTING: 1/27/2022

DocuSigned by:


 AF852E728AEC4C0
 DISTRICT DESIGN ENGINEER

DocuSigned by:

 F044211639424B4...
 DISTRICT ENGINEER

SPECIFICATIONS ADOPTED BY THE TEXAS DEPARTMENT OF TRANSPORTATION ON NOVEMBER 1, 2014 AND SPECIFICATION ITEMS LISTED AND DATED AS FOLLOWS, SHALL GOVERN ON THIS PROJECT: REQUIRED CONTRACT PROVISIONS FOR ALL FEDERAL-AID CONSTRUCTION CONTRACTS (FORM FHWA 1273, MAY 2012).

FILE: \\ttdot\projectwiseonline.com\TXDOT3\Documents\11 - LFK\Design Projects\091100122\4 - Design\Plan Set\1. General\001 TITLE SHEET.dgn
 DATE: 1/14/2022 8:54:51 AM



THE STANDARD SHEETS SPECIFICALLY IDENTIFIED BY * HAVE BEEN SELECTED BY ME OR UNDER MY RESPONSIBLE SUPERVISION AS BEING APPLICABLE TO THIS PROJECT.

DocuSigned by:
Elizabeth Ortego, P.E. 2/1/2022
 ELIZABETH A. ORTEGO, P.E. DATE

SHEET DESCRIPTION

GENERAL

- 1 TITLE SHEET
- 2 INDEX OF SHEETS
- 3-5 LOCATION MAP
- 6, 6A-6B GENERAL NOTES
- 7 ESTIMATE & QUANTITY SHEET
- 8-9 QUANTITY SUMMARIES

TRAFFIC CONTROL PLAN

- # 10-21 BC (1)-21 THRU BC (12)-21
- # 22 TCP (1-1)-18
- # 23 TCP (1-2)-18
- # 24 TCP (1-3)-18
- # 25 TCP (2-1)-18
- # 26 TCP (2-2)-18
- # 27 TCP (2-3)-18
- # 28 TCP (2-4)-18
- # 29 WZ (BRK) -13
- # 30 WZ (RS) -16

BRIDGES

- 31-77 BRIDGE LAYOUTS
- 78 PILE ENCASEMENT DETAILS
- 79 CLEANING AND SEALING EXISTING BRIDGE JOINTS
- # 80 CONCRETE RIPRAP DETAILS (LUFKIN DISTRICT STANDARD)

ENVIRONMENTAL ISSUES

- 81 TXDOT SWP3 INDEX
- 82-83 EPIC
- # 84 EC (1)-16

RAILROAD


- 85-88 RAILROAD SCOPE OF WORK
- 89-90 RAILROAD REQUIREMENTS FOR NON-BRIDGE CONSTRUCTION PROJECTS

2/1/2022 2:49:57 PM pw: \\txdot\projectwiseonline.com: TXDOT3\Documents\11 - LFK\Design Projects\091100122\4 - Design\Plan Set\1. General\002 INDEX OF SHEETS.dgn

INDEX OF SHEETS

| | | | |
|---|----------|-----|-----------|
| TEXAS DEPARTMENT OF TRANSPORTATION ©2022 | | | |
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | | SHEET NO. |
| LFK | ANGELINA | | 2 |

2/1/2022 5:29:21 PM
 pw: \\twdot\projectwiseonline.com: TXDOT3\Documents\11 - LFK\Design Projects\0911001224 - Design\Plan Set\1. General\LOCATION MAP.dgn




| SITE | COUNTY | STRUCTURE ID | LATITUDE | LONGITUDE | LOCATION |
|------|-------------|----------------------|-------------|-------------|-------------------------------|
| D | ANGELINA | 11-003-0-0319-04-049 | 31.33592388 | -94.7468854 | SH 94 @ CEDAR CREEK |
| E | ANGELINA | 11-003-0-0336-03-009 | 31.37051451 | -94.8041847 | SH 103 @ JACK CREEK TRIBUTARY |
| F | ANGELINA | 11-003-0-1675-01-002 | 31.331352 | -94.529996 | FM 1669 @ LINSTON CREEK |
| G | ANGELINA | 11-003-0-1675-01-003 | 31.30391186 | -94.5613373 | FM 1669 @ ODELL CREEK |
| I | ANGELINA | 11-003-0-2553-01-007 | 31.36222562 | -94.700197 | LP 287 & US 59 @ UPRR |
| K | ANGELINA | 11-003-0-2553-01-081 | 31.30915753 | -94.742497 | LP 287 @ FM 324 & SPRR |
| M | ANGELINA | 11-003-0-3219-02-001 | 31.35325296 | -94.7974484 | FM 3150 @ JACK CREEK |
| N | ANGELINA | 11-003-0-3418-01-001 | 31.30406153 | -94.7558022 | FM 1336 @ CEDAR CREEK |
| X | NACOGDOCHES | 11-174-0-0706-03-020 | 31.6916594 | -94.4378625 | FM 95 @ TURKEY CREEK |
| Y | NACOGDOCHES | 11-174-0-0893-01-008 | 31.383329 | -94.434534 | FM 226 @ DURAZNO CREEK |
| Z | NACOGDOCHES | 11-174-0-1810-02-006 | 31.59654042 | -94.879022 | FM 225 @ LEGG CREEK |
| AA | NACOGDOCHES | 11-174-0-2300-01-002 | 31.666389 | -94.713889 | FM 343 @ MORRAL CREEK |
| AB | NACOGDOCHES | 11-174-0-2560-02-013 | 31.65220721 | -94.6420146 | LP 224 @ LA NANA CREEK |
| AC | NACOGDOCHES | 11-174-0-2590-01-002 | 31.631867 | -94.657142 | FM 2609 @ UPRR & BONITA CREEK |
| AD | NACOGDOCHES | 11-174-0-2639-01-001 | 31.62066429 | -94.6348753 | FM 1411 @ BURROWS BRANCH |
| AE | NACOGDOCHES | 11-174-0-2808-02-001 | 31.49524985 | -94.7214765 | FM 2782 @ BLACK BAYOU |

LOCATION MAP

LOCATION MAP FOR ANGELINA
 AND NACOGDOCHES COUNTIES
 NOT TO SCALE

| | | | |
|--|----------|-----------|---------|
| TEXAS DEPARTMENT OF TRANSPORTATION ©2022 SHEET 1 OF 3 | | | |
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | SHEET NO. | |
| LFK | ANGELINA | 3 | |

2/1/2022 5:29:23 PM
 pw:\xdot\project\wisonline.com:TXDOT3\Documents\11 - LFK\Design Projects\0911001224 - Design\Plan Set\1. General\LOCATION MAP.dgn



| SITE | COUNTY | STRUCTURE ID | LATITUDE | LONGITUDE | LOCATION |
|------|---------------|----------------------|-------------|-------------|------------------------------------|
| AS | SABINE | 11-202-0-0304-04-062 | 31.25371424 | -93.7989879 | SH 87 @ CONNER CREEK |
| AT | SABINE | 11-202-0-2197-01-003 | 31.192070 | -93.84943 | FM 2343 @ BRUSHY CREEK |
| AW | SAN AUGUSTINE | 11-203-0-0118-10-076 | 31.530208 | -94.116452 | SH 21 @ RR & AYISH BAYOU & CITY ST |
| AX | SAN AUGUSTINE | 11-203-0-1680-03-011 | 31.30343305 | -94.086129 | FM 1751 @ BOBBITT CREEK |
| AY | SAN AUGUSTINE | 11-203-0-0597-02-005 | 31.43063172 | -94.2540811 | FM 1277 @ SANDY CREEK |
| AZ | SAN AUGUSTINE | 11-203-0-0597-02-007 | 31.4078743 | -94.2868779 | FM 1277 @ SPEAR CREEK |
| BA | SAN AUGUSTINE | 11-203-0-0597-02-010 | 31.51852045 | -94.1528093 | FM 1277 @ PERKINS CREEK |
| BB | SAN AUGUSTINE | 11-203-0-1680-02-004 | 31.48219415 | -94.116123 | FM 2213 @ DRAW |
| BD | SHELBY | 11-210-0-0175-04-011 | 31.91918368 | -94.3429686 | US 59 @ FLAT FORK CREEK |
| BF | SHELBY | 11-210-0-0743-02-001 | 31.79446557 | -94.1917347 | FM 138 @ DRAW |


LOCATION MAP

LOCATION MAP FOR SHELBY, SAN AUGUSTINE
 AND SABINE COUNTIES
 NOT TO SCALE

TEXAS DEPARTMENT OF TRANSPORTATION
 ©2022 SHEET 2 OF 3

| | | | |
|------|----------|-----------|---------|
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | SHEET NO. | |
| LFK | ANGELINA | 4 | |

2/1/2022 5:29:24 PM
 pw: \\tcdot\project\wiseonline.com:TXDOT3\Documents\11 - LFK\Design Projects\0911001224 - Design\Plan Set\1 - General\LOCATION MAP.dgn



| SITE | COUNTY | STRUCTURE ID | LATITUDE | LONGITUDE | LOCATION |
|------|---------|----------------------|-------------|-------------|---------------------------------|
| O | HOUSTON | 11-114-0-0109-03-004 | 31.43304497 | -95.4752636 | US 287 @ MAYES BRANCH |
| P | HOUSTON | 11-114-0-0336-01-044 | 31.37038393 | -95.1690536 | SH 7 @ E FORK OF COCHINO BAYOU |
| Q | HOUSTON | 11-114-0-0340-04-015 | 31.34836212 | -95.5127281 | FM 229 @ HURRICANE BAYOU RELIEF |
| S | HOUSTON | 11-114-0-0939-01-002 | 31.30774745 | -95.2982598 | FM 232 @ PEACHTREE CREEK |
| T | HOUSTON | 11-114-0-0940-01-005 | 31.3487097 | -95.1517341 | FM 357 @ WALLACE CREEK |
| U | HOUSTON | 11-114-0-1676-02-002 | 31.14177944 | -95.4989716 | FM 1280 @ TANTABOGUE CREEK |
| V | HOUSTON | 11-114-0-2324-01-001 | 31.28561372 | -95.445626 | FM 2712 @ GAIL CREEK TRIBUTARY |
| AF | POLK | 11-187-0-0176-04-046 | 31.00714462 | -94.8249092 | US 59 @ BEAR CREEK |
| AH | POLK | 11-187-0-0177-01-036 | 30.66577019 | -94.948951 | US 59 @ CROOKED CREEK |
| AJ | POLK | 11-187-0-0929-01-003 | 31.01279124 | -94.7898297 | FM 352 @ CREEDS CREEK |
| AK | POLK | 11-187-0-0929-01-006 | 30.99194358 | -94.7435861 | FM 352 @ BEAVER CREEK |
| AL | POLK | 11-187-0-0929-01-010 | 31.01238679 | -94.7626493 | FM 352 @ BOGGY SLOUGH |
| AM | POLK | 11-187-0-1193-01-012 | 30.91554304 | -94.7335432 | FM 942 @ DRAW |
| BH | TRINITY | 11-228-0-0109-07-047 | 31.06198489 | -95.423702 | SH 19 @ TANTABOGUE SLOUGH |
| BI | TRINITY | 11-228-0-0931-04-025 | 31.18675516 | -95.2179787 | FM 358 @ BROWNLEE CREEK |
| BJ | TRINITY | 11-228-0-2963-02-001 | 31.052233 | -95.138228 | FM 2912 @ DRAW |

LOCATION MAP

LOCATION MAP FOR HOUSTON, POLK
 AND TRINITY COUNTIES
 NOT TO SCALE

| | | | |
|--|----------|-----|-----------|
| TEXAS DEPARTMENT OF TRANSPORTATION ©2022 SHEET 3 OF 3 | | | |
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | | SHEET NO. |
| LFK | ANGELINA | | 5 |

GENERAL NOTES:

PROJECT DESCRIPTION: This project consists of Bridge Maintenance consisting of Steel Pile Encasements for bridge 11-003-0-1675-01-002 at Linston Creek in Angelina County.

Existing regulatory, warning and guide signs within project limits are to remain visible to the traveling public at all times. If a sign must be repositioned during construction operations, move and install the sign to an approved location. Use care when working near existing signs and repair or replace signs damaged by work operations. All work involved repositioning existing signs will be subsidiary to various bid items.

Furnish materials and make repairs to the existing roadway at any location damaged by construction operations. This work shall be done in an approved manner and will be subsidiary to various bid items.

Ensure drainage structures and outfall channels constructed on this project are free of silt and debris at the time of project acceptance. Final clean out work will be subsidiary to various bid items.

Maintain adequate surface drainage throughout the project limits during all phases of construction.

Provide suitable access at all times to adjacent businesses, private property and side roads.

Remove dirt, silt, rocks, debris and other foreign matter that accumulates in structures due to the Contractor's operations as directed. Keep stream channels open at all times. This work will not be paid for directly, but will be subsidiary to pertinent Items.

Contractor questions on this project are to be addressed to the following individual(s):

Matt Brazil, Interim Area Engineer – Matt.Brazil@txdot.gov

Randal Cooper, Asst. Area Engineer – Randal.Cooper@txdot.gov

Contractor questions will be accepted through email, phone, and in person by the above individuals.

All contractor questions will be reviewed by the Engineer. Once a response is developed, it will be posted to TxDOT's Public FTP at the following Address:

<https://ftp.dot.state.tx.us/pub/txdot-info/Pre-Letting%20Responses/>

All questions submitted that generate a response will be posted through this site. The site is organized by District, Project Type (Construction or Maintenance), Letting Date, CCSJ/Project Name.

The contractor's attention is directed to the EPIC sheet included in this plan set for Environmental Issues and Commitments.

PROJECT MOWING

Mow at locations where contract work, equipment or stockpiles conflict with TxDOT's mowing operations. Mowing will not be measured or paid for directly, but will be subsidiary to various bid items.

ITEM 5: CONTROL OF THE WORK

In the event utility lines needing unforeseen adjustments are encountered during construction operations, alter operations and continue to prosecute the contract in such a manner that will allow utility adjustments to be made by others. An extension of working time may be granted for any delays caused by the utility adjustments if deemed necessary.

Precast Alternate Proposals.

When a precast or cast-in-place concrete element is included in the plans, a precast concrete alternate may be submitted in accordance with "Standard Operating Procedure for Alternate Precast Proposal Submission" found online at <https://www.txdot.gov/inside-txdot/forms-publications/consultants-contractors/publications/bridge.html#design>.

Acceptance or denial of an alternate is at the sole discretion of the Engineer. Impacts to the project schedule and any additional costs resulting from the use of alternates are the sole responsibility of the Contractor.

ITEM 7: LEGAL RELATIONS AND RESPONSIBILITIES

No significant traffic generator events identified.

The total disturbed area shown in the plans is less than 1 acre. The disturbed area in the plans and the contractor project specific locations (PSLS) within 1 mile of the project limits for the contract, will further establish the authorization requirements for storm water discharges. As the disturbed area including PSLS is less than 1 acre, the TPDES CGP does not apply, however, the contractor shall place BMP's as directed. If the total area disturbed shown in the plans and PSLS with 1 mile of the projection limits exceeds 1 acre, the engineer will develop an SWP3 site plan and post a small construction site notice for the construction activities.

TXR150000 issued March 5, 2018 and TCEQ's TPDES CGP does not apply. However, the contractor shall place BMP's as directed.

Burning locations must be approved by the Engineer prior to beginning. Burning activities must be conducted in compliance with Texas Commission on Environmental Quality (TCEQ) regulations. Notify the Engineer when burning activities will take place.

In order to maintain compliance with Chapter 64 of the Texas Parks and Wildlife Code and Migratory Bird Treaty Act (MBTA), construction activities that may affect nests (i.e. tree removal, tree limbing, bridge work) shall be conducted outside of the nesting season (March 15 to September 15). In the event birds or active nests (eggs and/or nestlings present) are encountered, contact the engineer prior to conducting work.

ITEM 8: PROSECUTION AND PROGRESS

For this project, working days will be computed and charged in accordance with Item 8, Section 3.1.4, "Standard Workweek".

Submit monthly progress schedules no later than the 20th calendar day of the month. Failure to comply with this deadline may result in the Engineer withholding progress (monthly) payments.

ITEM 401: FLOWABLE BACKFILL

All forming to contain flowable fill and all work to create access to place flowable fill shall be subsidiary to Item 401.

ITEM 420: CONCRETE SUBSTRUCTURES

Limit work on structures crossing the roadway to one side of the roadway at a time. No work shall begin on the opposite side of the roadway until backfilling of the initially extended portion of the structure is completed.

Lead paint may be present. If so, the intent is to not disturb painted surfaces. If paint is disturbed, the contractor is responsible to have it tested and follow applicable laws.

ITEM 429: CONCRETE STRUCTURE REPAIR

Repair all concrete in accordance with the TxDOT Concrete Repair Manual shown on the web at: <http://onlinemanuals.txdot.gov/txdotmanuals/crm/crm-pdf>

ITEM 432: RIPRAP

Stone Riprap (Stone Common) (Dry) shall have a minimum thickness of 24 inches.

Stone riprap will require the placement of filter fabric prior to placement of stones.

ITEM 502: BARRICADES, SIGNS, AND TRAFFIC HANDLING

Traffic Control Plan (TCP):

Ensure the Contractor's Responsible Person (CRP) or their alternate for Barricades, Signs and Traffic Handling is available at all times and able to receive instructions from the Engineer or authorized Department representative. The CRP shall be a person that is usually at the project site during normal working hours.

For protection of the traveling public, direct traffic through the work area using signs, flaggers and other devices. Required signs are shown in the plans on the Barricade and Construction Standards and Traffic Control Plan Sheets. The latest edition of the "Texas Manual on Uniform Traffic Control Devices" shall also be used as a guide for handling traffic on this project.

Restrict construction work to single lane widths with only minor disruptions in traffic flow. Lane closures shall conform to the Traffic Control Plan for lane closures as shown in the plans. No overnight closures will be permitted.

Limit lane closures for multilane roads (4 or more lanes) to 2 mi. in length, unless otherwise approved.

Limit lane closures for 2 lane roads to 1 mi. in length, unless otherwise approved.

Lane closure lengths can exclude the end tapers.

Plan the sequence of work to minimize the time lane closures are in place. Install lane closures only where construction operations are anticipated to start within 1 hr. and limited to the amount of lane that can be reached by the construction activity within 2 hr. unless otherwise approved.

Provide flashing arrow panels to supplement required signs and devices for lane closures.

Provide temporary rumble strips as shown on work zone rumble strip standards.

Install "Be Prepared to Stop" (CW3-4) and "Flagger Ahead" (CW20-7aD) signs when flaggers are present. Position the signs where good visibility and traffic control can be maintained.

Use a flashing arrow board in addition to the required signs to warn motorists of flaggers

Provide adequate flaggers to protect the traveling public when working on or near a roadway carrying traffic. All flaggers shall wear hardhats and reflective vests.

Use additional flaggers at roadway intersections to direct traffic entering the work area, when deemed necessary by the Engineer.

Open all traffic lanes to traffic at the close of work each day.

Provide one high-intensity yellow, rotating dome-light on all equipment such as distributors, spreader boxes, lay-down machines, dump trucks, rollers, backhoes, road graders, loaders, etc. within the work zone. Mount lights high enough to be visible from all directions and operating when the equipment is in the work zone. On all other equipment such as automobiles, trailers, etc. use emergency flashers while within the work zone.

Notify the Engineer prior to placing any materials or equipment on the right of way. Locate equipment, stockpiles or other materials not in use as far as possible from the driving lanes and in no case closer than 30 ft. unless otherwise authorized. Any equipment, stockpiles, or materials placed within 30 ft. of the driving lane must have adequate signs, barricades or other warning devices as approved. As a minimum place an 8 ft. wide TY III Barricade or barrels on

the approach side of each site that is within 30 ft. of the driving lane. Use TY III Barricade or barrels for the site similarly on the departure side if the location is within 30 ft. of the opposing traffic lane.

All workers on TxDOT right-of-way shall wear reflective clothing meeting ANSI Class II requirements during the day and ANSI Class III requirements during the night.

The Contractor Force Account "Safety Contingency" that has been established for this project is intended to be utilized for work zone enhancements, to improve the effectiveness of the Traffic Control Plan, that could not be foreseen in the project planning and design stage. These enhancements will be mutually agreed upon by the Engineer and the Contractor's Responsible Person based on weekly or more frequent traffic management reviews on the project. The Engineer may choose to use existing bid items if it does not slow the implementation of enhancement.

Texas Transportation Code 547.105 authorizes the use of warning lights to promote safety and provides an effective means of gaining the travelling public's attention as they drive in areas where construction crews are present. In order to influence the public to move over when high risk construction activities are taking place, minimize the utilization of blue warning lights. These lights must be used only while performing work on or near the travel lanes or shoulder where the travelling public encounters construction crews that are not protected by a standard work zone set up such as a lane closure, shoulder closure, or one-way traffic control. Refrain from leaving the warning lights engaged while travelling from one work location to another or while parked on the right of way away from the pavement or a work zone.

ITEM 506: TEMPORARY EROSION, SEDIMENTATION, AND ENVIRONMENTAL CONTROLS

Locations and types of BMPs may require adjustments prior to or after placement as directed by the Engineer. Adjustments should be made to ensure BMPs are working effectively and maintain compliance with the Construction General Permit. Notify the Engineer prior to making adjustments.

The Best Management Practices for this project shall include using the following erosion control measures as directed:

1. Temporary Sediment Control Fence.

Other erosion or water pollution control measures deemed necessary by the Engineer will be paid for in accordance with article 4.4, "Changes in the Work".

Place temporary sediment control fences at locations as directed.

ITEM 6185: TRUCK MOUNTED ATTENUATOR (TMA) AND TRAILER ATTENUATOR (TA)

1 TMA (stationary) will be required for this project. The contractor will be responsible for determining if multiple operations will be ongoing at the same time to determine the total number of TMAs needed for the project.



Estimate & Quantity Sheet

CONTROLLING PROJECT ID 0911-00-122

DISTRICT Lufkin
HIGHWAY Various

COUNTY Angelina

| CONTROL SECTION JOB | | | | 0911-00-122 | | TOTAL EST. | TOTAL FINAL |
|---------------------|-----------|---|------|-------------|-------|------------|-------------|
| PROJECT ID | | | | A00181423 | | | |
| COUNTY | | | | Angelina | | | |
| HIGHWAY | | | | Various | | | |
| ALT | BID CODE | DESCRIPTION | UNIT | EST. | FINAL | | |
| | 104-6009 | REMOVING CONC (RIPRAP) | SY | 47.200 | | 47.200 | |
| | 104-6044 | REMOVING CONC (FLUME) | SY | 5.300 | | 5.300 | |
| | 132-6019 | EMBANKMENT (VEHICLE)(ORD COMP)(TY B) | CY | 32.000 | | 32.000 | |
| | 158-6003 | SPEC EXCAV WORK (HYD EXCAVATOR) | HR | 33.000 | | 33.000 | |
| | 400-6005 | CEM STABIL BKFL | CY | 8.500 | | 8.500 | |
| | 401-6001 | FLOWABLE BACKFILL | CY | 46.200 | | 46.200 | |
| | 420-6158 | CL C CONC(PILE ENCASEMENT) | LF | 100.000 | | 100.000 | |
| | 432-6006 | RIPRAP (CONC)(CL B) | CY | 1.200 | | 1.200 | |
| | 432-6027 | RIPRAP (STONE COMMON)(DRY)(24 IN) | CY | 1,257.000 | | 1,257.000 | |
| | 438-6001 | CLEANING AND SEALING EXISTING JOINTS | LF | 990.000 | | 990.000 | |
| | 480-6001 | CLEAN EXIST CULVERTS | EA | 3.000 | | 3.000 | |
| | 500-6001 | MOBILIZATION | LS | 1.000 | | 1.000 | |
| | 502-6001 | BARRICADES, SIGNS AND TRAFFIC HANDLING | MO | 8.000 | | 8.000 | |
| | 506-6038 | TEMP SEDMT CONT FENCE (INSTALL) | LF | 500.000 | | 500.000 | |
| | 506-6039 | TEMP SEDMT CONT FENCE (REMOVE) | LF | 500.000 | | 500.000 | |
| | 752-6015 | TREE AND BRUSH REMOVAL | AC | 0.370 | | 0.370 | |
| | 6185-6002 | TMA (STATIONARY) | DAY | 16.000 | | 16.000 | |
| | 18 | ENVIRONMENTAL: CONTRACTOR FORCE ACCOUNT WORK (PARTICIPATING) | LS | 1.000 | | 1.000 | |
| | | RAILROAD FLAGGING: CONTRACTOR FORCE ACCOUNT WORK (PARTICIPATING) | LS | 1.000 | | 1.000 | |
| | | SAFETY CONTINGENCY: CONTRACTOR FORCE ACCOUNT WORK (PARTICIPATING) | LS | 1.000 | | 1.000 | |

SUMMARY OF BRIDGE MAINTENANCE ITEMS

| SITE | COUNTY | STRUCTURE ID | LOCATION | ITEM 104 | | ITEM 132 | ITEM 158 | ITEM 400 | ITEM 401 | ITEM 420 | ITEM 432 | | ITEM 438 | ITEM 480 | ITEM 752 |
|------------------------|---------------|----------------------|------------------------------------|------------------------|-----------------------|--|---------------------------------|-----------------|-------------------|-----------------------------|-------------------------------------|----------------------------------|--------------------------------------|----------------------|------------------------|
| | | | | REMOVING CONC (RIPRAP) | REMOVING CONC (FLUME) | EMBANKMENT (VEHICLE) (ORD COMP) (TY B) | SPEC EXCAV WORK (HYD EXCAVATOR) | CEM STABIL BKFL | FLOWABLE BACKFILL | CL C CONC (PILE ENCASEMENT) | RIPRAP (STONE COMMON) (DRY) (24 IN) | RIPRAP (CONC) (RIPRAP) (CLASS B) | CLEANING AND SEALING EXISTING JOINTS | CLEAN EXIST CULVERTS | TREE AND BRUSH REMOVAL |
| | | | | SY | SY | CY | HR | CY | CY | LF | CY | CY | LF | EA | AC |
| D | ANGELINA | 11-003-0-0319-04-049 | SH 94 @ CEDAR CREEK | | | | 2 | | | | | 69.3 | | | |
| E | ANGELINA | 11-003-0-0336-03-009 | SH 103 @ JACK CREEK TRIBUTARY | | | | 4 | | | | | 29.6 | | | |
| F | ANGELINA | 11-003-0-1675-01-002 | FM 1669 @ LINSTON CREEK | | | | | | | 100 | | | | | |
| G | ANGELINA | 11-003-0-1675-01-003 | FM 1669 @ ODELL CREEK | | | | | | | | | 6.3 | | | |
| I | ANGELINA | 11-003-0-2553-01-007 | LP 287 & US 59 @ UPRR | | | | | | | | | | 170 | | |
| K | ANGELINA | 11-003-0-2553-01-081 | LP 287 @ FM 324 & SPRR | | | | | | | | | | 246 | | |
| M | ANGELINA | 11-003-0-3219-02-001 | FM 3150 @ JACK CREEK | | | | 4 | | | | | 86.7 | | 1 | |
| N | ANGELINA | 11-003-0-3418-01-001 | FM 1336 @ CEDAR CREEK | | | | | | | | | 9.5 | | | |
| O | HOUSTON | 11-114-0-0109-03-004 | US 287 @ MAYES BRANCH | | | | | | 4.0 | | | 110.8 | | | |
| P | HOUSTON | 11-114-0-0336-01-044 | SH 7 @ E FORK OF COCHINO BAYOU | | | | | | | | | 9.8 | | | |
| Q | HOUSTON | 11-114-0-0340-04-015 | FM 229 @ HURRICANE BAYOU RELIEF | | | | | 8.5 | | | | 21.1 | | | |
| S | HOUSTON | 11-114-0-0939-01-002 | FM 232 @ PEACHTREE CREEK | | | | | | | | | 3.7 | | | |
| T | HOUSTON | 11-114-0-0940-01-005 | FM 357 @ WALLACE CREEK | | | | | | | | | 8.9 | | | |
| U | HOUSTON | 11-114-0-1676-02-002 | FM 1280 @ TANTABOGUE CREEK | | | | | | 4.0 | | | 4.4 | | | |
| V | HOUSTON | 11-114-0-2324-01-001 | FM 2712 @ GAIL CREEK TRIBUTARY | | | | | | 4.0 | | | 28.4 | | | |
| X | NACOGDOCHES | 11-174-0-0706-03-020 | FM 95 @ TURKEY CREEK | | | 26.7 | | | | | | 17.8 | 68 | | |
| Y | NACOGDOCHES | 11-174-0-0893-01-008 | FM 226 @ DURAZNO CREEK | | | | | | | | | 7.4 | | | |
| Z | NACOGDOCHES | 11-174-0-1810-02-006 | FM 225 @ LEGG CREEK | | | | | | | | | 63.4 | | | |
| AA | NACOGDOCHES | 11-174-0-2300-01-002 | FM 343 @ MORRAL CREEK | | | | | | | | | 17.6 | | | |
| AB | NACOGDOCHES | 11-174-0-2560-02-013 | LP 224 @ LA NANA CREEK | | | | | | | | | 23.1 | | | |
| AC | NACOGDOCHES | 11-174-0-2590-01-002 | FM 2609 @ UPRR & BONITA CREEK | | | | | | 4.0 | | | 68.1 | | | 0.37 |
| AD | NACOGDOCHES | 11-174-0-2639-01-001 | FM 1411 @ BURROWS BRANCH | | | | | | | | | 41.4 | | | |
| AE | NACOGDOCHES | 11-174-0-2808-02-001 | FM 2782 @ BLACK BAYOU | | | | 4 | | | | | 67.4 | | | |
| AF | POLK | 11-187-0-0176-04-046 | US 59 @ BEAR CREEK | | | | | | | | | 14.1 | | | |
| AH | POLK | 11-187-0-0177-01-036 | US 59 @ CROOKED CREEK | | | | 2 | | | | | 48.9 | | | |
| AJ | POLK | 11-187-0-0929-01-003 | FM 352 @ CREEDS CREEK | | | | 4 | | 4.0 | | | 16.7 | | | |
| AK | POLK | 11-187-0-0929-01-006 | FM 352 @ BEAVER CREEK | 47.2 | | | | | | | | 31.5 | | | |
| AL | POLK | 11-187-0-0929-01-010 | FM 352 @ BOGGY SLOUGH | | | | | | | | | 5.0 | | | |
| AM | POLK | 11-187-0-1193-01-012 | FM 942 @ DRAW | | | | 4 | | 4.0 | | | 81.5 | | 1 | |
| AS | SABINE | 11-202-0-0304-04-062 | SH 87 @ CONNER CREEK | | | | 5 | | | | | 41.6 | | | |
| AT | SABINE | 11-202-0-2197-01-003 | FM 2343 @ BRUSHY CREEK | | | | | | | | | 14.1 | | | |
| AW | SAN AUGUSTINE | 11-203-0-0118-10-076 | SH 21 @ RR & AYISH BAYOU & CITY ST | | | | | | | | | | 506 | | |
| AX | SAN AUGUSTINE | 11-203-0-1680-03-011 | FM 1751 @ BOBBITT CREEK | | | | | | 14.2 | | | 23.7 | | | |
| AY | SAN AUGUSTINE | 11-203-0-0597-02-005 | FM 1277 @ SANDY CREEK | | | | | | | | | 20.9 | | 1 | |
| AZ | SAN AUGUSTINE | 11-203-0-0597-02-007 | FM 1277 @ SPEAR CREEK | | | | | | | | | 16.7 | | | |
| BA | SAN AUGUSTINE | 11-203-0-0597-02-010 | FM 1277 @ PERKINS | | | | | | | | | 49.3 | | | |
| BB | SAN AUGUSTINE | 11-203-0-1680-02-004 | FM 2213 @ DRAW | | | | | | | | | 16.2 | | | |
| BD | SHELBY | 11-210-0-0175-04-011 | US 59 @ FLAT FORK | | | | | | | | | 28.9 | | | |
| BF | SHELBY | 11-210-0-0743-02-001 | FM 138 @ DRAW | | | 5.3 | | | 4.0 | | | 45.2 | | | |
| BH | TRINITY | 11-228-0-0109-07-047 | SH 19 @ TANTABOGUE SLOUGH | | 5.3 | | | | 4.0 | | | 11.1 | 1.2 | | |
| BI | TRINITY | 11-228-0-0931-04-025 | FM 358 @ BROWNLEE CREEK | | | | 2 | | | | | 61.3 | | | |
| BJ | TRINITY | 11-228-0-2963-02-001 | FM 2912 @ DRAW | | | | 2 | | | | | 35.6 | | | |
| PROJECT TOTALS: | | | | 47.2 | 5.3 | 32.0 | 33 | 8.5 | 46.2 | 100 | 1257.0 | 1.2 | 990 | 3 | 0.37 |

QUANTITY SUMMARIES

© 2022

Texas Department of Transportation
SHEET 1 OF 2

| | | | |
|------|----------|-----|-----------|
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | | SHEET NO. |
| LFK | ANGELINA | | 8 |

2/1/2022 4:57:29 PM
 p:\projects\iseon\ine.com\TXDOT3\Documents\11 - LFK\Design Projects\091100122\4 - Design\Plan Set\1. General\006 QUANTITY SUMMARIES.dgn

12/30/2021 4:48:13 AM
 pw: \\txdot.projectwiseonline.com:TXDOT3\Documents\11 - LFK\Design Projects\091100122\4 - Design\Plan Set\1. General\006 QUANTITY SUMMARIES.dgn

| SUMMARY OF EROSION CONTROL | | |
|----------------------------|---------------------------------|--------------------------------|
| LOCATION | ITEM 506 | |
| | TEMP SEDMT CONT FENCE (INSTALL) | TEMP SEDMT CONT FENCE (REMOVE) |
| | LF | LF |
| VARIOUS | 500 | 500 |
| PROJECT TOTALS: | 500 | 500 |

LOCATIONS AND TYPES OF BMPs MAY REQUIRE ADJUSTMENTS PRIOR TO OR AFTER PLACEMENT AS DIRECTED BY THE ENGINEER. ADJUSTMENTS SHOULD BE MADE TO ENSURE BMPs ARE WORKING EFFECTIVELY. NOTIFY THE ENGINEER PRIOR TO MAKING ADJUSTMENTS.

| SUMMARY OF TRAFFIC CONTROL | | | |
|----------------------------|------------------------------------|----------------------|------------------|
| SITE | LOCATION | STRUCTURE | ITEM 6185 |
| | | | TMA (STATIONARY) |
| | | | DAY |
| I | LP 287 & US 59 @ UPRR | 11-003-0-2553-01-007 | 4 |
| K | LP 287 @ FM 324 & SPRR | 11-003-0-2553-01-081 | 4 |
| X | FM 95 @ TURKEY CREEK | 11-174-0-0706-03-020 | 4 |
| AW | SH 21 @ RR & AYISH BAYOU & CITY ST | 11-203-0-0118-10-076 | 4 |
| PROJECT TOTALS: | | | 16 |

QUANTITY SUMMARIES

© 2021



| | | | |
|------|----------|-----|-----------|
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | | SHEET NO. |
| LFK | ANGELINA | | 9 |

DATE: 12/30/2021 4:33:47 AM
 FILE: \\txdot.projectwiseonline.com:TXDOT3\Documents\11 - LFK\Design Projects\0911001224 - Design\11 - LFK\BC - 21.dgn
 DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT or any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to any other format or for any errors or omissions that may result from its use.

BARRICADE AND CONSTRUCTION (BC) STANDARD SHEETS GENERAL NOTES:

- The Barricade and Construction Standard Sheets (BC sheets) are intended to show typical examples for placement of temporary traffic control devices, construction pavement markings, and typical work zone signs. The information contained in these sheets meet or exceed the requirements shown in the "Texas Manual on Uniform Traffic Control Devices" (TMUTCD).
- The development and design of the Traffic Control Plan (TCP) is the responsibility of the Engineer.
- The Contractor may propose changes to the TCP that are signed and sealed by a licensed professional engineer for approval. The Engineer may develop, sign and seal Contractor proposed changes.
- The Contractor is responsible for installing and maintaining the traffic control devices as shown in the plans. The Contractor may not move or change the approximate location of any device without the approval of the Engineer.
- Geometric design of lane shifts and detours should, when possible, meet the applicable design criteria contained in manuals such as the American Association of State Highway and Transportation Officials (AASHTO), "A Policy on Geometric Design of Highways and Streets," the TxDOT "Roadway Design Manual" or engineering judgment.
- When projects abut, the Engineer(s) may omit the END ROAD WORK, TRAFFIC FINES DOUBLE, and other advance warning signs if the signing would be redundant and the work areas appear continuous to the motorists. If the adjacent project is completed first, the Contractor shall erect the necessary warning signs as shown on these sheets, the TCP sheets or as directed by the Engineer. The BEGIN ROAD WORK NEXT X MILES sign shall be revised to show appropriate work zone distance.
- The Engineer may require duplicate warning signs on the median side of divided highways where median width will permit and traffic volumes justify the signing.
- All signs shall be constructed in accordance with the details found in the "Standard Highway Sign Designs for Texas," latest edition. Sign details not shown in this manual shall be shown in the plans or the Engineer shall provide a detail to the Contractor before the sign is manufactured.
- The temporary traffic control devices shown in the illustrations of the BC sheets are examples. As necessary, the Engineer will determine the most appropriate traffic control devices to be used.
- Where highway construction or maintenance work is being undertaken, other than mobile operations as defined by the Texas Manual on Uniform Traffic Control Devices, CSJ limit signs are required. CSJ limit signs are shown on BC(2). The OBEY WARNING SIGNS STATE LAW sign, STAY ALERT TALK OR TEXT LATER and the WORK ZONE TRAFFIC FINES DOUBLE sign with plaque shall be erected in advance of the CSJ limits. The BEGIN ROAD WORK NEXT X MILES, CONTRACTOR and END ROAD WORK signs shall be erected at or near the CSJ limits. For mobile operations, CSJ limit signs are not required.
- Traffic control devices should be in place only while work is actually in progress or a definite need exists.
- The Engineer has the final decision on the location of all traffic control devices.
- Inactive equipment and work vehicles, including workers' private vehicles must be parked away from travel lanes. They should be as close to the right-of-way line as possible, or located behind a barrier or guardrail, or as approved by the Engineer.

WORKER SAFETY NOTES:


- Workers on foot who are exposed to traffic or to construction equipment within the right-of-way shall wear high-visibility safety apparel meeting the requirements of ISEA "American National Standard for High-Visibility Apparel," or equivalent revisions, and labeled as ANSI 107-2004 standard performance for Class 2 or 3 risk exposure. Class 3 garments should be considered for high traffic volume work areas or night time work.
- Except in emergency situations, flagger stations shall be illuminated when flagging is used at night.

COMPLIANT WORKZONE TRAFFIC CONTROL DEVICES

- Only pre-qualified products shall be used. The "Compliant Work Zone Traffic Control Devices List" (CWZTCD) describes pre-qualified products and their sources.
- Work zone traffic control devices shall be compliant with the Manual for Assessing safety Hardware (MASH).


| |
|---|
| THE DOCUMENTS BELOW CAN BE FOUND ON-LINE AT http://www.txdot.gov |
| COMPLIANT WORK ZONE TRAFFIC CONTROL DEVICES LIST (CWZTCD) |
| DEPARTMENTAL MATERIAL SPECIFICATIONS (DMS) |
| MATERIAL PRODUCER LIST (MPL) |
| ROADWAY DESIGN MANUAL - SEE "MANUALS (ONLINE MANUALS)" |
| STANDARD HIGHWAY SIGN DESIGNS FOR TEXAS (SHSD) |
| TEXAS MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (TMUTCD) |
| TRAFFIC ENGINEERING STANDARD SHEETS |

SHEET 1 OF 12

| | | | |
|--|---------------|----------------------------------|-----------|
|  Texas Department of Transportation | | Traffic Safety Division Standard | |
| BARRICADE AND CONSTRUCTION GENERAL NOTES AND REQUIREMENTS | | | |
| BC (1) - 21 | | | |
| FILE: | bc-21.dgn | DN: | TxDOT |
| © TxDOT | November 2002 | CK: | TxDOT |
| | | DW: | TxDOT |
| | | CK: | TxDOT |
| REVISIONS | CONT | SECT | JOB |
| 4-03 7-13 | 0911 | 00 | 122 |
| 9-07 8-14 | | | VA |
| 5-10 5-21 | DIST | COUNTY | SHEET NO. |
| | LFK | ANGELINA | 10 |


DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of units or for any errors or omissions or for damages resulting from its use.

TYPICAL LOCATION OF CROSSROAD SIGNS



- ## May be mounted on back of "ROAD WORK AHEAD" (CW20-1D) sign with approval of Engineer. (See note 2 below)
- The typical minimum signing on a crossroad approach should be a "ROAD WORK AHEAD" (CW20-1D) sign and a (G20-2) "END ROAD WORK" sign, unless noted otherwise in plans.
 - The Engineer may use the reduced size 36" x 36" ROAD WORK AHEAD (CW20-1D) sign mounted back to back with the reduced size 36" x 18" "END ROAD WORK" (G20-2) sign on low volume crossroads (see Note 4 under "Typical Construction Warning Sign Size and Spacing"). See the "Standard Highway Sign Designs for Texas" manual for sign details. The Engineer may omit the advance warning signs on low volume crossroads. The Engineer will determine whether a road is low volume as per TMUTCD Part 5. This information shall be shown in the plans.
 - Based on existing field conditions, the Engineer/Inspector may require additional signs such as FLAGGER AHEAD, LOOSE GRAVEL, or other appropriate signs. When additional signs are required, these signs will be considered part of the minimum requirements. The Engineer/Inspector will determine the proper location and spacing of any sign not shown on the BC sheets, Traffic Control Plan sheets or the Work Zone Standard Sheets.
 - The "ROAD WORK NEXT X MILES" (G20-1aT) sign shall be required at high volume crossroads to advise motorists of the length of construction in either direction from the intersection. The Engineer will determine whether a roadway is considered high volume.
 - Additional traffic control devices may be shown elsewhere in the plans for higher volume crossroads.
 - When work occurs in the intersection area, appropriate traffic control devices, as shown elsewhere in the plans or as determined by the Engineer/Inspector, shall be in place.

T-INTERSECTION



CSJ LIMITS AT T-INTERSECTION

- The Engineer will determine the types and location of any additional traffic control devices, such as a flagger and accompanying signs, or other signs, that should be used when work is being performed at or near an intersection.
- If construction closes the road at a T-intersection, the Contractor shall place the "CONTRACTOR NAME" (G20-6T) sign behind the Type 3 Barricades for the road closure (see BC(10) also). The "ROAD WORK NEXT X MILES" left arrow (G20-1bTL) and "ROAD WORK NEXT X MILES" right arrow (G20-1bTR) signs shall be replaced by the detour signing called for in the plans.

TYPICAL CONSTRUCTION WARNING SIGN SIZE AND SPACING^{1,5,6}

| Sign Number or Series | SIZE | | SPACING | |
|---------------------------------------|-------------------|--------------------|------------------|----------------------------------|
| | Conventional Road | Expressway/Freeway | Posted Speed MPH | Sign Δ Spacing "x" Feet (Apprx.) |
| CW20 ⁴ | 48" x 48" | 48" x 48" | 30 | 120 |
| CW21 | | | 35 | 160 |
| CW22 | | | 40 | 240 |
| CW23 | | | 45 | 320 |
| CW25 | | | 50 | 400 |
| CW1, CW2, CW7, CW8, CW9, CW11, CW14 | 36" x 36" | 48" x 48" | 55 | 500 ² |
| CW3, CW4, CW5, CW6, CW8-3, CW10, CW12 | 48" x 48" | 48" x 48" | 60 | 600 ² |
| | | | 65 | 700 ² |
| | | | 70 | 800 ² |
| | | | 75 | 900 ² |
| | | | 80 | 1000 ² |
| | | | * | * ³ |


* For typical sign spacings on divided highways, expressways and freeways, see Part 6 of the "Texas Manual on Uniform Traffic Control Devices" (TMUTCD) typical application diagrams or TCP Standard Sheets.

Δ Minimum distance from work area to first Advance Warning sign nearest the work area and/or distance between each additional sign.

GENERAL NOTES


- Special or larger size signs may be used as necessary.
- Distance between signs should be increased as required to have 1500 feet advance warning.
- Distance between signs should be increased as required to have 1/2 mile or more advance warning.
- 36" x 36" "ROAD WORK AHEAD" (CW20-1D) signs may be used on low volume crossroads at the discretion of the Engineer as per TMUTCD Part 5. See Note 2 under "Typical Location of Crossroad Signs".
- Only diamond shaped warning sign sizes are indicated.
- See sign size listing in "TMUTCD", Sign Appendix or the "Standard Highway Sign Designs for Texas" manual for complete list of available sign design sizes.

WORK AREAS IN MULTIPLE LOCATIONS WITHIN CSJ LIMITS




When extended distances occur between minimal work spaces, the Engineer/Inspector should ensure additional "ROAD WORK AHEAD" (CW20-1D) signs are placed in advance of these work areas to remind drivers they are still within the project limits. See the applicable TCP sheets for exact location and spacing of signs and channelizing devices.

SAMPLE LAYOUT OF SIGNING FOR WORK BEGINNING DOWNSTREAM OF THE CSJ LIMITS



SAMPLE LAYOUT OF SIGNING FOR WORK BEGINNING AT THE CSJ LIMITS



NOTES

- The Contractor shall determine the appropriate distance to be placed on the G20-1 series signs and "BEGIN ROAD WORK NEXT X MILES" (G20-5T) sign for each specific project. This distance shall replace the "x" and shall be rounded to the nearest whole mile with the approval of the Engineer. No decimals shall be used.
- The "BEGIN WORK ZONE" (G20-9TP) and "END WORK ZONE" (G20-2bT) shall be used as shown on the sample layout when advance signs are required outside the CSJ Limits. They inform the motorist of entering or leaving a part of the work zone lying outside the CSJ Limits where traffic fines may double if workers are present.
 - CSJ limit signing is required for highway construction and maintenance work, with the exception of mobile operations.
 - Area for placement of "ROAD WORK AHEAD" (CW20-1D) sign and other signs or devices as called for on the Traffic Control Plan.
 - Contractor will install a regulatory speed limit sign at the end of the work zone.

LEGEND

| | |
|-------|---|
| — | Type 3 Barricade |
| ○ ○ ○ | Channelizing Devices |
| ■ | Sign |
| X | See Typical Construction Warning Sign Size and Spacing chart or the TMUTCD for sign spacing requirements. |

SHEET 2 OF 12



BARRICADE AND CONSTRUCTION PROJECT LIMIT

BC(2)-21

| | | | | |
|-----------------------|-----------|-----------|-----------|-----------|
| FILE: bc-21.dgn | DN: TxDOT | CK: TxDOT | DW: TxDOT | CK: TxDOT |
| © TxDOT November 2002 | CONT | SECT | JOB | HIGHWAY |
| REVISIONS | 091100 | | 122 | VA |
| 9-07 8-14 | DIST | COUNTY | | SHEET NO. |
| 7-13 5-21 | LFK | ANGELINA | | 11 |

TYPICAL APPLICATION OF WORK ZONE SPEED LIMIT SIGNS

Work zone speed limits shall be regulatory, established in accordance with the "Procedures for Establishing Speed Zones," and approved by the Texas Transportation Commission, or by City Ordinance when within Incorporated City Limits.

Reduced speeds should only be posted in the vicinity of work activity and not throughout the entire project. Regulatory work zone speed signs (R2-1) shall be removed or covered during periods when they are not needed.



GUIDANCE FOR USE:

LONG/INTERMEDIATE TERM WORK ZONE SPEED LIMITS

This type of work zone speed limit should be included on the design of the traffic control plans when restricted geometrics with a lower design speed are present in the work zone and modification of the geometrics to a higher design speed is not feasible.

Long/Intermediate Term Work Zone Speed Limit signs, when approved as described above, should be posted and visible to the motorist when work activity is present. Work activity may also be defined as a change in the roadway that requires a reduced speed for motorists to safely negotiate the work area, including:

- rough road or damaged pavement surface
- substantial alteration of roadway geometrics (diversions)
- construction detours
- grade
- width
- other conditions readily apparent to the driver

As long as any of these conditions exist, the work zone speed limit signs should remain in place.

SHORT TERM WORK ZONE SPEED LIMITS

This type of work zone speed limit may be included on the design of the traffic control plans when workers or equipment are not behind concrete barrier, when work activity is within 10 feet of the traveled way or actually in the traveled way.

Short Term Work Zone Speed Limit signs should be posted and visible to the motorists only when work activity is present. When work activity is not present, signs shall be removed or covered. (See Removing or Covering on BC(4)).

GENERAL NOTES

- Regulatory work zone speed limits should be used only for sections of construction projects where speed control is of major importance.
- Regulatory work zone speed limit signs shall be placed on supports at a 7 foot minimum mounting height.
- Speed zone signs are illustrated for one direction of travel and are normally posted for each direction of travel.
- Frequency of work zone speed limit signs should be:

| | |
|--------------------|----------------|
| 40 mph and greater | 0.2 to 2 miles |
| 35 mph and less | 0.2 to 1 mile |
- Regulatory speed limit signs shall have black legend and border on a white reflective background (See "Reflective Sheeting" on BC(4)).
- Fabrication, erection and maintenance of the "ADVANCE SPEED LIMIT" (CW3-5) sign, "WORK ZONE" (G20-5aP) plaque and the "SPEED LIMIT" (R2-1) signs shall not be paid for directly, but shall be considered subsidiary to Item 502.
- Turning signs from view, laying signs over or down will not be allowed, unless as otherwise noted under "REMOVING OR COVERING" on BC(4).
- Techniques that may help reduce traffic speeds include but are not limited to:
 - Law enforcement.
 - Flagger stationed next to sign.
 - Portable changeable message sign (PCMS).
 - Low-power (drone) radar transmitter.
 - Speed monitor trailers or signs.
- Speeds shown on details above are for illustration only. Work Zone Speed Limits should only be posted as approved for each project.
- For more specific guidance concerning the type of work, work zone conditions and factors impacting allowable regulatory construction speed zone reduction see TxDOT form #1204 in the TxDOT e-form system.

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of units or for the accuracy of the information contained herein. The user of this standard shall be responsible for obtaining the latest edition of this standard.

DATE: 12/30/2021 4:33:49 AM
 FILE: \\txdot\project\wiseonline.com\TXDOT3\Documents\11 - LFK\Design Projects\11-11-21\11-11-21.dgn


SHEET 3 OF 12

| | | | |
|---|---------------|----------------------------------|---------|
| | | Traffic Safety Division Standard | |
| <h2>BARRICADE AND CONSTRUCTION WORK ZONE SPEED LIMIT</h2> | | | |
| <h3>BC (3) - 21</h3> | | | |
| FILE: | bc-21.dgn | DW: | TxDOT |
| © TxDOT | November 2002 | CONT: | SECT: |
| REVISIONS | | 0911 | 00 |
| 9-07 | 8-14 | 122 | VA |
| 7-13 | 5-21 | DIST: | COUNTY: |
| LFK | ANGELINA | SHEET NO. 12 | |

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 12/30/2021 4:33:50 AM
 FILE: \\txdot.projectwiseonline.com:TXDOT3\Documents\11 - LFK\Design Projects\091100122\4 - Design\Plan Set\2 - TCP\bc-21.dgn


TYPICAL MINIMUM CLEARANCES FOR LONG TERM AND INTERMEDIATE TERM SIGNS



* When placing skid supports on unlevel ground, the leg post lengths must be adjusted so the sign appears straight and plumb. Objects shall NOT be placed under skids as a means of leveling.

** When plaques are placed on dual-leg supports, they should be attached to the upright nearest the travel lane. Supplemental plaques (advisory or distance) should not cover the surface of the parent sign.

ATTACHMENT FOR SIGN SUPPORTS




Nails shall NOT be allowed.
 Each sign shall be attached directly to the sign support. Multiple signs shall not be joined or spliced by any means. Wood supports shall not be extended or repaired by splicing or other means.

Splicing embedded perforated square metal tubing in order to extend post height will only be allowed when the splice is made using four bolts, two above and two below the splice point. Splice must be located entirely behind the sign substrate, not near the base of the support. Splice insert lengths should be at least 5 times nominal post size, centered on the splice and of at least the same gauge material.

STOP/SLOW PADDLES

1. STOP/SLOW paddles are the primary method to control traffic by flaggers. The STOP/SLOW paddle size should be 24" x 24".
2. STOP/SLOW paddles shall be retroreflective when used at night.
3. STOP/SLOW paddles may be attached to a staff with a minimum length of 6' to the bottom of the sign.
4. Any lights incorporated into the STOP or SLOW paddle faces shall only be as specifically described in Section 6E.03 Hand Signaling Devices in the TMUTCD.



| SHEETING REQUIREMENTS (WHEN USED AT NIGHT) | | |
|--|--------|--|
| USAGE | COLOR | SIGN FACE MATERIAL |
| BACKGROUND | RED | TYPE B OR C SHEETING |
| BACKGROUND | ORANGE | TYPE B _{FL} OR C _{FL} SHEETING |
| LEGEND & BORDER | WHITE | TYPE B OR C SHEETING |
| LEGEND & BORDER | BLACK | ACRYLIC NON-REFLECTIVE FILM |

CONTRACTOR REQUIREMENTS FOR MAINTAINING PERMANENT SIGNS WITHIN THE PROJECT LIMITS

1. Permanent signs are used to give notice of traffic laws or regulations, call attention to conditions that are potentially hazardous to traffic operations, show route designations, destinations, directions, distances, services, points of interest, and other geographical, recreational, specific service (LOGO), or cultural information. Drivers proceeding through a work zone need the same, if not better route guidance as normally installed on a roadway without construction.
2. When permanent regulatory or warning signs conflict with work zone conditions, remove or cover the permanent signs until the permanent sign message matches the roadway condition. For details for covering large guide signs see the TS-CD standard.
3. When existing permanent signs are moved and relocated due to construction purposes, they shall be visible to motorists at all times.
4. If existing signs are to be relocated on their original supports, they shall be installed on crashworthy bases as shown on the SMD Standard sheets. The signs shall meet the required mounting heights shown on the BC Sheets or the SMD Standards. This work should be paid for under the appropriate pay item for relocating existing signs.
5. If permanent signs are to be removed and relocated using temporary supports, the Contractor shall use crashworthy supports as shown on the BC standard sheets, TLRs standard sheets or the CWZTCD list. The signs shall meet the required mounting heights shown on the BC, or the SMD standard sheets during construction. This work should be paid for under the appropriate pay item for relocating existing signs.
6. Any sign or traffic control device that is struck or damaged by the Contractor or his/her construction equipment shall be replaced as soon as possible by the Contractor to ensure proper guidance for the motorists. This will be subsidiary to Item 502.

GENERAL NOTES FOR WORK ZONE SIGNS

1. Contractor shall install and maintain signs in a straight and plumb condition and/or as directed by the Engineer.
2. Wooden sign posts shall be painted white.
3. Barricades shall NOT be used as sign supports.
4. All signs shall be installed in accordance with the plans or as directed by the Engineer. Signs shall be used to regulate, warn, and guide the traveling public safely through the work zone.
5. The Contractor may furnish either the sign design shown in the plans or in the "Standard Highway Sign Designs for Texas" (SHSD). The Engineer/Inspector may require the Contractor to furnish other work zone signs that are shown in the TMUTCD but may have been omitted from the plans. Any variation in the plans shall be documented by written agreement between the Engineer and the Contractor's Responsible Person. All changes must be documented in writing before being implemented. This can include documenting the changes in the Inspector's TxDOT diary and having both the Inspector and Contractor initial and date the agreed upon changes.
6. The Contractor shall furnish sign supports listed in the "Compliant Work Zone Traffic Control Device List" (CWZTCD) for small roadside signs. Supports for temporary large roadside signs shall meet the requirements detailed on the Temporary Large Roadside Signs (TLRS) standard sheets. The Contractor shall install the sign support in accordance with the manufacturer's recommendations. If there is a question regarding installation procedures, the Contractor shall furnish the Engineer a copy of the manufacturer's installation recommendations so the Engineer can verify the correct procedures are being followed.
7. The Contractor is responsible for installing signs on approved supports and replacing signs with damaged or cracked substrates and/or damaged or marred reflective sheeting as directed by the Engineer/Inspector.
8. Identification markings may be shown only on the back of the sign substrate. The maximum height of letters and/or company logos used for identification shall be 1 inch.
9. The Contractor shall replace damaged wood posts. New or damaged wood sign posts shall not be spliced.

DURATION OF WORK (as defined by the "Texas Manual on Uniform Traffic Control Devices" Part 6)

1. The types of sign supports, sign mounting height, the size of signs, and the type of sign substrates can vary based on the type of work being performed. The Engineer is responsible for selecting the appropriate size sign for the type of work being performed. The Contractor is responsible for ensuring the sign support, sign mounting height and substrate meets manufacturer's recommendations in regard to crashworthiness and duration of work requirements.
 - a. Long-term stationary - work that occupies a location more than 3 days.
 - b. Intermediate-term stationary - work that occupies a location more than one daylight period up to 3 days, or nighttime work lasting more than one hour.
 - c. Short-term stationary - daytime work that occupies a location for more than 1 hour in a single daylight period.
 - d. Short, duration - work that occupies a location up to 1 hour.
 - e. Mobile - work that moves continuously or intermittently (stopping for up to approximately 15 minutes.)

SIGN MOUNTING HEIGHT

1. The bottom of Long-term/Intermediate-term signs shall be at least 7 feet, but not more than 9 feet, above the paved surface, except as shown for supplemental plaques mounted below other signs.
2. The bottom of Short-term/Short Duration signs shall be a minimum of 1 foot above the pavement surface but no more than 2 feet above the ground.
3. Long-term/Intermediate-term Signs may be used in lieu of Short-term/Short Duration signing.
4. Short-term/Short Duration signs shall be used only during daylight and shall be removed at the end of the workday or raised to appropriate Long-term/Intermediate sign height.
5. Regulatory signs shall be mounted at least 7 feet, but not more than 9 feet, above the paved surface regardless of work duration.

SIZE OF SIGNS

1. The Contractor shall furnish the sign sizes shown on BC (2) unless otherwise shown in the plans or as directed by the Engineer.

SIGN SUBSTRATES

1. The Contractor shall ensure the sign substrate is installed in accordance with the manufacturer's recommendations for the type of sign support that is being used. The CWZTCD lists each substrate that can be used on the different types and models of sign supports.
2. "Mesh" type materials are NOT an approved sign substrate, regardless of the tightness of the weave.
3. All wooden individual sign panels fabricated from 2 or more pieces shall have one or more plywood cleat, 1/2" thick by 6" wide, fastened to the back of the sign and extending fully across the sign. The cleat shall be attached to the back of the sign using wood screws that do not penetrate the face of the sign panel. The screws shall be placed on both sides of the splice and spaced at 6" centers. The Engineer may approve other methods of splicing the sign face.

REFLECTIVE SHEETING

1. All signs shall be retroreflective and constructed of sheeting meeting the color and retro-reflectivity requirements of DMS-8300 for rigid signs or DMS-8310 for roll-up signs. The web address for DMS specifications is shown on BC(1).
2. White sheeting, meeting the requirements of DMS-8300 Type A, shall be used for signs with a white background.
3. Orange sheeting, meeting the requirements of DMS-8300 Type B_{FL} or Type C_{FL}, shall be used for rigid signs with orange backgrounds.

SIGN LETTERS

1. All sign letters and numbers shall be clear, and open rounded type uppercase alphabet letters as approved by the Federal Highway Administration (FHWA) and as published in the "Standard Highway Sign Design for Texas" manual. Signs, letters and numbers shall be of first class workmanship in accordance with Department Standards and Specifications.

REMOVING OR COVERING

1. When sign messages may be confusing or do not apply, the signs shall be removed or completely covered.
2. Long-term stationary or intermediate stationary signs installed on square metal tubing may be turned away from traffic 90 degrees when the sign message is not applicable. This technique may not be used for signs installed in the median of divided highways or near any intersections where the sign may be seen from approaching traffic.
3. Signs installed on wooden skids shall not be turned at 90 degree angles to the roadway. These signs should be removed or completely covered when not required.
4. When signs are covered, the material used shall be opaque, such as heavy mil black plastic, or other materials which will cover the entire sign face and maintain their opaque properties under automobile headlights at night, without damaging the sign sheeting.
5. Burlap shall NOT be used to cover signs.
6. Duct tape or other adhesive material shall NOT be affixed to a sign face.
7. Signs and anchor stubs shall be removed and holes backfilled upon completion of work.

SIGN SUPPORT WEIGHTS

1. Where sign supports require the use of weights to keep from turning over, the use of sandbags with dry, cohesionless sand should be used.
2. The sandbags will be tied shut to keep the sand from spilling and to maintain a constant weight.
3. Rock, concrete, iron, steel or other solid objects shall not be permitted for use as sign support weights.
4. Sandbags should weigh a minimum of 35 lbs and a maximum of 50 lbs.
5. Sandbags shall be made of a durable material that tears upon vehicular impact. Rubber (such as tire inner tubes) shall NOT be used.
6. Rubber ballasts designed for channelizing devices should not be used for ballast on portable sign supports. Sign supports designed and manufactured with rubber bases may be used when shown on the CWZTCD list.
7. Sandbags shall only be placed along or laid over the base supports of the traffic control device and shall not be suspended above ground level or hung with rope, wire, chains or other fasteners. Sandbags shall be placed along the length of the skids to weigh down the sign support.
8. Sandbags shall NOT be placed under the skid and shall not be used to level sign supports placed on slopes.

FLAGS ON SIGNS

1. Flags may be used to draw attention to warning signs. When used, the flag shall be 16 inches square or larger and shall be orange or fluorescent red-orange in color. Flags shall not be allowed to cover any portion of the sign face.

SHEET 4 OF 12



Texas Department of Transportation
 Traffic Safety Division Standard

BARRICADE AND CONSTRUCTION TEMPORARY SIGN NOTES

BC (4) - 21


| | | | | |
|-----------------------|-----------|-----------|-----------|-----------|
| FILE: bc-21.dgn | DN: TxDOT | CR: TxDOT | OW: TxDOT | CK: TxDOT |
| © TxDOT November 2002 | CONT | SECT | JOB | HIGHWAY |
| REVISIONS | 091100 | 122 | VA | |
| 9-07 8-14 | DIST | COUNTY | SHEET NO. | |
| 7-13 5-21 | LFK | ANGELINA | 13 | |

DATE: 12/30/2021 4:33:52 AM
 FILE: \\txdot.projectwiseonline.com:TXDOT3\Documents\11 - LFK\Design Projects\091100122\4 - Design Plan Set\CP\bc-21.dgn
 DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.





SKID MOUNTED WOOD SIGN SUPPORTS

* LONG/INTERMEDIATE TERM STATIONARY - PORTABLE SKID MOUNTED SIGN SUPPORTS



GROUND MOUNTED SIGN SUPPORTS

Refer to the CWZTCD and the manufacturer's installation procedure for each type sign support. The maximum sign square footage shall adhere to the manufacturer's recommendation. Two post installations can be used for larger signs.



SKID MOUNTED PERFORATED SQUARE STEEL TUBING SIGN SUPPORTS

* LONG/INTERMEDIATE TERM STATIONARY - PORTABLE SKID MOUNTED SIGN SUPPORTS

WEDGE ANCHORS
 Both steel and plastic Wedge Anchor Systems as shown on the SMD Standard Sheets may be used as temporary sign supports for signs up to 10 square feet of sign face. They may be set in concrete or in sturdy soils if approved by the Engineer. (See web address for "Traffic Engineering Standard Sheets" on BC(1)).

OTHER DESIGNS
 MORE DETAILS OF APPROVED LONG/INTERMEDIATE AND SHORT TERM SUPPORTS CAN BE FOUND ON THE CWZTCD LIST. SEE BC(1) FOR WEBSITE LOCATION.

- GENERAL NOTES**
- Nails may be used in the assembly of wooden sign supports, but 3/8" bolts with nuts or 3/8" x 3 1/2" lag screws must be used on every joint for final connection.
 - No more than 2 sign posts shall be placed within a 7 ft. circle, except for specific materials noted on the CWZTCD List.
 - When project is completed, all sign supports and foundations shall be removed from the project site. This will be considered subsidiary to Item 502.
- * See BC(4) for definition of "Work Duration."
 ** Wood sign posts MUST be one piece. Splicing will NOT be allowed. Posts shall be painted white.
 See the CWZTCD for the type of sign substrate that can be used for each approved sign support.

BARRICADE AND CONSTRUCTION TYPICAL SIGN SUPPORT
BC(5) - 21

| | | | | | | | | | |
|-----------|---------------|------|----------|-----------|---------|-----|-------|-----|-------|
| FILE: | bc-21.dgn | DN: | TxDOT | CK: | TxDOT | OW: | TxDOT | CR: | TxDOT |
| © TxDOT | November 2002 | CONT | SECT | JOB | HIGHWAY | | | | |
| REVISIONS | | 0911 | 00 | 122 | VA | | | | |
| 9-07 | 8-14 | DIST | COUNTY | SHEET NO. | | | | | |
| 7-13 | 5-21 | LFK | ANGELINA | 14 | | | | | |

WHEN NOT IN USE, REMOVE THE PCMS FROM THE RIGHT-OF-WAY OR PLACE THE PCMS BEHIND BARRIER OR GUARDRAIL WITH SIGN PANEL TURNED PARALLEL TO TRAFFIC

RECOMMENDED PHASES AND FORMATS FOR PCMS MESSAGES DURING ROADWORK ACTIVITIES

(The Engineer may approve other messages not specifically covered here.)

PORTABLE CHANGEABLE MESSAGE SIGNS

- The Engineer/Inspector shall approve all messages used on portable changeable message signs (PCMS).
- Messages on PCMS should contain no more than 8 words (about four to eight characters per word), not including simple words such as "TO," "FOR," "AT," etc.
- Messages should consist of a single phase, or two phases that alternate. Three-phase messages are not allowed. Each phase of the message should convey a single thought, and must be understood by itself.
- Use the word "EXIT" to refer to an exit ramp on a freeway; i.e., "EXIT CLOSED." Do not use the term "RAMP."
- Always use the route or interstate designation (IH, US, SH, FM) along with the number when referring to a roadway.
- When in use, the bottom of a stationary PCMS message panel should be a minimum 7 feet above the roadway, where possible.
- The message term "WEEKEND" should be used only if the work is to start on Saturday morning and end by Sunday evening at midnight. Actual days and hours of work should be displayed on the PCMS if work is to begin on Friday evening and/or continue into Monday morning.
- The Engineer/Inspector may select one of two options which are available for displaying a two-phase message on a PCMS. Each phase may be displayed for either four seconds each or for three seconds each.
- Do not "flash" messages or words included in a message. The message should be steady burn or continuous while displayed.
- Do not present redundant information on a two-phase message; i.e., keeping two lines of the message the same and changing the third line.
- Do not use the word "Danger" in message.
- Do not display the message "LANES SHIFT LEFT" or "LANES SHIFT RIGHT" on a PCMS. Drivers do not understand the message.
- Do not display messages that scroll horizontally or vertically across the face of the sign.
- The following table lists abbreviated words and two-word phrases that are acceptable for use on a PCMS. Both words in a phrase must be displayed together. Words or phrases not on this list should not be abbreviated, unless shown in the TMUTCD.
- PCMS character height should be at least 18 inches for trailer mounted units. They should be visible from at least 1/2 (.5) mile and the text should be legible from at least 600 feet at night and 800 feet in daylight. Truck mounted units must have a character height of 10 inches and must be legible from at least 400 feet.
- Each line of text should be centered on the message board rather than left or right justified.
- If disabled, the PCMS should default to an illegible display that will not alarm motorists and will only be used to alert workers that the PCMS has malfunctioned. A pattern such as a series of horizontal solid bars is appropriate.

Phase 1: Condition Lists

Road/Lane/Ramp Closure List

| | |
|-----------------------|--------------------------|
| FREEWAY CLOSED X MILE | FRONTAGE ROAD CLOSED |
| ROAD CLOSED AT SH XXX | SHOULDER CLOSED XXX FT |
| ROAD CLSD AT FM XXXX | RIGHT LN CLOSED XXX FT |
| RIGHT X LANES CLOSED | RIGHT X LANES OPEN |
| CENTER LANE CLOSED | DAYTIME LANE CLOSURES |
| NIGHT LANE CLOSURES | I-XX SOUTH EXIT CLOSED |
| VARIOUS LANES CLOSED | EXIT XXX CLOSED X MILE |
| EXIT CLOSED | RIGHT LN TO BE CLOSED |
| MALL DRIVEWAY CLOSED | X LANES CLOSED TUE - FRI |
| XXXXXXXX BLVD CLOSED | |

Other Condition List

| | |
|--------------------------|-------------------------|
| ROADWORK XXX FT | ROAD REPAIRS XXXX FT |
| FLAGGER XXXX FT | LANE NARROWS XXXX FT |
| RIGHT LN NARROWS XXXX FT | TWO-WAY TRAFFIC XX MILE |
| MERGING TRAFFIC XXXX FT | CONST TRAFFIC XXX FT |
| LOOSE GRAVEL XXXX FT | UNEVEN LANES XXXX FT |
| DETOUR X MILE | ROUGH ROAD XXXX FT |
| ROADWORK PAST SH XXXX | ROADWORK NEXT FRI-SUN |
| BUMP XXXX FT | US XXX EXIT X MILES |
| TRAFFIC SIGNAL XXXX FT | LANES SHIFT * |

* LANES SHIFT in Phase 1 must be used with STAY IN LANE in Phase 2.

Phase 2: Possible Component Lists

Action to Take/Effect on Travel List

| | |
|----------------------|----------------------|
| MERGE RIGHT | FORM X LINES RIGHT |
| DETOUR NEXT X EXITS | USE XXXXX RD EXIT |
| USE EXIT XXX | USE EXIT I-XX NORTH |
| STAY ON US XXX SOUTH | USE I-XX E TO I-XX N |
| TRUCKS USE US XXX N | WATCH FOR TRUCKS |
| WATCH FOR TRUCKS | EXPECT DELAYS |
| EXPECT DELAYS | PREPARE TO STOP |
| REDUCE SPEED XXX FT | END SHOULDER USE |
| USE OTHER ROUTES | WATCH FOR WORKERS |
| STAY IN LANE * | |

Location List

| |
|--------------------------|
| AT FM XXXX |
| BEFORE RAILROAD CROSSING |
| NEXT X MILES |
| PAST US XXX EXIT |
| XXXXXXXX TO XXXXXX |
| US XXX TO FM XXXX |

Warning List

| |
|-----------------------|
| SPEED LIMIT XX MPH |
| MAXIMUM SPEED XX MPH |
| MINIMUM SPEED XX MPH |
| ADVISORY SPEED XX MPH |
| RIGHT LANE EXIT |
| USE CAUTION |
| DRIVE SAFELY |
| DRIVE WITH CARE |

** Advance Notice List

| |
|-----------------------|
| TUE-FRI XX AM-X PM |
| APR XX-XX X PM-X AM |
| BEGINS MONDAY |
| BEGINS MAY XX |
| MAY X-X XX PM - XX AM |
| NEXT FRI-SUN |
| XX AM TO XX PM |
| NEXT TUE AUG XX |
| TONIGHT XX PM-XX AM |

** See Application Guidelines Note 6.

APPLICATION GUIDELINES

- Only 1 or 2 phases are to be used on a PCMS.
- The 1st phase (or both) should be selected from the "Road/Lane/Ramp Closure List" and the "Other Condition List".
- A 2nd phase can be selected from the "Action to Take/Effect on Travel, Location, General Warning, or Advance Notice Phase Lists".
- A Location Phase is necessary only if a distance or location is not included in the first phase selected.
- If two PCMS are used in sequence, they must be separated by a minimum of 1000 ft. Each PCMS shall be limited to two phases, and should be understandable by themselves.
- For advance notice, when the current date is within seven days of the actual work date, calendar days should be replaced with days of the week. Advance notification should typically be for no more than one week prior to the work.

WORDING ALTERNATIVES

- The words RIGHT, LEFT and ALL can be interchanged as appropriate.
- Roadway designations IH, US, SH, FM and LP can be interchanged as appropriate.
- EAST, WEST, NORTH and SOUTH (or abbreviations E, W, N and S) can be interchanged as appropriate.
- Highway names and numbers replaced as appropriate.
- ROAD, HIGHWAY and FREEWAY can be interchanged as needed.
- AHEAD may be used instead of distances if necessary.
- FT and MI, MILE and MILES interchanged as appropriate.
- AT, BEFORE and PAST interchanged as needed.
- Distances or AHEAD can be eliminated from the message if a location phase is used.

PCMS SIGNS WITHIN THE R.O.W. SHALL BE BEHIND GUARDRAIL OR CONCRETE BARRIER OR SHALL HAVE A MINIMUM OF FOUR (4) PLASTIC DRUMS PLACED PERPENDICULAR TO TRAFFIC ON THE UPSTREAM SIDE OF THE PCMS, WHEN EXPOSED TO ONE DIRECTION OF TRAFFIC. WHEN EXPOSED TO TWO WAY TRAFFIC, THE FOUR DRUMS SHOULD BE PLACED WITH ONE DRUM AT EACH OF THE FOUR CORNERS OF THE UNIT.

FULL MATRIX PCMS SIGNS

- When Full Matrix PCMS signs are used, the character height and legibility/visibility requirements shall be maintained as listed in Note 15 under "PORTABLE CHANGEABLE MESSAGE SIGNS" above.
- When symbol signs, such as the "Flagger Symbol" (CW20-7) are represented graphically on the Full Matrix PCMS sign and, with the approval of the Engineer, it shall maintain the legibility/visibility requirement listed above.
- When symbol signs are represented graphically on the Full Matrix PCMS, they shall only supplement the use of the static sign represented, and shall not substitute for, or replace that sign.
- A full matrix PCMS may be used to simulate a flashing arrow board provided it meets the visibility, flash rate and dimming requirements on BC(7), for the same size arrow.

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for neglecting to update or for damages resulting from its use.

DATE: 12/30/2021 4:33:53 AM
FILE: pw:\txdot\projectwiseonline.com:TXDOT3\Documents\11 - LFK\Design Projects\091100122\4 - Design Plan Set\2 - CP\bc-21.dgn

| WORD OR PHRASE | ABBREVIATION | WORD OR PHRASE | ABBREVIATION |
|------------------------|--------------|----------------|--------------|
| Access Road | ACCS RD | Major | MAJ |
| Alternate | ALT | Miles | MI |
| Avenue | AVE | Miles Per Hour | MPH |
| Best Route | BEST RTE | Minor | MNR |
| Boulevard | BLVD | Monday | MON |
| Bridge | BRDG | Normal | NORM |
| Canot | CANT | North | N |
| Center | CTR | Northbound | (route) N |
| Construction Ahead | CONST AHD | Parking | PKING |
| CROSSING | XING | Road | RD |
| Detour Route | DETOUR RTE | Right Lane | RT LN |
| Do Not | DONT | Saturday | SAT |
| East | E | Service Road | SERV RD |
| Eastbound | (route) E | Shoulder | SHLDR |
| Emergency | EMER | Slippery | SLIP |
| Emergency Vehicle | EMER VEH | South | S |
| Entrance, Enter | ENT | Southbound | (route) S |
| Express Lane | EXP LN | Speed | SPD |
| Expressway | EXPWY | Street | ST |
| XXXX Feet | XXXX FT | Sunday | SUN |
| Fog Ahead | FOG AHD | Telephone | PHONE |
| Freeway | FRWY, FWY | Temporary | TEMP |
| Freeway Blocked | FWY BLKD | Thursday | THURS |
| Friday | FRI | To Downtown | TO DWNTN |
| Hazardous Driving | HAZ DRIVING | Traffic | TRAF |
| Hazardous Material | HAZMAT | Travelers | TRVLR |
| High-Occupancy Vehicle | HOV | Tuesday | TUES |
| Highway | HWY | Time Minutes | TIME MIN |
| Hour(s) | HR, HRS | Upper Level | UPR LEVEL |
| Information | INFO | Vehicles (s) | VEH, VEHS |
| It Is | ITS | Warning | WARN |
| Junction | JCT | Wednesday | WED |
| Left | LFT | Weight Limit | WT LIMIT |
| Left Lane | LFT LN | West | W |
| Lane Closed | LN CLOSED | Westbound | (route) W |
| Lower Level | LWR LEVEL | Wet Pavement | WET PVMT |
| Maintenance | MAINT | Will Not | WONT |

Roadway designation # IH-number, US-number, SH-number, FM-number




BARRICADE AND CONSTRUCTION PORTABLE CHANGEABLE MESSAGE SIGN (PCMS)

BC (6) - 21

| | | | | | | | | | |
|-----------|---------------|------|----------|-----------|---------|-----|-------|-----|-------|
| FILE: | bc-21.dgn | DN: | TxDOT | CR: | TxDOT | DW: | TxDOT | CK: | TxDOT |
| © TxDOT | November 2002 | CONT | SECT | JOB | HIGHWAY | | | | |
| REVISIONS | | 0911 | 00 | 122 | VA | | | | |
| 9-07 | 8-14 | DIST | COUNTY | SHEET NO. | | | | | |
| 7-13 | 5-21 | LFK | ANGELINA | 15 | | | | | |


DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.
 DATE: 12/30/2021 4:33:54 AM
 FILE: \\txdotproject\wiseonline.com\TXDOT3\Documents\11 - LFK\Design Projects\091100122\4 - Design\Plan Set\2 - TCP\bc-21.dgn

- Barrier Reflectors shall be pre-qualified, and conform to the color and reflectivity requirements of DMS-8600. A list of prequalified Barrier Reflectors can be found at the Material Producer List web address shown on BC(1).
- Color of Barrier Reflectors shall be as specified in the TMUTCD. The cost of the reflectors shall be considered subsidiary to Item 512.




CONCRETE TRAFFIC BARRIER (CTB)

- Where traffic is on one side of the CTB, two (2) Barrier Reflectors shall be mounted in approximately the midsection of each section of CTB. An alternate mounting location is uniformly spaced at one end of each CTB. This will allow for attachment of a barrier grapple without damaging the reflector. The Barrier Reflector mounted on the side of the CTB shall be located directly below the reflector mounted on top of the barrier, as shown in the detail above.
- Where CTB separates two-way traffic, three barrier reflectors shall be mounted on each section of CTB. The reflector unit on top shall have two yellow reflective faces (Bi-Directional) while the reflectors on each side of the barrier shall have one yellow reflective face, as shown in the detail above.
- When CTB separates traffic traveling in the same direction, no barrier reflectors will be required on top of the CTB.
- Barrier Reflector units shall be yellow or white in color to match the edgeline being supplemented.
- Maximum spacing of Barrier Reflectors is forty (40) feet.
- Pavement markers or temporary flexible-reflective roadway marker tabs shall NOT be used as CTB delineation.
- Attachment of Barrier Reflectors to CTB shall be per manufacturer's recommendations.
- Missing or damaged Barrier Reflectors shall be replaced as directed by the Engineer.
- Single slope barriers shall be delineated as shown on the above detail.



LOW PROFILE CONCRETE BARRIER (LPCB) USED IN WORK ZONES
 LPCB is approved for use in work zone locations, where the posted speed is 45mph, or less. See Roadway Standard Sheet LPCB.

LOW PROFILE CONCRETE BARRIER (LPCB)



DELINEATION OF END TREATMENTS

END TREATMENTS FOR CTB'S USED IN WORK ZONES
 End treatments used on CTB's in work zones shall meet the appropriate crashworthy standards as defined in the Manual for Assessing Safety Hardware (MASH). Refer to the CWZTCD List for approved end treatments and manufacturers.

BARRIER REFLECTORS FOR CONCRETE TRAFFIC BARRIER AND ATTENUATORS

WARNING LIGHTS


- Warning lights shall meet the requirements of the TMUTCD.
- Warning lights shall NOT be installed on barricades.
- Type A-Low Intensity Flashing Warning Lights are commonly used with drums. They are intended to warn of or mark a potentially hazardous area. Their use shall be as indicated on this sheet and/or other sheets of the plans by the designation "FL". The Type A Warning Lights shall not be used with signs manufactured with Type B_{FL} or C_{FL} Sheeting meeting the requirements of Departmental Material Specification DMS-8300.
- Type-C and Type D 360 degree Steady Burn Lights are intended to be used in a series for delineation to supplement other traffic control devices. Their use shall be as indicated on this sheet and/or other sheets of the plans by the designation "SB".
- The Engineer/Inspector or the plans shall specify the location and type of warning lights to be installed on the traffic control devices.
- When required by the Engineer, the Contractor shall furnish a copy of the warning lights certification. The warning light manufacturer will certify the warning lights meet the requirements of the latest ITE Purchase Specifications for Flashing and Steady-Burn Warning Lights.
- When used to delineate curves, Type-C and Type D Steady Burn Lights should only be placed on the outside of the curve, not the inside.
- The location of warning lights and warning reflectors on drums shall be as shown elsewhere in the plans.

WARNING LIGHTS MOUNTED ON PLASTIC DRUMS


- Type A flashing warning lights are intended to warn drivers that they are approaching or are in a potentially hazardous area.
- Type A random flashing warning lights are not intended for delineation and shall not be used in a series.
- A series of sequential flashing warning lights placed on channelizing devices to form a merging taper may be used for delineation. If used, the successive flashing of the sequential warning lights should occur from the beginning of the taper to the end of the merging taper in order to identify the desired vehicle path. The rate of flashing for each light shall be 65 flashes per minute, plus or minus 10 flashes.
- Type C and D steady-burn warning lights are intended to be used in a series to delineate the edge of the travel lane on detours, on lane changes, on lane closures, and on other similar conditions.
- Type A, Type C and Type D warning lights shall be installed at locations as detailed on other sheets in the plans.
- Warning lights shall not be installed on a drum that has a sign, chevron or vertical panel.
- The maximum spacing for warning lights on drums should be identical to the channelizing device spacing.

WARNING REFLECTORS MOUNTED ON PLASTIC DRUMS AS A SUBSTITUTE FOR TYPE C (STEADY BURN) WARNING LIGHTS

- A warning reflector or approved substitute may be mounted on a plastic drum as a substitute for a Type C, steady burn warning light at the discretion of the Contractor unless otherwise noted in the plans.
- The warning reflector shall be yellow in color and shall be manufactured using a sign substrate approved for use with plastic drums listed on the CWZTCD.
- The warning reflector shall have a minimum retroreflective surface area (one-side) of 30 square inches.
- Round reflectors shall be fully reflectorized, including the area where attached to the drum.
- Square substrates must have a minimum of 30 square inches of reflectorized sheeting. They do not have to be reflectorized where it attaches to the drum.
- The side of the warning reflector facing approaching traffic shall have sheeting meeting the color and retroreflectivity requirements for DMS 8300-Type B or Type C.
- When used near two-way traffic, both sides of the warning reflector shall be reflectorized.
- The warning reflector should be mounted on the side of the handle nearest approaching traffic.
- The maximum spacing for warning reflectors should be identical to the channelizing device spacing requirements.




Type C Warning Light or approved substitute mounted on a drum adjacent to the travel way.



Warning reflector may be round or square. Must have a yellow reflective surface area of at least 30 square inches

Arrow Boards may be located behind channelizing devices in place for a shoulder taper or merging taper, otherwise they shall be delineated with four (4) channelizing devices placed perpendicular to traffic on the upstream side of traffic.

- The Flashing Arrow Board should be used for all lane closures on multi-lane roadways, or slow moving maintenance or construction activities on the travel lanes.
- Flashing Arrow Boards should not be used on two-lane, two-way roadways, detours, diversions or work on shoulders unless the "CAUTION" display (see detail below) is used.
- The Engineer/Inspector shall choose all appropriate signs, barricades and/or other traffic control devices that should be used in conjunction with the Flashing Arrow Board.
- The Flashing Arrow Board should be able to display the following symbols:



- The "CAUTION" display consists of four corner lamps flashing simultaneously, or the Alternating Diamond Caution mode as shown.
- The straight line caution display is NOT ALLOWED.
- The Flashing Arrow Board shall be capable of minimum 50 percent dimming from rated lamp voltage. The flashing rate of the lamps shall not be less than 25 nor more than 40 flashes per minute.
- Minimum lamp "on time" shall be approximately 50 percent for the flashing arrow and equal intervals of 25 percent for each sequential phase of the flashing chevron.
- The sequential arrow display is NOT ALLOWED.
- The flashing arrow display is the TxDOT standard; however, the sequential chevron display may be used during daylight operations.
- The Flashing Arrow Board shall be mounted on a vehicle, trailer or other suitable support.
- A Flashing Arrow Board SHALL NOT BE USED to laterally shift traffic.
- A full matrix PCMS may be used to simulate a Flashing Arrow Board provided it meets visibility, flash rate and dimming requirements on this sheet for the same size arrow.
- Minimum mounting height of trailer mounted Arrow Boards should be 7 feet from roadway to bottom of panel.

| REQUIREMENTS | | | |
|--------------|--------------|-------------------------------|-----------------------------|
| TYPE | MINIMUM SIZE | MINIMUM NUMBER OF PANEL LAMPS | MINIMUM VISIBILITY DISTANCE |
| B | 30 x 60 | 13 | 3/4 mile |
| C | 48 x 96 | 15 | 1 mile |

ATTENTION
 Flashing Arrow Boards shall be equipped with automatic dimming devices.

WHEN NOT IN USE, REMOVE THE ARROW BOARD FROM THE RIGHT-OF-WAY OR PLACE THE ARROW BOARD BEHIND CONCRETE TRAFFIC BARRIER OR GUARDRAIL.

FLASHING ARROW BOARDS

SHEET 7 OF 12

TRUCK-MOUNTED ATTENUATORS

- Truck-mounted attenuators (TMA) used on TxDOT facilities must meet the requirements outlined in the Manual for Assessing Safety Hardware (MASH).
- Refer to the CWZTCD for the requirements of Level 2 or Level 3 TMAs.
- Refer to the CWZTCD for a list of approved TMAs.
- TMAs are required on freeways unless otherwise noted in the plans.
- A TMA should be used anytime that it can be positioned 30 to 100 feet in advance of the area of crew exposure without adversely affecting the work performance.
- The only reason a TMA should not be required is when a work area is spread down the roadway and the work crew is an extended distance from the TMA.



BARRICADE AND CONSTRUCTION ARROW PANEL, REFLECTORS, WARNING LIGHTS & ATTENUATOR

BC (7) - 21

| | | | | | | | | | |
|-----------|---------------|------|----------|-----|-----------|-----|-------|-----|-------|
| FILE: | bc-21.dgn | DN: | TxDOT | CR: | TxDOT | OW: | TxDOT | CK: | TxDOT |
| © TxDOT | November 2002 | CONT | SECT | JOB | HIGHWAY | | | | |
| REVISIONS | | 0911 | 00 | 122 | VA | | | | |
| 9-07 | 8-14 | DIST | COUNTY | | SHEET NO. | | | | |
| 7-13 | 5-21 | LFK | ANGELINA | | 16 | | | | |

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.
 DATE: 12/30/2021 4:33:55 AM
 FILE: \\txdot\project\wiseonline.com\TXDOT3\Documents\11 - LFK\Design Projects\0911001224 - Design\Plan Set\2 - TCP\bc-21.dgn

GENERAL NOTES

- For long term stationary work zones on freeways, drums shall be used as the primary channelizing device.
- For intermediate term stationary work zones on freeways, drums should be used as the primary channelizing device but may be replaced in tangent sections by vertical panels, or 42" two-piece cones. In tangent sections, one-piece cones may be used with the approval of the Engineer but only if personnel are present on the project at all times to maintain the cones in proper position and location.
- For short term stationary work zones on freeways, drums are the preferred channelizing device but may be replaced in tapers, transitions and tangent sections by vertical panels, two-piece cones or one-piece cones as approved by the Engineer.
- Drums and all related items shall comply with the requirements of the current version of the "Texas Manual on Uniform Traffic Control Devices" (TMUTCD) and the "Compliant Work Zone Traffic Control Devices List" (CWZTCD).
- Drums, bases, and related materials shall exhibit good workmanship and shall be free from objectionable marks or defects that would adversely affect their appearance or serviceability.
- The Contractor shall have a maximum of 24 hours to replace any plastic drums identified for replacement by the Engineer/Inspector. The replacement device must be an approved device.

GENERAL DESIGN REQUIREMENTS

Pre-qualified plastic drums shall meet the following requirements:



- Plastic drums shall be a two-piece design; the "body" of the drum shall be the top portion and the "base" shall be the bottom.
- The body and base shall lock together in such a manner that the body separates from the base when impacted by a vehicle traveling at a speed of 20 MPH or greater but prevents accidental separation due to normal handling and/or air turbulence created by passing vehicles.
- Plastic drums shall be constructed of lightweight flexible, and deformable materials. The Contractor shall NOT use metal drums or single piece plastic drums as channelization devices or sign supports.
- Drums shall present a profile that is a minimum of 18 inches in width at the 36 inch height when viewed from any direction. The height of drum unit (body installed on base) shall be a minimum of 36 inches and a maximum of 42 inches.
- The top of the drum shall have a built-in handle for easy pickup and shall be designed to drain water and not collect debris. The handle shall have a minimum of two widely spaced 9/16 inch diameter holes to allow attachment of a warning light, warning reflector unit or approved compliant sign.
- The exterior of the drum body shall have a minimum of four alternating orange and white retroreflective circumferential stripes not less than 4 inches nor greater than 8 inches in width. Any non-reflectORIZED space between any two adjacent stripes shall not exceed 2 inches in width.
- Bases shall have a maximum width of 36 inches, a maximum height of 4 inches, and a minimum of two footholds of sufficient size to allow base to be held down while separating the drum body from the base.
- Plastic drums shall be constructed of ultra-violet stabilized, orange, high-density polyethylene (HDPE) or other approved material.
- Drum body shall have a maximum unballasted weight of 11 lbs.
- Drum and base shall be marked with manufacturer's name and model number.

RETROREFLECTIVE SHEETING

- The stripes used on drums shall be constructed of sheeting meeting the color and retroreflectivity requirements of Departmental Materials Specification DMS-8300, "Sign Face Materials." Type A or Type B reflective sheeting shall be supplied unless otherwise specified in the plans.
- The sheeting shall be suitable for use on and shall adhere to the drum surface such that, upon vehicular impact, the sheeting shall remain adhered in-place and exhibit no delaminating, cracking, or loss of retroreflectivity other than that loss due to abrasion of the sheeting surface.



BALLAST

- Unballasted bases shall be large enough to hold up to 50 lbs. of sand. This base, when filled with the ballast material, should weigh between 35 lbs (minimum) and 50 lbs (maximum). The ballast may be sand in one to three sandbags separate from the base, sand in a sand-filled plastic base, or other ballasting devices as approved by the Engineer. Stacking of sandbags will be allowed, however height of sandbags above pavement surface may not exceed 12 inches.
- Bases with built-in ballast shall weigh between 40 lbs. and 50 lbs. Built-in ballast can be constructed of an integral crumb rubber base or a solid rubber base.
- Recycled truck tire sidewalls may be used for ballast on drums approved for this type of ballast on the CWZTCD list.
- The ballast shall not be heavy objects, water, or any material that would become hazardous to motorists, pedestrians, or workers when the drum is struck by a vehicle.
- When used in regions susceptible to freezing, drums shall have drainage holes in the bottoms so that water will not collect and freeze becoming a hazard when struck by a vehicle.
- Ballast shall not be placed on top of drums.
- Adhesives may be used to secure base of drums to pavement.




DETECTABLE PEDESTRIAN BARRICADES

- When existing pedestrian facilities are disrupted, closed, or relocated in a TTC zone, the temporary facilities shall be detectable and include accessibility features consistent with the features present in the existing pedestrian facility. Refer to WZ(BTS-2) for Pedestrian Control requirements for Sidewalk Diversions, Sidewalk Detours and Crosswalk Closures.
- Where pedestrians with visual disabilities normally use the closed sidewalk, a Detectable Pedestrian Barricade shall be placed across the full width of the closed sidewalk instead of a Type 3 Barricade.
- Detectable pedestrian barricades similar to the one pictured above, longitudinal channelizing devices, some concrete barriers, and wood or chain link fencing with a continuous detectable edging can satisfactorily delineate a pedestrian path.
- Tape, rope, or plastic chain strung between devices are not detectable, do not comply with the design standards in the "Americans with Disabilities Act Accessibility Guidelines (ADAAG)" and should not be used as a control for pedestrian movements.
- Warning lights shall not be attached to detectable pedestrian barricades.
- Detectable pedestrian barricades should use 8" nominal barricade rails as shown on BC(10) provided that the top rail provides a smooth continuous rail suitable for hand trailing with no splinters, burrs, or sharp edges.



18" x 24" Sign
 (Maximum Sign Dimension)
 Chevron CW1-8, Opposing Traffic Lane Divider, Driveway sign D70a, Keep Right R4 series or other signs as approved by Engineer



12" x 24" Vertical Panel
 mount with diagonals sloping down towards travel way

Plywood, Aluminum or Metal sign substrates shall NOT be used on plastic drums

SIGNS, CHEVRONS, AND VERTICAL PANELS MOUNTED ON PLASTIC DRUMS

- Signs used on plastic drums shall be manufactured using substrates listed on the CWZTCD.
- Chevrons and other work zone signs with an orange background shall be manufactured with Type B_{FL} or Type C_{FL} Orange sheeting meeting the color and retroreflectivity requirements of DMS-8300, "Sign Face Material," unless otherwise specified in the plans.
- Vertical Panels shall be manufactured with orange and white sheeting meeting the requirements of DMS-8300 Type A or Type B. Diagonal stripes on Vertical Panels shall slope down toward the intended traveled lane.
- Other sign messages (text or symbolic) may be used as approved by the Engineer. Sign dimensions shall not exceed 18 inches in width or 24 inches in height, except for the R9 series signs discussed in note 8 below.
- Signs shall be installed using a 1/2 inch bolt (nominal) and nut, two washers, and one locking washer for each connection.
- Mounting bolts and nuts shall be fully engaged and adequately torqued. Bolts should not extend more than 1/2 inch beyond nuts.
- Chevrons may be placed on drums on the outside of curves, on merging tapers or on shifting tapers. When used in these locations, they may be placed on every drum or spaced not more than on every third drum. A minimum of three (3) should be used at each location called for in the plans.
- R9-9, R9-10, R9-11 and R9-11a Sidewalk Closed signs which are 24 inches wide may be mounted on plastic drums, with approval of the Engineer.

SHEET 8 OF 12




BARRICADE AND CONSTRUCTION CHANNELIZING DEVICES

BC (8) - 21

| | | | | | | | | | |
|-----------|---------------|------|----------|-----------|---------|-----|-------|-----|-------|
| FILE: | bc-21.dgn | DN: | TxDOT | CR: | TxDOT | OW: | TxDOT | CK: | TxDOT |
| © TxDOT | November 2002 | CONT | SECT | JOB | HIGHWAY | | | | |
| REVISIONS | | 0911 | 00 | 122 | VA | | | | |
| 4-03 | 8-14 | DIST | COUNTY | SHEET NO. | | | | | |
| 9-07 | 5-21 | LFK | ANGELINA | 17 | | | | | |
| 7-13 | | | | | | | | | |

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorporating results or damages resulting from its use.


DATE: 12/30/2021 4:33:56 AM
 FILE: \\txdot.projectwiseonline.com:TXDOT3\Documents\11 - LFK\Design Projects\091100122\4 - Design\Plan Set\2 - TCP\bc-21.dgn



FIXED
(Rigid or self-righting)


DRIVEABLE

- Vertical Panels (VP's) are normally used to channelize traffic or divide opposing lanes of traffic.
- VP's may be used in daytime or nighttime situations. They may be used at the edge of shoulder drop-offs and other areas such as lane transitions where positive daytime and nighttime delineation is required. The Engineer/Inspector shall refer to the Roadway Design Manual for additional requirements on the use VP's for drop-offs.
- VP's should be mounted back to back if used at the edge of cuts adjacent to two-way two lane roadways. Stripes are to be reflective orange and reflective white and should always slope downward toward the travel lane.
- VP's used on expressways and freeways or other high speed roadways, may have more than 270 square inches of retroreflective area facing traffic.
- Self-righting supports are available with portable base. See "Compliant Work Zone Traffic Control Devices List" (CWZTCD).
- Sheeting for the VP's shall be retroreflective Type A or Type B conforming to Departmental Material Specification DMS-8300, unless noted otherwise.
- Where the height of reflective material on the vertical panel is 36 inches or greater, a panel stripe of 6 inches shall be used.




PORTABLE

VERTICAL PANELS (VPs)



OPPOSING TRAFFIC LANE DIVIDERS (OTLD)


- Opposing Traffic Lane Dividers (OTLD) are delineation devices designed to convert a normal one-way roadway section to two-way operation. OTLD's are used on temporary centerlines. The upward and downward arrows on the sign's face indicate the direction of traffic on either side of the divider. The base is secured to the pavement with an adhesive or rubber weight to minimize movement caused by a vehicle impact or wind gust.
- The OTLD may be used in combination with 42" cones or VPs.
- Spacing between the OTLD shall not exceed 500 feet. 42" cones or VPs placed between the OTLD's should not exceed 100 foot spacing.
- The OTLD shall be orange with a black non-reflective legend. Sheeting for the OTLD shall be retroreflective Type B_{FL} or Type C_{FL} conforming to Departmental Material Specification DMS-8300, unless noted otherwise. The legend shall meet the requirements of DMS-8300.



Fixed Base w/ Approved Adhesive (Driveable Base, or Flexible Support can be used)

- The chevron shall be a vertical rectangle with a minimum size of 12 by 18 inches.
- Chevrons are intended to give notice of a sharp change of alignment with the direction of travel and provide additional emphasis and guidance for vehicle operators with regard to changes in horizontal alignment of the roadway.
- Chevrons, when used, shall be erected on the outside of a sharp curve or turn, or on the far side of an intersection. They shall be in line with and at right angles to approaching traffic. Spacing should be such that the motorist always has three in view, until the change in alignment eliminates its need.
- To be effective, the chevron should be visible for at least 500 feet.
- Chevrons shall be orange with a black nonreflective legend. Sheeting for the chevron shall be retroreflective Type B_{FL} or Type C_{FL} conforming to Departmental Material Specification DMS-8300, unless noted otherwise. The legend shall meet the requirements of DMS-8300.
- For Long Term Stationary use on tapers or transitions on freeways and divided highways, self-righting chevrons may be used to supplement plastic drums but not to replace plastic drums.

CHEVRONS



LONGITUDINAL CHANNELIZING DEVICES (LCD)

- LCDs are crashworthy, lightweight, deformable devices that are highly visible, have good target value and can be connected together. They are not designed to contain or redirect a vehicle on impact.
- LCDs may be used instead of a line of cones or drums.
- LCDs shall be placed in accordance to application and installation requirements specific to the device, and used only when shown on the CWZTCD list.
- LCDs should not be used to provide positive protection for obstacles, pedestrians or workers.
- LCDs shall be supplemented with retroreflective delineation as required for temporary barriers on BC(7) when placed roughly parallel to the travel lanes.
- LCDs used as barricades placed perpendicular to traffic should have at least one row of reflective sheeting meeting the requirements for barricade rails as shown on BC(10). Place reflective sheeting near the top of the LCD along the full length of the device.

WATER BALLASTED SYSTEMS USED AS BARRIERS

- Water ballasted systems used as barriers shall not be used solely to channelize road users, but also to protect the work space per the appropriate Manual for Assessing Safety Hardware (MASH) crashworthiness requirements based on roadway speed and barrier application.
- Water ballasted systems used to channelize vehicular traffic shall be supplemented with retroreflective delineation or channelizing devices to improve daytime/nighttime visibility. They may also be supplemented with pavement markings.
- Water ballasted systems used as barriers shall be placed in accordance to application and installation requirements specific to the device, and used only when shown on the CWZTCD list.
- Water ballasted systems used as barriers should not be used for a merging taper except in low speed (less than 45 MPH) urban areas. When used on a taper in a low speed urban area, the taper shall be delineated and the taper length should be designed to optimize road user operations considering the available geometric conditions.
- When water ballasted systems used as barriers have blunt ends exposed to traffic, they should be attenuated as per manufacturer recommendations or flared to a point outside the clear zone.

If used to channelize pedestrians, longitudinal channelizing devices or water ballasted systems must have a continuous detectable bottom for users of long canes and the top of the unit shall not be less than 32 inches in height.

HOLLOW OR WATER BALLASTED SYSTEMS USED AS LONGITUDINAL CHANNELIZING DEVICES OR BARRIERS

GENERAL NOTES

- Work Zone channelizing devices illustrated on this sheet may be installed in close proximity to traffic and are suitable for use on high or low speed roadways. The Engineer/Inspector shall ensure that spacing and placement is uniform and in accordance with the "Texas Manual on Uniform Traffic Control Devices" (TMUTCD).
- Channelizing devices shown on this sheet may have a driveable, fixed or portable base. The requirement for self-righting channelizing devices must be specified in the General Notes or other plan sheets.
- Channelizing devices on self-righting supports should be used in work zone areas where channelizing devices are frequently impacted by errant vehicles or vehicle related wind gusts making alignment of the channelizing devices difficult to maintain. Locations of these devices shall be detailed elsewhere in the plans. These devices shall conform to the TMUTCD and the "Compliant Work Zone Traffic Control Devices List" (CWZTCD).
- The Contractor shall maintain devices in a clean condition and replace damaged, nonreflective, faded, or broken devices and bases as required by the Engineer/Inspector. The Contractor shall be required to maintain proper device spacing and alignment.
- Portable bases shall be fabricated from virgin and/or recycled rubber. The portable bases shall weigh a minimum of 30 lbs.
- Pavement surfaces shall be prepared in a manner that ensures proper bonding between the adhesives, the fixed mount bases and the pavement surface. Adhesives shall be prepared and applied according to the manufacturer's recommendations.
- The installation and removal of channelizing devices shall not cause detrimental effects to the final pavement surfaces, including pavement surface discoloration or surface integrity. Driveable bases shall not be permitted on final pavement surfaces. The Engineer/Inspector shall approve all application and removal procedures of fixed bases.

| Posted Speed | Formula | Minimum Desirable Taper Lengths | | | Suggested Maximum Spacing of Channelizing Devices | |
|--------------|--------------------------|---------------------------------|------------|------------|---|--------------|
| | | 10' Offset | 11' Offset | 12' Offset | On a Taper | On a Tangent |
| 30 | L = WS ² / 60 | 150' | 165' | 180' | 30' | 60' |
| 35 | | 205' | 225' | 245' | 35' | 70' |
| 40 | | 265' | 295' | 320' | 40' | 80' |
| 45 | L = WS | 450' | 495' | 540' | 45' | 90' |
| 50 | | 500' | 550' | 600' | 50' | 100' |
| 55 | | 550' | 605' | 660' | 55' | 110' |
| 60 | | 600' | 660' | 720' | 60' | 120' |
| 65 | | 650' | 715' | 780' | 65' | 130' |
| 70 | | 700' | 770' | 840' | 70' | 140' |
| 75 | | 750' | 825' | 900' | 75' | 150' |
| 80 | | 800' | 880' | 960' | 80' | 160' |

**Taper lengths have been rounded off.
 L=Length of Taper (FT.) W=Width of Offset (FT.)
 S=Posted Speed (MPH)

SUGGESTED MAXIMUM SPACING OF CHANNELIZING DEVICES AND MINIMUM DESIRABLE TAPER LENGTHS

SHEET 9 OF 12



BARRICADE AND CONSTRUCTION CHANNELIZING DEVICES

BC (9) - 21

| | | | | |
|-----------------------|-----------|-----------|-----------|-----------|
| FILE: bc-21.dgn | DN: TxDOT | CK: TxDOT | DW: TxDOT | CR: TxDOT |
| © TxDOT November 2002 | CONT | SECT | JOB | HIGHWAY |
| REVISIONS | 0911 | 00 | 122 | VA |
| 9-07 8-14 | DIST | COUNTY | SHEET NO. | |
| 7-13 5-21 | LFK | ANGELINA | 18 | |

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.
 DATE: 12/30/2021 4:33:58 AM
 FILE: \\txdotprojectwiseonline.com:TXDOT3\Documents\11 - LFK\Design Projects\091100122\4 - Design\Plan Set\2 - TCP\bc-21.dgn

TYPE 3 BARRICADES

1. Refer to the Compliant Work Zone Traffic Control Devices List (CWZTCD) for details of the Type 3 Barricades and a list of all materials used in the construction of Type 3 Barricades.
2. Type 3 Barricades shall be used at each end of construction projects closed to all traffic.
3. Barricades extending across a roadway should have stripes that slope downward in the direction toward which traffic must turn in detouring. When both right and left turns are provided, the chevron striping may slope downward in both directions from the center of the barricade. Where no turns are provided at a closed road, striping should slope downward in both directions toward the center of roadway.
4. Striping of rails, for the right side of the roadway, should slope downward to the left. For the left side of the roadway, striping should slope downward to the right.
5. Identification markings may be shown only on the back of the barricade rails. The maximum height of letters and/or company logos used for identification shall be 1".
6. Barricades shall not be placed parallel to traffic unless an adequate clear zone is provided.
7. Warning lights shall NOT be installed on barricades.
8. Where barricades require the use of weights to keep from turning over, the use of sandbags with dry, cohesionless sand is recommended. The sandbags will be tied shut to keep the sand from spilling and to maintain a constant weight. Sand bags shall not be stacked in a manner that covers any portion of a barricade rails reflective sheeting. Rock, concrete, iron, steel or other solid objects will NOT be permitted. Sandbags should weigh a minimum of 35 lbs and a maximum of 50 lbs. Sandbags shall be made of a durable material that tears upon vehicular impact. Rubber (such as tire inner tubes) shall not be used for sandbags. Sandbags shall only be placed along or upon the base supports of the device and shall not be suspended above ground level or hung with rope, wire, chains or other fasteners.
9. Sheeting for barricades shall be retroreflective Type A or Type B conforming to Departmental Material Specification DMS-8300 unless otherwise noted.

Barricades shall NOT be used as a sign support.




TYPICAL STRIPING DETAIL FOR BARRICADE RAIL




Stiffener may be inside or outside of support, but no more than 2 stiffeners shall be allowed on one barricade.

TYPICAL PANEL DETAIL FOR SKID OR POST TYPE BARRICADES




TRAFFIC CONTROL FOR MATERIAL STOCKPILES

Each roadway of a divided highway shall be barricaded in the same manner.



PERSPECTIVE VIEW


The three rails on Type 3 barricades shall be reflectorized orange and reflective white stripes on one side facing one-way traffic and both sides for two-way traffic. Barricade striping should slant downward in the direction of detour.




PLAN VIEW

1. Signs should be mounted on independent supports at a 7 foot mounting height in center of roadway. The signs should be a minimum of 10 feet behind Type 3 Barricades.
2. Advance signing shall be as specified elsewhere in the plans.

TYPE 3 BARRICADE (POST AND SKID) TYPICAL APPLICATION



PERSPECTIVE VIEW




PLAN VIEW

Increase number of plastic drums on the side of approaching traffic if the crown width makes it necessary. (minimum of 2 and maximum of 4 drums)

1. Where positive redirection capability is provided, drums may be omitted.
2. Plastic construction fencing may be used with drums for safety as required in the plans.
3. Vertical Panels on flexible support may be substituted for drums when the shoulder width is less than 4 feet.
4. When the shoulder width is greater than 12 feet, steady-burn lights may be omitted if drums are used.
5. Drums must extend the length of the culvert widening.

| LEGEND | |
|--------|---|
| | Plastic drum |
| | Plastic drum with steady burn light or yellow warning reflector |
| | Steady burn warning light or yellow warning reflector |

CULVERT WIDENING OR OTHER ISOLATED WORK WITHIN THE PROJECT LIMITS



Two-Piece cones

One-Piece cones

Tubular Marker

28" Cones shall have a minimum weight of 9 1/2 lbs.
 42" 2-piece cones shall have a minimum weight of 30 lbs. including base.

1. Traffic cones and tubular markers shall be predominantly orange, and meet the height and weight requirements shown above.
2. One-piece cones have the body and base of the cone molded in one consolidated unit. Two-piece cones have a cone shaped body and a separate rubber base, or ballast, that is added to keep the device upright and in place.
3. Two-piece cones may have a handle or loop extending up to 8" above the minimum height shown, in order to aid in retrieving the device.
4. Cones or tubular markers shall have white or white and orange reflective bands as shown above. The reflective bands shall have a smooth, sealed outer surface and meet the requirements of Departmental Material Specification DMS-8300 Type A or Type B.
5. 28" cones and tubular markers are generally suitable for short duration and short-term stationary work as defined on BC(4). These should not be used for intermediate-term or long-term stationary work unless personnel is on-site to maintain them in their proper upright position.
6. 42" two-piece cones, vertical panels or drums are suitable for all work zone durations.
7. Cones or tubular markers used on each project should be of the same size and shape.



BARRICADE AND CONSTRUCTION CHANNELIZING DEVICES


BC (10) - 21

| | | | | |
|-----------------------|-----------|-----------|-----------|-----------|
| FILE: bc-21.dgn | DN: TxDOT | CK: TxDOT | OW: TxDOT | CR: TxDOT |
| © TxDOT November 2002 | CONT | SECT | JOB | HIGHWAY |
| REVISIONS | 0911 | 00 | 122 | VA |
| 9-07 8-14 | DIST | COUNTY | SHEET NO. | |
| 7-13 5-21 | LFK | ANGELINA | 19 | |

PAVEMENT MARKING PATTERNS




REFLECTORIZED PAVEMENT MARKINGS - PATTERN A




REFLECTORIZED PAVEMENT MARKINGS - PATTERN B

Pattern A is the TXDOT Standard, however Pattern B may be used if approved by the Engineer. Prefabricated markings may be substituted for reflectORIZED pavement markings.



RAISED PAVEMENT MARKERS - PATTERN A




RAISED PAVEMENT MARKERS - PATTERN B

CENTER LINE & NO-PASSING ZONE BARRIER LINES FOR TWO-LANE, TWO-WAY HIGHWAYS



REFLECTORIZED PAVEMENT MARKINGS

Prefabricated markings may be substituted for reflectORIZED pavement markings.




RAISED PAVEMENT MARKERS

EDGE & LANE LINES FOR DIVIDED HIGHWAY




REFLECTORIZED PAVEMENT MARKINGS

Prefabricated markings may be substituted for reflectORIZED pavement markings.




RAISED PAVEMENT MARKERS

LANE & CENTER LINES FOR MULTILANE UNDIVIDED HIGHWAYS



REFLECTORIZED PAVEMENT MARKINGS

Prefabricated markings may be substituted for reflectORIZED pavement markings.





RAISED PAVEMENT MARKERS

TWO-WAY LEFT TURN LANE


STANDARD WORK ZONE PAVEMENT MARKINGS DETAILS




SOLID LINES



BROKEN LINES




AUXILIARY OR LANEDROP LINE



REMOVABLE MARKINGS WITH RAISED PAVEMENT MARKERS

If raised pavement markers are used to supplement REMOVABLE markings, the markers shall be applied to the top of the tape at the approximate mid length of tape used for broken lines or at 20 foot spacing for solid lines. This allows an easier removal of raised pavement markers and tape.



SHEET 12 OF 12



BARRICADE AND CONSTRUCTION PAVEMENT MARKING PATTERNS


BC (12) - 21

Raised pavement markers used as standard pavement markings shall be from the approved products list and meet the requirements of Item 672 "RAISED PAVEMENT MARKERS."


| | | | | |
|----------------------|-----------|-----------|-----------|-----------|
| FILE: bc-21.dgn | DN: TxDOT | CK: TxDOT | OW: TxDOT | CR: TxDOT |
| ©TxDOT February 1998 | CONT | SECT | JOB | HIGHWAY |
| REVISIONS | 0911 | 00 | 122 | VA |
| 1-97 9-07 5-21 | DIST | COUNTY | SHEET NO. | |
| 2-98 7-13 | LFK | ANGELINA | 21 | |
| 11-02 8-14 | | | | |

DATE: 12/30/2021 4:34:00 AM
 FILE: \\txdot.projectwiseonline.com\TXDOT3\Documents\11 - LFK\Design Projects\091100122\4 - Design\Plan Set\2 - TCP\bc-21.dgn
 DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TXDOT for any purpose whatsoever. TXDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of units or for the accuracy of the information contained herein. The user of this standard is advised to verify the accuracy of the information contained herein. DATE: 12/30/2021 4:34:12 AM FILE: \\txdot\project\wiseonline.com\TXDOT3\Documents\11 - LFK\Design Projects\18-0911-00\18-0911-00-01.dgn



BE PREPARED TO STOP
CW3-4 48" X 48"▲
CW20-7 48" X 48"▲
For either TCP(1-3a) or TCP(1-3b)
USE ONLY WHEN FLAGGERS CONTROL TRAFFIC
(See Notes 2 & 3)



| LEGEND | | | |
|--------|--------------------------------------|--|---|
| | Type 3 Barricade | | Channelizing Devices |
| | Heavy Work Vehicle | | Truck Mounted Attenuator (TMA) |
| | Trailer Mounted Flashing Arrow Board | | Portable Changeable Message Sign (PCMS) |
| | Sign | | Traffic Flow |
| | Flag | | Flagger |

| Posted Speed * | Formula | Minimum Desirable Taper Lengths ** | | | Suggested Maximum Spacing of Channelizing Devices | | Minimum Sign Spacing "x" Distance | Suggested Longitudinal Buffer Space "B" |
|----------------|-----------|------------------------------------|------------|------------|---|--------------|-----------------------------------|---|
| | | 10' Offset | 11' Offset | 12' Offset | On a Taper | On a Tangent | | |
| 30 | L = WS/60 | 150' | 165' | 180' | 30' | 60' | 120' | 90' |
| 35 | | 205' | 225' | 245' | 35' | 70' | 160' | 120' |
| 40 | | 265' | 295' | 320' | 40' | 80' | 240' | 155' |
| 45 | L = WS | 450' | 495' | 540' | 45' | 90' | 320' | 195' |
| 50 | | 500' | 550' | 600' | 50' | 100' | 400' | 240' |
| 55 | | 550' | 605' | 660' | 55' | 110' | 500' | 295' |
| 60 | | 600' | 660' | 720' | 60' | 120' | 600' | 350' |
| 65 | | 650' | 715' | 780' | 65' | 130' | 700' | 410' |
| 70 | | 700' | 770' | 840' | 70' | 140' | 800' | 475' |
| 75 | | 750' | 825' | 900' | 75' | 150' | 900' | 540' |

* Conventional Roads Only
** Taper lengths have been rounded off.
L=Length of Taper (FT) W=Width of Offset (FT) S=Posted Speed (MPH)

| TYPICAL USAGE | | | | |
|---------------|----------------|-----------------------|------------------------------|----------------------|
| MOBILE | SHORT DURATION | SHORT TERM STATIONARY | INTERMEDIATE TERM STATIONARY | LONG TERM STATIONARY |
| | ✓ | ✓ | | |

- GENERAL NOTES**
- Flags attached to signs where shown are REQUIRED.
 - All traffic control devices illustrated are REQUIRED, except those denoted with the triangle symbol may be omitted when stated elsewhere in the plans, or for routine maintenance work, when approved by the Engineer.
 - Flagger control should NOT be used unless roadway conditions or heavy traffic volume require additional emphasis to safely control traffic. Additional flaggers may be positioned in advance of traffic queues to alert traffic to reduce speed.
 - DO NOT PASS, PASS WITH CARE and construction regulatory speed zone signs may be installed downstream of the ROAD WORK AHEAD signs.
 - When the work zone is made up of several work spaces, channelizing devices should be placed laterally across the closed lane to re-emphasize closure. Laterally placed channelizing devices should be repeated every 500 to 1000 feet in urban areas and every 1/4 to 1/2 mile in rural areas.
 - A Shadow Vehicle with a TMA should be used anytime it can be positioned 30 to 100 feet in advance of the area of crew exposure without adversely affecting the performance or quality of the work. If workers are no longer present but road or work conditions require the traffic control to remain in place, Type 3 Barricades or other channelizing devices may be substituted for the Shadow Vehicle and TMA.
 - Additional Shadow Vehicles with TMAs may be positioned off the paved surface, next to those shown in order to protect wider work spaces.
 - Where traffic is directed over a yellow centerline, channelizing devices which separate two-way traffic should be spaced on tapers at 20', or 15' if posted speed are 35 mph or slower, and for tangent sections, at 1/2S where S is the speed in mph. This tighter device spacing is intended for the area of conflicting markings not the entire work zone.




Texas Department of Transportation
Traffic Operations Division Standard

TRAFFIC CONTROL PLAN
TRAFFIC SHIFTS ON
TWO LANE ROADS
TCP(1-3)-18

| | | | | |
|-----------------------|------|----------|-----------|---------|
| FILE: tcp1-3-18.dgn | DN: | CK: | DW: | CK: |
| © TxDOT December 1985 | CONT | SECT | JOB | HIGHWAY |
| REVISIONS | 0911 | 00 | 122 | VA |
| 2-94 4-98 | DIST | COUNTY | SHEET NO. | |
| 8-95 2-12 | LFK | ANGELINA | 24 | |
| 1-97 2-18 | | | | |

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of units or for any errors or omissions resulting from its use.

DATE: 12/30/2021 4:34:16 AM
 FILE: \\txdot.projectwiseonline.com\TXDOT3\Documents\11 - LFK\Design Projects\11-18-21\11-18-21-18.dgn



| LEGEND | | | |
|--------|--------------------------------------|--|---|
| | Type 3 Barricade | | Channelizing Devices |
| | Heavy Work Vehicle | | Truck Mounted Attenuator (TMA) |
| | Trailer Mounted Flashing Arrow Board | | Portable Changeable Message Sign (PCMS) |
| | Sign | | Traffic Flow |
| | Flag | | Flagger |

| Posted Speed * | Formula | Minimum Desirable Taper Lengths ** | | | Suggested Maximum Spacing of Channelizing Devices | | Minimum Sign Spacing "X" Distance | Suggested Longitudinal Buffer Space "B" |
|----------------|-----------------------|------------------------------------|------------|------------|---|--------------|-----------------------------------|---|
| | | 10' Offset | 11' Offset | 12' Offset | On a Taper | On a Tangent | | |
| 30 | $L = \frac{WS^2}{60}$ | 150' | 165' | 180' | 30' | 60' | 120' | 90' |
| 35 | | 205' | 225' | 245' | 35' | 70' | 160' | 120' |
| 40 | | 265' | 295' | 320' | 40' | 80' | 240' | 155' |
| 45 | L = WS | 450' | 495' | 540' | 45' | 90' | 320' | 195' |
| 50 | | 500' | 550' | 600' | 50' | 100' | 400' | 240' |
| 55 | | 550' | 605' | 660' | 55' | 110' | 500' | 295' |
| 60 | | 600' | 660' | 720' | 60' | 120' | 600' | 350' |
| 65 | | 650' | 715' | 780' | 65' | 130' | 700' | 410' |
| 70 | | 700' | 770' | 840' | 70' | 140' | 800' | 475' |
| 75 | | 750' | 825' | 900' | 75' | 150' | 900' | 540' |

* Conventional Roads Only
 ** Taper lengths have been rounded off.
 L=Length of Taper (FT) W=Width of Offset (FT) S=Posted Speed (MPH)

| TYPICAL USAGE | | | | |
|---------------|----------------|-----------------------|------------------------------|----------------------|
| MOBILE | SHORT DURATION | SHORT TERM STATIONARY | INTERMEDIATE TERM STATIONARY | LONG TERM STATIONARY |
| | ✓ | ✓ | ✓ | ✓ |

- GENERAL NOTES**
- Flags attached to signs where shown, are REQUIRED.
 - All traffic control devices illustrated are REQUIRED, except those denoted with the triangle symbol may be omitted when stated in the plans, or for routine maintenance work, when approved by the Engineer.
 - Stockpiled material should be placed a minimum of 30 feet from nearest traveled way.
 - Shadow Vehicle with TMA and high intensity rotating, flashing, oscillating or strobe lights. A Shadow Vehicle with a TMA should be used anytime it can be positioned 30 to 100 feet in advance of the area of crew exposure without adversely affecting the performance or quality of the work. If workers are no longer present but road or work conditions require the traffic control to remain in place, Type 3 Barricades or other channelizing devices may be substituted for the Shadow Vehicle and TMA.
 - Additional Shadow Vehicles with TMAs may be positioned off the paved surface, next to those shown in order to protect a wider work space.
 - See TCP(5-1) for shoulder work on divided highways, expressways and freeways.
 - Additional work vehicles or other equipment should be parked near the right-of-way line and not parked on the paved shoulder.
 - CW21-5 "SHOULDER WORK" signs may be used in place of CW20-1D "ROAD WORK AHEAD" signs for shoulder work on conventional roadways.



Texas Department of Transportation Traffic Operations Division Standard

TRAFFIC CONTROL PLAN
CONVENTIONAL ROAD
SHOULDER WORK

TCP (2-1) - 18

| | | | | |
|-----------------------|-------|----------|------------|----------|
| FILE: tcp2-1-18.dgn | DN: | CK: | DW: | CK: |
| © TxDOT December 1985 | CON: | SECT: | JOB: | HIGHWAY: |
| REVISIONS | 0911 | 00 | 122 | VA |
| 2-94 4-98 | DIST: | COUNTY: | SHEET NO.: | |
| 8-95 2-12 | LFK | ANGELINA | 25 | |
| 1-97 2-18 | | | | |

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of units or for the accuracy of the information contained herein. The user of this standard is advised to verify the accuracy of the information contained herein. DATE: 12/30/2021 4:34:24 AM FILE: \\txdot\project\wiseonline.com\TXDOT3\Documents\11 - LFK\Design Projects\2021\2021-18\2021-18.dgn



LEGEND

| | | | |
|--|--------------------------------------|--|----------------------------------|
| | Type 3 Barricade | | Channelizing Devices |
| | Heavy Work Vehicle | | Truck Mounted Attenuator (TMA) |
| | Trailer Mounted Flashing Arrow Board | | Raised Pavement Markers Ty II-AA |
| | Sign | | Traffic Flow |
| | Flag | | Flagger |

| Posted Speed * X | Formula L = WS ² / 60 | Minimum Desirable Taper Lengths ** | | | Suggested Maximum Spacing of Channelizing Devices | | Minimum Sign Spacing "x" Distance | Suggested Longitudinal Buffer Space "B" |
|---------------------|-------------------------------------|------------------------------------|------------|------------|---|--------------|-----------------------------------|---|
| | | 10' Offset | 11' Offset | 12' Offset | On a Taper | On a Tangent | | |
| 30 | L = WS ² / 60 | 150' | 165' | 180' | 30' | 70' | 120' | 90' |
| 35 | | 205' | 225' | 245' | 35' | 80' | 160' | 120' |
| 40 | | 265' | 295' | 320' | 40' | 90' | 240' | 155' |
| 45 | L = WS | 450' | 495' | 540' | 45' | 100' | 320' | 195' |
| 50 | | 500' | 550' | 600' | 50' | 110' | 400' | 240' |
| 55 | | 550' | 605' | 660' | 55' | 120' | 500' | 295' |
| 60 | L = WS | 600' | 660' | 720' | 60' | 130' | 600' | 350' |
| 65 | | 650' | 715' | 780' | 65' | 140' | 700' | 410' |
| 70 | | 700' | 770' | 840' | 70' | 150' | 800' | 475' |
| 75 | L = WS | 750' | 825' | 900' | 75' | 160' | 900' | 540' |
| 75 | | 750' | 825' | 900' | 75' | 150' | 900' | 540' |

* Conventional Roads Only
 ** Taper lengths have been rounded off.
 L=Length of Taper (FT) W=Width of Offset (FT) S=Posted Speed (MPH)

TYPICAL USAGE

| MOBILE | SHORT DURATION | SHORT TERM STATIONARY | INTERMEDIATE TERM STATIONARY | LONG TERM STATIONARY |
|--------|----------------|-----------------------|------------------------------|----------------------|
| | | | ✓ | ✓ |

TCP (2-3b) ONLY

- GENERAL NOTES**
- Flags attached to signs where shown, are REQUIRED.
 - All traffic control devices illustrated are REQUIRED, except those denoted with the triangle symbol may be omitted when stated elsewhere in the plans, or for routine maintenance work, when approved by the Engineer.
 - When work space will be in place less than three days existing pavement markings may remain in place. Channelizing devices shall be used to separate traffic.
 - Flagger control should NOT be used unless roadway conditions or heavy traffic volume require additional emphasis to safely control traffic. Flagger should be positioned at end of traffic queue.
 - The R4-1 "DO NOT PASS," R4-2 "PASS WITH CARE" and construction regulatory speed zone signs may be installed within CW20-1D "ROAD WORK AHEAD" signs. Proper spacing of signs shall be maintained.
 - Conflicting pavement marking shall be removed for long term projects.
 - A Shadow Vehicle with a TMA should be used anytime it can be positioned 30 to 100 feet in advance of the area of crew exposure without adversely affecting the performance or quality of the work. If workers are no longer present but road or work conditions require the traffic control to remain in place, Type 3 Barricades or other channelizing devices may be substituted.
 - Additional Shadow Vehicles with TMAs may be positioned off the paved surface, next to those shown in order to protect a wider work space.

TCP (2-3a)

- Conflicting pavement markings shall be removed for long-term projects. For shorter durations where traffic is directed over a yellow centerline, channelizing devices which separate two-way traffic should be spaced on tapers at 20' or 15' if posted speeds are 35 mph or slower, and for tangent sections, at 1/2(S) where S is the speed in mph. This tighter device spacing is intended for the area of the conflicting markings, not the entire work zone.

Texas Department of Transportation
 Traffic Operations Division Standard


TRAFFIC CONTROL PLAN
TRAFFIC SHIFTS ON
TWO-LANE ROADS

TCP (2-3) - 18

| | | | | |
|-----------------------|------|----------|-----------|---------|
| FILE: tcp(2-3)-18.dgn | DN: | CK: | DW: | CK: |
| © TxDOT December 1985 | CONT | SECT | JOB | HIGHWAY |
| REVISIONS | 0911 | 00 | 122 | VA |
| 8-95 3-03 | DIST | COUNTY | SHEET NO. | |
| 1-97 2-12 | LFK | ANGELINA | 27 | |
| 4-98 2-18 | | | | |

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of any information from its original source into digital form or for any damages resulting from its use.

DATE: 12/30/2021 4:34:33 AM
 FILE: \\txdot.projectwiseonline.com:TXDOT13\Documents\11 - LFK\Design Projects\11-0919-01\11-0919-01.dgn



SIGNS ARE SHOWN FOR ONE DIRECTION OF TRAVEL

* When the optional larger WORKING FOR YOU GIVE US A BRAKE (G20-7T) 192" x 96" sign is required, the locations shall be noted elsewhere in the plans.

| SUMMARY OF LARGE SIGNS | | | | | | | | | |
|------------------------|------------------|------|-----------------|---|-------|-----------------------------|------|---------------|---------------|
| BACKGROUND COLOR | SIGN DESIGNATION | SIGN | SIGN DIMENSIONS | REFLECTIVE SHEETING | SQ FT | GALVANIZED STRUCTURAL STEEL | | DRILLED SHAFT | |
| | | | | | | Size | (LF) | | 24" DIA. (LF) |
| Orange | G20-7T | | 96" X 48" | Type B _{FL} or C _{FL} | 32 | ▲ | ▲ | ▲ | ▲ |
| Orange | G20-7T | | 192" X 96" | Type B _{FL} or C _{FL} | 128 | W8x18 | 16 | 17 | 12 |

▲ See Note 6 Below

| LEGEND | |
|--------|--------------|
| | Sign |
| | Large Sign |
| | Traffic Flow |

| DEPARTMENTAL MATERIAL SPECIFICATIONS | |
|--------------------------------------|----------|
| PLYWOOD SIGN BLANKS | DMS-7100 |
| ALUMINUM SIGN BLANKS | DMS-7110 |
| SIGN FACE MATERIALS | DMS-8300 |

| COLOR | USAGE | SHEETING MATERIAL |
|--------|------------------|--|
| ORANGE | BACKGROUND | TYPE B _{FL} OR TYPE C _{FL} |
| BLACK | LEGEND & BORDERS | NON-REFLECTIVE ACRYLIC FILM |

GENERAL NOTES


- See BC and SMD sheets for additional sign support details.
- Sign locations shall be approved by the Engineer.
- For projects more than two miles in length, Give Us a BRAKE signs should be repeated halfway through the project. The Give Us a Brake (CW21-1T) may be used for this purpose.
- Work zone speed limits are sometimes used in conjunction with GIVE US A BRAKE signing. See BC(3) for location and spacing of construction speed zone signing when required.
- Give Us a Brake (CW21-1T) signs and supports shall be considered subsidiary to Item 502, "Barricades, Signs and Traffic Handling."
- The 96" X 48" Working For You Give Us A BRAKE (G20-7T) may use a 1/2" or 5/8" plywood substrate or 0.125" aluminum sheeting substrate and may be supported by two 4" x 6" wood posts with drilled holes for breakaway as per BC(5) and will be subsidiary to Item 502.
- The Working For You Give Us A BRAKE (G20-7T) 192" X 96" sign shall be paid for under the following specification items:
 Item 636 - Aluminum Signs
 Item 647 - Large Roadside Sign Supports and Assemblies.
 Item 416 - Drilled Shaft Foundations
- All signs shall be constructed in accordance with the details found in the "Standard Highway Sign Designs for Texas," latest edition. Sign details not shown in this manual shall be shown in the plans or the Engineer shall provide a detail to the Contractor before the sign is manufactured.

| | | | | | |
|--|--------------|------|-------|--------------------------------------|-----------|
| | | | | Traffic Operations Division Standard | |
| WORK ZONE "GIVE US A BRAKE" SIGNS | | | | | |
| WZ (BRK) - 13 | | | | | |
| FILE: | wzbrk-13.dgn | DN: | TxDOT | CK: | TxDOT |
| ©TxDOT | August 1995 | CONT | SECT | JOB | HIGHWAY |
| REVISIONS | | 0911 | 00 | 122 | VA |
| 6-96 | 5-98 | 7-13 | DIST | COUNTY | SHEET NO. |
| 8-96 | 3-03 | | LFK | ANGELINA | 29 |


DATE: 12/30/2021 4:34:37 AM
 FILE: \\txdot\project\wiseonline.com:TXDOT3\Documents\11 - LFK\Design Projects\11-12-2021\11-12-2021\11-12-2021.dgn

Warning sign and rumble strip sequence in opposite direction is same as below

| Flagger to Flagger (Length of Work Area) | ADT | # of Rumble Strip Arrays |
|--|---------|--------------------------|
| 1/8 Mile | < 4,500 | 1 |
| | ≥ 4,500 | 2 |
| 1/4 Mile | < 3,500 | 1 |
| | ≥ 3,500 | 2 |
| 1/2 Mile | < 2,600 | 1 |
| | ≥ 2,600 | 2 |
| 1 Mile | < 1,600 | 1 |
| | ≥ 1,600 | 2 |
| > 1 Mile | N/A | 2 |



WZ (RS-1a)
75 mph or Less
RUMBLE STRIPS ON ONE-LANE TWO-WAY APPLICATION



WZ (RS-1b)
75 mph or Less
RUMBLE STRIPS FOR LANE CLOSURE ON CONVENTIONAL ROADWAY

GENERAL NOTES

- Each Rumble Strip Array should consist of three rumble strips spaced center to center at the spacing shown in Table 2, placed transverse across the lane at locations shown.
- The CW17-2T "RUMBLE STRIPS AHEAD" sign should be located after the CW20-1D "ROAD WORK AHEAD" sign and spaced as shown. If traffic is observed to be queuing, or is expected to queue beyond the Rumble Strips, the CW17-2T sign and the first Rumble Strip Array may be located upstream of the CW20-1D sign as necessary to provide needed warning.
- Temporary Rumble Strips will be considered subsidiary to Item 502, and shall be a product listed on the Compliant Work Zone Traffic Control Devices.
- Removal of the Temporary Rumble Strips should be accomplished before removing the advance warning signs.
- Temporary Rumble Strips should not be used on horizontal curves, loose gravel, soft or bleeding asphalt, heavily rutted pavements or unpaved surfaces.
- Temporary Rumble Strips shall be installed and maintained as per manufacturer's recommendations.
- This standard sheet shall be used in conjunction with other appropriate TCP standard, TMUTCD typical application or project specific detail for the project.
- The one-lane two-way application may utilize a flagger, an AFAD or a portable traffic signal.
- Temporary Rumble Strips may be used on freeways or expressways based on engineering judgment.

| Speed | Approximate distance between strips in an Array |
|---------------------|---|
| ≤ 40 MPH | 10' |
| > 40 MPH & ≤ 55 MPH | 15' |
| > 55 MPH | 20' |

| | | | |
|--|--------------------------------------|--|---|
| | Type 3 Barricade | | Channelizing Devices |
| | Heavy Work Vehicle | | Truck Mounted Attenuator (TMA) |
| | Trailer Mounted Flashing Arrow Panel | | Portable Changeable Message Sign (PCMS) |
| | Sign | | Traffic Flow |
| | Flag | | Flagger |

| Posted Speed * | Formula | Minimum Desirable Taper Lengths ** | | | Suggested Maximum Spacing of Channelizing Devices | | Minimum Sign Spacing "x" Distance | Suggested Longitudinal Buffer Space "B" |
|----------------|--------------------------|------------------------------------|------------|------------|---|--------------|-----------------------------------|---|
| | | 10' Offset | 11' Offset | 12' Offset | On a Taper | On a Tangent | | |
| 30 | L = WS ² / 60 | 150' | 165' | 180' | 30' | 60' | 120' | 90' |
| 35 | | 205' | 225' | 245' | 35' | 70' | 160' | 120' |
| 40 | | 265' | 295' | 320' | 40' | 80' | 240' | 155' |
| 45 | L = WS | 450' | 495' | 540' | 45' | 90' | 320' | 195' |
| 50 | | 500' | 550' | 600' | 50' | 100' | 400' | 240' |
| 55 | | 550' | 605' | 660' | 55' | 110' | 500' | 295' |
| 60 | | 600' | 660' | 720' | 60' | 120' | 600' | 350' |
| 65 | | 650' | 715' | 780' | 65' | 130' | 700' | 410' |
| 70 | 700' | 770' | 840' | 70' | 140' | 800' | 475' | |
| 75 | 750' | 825' | 900' | 75' | 150' | 900' | 540' | |

* Conventional Roads Only
 ** Taper lengths have been rounded off.
 L=Length of Taper (FT) W=Width of Offset (FT)
 S=Posted Speed (MPH)

| MOBILE | SHORT DURATION | SHORT TERM STATIONARY | INTERMEDIATE TERM STATIONARY | LONG TERM STATIONARY |
|--------|----------------|-----------------------|------------------------------|----------------------|
| | ✓ | ✓ | | |

◆ Signs are for illustrative purposes only. Signs required may vary depending on the TCP, TMUTCD Typical Application, or project specific details for the project.


Texas Department of Transportation
 Traffic Operations Division Standard

TEMPORARY RUMBLE STRIPS

WZ (RS) - 16

| | | | | |
|-----------------------|-----------|-----------|-----------|-----------|
| FILE: wzrs16.dgn | DN: TxDOT | CK: TxDOT | DW: TxDOT | CK: TxDOT |
| © TxDOT November 2012 | CONT | SECT | JOB | HIGHWAY |
| REVISIONS | 0911 | 00 | 122 | VA |
| 2-14 | DIST | COUNTY | SHEET NO. | |
| 4-16 | LFK | ANGELINA | 30 | |

2/1/2022 7:39:15 AM
pw: \\tadot\projectwiseonline.com: TXDOT3\Documents\11 - LFK\Design Projects\0911001224 - Design\Plan Set\7. Bridge\Site D BRIDGE LAYOUT 11-003-0-0319-04-049.dgn



39 FT X 16 FT X 3 FT = 69.3 CY
RIPRAP (STONE COMMON) (DRY) (24 IN)

DEWATER AREA - DEWATERING WILL BE
SUBSIDIARY TO INSTALLMENT OF RIPRAP




EXISTING UTILITY PIPE
TO BE WORKED AROUND

2 HR HYD EXCAVATION

EXISTING CL'B CONG. APRON IS
TO BE CONSIDERED A PART OF THE
STRUCTURE & REMOVED UNDER
THE ITEM CL'A CONG. FOR EXT STR.
REMOVE ONLY THAT PORTION TO PROVIDE
FOR FOOTING.


ESTIMATED QUANTITIES

| | |
|--------------------------|----------|
| COM. CHAN. EXCAV. | 33 CY |
| UNCL. STR. EXCAV. | 20 CY |
| CL'A CONG. FOR EXT. STR. | 44.99 CY |
| REINF. STEEL | 5002 LBS |
| CL'B CONG. RIPRAP | 13.33 CY |
| RAIL (TY C-4) | 59.83 LF |



LAYOUT OF CEDAR CREEK BRIDGE
 STA. 16+79.66 TO STA. 17+00.34
 SPECIAL DETAILS & C-4 RAILING
 EXTEND EXISTING 2'-10" x 10" x 49" O"
 MBC 8'-0" UPSTREAM & 7'-0" DOWNSTREAM
 SCALE 1" = 10'

| | |
|---------|-------------------------|
| DATE | 11/15/2022 |
| BY | ELIZABETH A. ORTEGO |
| CHECKED | ANGELINA 3/19/24 |
| SCALE | 1" = 10' |
| PROJECT | 11 Angelina 319 4 34 43 |



N. T. S.

DocuSigned by:
Elizabeth Ortego, P.E.
 1827/AE/151145...
 2/1/2022


BRIDGE LAYOUTS (SITE D)

TEXAS DEPARTMENT OF TRANSPORTATION
 ©2022 SHEET 1 OF 47

| | | | |
|------|----------|-----------|---------|
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | SHEET NO. | |
| LFK | ANGELINA | 31 | |

SITE D - ANGELINA COUNTY
 SH 94 @ CEDAR CREEK
 11-003-0-0319-04-049

2/1/2022 7:56:04 AM
pw: \\txdot\project\wiseonline.com: TXDOT3\Documents\11 - LFK\Design Projects\0911001224 - Design\Plan Set\7. Bridge\Site E BRIDGE LAYOUT 11-003-0-0336-03-009.dgn



SITE E - ANGELINA COUNTY
SH 103 @ JACK CREEK TRIBUTARY
11-003-0-0336-03-009


N. T. S.

DocuSigned by:
Elizabeth Ortego, P.E.
1827/AE/15/11/2022

BRIDGE LAYOUTS (SITE E)

| | | | |
|---|----------|-----------|---------|
| TEXAS DEPARTMENT OF TRANSPORTATION ©2022 SHEET 2 OF 47 | | | |
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | SHEET NO. | |
| LFK | ANGELINA | 32 | |

1/3/2022 9:26:45 AM pw:\xtdot\project\wiseonline.com\TXDOT\3\Documents\11 - LFK\Design Projects\0911001224 - Design\Plan Set\7. Bridge\Site F - LFK\Bridgelayout.dgn



INSTALL 6 FT CL C CONC (PILE ENCASEMENT) W/3FT EMBEDMENT AT EACH LOCATION

INSTALL 8 FT CL C CONC (PILE ENCASEMENT) W/3FT EMBEDMENT AT EACH LOCATION

INSTALL 6 FT CL C CONC (PILE ENCASEMENT) W/3FT EMBEDMENT AT EACH LOCATION


SEE PILE ENCASEMENT DETAIL FOR MORE INFORMATION

DEWATER AREA LOCALIZED TO BENT 2 SUBSIDIARY TO INSTALLMENT OF PILE ENCASEMENT

ESTIMATED QUANTITIES

| | |
|--------------------------------------|------------|
| Uncl. Str. Exc. | 9 C.Y. |
| Com. Chan. Exc. | 25 C.Y. |
| Class "C" Conc. For Ext. Str. (Slab) | 30.14 C.Y. |
| Class "C" Conc. For Ext. Str. (Abut) | 9.12 C.Y. |
| Reinf. Steel | 8,746 Lb. |
| Steel H Piling (10 BP 42) | 190 L.F. |
| Cl. "C" Conc. For Ext. Str. (Bent) | 2.55 C.Y. |
| Rail (Ty. 11) | 53.33 L.F. |
| Rail (Metal Beam) (Ty. 12) | 43.75 L.F. |
| Conc Surf Treat | 187.5 S.Y. |

BRIDGE LAYOUT WIDENING DETAILS
LINSTON CREEK
 STA. 237+89.5 TO 238+39.5
 2-25'-0" CONC. SLAB SPANS (FS-8-24-25 MOD.)
 H-15 LOADING



INSTALL PILE ENCASEMENT

003-1675-01-002

Master Copy

SITE F - ANGELINA COUNTY
 FM 1669 @ LINSTON CREEK
 11-003-0-1675-01-002

N. T. S.

Elizabeth Ortego, P.E.



1B27AAE71511446
1/4/2022

BRIDGE LAYOUTS (SITE F)


TEXAS DEPARTMENT OF TRANSPORTATION
 ©2022 SHEET 3 OF 47

| | | | |
|------|----------|-----------|---------|
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | SHEET NO. | |
| LFK | ANGELINA | 33 | |

1/3/2022 9:27:12 AM
 pw: \\txdot\projectwiseonline.com: TXDOT\3\Documents\11 - LFK\Design Projects\0911001224 - Design\Plan Set\7. Bridge\Site G Bridge Layout 11-003-0-1675-01-003.dgn





SITE G - ANGELINA COUNTY
 FM 1669 @ ODELL CREEK
 11-003-0-1675-01-003



DocuSign
 Elizabeth Ortego, P.E.
 1B27AAE71511446
 1/4/2022

| | | | |
|---|------|----------|-----------|
| BRIDGE LAYOUTS (SITE G) | | | |
| TEXAS DEPARTMENT OF TRANSPORTATION ©2022 SHEET 4 OF 47 | | | |
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | | COUNTY | SHEET NO. |
| LFK | | ANGELINA | 34 |

2/1/2022 7:39:37 AM
pw:\xtdot\project\wiseonline.com:TXDOT\3\Documents\11 - LFK\Design Projects\0911001224 - Design\Plan Set\7. Bridge\Site K BRIDGE LAYOUT 11-003-0-2553-01-081.dgn



N. T. S.

DocuSigned by:
Elizabeth Ortego, P.E.
1/17/2022


SITE K - ANGELINA COUNTY
SL 287 & @ FM 324 & SPRR
11-003-0-2553-01-081

BRIDGE LAYOUTS (SITE K)


TEXAS DEPARTMENT OF TRANSPORTATION
©2022 SHEET 6 OF 47

| | | | |
|------|----------|-----------|---------|
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | SHEET NO. | |
| LFK | ANGELINA | 36 | |

2/1/2022 7:39:46 AM
pw: \\tadot\projectwiseonline.com:TXDOT3\Documents\11 - LFK\Design Projects\0911001224 - Design\Plan Set\7. Bridge\Site N BRIDGE LAYOUT 11-003-0-3418-01-001.dgn



003-3418-01-001



| | |
|------------------------------|------------|
| UNCL. STR. EXCAV. (E.R.) | 10 C.Y. |
| CONC. PIL. (14 IN SQ) | 260 LF. |
| CL "C" CONC. (BENT) | 3.7 C.Y. |
| CL "C" CONC. (ABUT) | 14.2 C.Y. |
| CL "C" CONC. (PAR GIRD) | 105.8 C.Y. |
| REINF STEEL | 17,617 LB. |
| RAIL (TY. T201) | 186 LF. |
| * METAL BEAM GD FENCE (CI B) | 100 LF. |
| * TERM- ANCH. SECT (CI B) | 4 EA. |
| CONC. SURF TREAT. | 239 C.Y. |
| CONC. RIPRAP (C.B.) | 36 C.Y. |
| * REMOVE OLD STR (LARGE) | 1 EA. |

CEDAR CREEK BRIDGE LAYOUT

18

Master Copy

#001



SITE N - ANGELINA COUNTY
FM 1336 @ CEDAR CREEK
11-003-0-3418-01-001

N. T. S.


DocuSigned by:
Elizabeth Ortego, P.E.
2/1/2022

BRIDGE LAYOUTS (SITE N)

TEXAS DEPARTMENT OF TRANSPORTATION
©2022 SHEET 8 OF 47

| | | | |
|------|----------|-----------|---------|
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | SHEET NO. | |
| LFK | ANGELINA | 38 | |

2/1/2022 7:39:52 AM
 p:\t\tdot\project\wiseonline.com:TXDOT3\Documents\11 - LFK\Design Projects\0911001224 - Design\Plan Set\7. Bridge\Site O BRIDGE LAYOUT 11-114-0-0109-03-004.dgn





**DEWATER AREA - DEWATERING WILL BE
 SUBSIDIARY TO INSTALLMENT OF RIPRAP**

**45 FT X 19 FT X 2 FT = 63.3 CY
 RIPRAP (STONE COMMON) (DRY) (24 IN)**

**45 FT X 19 FT X 1.5 FT = 47.5 CY
 RIPRAP (STONE COMMON) (DRY) (24 IN)**

**27 FT X 2 FT X 2 FT = 4.0 CY
 FLOWABLE BACKFILL**

| Item | Qty | Unit |
|------------------------------------|--------|-------|
| Class A Conc. for Ext. Sigs (Cul.) | 104.70 | CU YD |
| Reinf. Steel | 12,742 | LB |
| Type 1 Concrete Riprap | 250 | CU YD |
| Class B Conc. | 18.30 | CU YD |



Master Copy

N. T. S.

DocuSigned by:
 Elizabeth Ortego, P.E.
 1827/AE/151119


**BRIDGE LAYOUTS
 (SITE O)**

SITE O - HOUSTON COUNTY
 US 287 @ MAYES BRANCH
 11-114-0-0109-03-004

| | | | | | |
|----------|--------|---------|----------|-----------|----|
| CONTRACT | 091100 | SECTION | 122 | JOB | VA |
| DISTRICT | LFK | COUNTY | ANGELINA | SHEET NO. | 39 |

TEXAS DEPARTMENT OF TRANSPORTATION
 ©2022 SHEET 9 OF 47

22



28.5 FT X 8 FT X 2.5 FT = 21.1 CY
RIPRAP (STONE COMMON) (DRY) (24 IN)

28.5 FT X 8 FT X 1 FT = 8.5 CY
CEM STABIL BKFL

DEWATER AREA - DEWATERING WILL BE
SUBSIDIARY TO INSTALLMENT OF RIPRAP

ESTIMATED QUANTITIES

| | | |
|-------------------|--------|------|
| CL. C CONC. | 71.00 | C.Y. |
| REINF. STL. | 10,347 | LB. |
| UNCL. STR. EXCAV. | 16 | C.Y. |
| COM. CHAN. EXCAV. | 912 | C.Y. |


For Hydraulic Data
see Hurricane Bayou
Bridge Layout sheet
No. 23-24

CULVERT LAYOUT
HURRICANE BAYOU
RELIEF #015

Sta. 203+36.75 to Sta. 203+63.25
4-6" x 4" x 46'-0", MC6-1 & MCW-F1

SCALE: 1" = 10' HORIZ. & VERT.

N. T. S.



DocuSigned by:
Elizabeth Ortego, P.E.

1837/AE/15/11/22
2/1/2022

BRIDGE
LAYOUTS
(SITE Q)

SITE Q - HOUSTON COUNTY
FM 229 @ HURRICAN BAYOU RELIEF
11-114-0-0340-04-015


TEXAS DEPARTMENT OF TRANSPORTATION
©2022 SHEET 11 OF 47

| | | | |
|------|----------|-----------|---------|
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | SHEET NO. | |
| LFK | ANGELINA | 41 | |

2/1/2022 7:40:04 AM
pw: \\ttdot\projectwiseonline.com: TXDOT\Documents\11 - LFK\Design Projects\091100122\4 - Design\Plan Set\7. Bridge\Site Q BRIDGE LAYOUT 11-114-0-0340-04-015.dgn

2/1/2022 7:40:09 AM pw:\txdot\project\wiseonline.com:TXDOT3\Documents\11 - LFK\Design Projects\0911001224 - Design\Plan Set\7. Bridge\Site S BRIDGE LAYOUT 11-114-0-0939-01-002.dgn

F.R. DIV. 8 TEXAS R 939-1-4 SHEET 16
HOUSTON COUNTY FMHWY. 232 CONT. 939-1-4




25 FT X 2 FT X 2 FT = 3.7 CY
RIPRAP (STONE COMMON) (DRY) (24 IN)

DEWATER AREA - DEWATERING WILL BE
SUBSIDIARY TO INSTALLMENT OF RIPRAP

ESTIMATED QUANTITIES



| | |
|-----------------------------|---------------|
| CL. A CONCRETE | = 73.72 C.Y. |
| Reinf Steel | = 12,236 Lbs. |
| CL. B Conc Riprap | = 39 C.Y. |
| Uncl Str. Exc. | = 4 C.Y. |
| * 14" Precast Conc Piling | 201 L.F. |
| * ALTERNATE | |
| 14" Prestressed Conc Piling | 201 L.F. |



Hydraulic Data
D.A. = 5,090 Ac. (54% = 22' H.P.)
C = 0.30 Q = 360 cfs
V = 4.2' W = 146'

BRIDGE LAYOUT
PEACH TREE CREEK
STA. 323+15 - 323+65
2 - Slab Span - 58'-24'-25"
+ Conc Riprap
Scale = 1" = 10' Hor. & Vert.

| | | |
|---------|-----|-----------|
| 100(74) | 260 | s. clay |
| 100(76) | 303 | sand |
| 100(78) | 343 | sand |
| 100(80) | 366 | gray clay |
| 100(82) | 426 | s. clay |
| 100(84) | 463 | clay |



N. T. S.

DocuSigned by:
Elizabeth Ortego, P.E.
1827/AE/15/11/2022


BRIDGE LAYOUTS (SITE S)

SITE S - HOUSTON COUNTY
FM 232 @ PEACHTREE RELIEF
11-114-0-0939-01-002

TEXAS DEPARTMENT OF TRANSPORTATION
©2022 SHEET 12 OF 47

| | | | |
|------|----------|-----------|---------|
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | SHEET NO. | |
| LFK | ANGELINA | 42 | |

1/3/2022 9:30:37 AM pw:\txdot\projectwiseonline.com\TXDOT3\Documents\11 - LFK\Design Projects\0911001224 - Design\Plan Set\7. Bridge\Site T BRIDGE LAYOUT 11-114-0-0940-01-005.dgn



ADT: 500 (2003)
DESIGN SPEED: 40 MPH
FUNCT CLASS: RURAL MAJOR COLLECTOR
DESIGN LOADING: HS20

LEGEND

RIPRAP (STONE) (COMMON) (DRY) (18") (SEE NOTE 1)


RIPRAP (CONC) (CL B) (RRB)

NOTE:

1) STONE RIPRAP TO BE PLACED IN CHANNEL BOTTOM WITHIN EXISTING ROW LIMITS

SEE PLAN AND PROFILE SHEETS FOR MBGF (BLK OUT) DETAILS

0 10 20
HORIZONTAL: 1" = 20'
VERTICAL: 1" = 20'




BRIDGE LAYOUT WALLACE CREEK

PROP NBI NO 11-114-0-0940-01-005

BROWN & GAY CIVIL ENGINEERS & SURVEYORS HOUSTON, TEXAS

| | | |
|--------------------|-------------|-----------|
| FED. RD. DIST. NO. | PROJECT NO. | SHEET NO. |
| 6 | BR 2004() | 59 |
| STATE | COUNTY | |
| TEXAS | LFK | HOUSTON |
| CONTRACT | SECTION | JOB |
| 0940 | 01 | 015 |
| | | FM 357 |



SITE T - HOUSTON COUNTY
FM 357 @ WALLACE CREEK
11-114-0-0940-01-005

N. T. S.

DocuSign


Elizabeth Ortega, P.E.

1B27AAE71511446
1/4/2022

BRIDGE LAYOUTS (SITE T)

| | | | |
|---|----------|-----------|---------|
| TEXAS DEPARTMENT OF TRANSPORTATION ©2022 SHEET 13 OF 47 | | | |
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | SHEET NO. | |
| LFK | ANGELINA | 43 | |


1/3/2022 9:31:00 AM
pw: \\ttdot\project\wiseonline.com: TXDOT3\Documents\11 - LFK\Design Projects\0911001224 - Design\Plan Set\7. Bridge\Site U BRIDGE LAYOUT 11-114-0-1676-02-002.dgn



9 FT X 3 FT X 4 FT = 4.0 CY
FLOWABLE BACKFILL

20 FT X 4 FT X 1.5 FT = 4.4 CY
RIPRAP (STONE COMMON) (DRY) (24 IN)

Note: Riprap sym. about
± Bridge and Ident.
at both ends except
N.W. corner. See Sketch
below.



SITE U - HOUSTON COUNTY
FM 1280 @ TANTABOGUE CREEK
11-114-0-1676-02-002

N. T. S.


DocuSign
 Elizabeth Ortego, P.E.
 1B27AAE71511446
 1/4/2022

BRIDGE LAYOUTS (SITE U)

TEXAS DEPARTMENT OF TRANSPORTATION
 ©2022 SHEET 14 OF 47

| | | | |
|------|----------|-----------|---------|
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | SHEET NO. | |
| LFK | ANGELINA | 44 | |

2/1/2022 7:40:22 AM
 pw:\xtdot\project\wisonline.com:TXDOT3\Documents\11 - LFK\Design Projects\0911001224 - Design\Plan Set\7. Bridge\Site X BRIDGE LAYOUT 11-174-0-0706-03-020.dgn



ESTIMATED QUANTITIES

| | |
|---------------------------------|-----------|
| Drilled Shafts (24 in) | 336 LF |
| CI C' Conc. (Bent) | 26.2 CY |
| CI C' Conc. (Abut) | 18.8 CY |
| CI S' Conc. (Abut) | 273.6 CY |
| Conc. for Str. App. Slabs (CIA) | 37.62 CY |
| Reinf. Steel | 44,121 LB |
| Mail (T 501) | 346 LF |
| Riprap (Conv.) (18) | 53.36 CY |
| Conc. Surf. Treatment | 604 SF |
| Structural Steel (Armor Joint) | 1,376 LB |
| MBGF | 350 LF |
| Term. Anch. Sect. | 4 Ea. |

* Rdnv. Items
 ** Subsidiary to Item 421

Soil Profile Description:
 0-6" Sand
 6-12" 50/50 Clay, sandy, med. gr. sand, med. (CL)
 12-18" 20/60 Clay, gray, red, w/iron discoloration, med. (CL)
 18-24" 50/50 Clay, within sand structure, gray, very hard, med. (CL)
 24-30" 50/50 Sandstone, gray, med. coarse, very hard.
 30-36" 50/50 Clay, sandy, gray, very dense, med. (CL)
 Sand, f. gray, very dense, med. (ML)
 50/50 50/50 Sand, w/ silt layers, gray, very dense
 Sandstone, med. coarse, (CL)
 50/50 50/50 Sandstone, gray, med. coarse, very hard.
 50/50 50/50 Sand f., med. coarse, gray.
 50/50 50/50 very dense, med. (ST)
 50/50 50/50



SITE X - NACOGDOCHES COUNTY
 FM 95 @ TURKEY CREEK
 11-174-0-0706-03-020


N. T. S.

DocuSigned by:
 Elizabeth Ortego, P.E.
 1827/AE/15/11/22

BRIDGE LAYOUTS (SITE X)

TEXAS DEPARTMENT OF TRANSPORTATION
 ©2022 SHEET 16 OF 47

| | | | |
|------|----------|-----------|---------|
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | SHEET NO. | |
| LFK | ANGELINA | 46 | |



1/3/2022 9:32:01 AM
pw: \\txdot\projectwiseonline.com:TXDOT3\Documents\11 - LFK\Design Projects\0911001224 - Design\Plan Set\7. Bridge\Site Y Bridge Layout 11-174-0-0893-01-008.dgn



SITE Y - NACOGDOCHES COUNTY
FM 226 @ DURAZNO CREEK
11-174-0-0893-01-008

N. T. S.


ELIZABETH A. ORTEGO
91106
LICENSED PROFESSIONAL ENGINEER

DocuSign
Elizabeth Ortega, P.E.
1B27AAE71511446
1/4/2022

BRIDGE LAYOUTS (SITE Y)

| | | |
|--|----------|-----------|
| TEXAS DEPARTMENT OF TRANSPORTATION ©2022 SHEET 17 OF 47 | | |
| CONT | SECT | JOB |
| 0911 | 00 | 122 |
| DIST | COUNTY | SHEET NO. |
| LFK | ANGELINA | 47 |

2/1/2022 7:40:39 AM pw:\dot\project\wiseonline.com:TXDOT\3\Documents\11 - LFK\Design Projects\0911001224 - Design\Plan Set\7. Bridge\Site AA BRIDGE LAYOUT 11-174-0-2300-01-002.dgn




22 FT X 4 FT X 2 FT = 6.5 CY
RIPRAP (STONE COMMON) (DRY) (24 IN)

30 FT X 5 FT X 2 FT = 11.1 CY
RIPRAP (STONE COMMON) (DRY) (24 IN)

N. T. S.


STATE OF TEXAS



ELIZABETH A. ORTEGO
91106
LICENSED PROFESSIONAL ENGINEER



DocuSigned by:
Elizabeth Ortego, P.E.
1827AE150119...
2/1/2022

SITE AA - NACOGDOCHES COUNTY
FM 343 @ MORRAL CREEK
11-174-0-2300-01-002


| | | |
|--|---------|--------------|
|  TEXAS DEPARTMENT OF TRANSPORTATION | | |
| ©2022 SHEET 19 OF 47 | | |
| CONT 0911 | SECT 00 | JOB 122 |
| DIST LFK | | HIGHWAY VA |
| COUNTY ANGELINA | | SHEET NO. 49 |

50 FT X 5 FT X 2.5 FT = 23.1 CY
RIPRAP (STONE COMMON) (DRY) (24 IN)

DEWATER AREA - DEWATERING WILL BE
SUBSIDIARY TO INSTALLMENT OF RIPRAP



SITE AB - NACOGDOCHES COUNTY
SL 224 @ LA NANA CREEK
11-174-0-2560-02-013



DocuSigned by:
Elizabeth Ortego, P.E.
1827/AE/151149
2/1/2022

BRIDGE LAYOUTS (SITE AB)



| | | |
|--|----------|-----------|
| TEXAS DEPARTMENT OF TRANSPORTATION ©2022 SHEET 20 OF 47 | | |
| CONT | SECT | JOB |
| 0911 | 00 | 122 |
| DIST | COUNTY | SHEET NO. |
| LFK | ANGELINA | 50 |

2/1/2022 7:40:44 AM
pw:\xtdot\project\wiseonline.com:TXDOT\Documents\11 - LFK\Design Projects\0911001224 - Design\Plan Set\7. Bridge\Site AB BRIDGE LAYOUT 11-174-0-2560-02-013.dgn

2/1/2022 7:40:54 AM pw:\txdot\project\wiseonline.com:TXDOT3\Documents\11 - LFK\Design Projects\091100122\4 - Design\Plan Set\7. Bridge\Site AC Bridge Layout 11-174-0-2590-01-002.dgn



David R. Collmorgen
2-7-97




- DRILL LOG LEGEND TEST HOLE #1**
- 1 - SAND, silty, rd., gravelly, soft, loose. (SM)
 - 2 - CLAY, sandy, rd., w/gravel, stiff. (CL)
 - 3 - CLAY, tan, stiff, moist. (CH)
 - 4 - CLAY, sandy, tan, fossiliferous, hard, moist. (CH)
 - 5 - GLAUCONITE, green, poorly cemented, hard, moist.
 - 6 - GLAUCONITE, shaley, green, well cemented, very hard, wet.

NOTE:
DRILLED SHAFTS SHALL BE FOUNDED AT THE ELEVATIONS SHOWN OR DEEPER AS NECESSARY TO PENETRATE GLAUCONITE, SHALEY CLAY, OR HARD LIGNITE THE FOLLOWING DISTANCES:
ABUTMENT ~ 2m
INTERIOR BENT ~ 5m
DRILLED SHAFT DIAMETERS ARE SHOWN IN MILLIMETERS, ALL OTHER DIMENSIONS ARE IN METERS EXCEPT AS NOTED.

- DRILL LOG LEGEND TEST HOLE #2**
- 1 - CLAY, sandy, rd., w/gravel, stiff, moist. (CL)
 - 2 - SAND, clayey, tan, w/gravel, compact, moist. (ML)
 - 3 - GLAUCONITE, green, well cemented, very hard.
 - 4 - GLAUCONITE, green, well cemented, very hard.
 - 5 - CLAY, silty, shaley, black, very hard, moist. (CH)
 - 6 - CLAY, silty, sandy, green, very hard, wet. (OH)

Professional Engineer Seal for Mark P. McLeelland, State of Texas, No. 60710.
Professional Engineer Seal for Elizabeth A. Ortego, State of Texas, No. 91106.
Signatures and dates: 2/21/97, 2/21/97.



Texas Department of Transportation

SCALE IN METERS

BRIDGE LAYOUT
BONITA CREEK

SHEET 1 OF 3

| | | |
|-------------------|-------------------------|-------------|
| FED. RD. DIV. NO. | FEDERAL AID PROJECT NO. | SHEET NO. |
| 6 | STP UM | 69 |
| STATE | DIST. | COUNTY |
| TEXAS | LUFKIN | NACOGDOCHES |
| CONT. | SECT. | JOB |
| 2590 | 01 | 011 |
| | | HIGHWAY NO. |
| | | FM 2609 |

N. T. S.

DocuSigned by:
Elizabeth Ortego, P.E.
2/1/2022

NO WORK

SITE AC - NACOGDOCHES COUNTY
FM 2609 @ UPRR & BONITA CREEK
11-174-0-2590-01-002

BRIDGE LAYOUTS
(SITE AC)

TEXAS DEPARTMENT OF TRANSPORTATION
©2022 SHEET 21 OF 47


| | | | |
|------|----------|-----------|---------|
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | SHEET NO. | |
| LFK | ANGELINA | 51 | |

2/1/2022 7:40:51 AM pw:\txdot\projectwiseonline.com:TXDOT3\Documents\11 - LFK\Design Projects\0911001224 - Design\Plan Set\7. Bridge\Site AC BRIDGE LAYOUT 11-174-0-2590-01-002.dgn



David R. Collmorgen
2-7-97

46 FT X 8 FT X 5 FT = 68.1 CY
RIPRAP (STONE COMMON) (DRY) (24 IN)



46 FT X 203 FT = 0.21 AC
BRUSH REMOVAL UNDER BRIDGE

DRILL LOG LEGEND TEST HOLE #3


- 1 - SAND, clayey, rd., loose, moist. (SC)
- 2 - CLAY, sandy, br. & rd., very stiff, moist. (CL)
- 3 - GLAUCONITE, green, well cemented, hard, moist.
- 4 - ORGANIC LIGNITE, fossiliferous, black, cemented, hard, moist.
- 5 - CLAYSTONE, tan, very hard, moist. (CH)

NOTE:
DRILLED SHAFTS SHALL BE FOUNDED AT THE ELEVATIONS SHOWN OR DEEPER AS NECESSARY TO PENETRATE GLAUCONITE, SHALEY CLAY, OR HARD LIGNITE THE FOLLOWING DISTANCES:
ABUTMENT ~ 2m
INTERIOR BENT ~ 5m
DRILLED SHAFT DIAMETERS ARE SHOWN IN MILLIMETERS, ALL OTHER DIMENSIONS ARE IN METERS EXCEPT AS NOTED.

| | 25 YR | 100 YR |
|--------------------------------|--------|--------|
| Q (cms) | 87.06 | 140.47 |
| Velocity (Thru Str) (mps) | 4.00 | 4.96 |
| Headwater Elevation | 95.311 | 96.326 |
| FEMA 100 YR Base Flood Elev. * | 97.231 | |

M. P. McCallum
2/21/97

J. Ortega
2/21/97



Texas Department of Transportation

SCALE IN METERS

BRIDGE LAYOUT
BONITA CREEK

SHEET 2 OF 3

| | | |
|-------------------|-------------------------|-----------------|
| FED. RD. DIV. NO. | FEDERAL AID PROJECT NO. | SHEET NO. |
| 6 | STP UM | 70 |
| STATE | DIST. | COUNTY |
| TEXAS | LUFKIN | NACOGDOCHES |
| CONT. | SECT. | JOB HIGHWAY NO. |
| 2590 | 01 | 011 FM 2609 |

N. T. S.

DocuSigned by:
Elizabeth Ortega, P.E.
1827AE150145...

2/1/2022



SITE AC - NACOGDOCHES COUNTY
FM 2609 @ UPRR & BONITA CREEK
11-174-0-2590-01-002

TEXAS DEPARTMENT OF TRANSPORTATION
©2022 SHEET 22 OF 47

| | | | |
|------|----------|-----------|---------|
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | SHEET NO. | |
| LFK | ANGELINA | 52 | |

2/1/2022 7:40:57 AM
pw:\xtdot\projectwiseonline.com:TXDOT3\Documents\11 - LFK\Design Projects\0911001224 - Design\Plan Set\7. Bridge\Site AC BRIDGE LAYOUT 11-174-0-2590-01-002.dgn



David R. Collmorgen
2-7-97

9 FT X 6 FT X 2 FT = 4.0 CY
FLOWABLE BACKFILL

Q Southern Pacific
Railroad

31.58 FT MIN
9.627 MIN

0+652.120

79°37'56" ARMOR JT

43.01 FT MIN
13.105 MIN

Q BENT NO. 9
STA. 0+640.710

3.66 HOR.
CLEAR. CLEAR.

3.66 HOR.
CLEAR. CLEAR.

RAILROAD ROW

RAILROAD ROW

RAILROAD ROW

RAILROAD ROW

RAILROAD ROW

RAILROAD ROW

RAILROAD ROW

RAILROAD ROW

RAILROAD ROW

RAILROAD ROW

RAILROAD ROW

RAILROAD ROW

RAILROAD ROW

RAILROAD ROW

RAILROAD ROW

RAILROAD ROW

RAILROAD ROW

RAILROAD ROW

Q BENT NO. 10
STA. 0+667.070

Q BENT NO. 11
STA. 0+693.570
Beg. Transition

Q BENT NO. 12
STA. 0+720.070

FACE OF T202(M) RAIL

FACE OF T202(M) RAIL

FACE OF T202(M) RAIL

FACE OF T202(M) RAIL

FACE OF T202(M) RAIL

FACE OF T202(M) RAIL

FACE OF T202(M) RAIL

FACE OF T202(M) RAIL

FACE OF T202(M) RAIL

FACE OF T202(M) RAIL

FACE OF T202(M) RAIL

FACE OF T202(M) RAIL

FACE OF T202(M) RAIL

FACE OF T202(M) RAIL

FACE OF T202(M) RAIL

FACE OF T202(M) RAIL

FACE OF T202(M) RAIL

FACE OF T202(M) RAIL

FACE OF T202(M) RAIL

FACE OF T202(M) RAIL

FACE OF T202(M) RAIL

FACE OF T202(M) RAIL

FACE OF T202(M) RAIL

PLAN

46 FT X 151 FT = 0.16 AC
BRUSH REMOVAL UNDER BRIDGE

NOTE:
DRILLED SHAFTS SHALL BE FOUNDED AT THE ELEVATIONS SHOWN OR DEEPER AS NECESSARY TO PENETRATE GLAUCONITE, SHALEY CLAY, OR HARD LIGNITE THE FOLLOWING DISTANCES:
ABUTMENT ~ 2m
INTERIOR BENT ~ 5m
DRILLED SHAFT DIAMETERS ARE SHOWN IN MILLIMETERS, ALL OTHER DIMENSIONS ARE IN METERS EXCEPT AS NOTED.

DRILL LOG LEGEND TEST HOLE #4


- 1 - CLAY, sandy, gravelly, tan, moist. (CL)
- 2 - IRON ORE GRAVEL, br., dense, moist. (ML)
- 3 - GLAUCONITE, green, well cemented, very hard, moist.
- 4 - CLAY, silty, shaley, br., very hard, moist. (OL)
- 5 - GLAUCONITE, green, well cemented, very hard, moist.
- 6 - CLAY, silty, blue gr., very hard, moist. (OH)

DRILL LOG LEGEND TEST HOLE #5

- 1 - SAND, poorly graded, gravelly, rd., very loose, moist. (SP)
- 2 - CLAY, gravelly, rd., soft, moist. (CL)
- 3 - CLAY, sandy, tan, soft, moist. (CL)
- 4 - CLAY, silty, fossiliferous, green, very hard, wet. (OH)
- 5 - GLAUCONITE, green, well cemented, very hard, moist.
- 6 - CLAY, shaley, green, very hard, moist. (OH)

East Rail Elev. = 97.517 At
Sta. 0+652.539 6.28 Rt.
Min. Vertical Clearance = 7.163
To Be Verified By Contractor
In Field.

80.360 PRESTR CONC BM UNIT (27,000-27,000-26,360)
OVERALL LENGTH OF BRIDGE = 320.360
79.500 PRESTRESSED CONCRETE BEAM UNIT (26,500-26,500-26,500)
OVERALL LENGTH OF TYPE T-202 RAIL = 326.360
TYPE T202(M) RAIL



ELEVATION

Texas Department of Transportation


SCALE IN METERS

BRIDGE LAYOUT
BONITA CREEK

SHEET 3 OF 3

| | | |
|-------------------|-------------------------|-------------|
| FED. AID DIV. NO. | FEDERAL AID PROJECT NO. | SHEET NO. |
| 6 | STP UM | 71 |
| STATE | DIST. | COUNTY |
| TEXAS | LUFKIN | NACOGDOCHES |
| CONT. | SECT. | JOB |
| 2590 | 01 | 011 |
| | | HIGHWAY NO. |
| | | FM 2609 |

N. T. S.




DocuSigned by:
Elizabeth Ortego, P.E.
1827AE151145...

BRIDGE LAYOUTS
(SITE AC)

SITE AC - NACOGDOCHES COUNTY
FM 2609 @ UPRR & BONITA CREEK
11-174-0-2590-01-002

| | | |
|------------------------------------|----------|-----------|
| TEXAS DEPARTMENT OF TRANSPORTATION | | |
| ©2022 SHEET 23 OF 47 | | |
| CONT. | SECT. | JOB |
| 0911 | 00 | 122 |
| DIST. | COUNTY | SHEET NO. |
| LFK | ANGELINA | 53 |

1/3/2022 9:34:22 AM pw: \\txdot\projectwiseonline.com: TXDOT3\Documents\11 - LFK\Design Projects\0911001224 - Design\Plan Set\7. Bridge\Site AD BRIDGE LAYOUT 11-174-0-2639-01-001.dgn




70 FT X 4 FT X 2 FT = 20.7 CY
RIPRAP (STONE COMMON) (DRY) (24 IN)

70 FT X 4 FT X 2 FT = 20.7 CY
RIPRAP (STONE COMMON) (DRY) (24 IN)

QUANTITY CALCULATIONS


| | CONC | STEEL |
|---|--------|-------|
| | CY | LB |
| US-1 STRAIGHT SECT = 2.95' Avg. x 1.831 CY/FT | | 5.37 |
| US-1 Skew Sect (1/4 of 44' Rdwy) = 0.5 x 104.11 CY | | 52.05 |
| US-1 Adj to 15.05' Wd = (2.2' x 15.05') (1.1847 x 1.831 CY/FT) | | 14.61 |
| US-1 Wing (MCN-P) = 57.95 CY = 2 | | 28.98 |
| US-1 Wing (MCN-P) = (2 x 5 x 0.708) (1.785 x 2 + 0.667) (1.1847 x 1.831 x 0.667) = 17 | | 0.65 |
| US-1 Wing (MCN-P) = 50.19 CY = 2 | | 23.61 |
| US-1 Wing (MCN-P) = 50.19 CY = 2 | | 25.10 |
| US-1 Skew Sect (1/4 of 44' Rdwy) = 0.5 x 12.697 | | 6.349 |
| US-1 Adj to 15.05' Wd = (2.2' x 15.05') (1.1847 x 1.831 x 0.667) = 14.61 | | 7.309 |
| US-1 Wing (MCN-P) = 57.95 CY = 2 | | 28.98 |
| US-1 Wing (MCN-P) = 50.19 CY = 2 | | 23.61 |
| US-1 Wing (MCN-P) = 50.19 CY = 2 | | 25.10 |
| US-1 Skew Sect (1/4 of 44' Rdwy) = 0.5 x 12.697 | | 6.349 |
| US-1 Adj to 15.05' Wd = (2.2' x 15.05') (1.1847 x 1.831 x 0.667) = 14.61 | | 7.309 |
| US-1 Wing (MCN-P) = 57.95 CY = 2 | | 28.98 |
| US-1 Wing (MCN-P) = 50.19 CY = 2 | | 23.61 |
| US-1 Wing (MCN-P) = 50.19 CY = 2 | | 25.10 |
| TOTALS | 119.85 | 17341 |



Sta 6+080 to 6+310 (90')
Exist 2' 10" x 8' 44" MCN-P-28 MCN-P-22
Prop remove HWLs US & DS. Extend US
W/ 2' 10" x 8" 18" 0" MCN-P-30 MCN-P-30
Extend DS W/ 2' 10" x 8" 18" 0" MCN-P-30
W/ MCN-P to make a 2' 10" x 8" 74" 0" ci. Width
Box Culv.

HYDRAULIC COMPUTATIONS
USGS Procedure Region 1
DA No. 31; Area: 1781 Ac.
Qp: 5:50.0+/-mi/hr
Peak Flow: 1192 cfs
100 Yr. Discharge: 2909 cfs
Vault: 9.36

100 Yr. Flood Analysis
Basic Flood (100 Yr. Flood) = 2909 cfs
Velocity of 174.0 ft/s @ 8.50
70' Under Structure = 191.5
1% of Water on roadway: 299.35
Low Elevation of Road Profile = 228.36 (High Side of Roadway)
Greatest Depth of Flow over Road: 100'
Percentage of Basic Flood over Road: 9.17%



BURROWS BRANCH
Sta 6+0900 to 6+3100
FM 1411

11/26/17 P11111
REV 9-28-18

N. T. S.

Elizabeth Ortego, P.E.

1B27AAE71511446
1/4/2022

SITE AD - NACOGDOCHES COUNTY
FM 1411 @ BURROWS BRANCH
11-174-0-2639-01-001

BRIDGE LAYOUTS (SITE AD)


TEXAS DEPARTMENT OF TRANSPORTATION
©2022 SHEET 24 OF 47

| | | | |
|------|----------|-----------|---------|
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | SHEET NO. | |
| LFK | ANGELINA | 54 | |

1/3/2022 9:34:47 AM
 pw: \\txdot\projectwiseonline.com: TXDOT3\Documents\11 - LFK\Design Projects\0911001224 - Design\Plan Set\7. Bridge\Site AE BRIDGE LAYOUT 11-174-0-2808-02-001.dgn



David R. Collmorgen P.E.
 6-24-98



52 FT X 5 FT X 3.5 FT = 33.7 CY
 RIPRAP (STONE COMMON) (DRY) (24 IN)

PI NUMBER = 35
 PI STATION = 7+204.373 (G)
 DELTA = 44°27'49.37"RT
 TANGENT = 118.535
 LENGTH = 225.051
 RADIUS = 290.000
 PC STATION = 7+085.838 (G)
 PT STATION = 7+310.889 (G)




| | 10 YR | 100 YR |
|--------------------------|-------|--------|
| Q (CMS) | 25.53 | 55.99 |
| DESIGN TH. ELEV. | 62.67 | 62.86 |
| VEL. (NAT. CHAN.) (MPS) | 1.03 | 1.03 |
| VEL. (THRU BRIDGE) (MPS) | 1.72 | 3.94 |
| HEADWATER ELEV. | 62.94 | 63.82 |

52 FT X 5 FT X 1.5 FT = 33.7 CY
 RIPRAP (STONE COMMON) (DRY) (24 IN)

4 HR HYD EXCAVATION

ALL DIMENSIONS ARE METERS UNLESS OTHERWISE STATED.




VERT. CURVE DATA
 PI = 7+238.162
 EL = 65.900
 L = 200.00

Texas Department of Transportation
 ©1998

BRIDGE LAYOUT
 BLACK BAYOU

ABI NO. 111740280802001

| | | |
|--------------------|-------------------|-----------------|
| FED. RD. DIST. NO. | STATE PROJECT NO. | SHEET NO. |
| 6 | A-2808-2-5 | 58 |
| STATE | DIST. | COUNTY |
| TEXAS | LFK | NACOGDOCHES |
| CONTRACT NO. | SECTION | JOB HIGHWAY NO. |
| 2808 | 02 | 005 FM-278 |



Elizabeth Ortega, P.E.
 1B27AAE71511446
 1/4/2022



BRIDGE LAYOUTS
 (SITE AE)

SITE AE - NACOGDOCHES COUNTY
 FM 2782 @ BLACK BAYOU
 11-174-0-2808-02-001

TEXAS DEPARTMENT OF TRANSPORTATION
 ©2022 SHEET 25 OF 47

| | | | |
|------|----------|-----------|---------|
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | SHEET NO. | |
| LFK | ANGELINA | 55 | |

1/3/2022 9:35:11 AM
 pw: \\txdot\projectwiseonline.com:TXDOT3\Documents\11 - LFK\Design Projects\0911001224 - Design\Plan Set\7. Bridge\Site AF BRIDGE LAYOUT 11-187-0-0176-04-046.dgn



ESTIMATED QUANTITIES

| | EST. | FIN |
|------------------------------|--------|-----|
| UNCL STR EXCAV (BR) | 32 | |
| COM CHAN EXCAV | 0 | |
| CL A CONC FOR EXT STR (BENT) | 71.00 | |
| CL A CONC FOR EXT STR (SLAB) | 329.30 | |
| RIPRAP (CONC)(CL B) | 166.30 | |
| REINF STL | 66,248 | |
| RAIL (PRO)(TY 18) | 232 | |
| CONC PIL (15 IN SB) | 1,882 | |
| CONC TEST PIL (15 IN SB) | 150 | |

| APPROACH SLAB | | |
|------------------------|-------|--|
| CL A CONC (Bridge App) | 8,008 | |
| REINF STL | 8,456 | |

BRIDGE APPROACH - BAS-RW-58
 RIPRAP

Widening existing CS-1-34 80' continuous of 3-20' spans from 34.0' Rdw to 50.0'

LAYOUT
 BEAR CREEK BR
 WIDENING
 STA 1187+67.5 TO STA 1188



N. T. S.

DocuSign
 Elizabeth Ortego, P.E.
 1B27AAE71511446
 1/4/2022

BRIDGE LAYOUTS (SITE AF)

TEXAS DEPARTMENT OF TRANSPORTATION
 ©2022 SHEET 26 OF 47

| | | | |
|------|----------|-----------|---------|
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | SHEET NO. | |
| LFK | ANGELINA | 56 | |


SITE AF - POLK COUNTY
 US 59 @ BEAR BAYOU
 11-187-0-0176-04-046

1/3/2022 9:35:27 AM
 pw: \\ttdot\projectwiseonline.com: TXDOT\3\Documents\11 - LFK\Design Projects\091100122\4 - Design\Plan Set\7. Bridge\Site AH BRIDGE LAYOUT 11-187-0-0177-01-036.dgn

22 FT X 20 FT X 2 FT = 32.6 CY
 RIPRAP (STONE COMMON) (DRY) (24 IN)

2 HYD EXCAVATION

22 FT X 20 FT X 1 FT = 16.3 CY
 RIPRAP (STONE COMMON) (DRY) (24 IN)



| ITEM | STANDARD | UNCLASS EXCAV. Cu Yds | CLASS 'A' CONC. Cu Yds | REINF. STEEL LBS. | CONC. EXCAV. Cu Yds | INLET CONCRETE Type 2 Cu Yds | METAL GRATES EA. | 18" CLASS 40 RC PIPE FT. |
|------------------|----------|-----------------------|------------------------|-------------------|---------------------|------------------------------|------------------|--------------------------|
| 4' WIDENING | MCM-1 | 33 | 26.00 | 2,872 | - | - | - | - |
| 2' 10" WIDENING | MCM-3 | 80 | 218.99 | 26,474 | 363 | - | - | - |
| 140' 18" RC PIPE | - | 55 | - | - | 1 | 1 | 1 | 140 |
| Total | | 168 | 285.00 | 31,356 | 364 | 1 | 1 | 140 |

WIDENING LAYOUT
 CROOKED CREEK BRIDGE
 2' 10" x 10' x 10' MCM-3
 STA. 187+46

| ITEM | STANDARD | UNCLASS STRUCT EXCAV. Cu Yds | CLASS 'A' CONC. Cu Yds | REINF. STEEL LBS. | METAL GRATES ED | CONC. CHAN. EXCAV. Cu Yds | INLET (CONCR) TYPE 3 ED |
|---------------------|-------------|------------------------------|------------------------|-------------------|-----------------|---------------------------|-------------------------|
| 4' WIDENING | MCM-1 | 127 | 82.01 | 8,649 | - | - | - |
| 3' 10" x 8' 175' 0" | MCM-3 (Mod) | 275 | 478.76 | 71,266 | 1 | - | 1 |
| Total | | 402 | 560.77 | 80,915 | 1 | 0 | 1 |

LAYOUT
 SANSON CREEK BRIDGE
 3' 10" x 8' x 175' 0" MCM-3 (Mod)
 STA. 376+95

MODIFICATION TO MC-3
 Change Bar Size & Spacing as follows:
 Bar B - # 4 @ 5'
 Bar C - # 4 @ 5'
 Bar D - # 4 @ 5'
 Bar E - # 4 @ 5'
 Bar F - # 4 @ 5'
 Modify Detail of Bars C & D as shown
 BARS C & D

N. T. S.

Elizabeth Ortego, P.E.
 1B27AAE71511446
 1/4/2022

SITE AH - POLK COUNTY
 US 59 @ CROOKED CREEK
 11-187-0-0177-01-036



BRIDGE LAYOUTS (SITE AH)

TEXAS DEPARTMENT OF TRANSPORTATION
 ©2022 SHEET 27 OF 47


| | | | |
|------|----------|-----------|---------|
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | SHEET NO. | |
| LFK | ANGELINA | 57 | |

1/3/2022 9:36:14 AM pw:\txdot\projectwiseonline.com:TXDOT3\Documents\11 - LFK\Design Projects\0911001224 - Design\Plan Set\7. Bridge\Site AK BRIDGE LAYOUT 11-187-0-0929-01-006.dgn

| | | | |
|-------------|--------|---------------|---------------|
| F.R. DIV. 6 | TEXAS | 5831(1) | SHEET 11 |
| POLK | COUNTY | F.M. HWY. 352 | CONT. 929-1-4 |



SITE AK - POLK COUNTY
 FM 352 @ BEAVER CREEK
 11-187-0-0929-01-006




N. T. S.

DocuSigned by
 Elizabeth Ortego, P.E.
 1B27AAE71511446
 1/4/2022

| | | | |
|--|----------|-----------|---------|
| BRIDGE LAYOUTS (SITE AK) | | | |
| TEXAS DEPARTMENT OF TRANSPORTATION ©2022 SHEET 29 OF 47 | | | |
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | SHEET NO. | |
| LFK | ANGELINA | 59 | |

1/3/2022 3:48:29 PM pw:\txdot\projectwiseonline.com:TXDOT\3\Documents\11 - LFK\Design Projects\0911001224 - Design\Plan Set\7. Bridge\Site AL BRIDGE LAYOUT 11-187-0-0929-01-010.dgn




| BRIDGE QUANTITIES | | ROADWAY QUANTITIES | |
|------------------------|-----------|-------------------------------------|----------|
| CONC PILING (15 IN) | 300 LF | CHAN EXCAV | 218 CY |
| CL C CONC (BENT) | 4.6 CY | MET BM GD FENCE | 300 LF |
| CL C CONC (ABUT) | 14.0 CY | TERM ANCH SECT | 4 EA |
| CL S CONC (PAN GIRDER) | 76.8 CY | CONC APPR SLAB | 33.40 CY |
| RIPRAP (CONC) (CL 8) | 71.8 CY | | |
| RAIL (TY T502) | 147.34 LF | | |
| CONC SURF TREAT | 197 SY | | |
| REMOV OLD STR (L6) | 1 EA | | |
| * REINF STL | 19,299 LB | | |
| | | * FOR CONTRACTORS INFORMATION ONLY. | |

| STATION | DESCRIPTION | THICKNESS | WATER ELEV. | VELOCITY | DEPTH |
|---------|--|----------------------|-------------|----------|-------|
| 180 | SAND, tan, gr., loose, moist. (SP) | 30(6')47(6') | EL. 179.97 | 181.16 | 180 |
| 170 | CLAY, sandy, tan, gr., well cemented layer of shale, very stiff, moist. (CH) | 50(6')50(5') | | 176.65 | 170 |
| 160 | SHALE, gr. tan, very hard, moist. (MH-OH) | 6(13')6(13') | | 6.03 FPS | 160 |
| 150 | CLAY, silty, gr., shaly, slightly compact, moist. (CL) | 6(32')6(34') | | | 150 |
| 140 | CLAY, sandy, gr., shaly, very stiff, moist. (MH-OH) | 50(2 1/4')50(2 1/4') | | | 140 |
| 130 | SHALE, silty, green, very dense, moist. (MH-OH) | 50(2 1/4')50(2 1/4') | | | 130 |
| | SHALE, sandy, gr., very hard, moist. (MH-OH) | 50(2 1/4')50(2 1/4') | | | |
| | SHALE, sandy, gr., very hard, moist. (MH-OH) | 50(2 1/4')50(1 1/4') | EL. 129.64 | | |





SITE AL - POLK COUNTY
FM 352 @ BOGGY SLOUGH
11-187-0-0929-01-010



Elizabeth Ortega, P.E.
1/4/2022

| | | | |
|---|----------|-----|-----------|
| BRIDGE LAYOUTS (SITE AL) | | | |
| TEXAS DEPARTMENT OF TRANSPORTATION ©2022 SHEET 30 OF 47 | | | |
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | | SHEET NO. |
| LFK | ANGELINA | | 60 |

1/3/2022 9:36:51 AM
pw: \\txdot\projectwiseonline.com: TXDOT3\Documents\11 - LFK\Design Projects\091100122\4 - Design\Plan Set\7. Bridge\Site AM BRIDGE LAYOUT 11-187-0-1193-01-012.dgn



N. T. S.

ELIZABETH A. ORTEGO
91106
LICENSED PROFESSIONAL ENGINEER


DocuSigned by
Elizabeth Ortego, P.E.
1B27AAE71511446
1/4/2022

SITE AM - POLK COUNTY
FM 942 @ DRAW
11-187-0-1193-01-012

| | | | |
|---|----------|-----|-----------|
| BRIDGE LAYOUTS (SITE AM) | | | |
| TEXAS DEPARTMENT OF TRANSPORTATION ©2022 SHEET 31 OF 47 | | | |
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | | SHEET NO. |
| LFK | ANGELINA | | 61 |

1/3/2022 9:37:13 AM
 pw: \\txdot\projectwiseonline.com: TXDOT3\Documents\11 - LFK\Design Projects\091100122\4 - Design\Plan Set\7. Bridge\Site AS BRIDGE LAYOUT 11-202-0-0304-04-062.dgn


22 FT X 17 FT X 3 FT = 41.6 CY
 RIPRAP (STONE COMMON) (DRY) (24 IN)



COM.CHAN EXCAV 55.6 CY
 UNCL. STR. EXCAV 21 CY
 REINF. STEEL 6,639 LB
 CL. CONC. 52.07 CY
 (SUMP HOLE) COM.CHAN. EXCAV 19 CY


EXISTING 2-10X10X34 MC10-1 CONG BOX TO BE EXTENDED
 22 FT UPSTREAM ONLY, W/ MC10-1 BBL + MCW-F2 WINGS

5 HR HYD EXCAVATION



COM.CHAN. EXCAV. 0 CY
 UNCL. STR. EXCAV. 0 CY
 18" CGM PIPE 8 LF
 (SUMP HOLE) COM.CHAN. EXCAV. 4 CY
 MET. END SECT. 2 EA

EXISTING 18X56.8 CGM PIPE TO BE EXTENDED
 8 FT UPSTREAM ONLY W/ CGM PIPE W/ METAL
 END SECTIONS BOTH ENDS



COM.CHAN. EXCAV. 37 CY
 UNCL. STR. EXCAV. 0 CY
 36" CGM PIPE 0 LF
 (SUMP HOLE) COM.CHAN. EXCAV. 5 CY
 MET. END SECT. 2 EA

EXISTING 36" X 53.2 CGM PIPE NOT TO BE
 EXTENDED W/ METAL END SECTIONS
 ON BOTH ENDS.

N. T. S.


DocuSign
 Elizabeth Ortega, P.E.
 1B27AAE71511446
 1/4/2022

BRIDGE
 LAYOUTS
 (SITE AS)


SITE AS - SABINE COUNTY
 SH 87 @ CONNER CREEK
 11-202-0-0304-04-062

| | | | |
|--|----------|-----------|---------|
| TEXAS DEPARTMENT OF TRANSPORTATION ©2022 SHEET 32 OF 47 | | | |
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | SHEET NO. | |
| LFK | ANGELINA | 62 | |

2/1/2022 7:41:03 AM pw: \\txdot\projectwiseonline.com: TXDOT3\Documents\11 - LFK\Design Projects\0911001224 - Design\Plan Set\7. Bridge\Site at Brushy Creek Layout 11-202-0-2197-01-003.dgn



DEWATER AREA - DEWATERING WILL BE SUBSIDIARY TO INSTALLMENT OF RIPRAP



ESTIMATED QUANTITIES

| PAY ITEMS | QUANTITY | UNIT |
|-------------------------------------|----------|------|
| CONCRETE | 176.55 | CY |
| RIPRAP (STONE COMMON) (DRY) (24 IN) | 14.1 | CY |
| CHANNEL EXCAV | 229 | CY |
| TRENCH EXCAV PROTECT | 230 | LF |
| FOR CONTR INCL ONLY | | |
| STEEL STR EXCAV | 21,380 | LB |
| | 475 | CY |

STA 21+99 TO STA 22+21
 PROP: 2 10' X 8' X 8' MC10-3 BOX CULVERT
 WITH MCW-F2 WINGS (H-B)
 SEE PLAN & PROFILE SHEET NO. 6 FOR MBGF

BRIDGE LAYOUT
 BRUSHY CREEK



SITE AT - SABINE COUNTY
 FM 2343 @ BRUSHY CREEK
 11-202-0-2197-01-003

N. T. S.




DocuSigned by:
 Elizabeth Ortego, P.E.
 1827AE751145...
 2/1/2022

BRIDGE LAYOUTS
 (SITE AT)

TEXAS DEPARTMENT OF TRANSPORTATION
 ©2022 SHEET 33 OF 47

| | | | |
|------|----------|-----------|---------|
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | SHEET NO. | |
| LFK | ANGELINA | 63 | |

2/1/2022 7:41:08 AM pw:\txdot\projectwiseonline.com:TXDOT3\Documents\11 - LFK\Design Projects\0911001224 - Design\Plan Set\7. Bridge\SITE AW BRIDGE LAYOUT 11-203-0-0118-10-076.dgn



SITE AW - SAN AUGUSTINE COUNTY
SH 21 @ BNSF, AYISH BAOU & CITY ST
11-203-0-0118-10-076


N. T. S.

DocuSigned by:
Elizabeth Ortego, P.E.
1827/AE/15/11/2022


BRIDGE LAYOUTS (SITE AW)

| | | | |
|---|----------|-----------|---------|
| TEXAS DEPARTMENT OF TRANSPORTATION ©2022 SHEET 34 OF 47 | | | |
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | SHEET NO. | |
| LFK | ANGELINA | 64 | |

2/1/2022 7:41:10 AM
pw: \\txdot\projectwiseonline.com: TXDOT3\Documents\11 - LFK\Design Projects\091100122\4 - Design\Plan Set\7. Bridge\SITE AW BRIDGE LAYOUT 11-203-0-0118-10-076.dgn



46 LF = CLEANING & SEALING
EXISTING JOINT CLASS 7



1118-10-076 MASTER COPY



N. T. S.


DocuSigned by:
Elizabeth Ortego, P.E.
1827/AE/15/11/2022

BRIDGE LAYOUTS (SITE AW)


SITE AW - SAN AUGUSTINE COUNTY
SH 21 @ BNSF, AYISH BAOU & CITY ST
11-203-0-0118-10-076

| | | | |
|--|----------|-----------|---------|
| TEXAS DEPARTMENT OF TRANSPORTATION ©2022 SHEET 35 OF 47 | | | |
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | SHEET NO. | |
| LFK | ANGELINA | 65 | |

2/1/2022 7:41:12 AM
pw:\txdot\projectwiseonline.com:TXDOT3\Documents\11 - LFK\Design Projects\0911001224 - Design\Plan Set\7. Bridge\SITE AW BRIDGE LAYOUT 11-203-0-0118-10-076.dgn



46 LF = CLEANING & SEALING EXISTING JOINT CLASS 7



23

AT&SF RR. OVERPASS LAYOUT

SITE AW - SAN AUGUSTINE COUNTY
SH 21 @ BNSF, AYISH BAOU & CITY ST
11-203-0-0118-10-076

N. T. S.


DocuSigned by:
Elizabeth Ortego, P.E.
1827/AE/15/11/2022

BRIDGE LAYOUTS (SITE AW)


| | | |
|---|----------|-----------|
| TEXAS DEPARTMENT OF TRANSPORTATION ©2022 SHEET 36 OF 47 | | |
| CONT | SECT | HIGHWAY |
| 0911 | 00 | 122 VA |
| DIST | COUNTY | SHEET NO. |
| LFK | ANGELINA | 66 |

32 FT X 4 FT X 3 FT = 14.2 CY
FLOWABLE BACKFILL

32 FT X 5 FT X 3 FT = 17.8 CY
RIPRAP (STONE COMMON) (DRY) (24 IN)



| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----|-----|------|------|------|------|-----|-----|------|------|------|-----|-----|-----|-----|------|------|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|------|------|--------|
| CRE | 601 | 1347 | 1708 | 1608 | 1148 | 572 | 78 | 0 | 0 | 0 | 7 | 50 | 222 | 633 | 1258 | 1652 | 1222 | 557 | 298 | 204 | 133 | 44 | 0 | 0 | 0 | 0 | 0 | 0 | 17 | 15 | 13,374 |
| ETS | 102 | 0 | 0 | 0 | 0 | 32 | 478 | 1252 | 1193 | 1082 | 639 | 543 | 357 | 134 | 15 | 0 | 0 | 0 | 5 | 12 | 25 | 108 | 223 | 288 | 369 | 540 | 631 | 515 | 1358 | 1791 | 11,692 |
| SM | | | | | | | | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 75 | 2175 |
| CCE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 3753 | 3753 |



INSTALL FLOWABLE BACKFILL

DEWATER AREA - DEWATERING WILL BE SUBSIDIARY TO INSTALLMENT OF FLOWABLE BACKFILL



| | | | | | | | | | | | | | | | | | | | | |
|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|-------|--------|
| 205.63 | 201.8 | 205.75 | 199.6 | 202.11 | 198.5 | 200.94 | 198.0 | 200.23 | 196.4 | 200.00 | 196.1 | 200.00 | 196.1 | 200.00 | 196.9 | 200.00 | 190.7 | 200.00 | 196.1 | 200.00 |
| 7 | 8 | 9 | 580 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | | | | | | | | | | |

SITE AX - SAN AUGUSTINE COUNTY
FM 1751 @ BOBBITT CREEK
11-203-0-1680-03-011

N. T. S.

DocuSigned by:
Elizabeth Ortego, P.E.
1837/AE/15/11/22
2/1/2022


BRIDGE LAYOUTS (SITE AX)

TEXAS DEPARTMENT OF TRANSPORTATION
©2022 SHEET 37 OF 47

| | | | |
|------|----------|-----------|---------|
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | SHEET NO. | |
| LFK | ANGELINA | 67 | |

2/1/2022 7:41:16 AM
pw: \\ttdot\project\wisonline.com: TXDOT3\Documents\11 - LFK\Design Projects\0911001224 - Design\Plan Set\7. Bridge\SITE AX BRIDGE LAYOUT 11-203-0-1680-03-011.dgn


1/3/2022 9:38:39 AM pw:\xtdot\project\wiseonline.com:TXDOT\3\Documents\11 - LFK\Design Projects\0911001224 - Design\Plan Set\7. Bridge\Site AY BRIDGE LAYOUT 11-203-0-0597-02-005.dgn



11-203-0597-02-005 - Orig Plans



SITE AY - SAN AUGUSTINE COUNTY
FM 1277 @ SANDY CREEK
11-203-0-0597-02-005




DocuSigned by:
Elizabeth Ortego, P.E.
1B27AAE71511446
1/4/2022

BRIDGE LAYOUTS (SITE AY)

| | | | |
|------------------------------------|----------|-----------|---------|
| TEXAS DEPARTMENT OF TRANSPORTATION | | | |
| ©2022 SHEET 38 OF 47 | | | |
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | SHEET NO. | |
| LFK | ANGELINA | 68 | |

1/3/2022 9:38:58 AM
 pw: \\txdot\projectwiseonline.com: TXDOT\Documents\11 - LFK\Design Projects\0911001224 - Design\Plan Set\7. Bridge\Site AZ BRIDGE LAYOUT 11-203-0-0597-02-007.dgn



SITE AZ - SAN AUGUSTINE COUNTY
 FM 1277 @ SPEAR CREEK
 11-203-0-0597-02-007

N. T. S.



Elizabeth Ortego, P.E.
 1B27AAE71511446
 1/4/2022

BRIDGE LAYOUTS (SITE AZ)

| | | |
|------------------------------------|------|-----------|
| TEXAS DEPARTMENT OF TRANSPORTATION | | |
| ©2022 SHEET 39 OF 47 | | |
| CONT | SECT | JOB |
| 0911 | 00 | 122 |
| DIST | | COUNTY |
| LFK | | ANGELINA |
| | | SHEET NO. |
| | | 69 |

1/3/2022 9:39:25 AM
 pw: \\txdot\projectwiseonline.com: TXDOT3\Documents\11 - LFK\Design Projects\091100122\4 - Design\Plan Set\7. Bridge\Site BA BRIDGE LAYOUT 11-203-0-0597-02-010.dgn

38 FT X 10 FT X 3.5 FT = 49.3 CY
 RIPRAP (STONE COMMON) (DRY) (24 IN)



Note: Eliminate downstream toe walls on the abutments and culvert barrel. Bend toe wall steel horizontally and incorporate in concrete riprap apron. Construct downstream toe wall on apron.

PLAN VIEW
 STA 100+71.15 TO STA 101+08.85 75' CL ROW
 PROP. 3-10x10x75' MCW-52 LT FWD SKEW
 W/CS. MOD MCW-52 & US MCW-F2 30° WINGS
 SKEW LENGTH 186.40'
 SEE SHEET 12 FOR EL. VIEW

BRIDGE LAYOUT
 PERKINS CREEK (FM1277)

| | |
|----------|----------------------------|
| FILE NO. | 11-203-0-0597-02-010 |
| DATE | 1/3/2022 |
| BY | ELIZABETH A. ORTEGO |
| CHECKED | |
| DATE | |
| PROJECT | PERKINS CREEK BRIDGE |
| LOCATION | SAN AUGUSTINE COUNTY TEXAS |
| SCALE | AS SHOWN |



N. T. S.

DocuSign
 Elizabeth Ortego, P.E.
 1B27AAE71511446
 1/4/2022

BRIDGE LAYOUTS
 (SITE BA)

SITE BA - SAN AUGUSTINE COUNTY
 FM 1277 @ PERKINS CREEK
 11-203-0-0597-02-010


TEXAS DEPARTMENT OF TRANSPORTATION
 ©2022 SHEET 40 OF 47

| | | | |
|------|----------|-----------|---------|
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | SHEET NO. | |
| LFK | ANGELINA | 70 | |

1/3/2022 9:39:40 AM
 pw: \\txdot\projectwiseonline.com: TXDOT3\Documents\11 - LFK\Design Projects\091100122\4 - Design\Plan Set\7. Bridge\Site BB BRIDGE LAYOUT 11-203-0-1680-02-004.dgn

NOTES:

1. CROSSROAD CULVERT STATIONING BASED ON EXISTING PLANS.
2. EXISTING CULVERT TO REMAIN IN PLACE TO BREAKBACK LINE.



22 FT X 10 FT X 1 FT = 8.1 CY
 RIPRAP (STONE COMMON) (DRY) (24 IN)

22 FT X 10 FT X 1 FT = 8.1 CY
 RIPRAP (STONE COMMON) (DRY) (24 IN)

CULVERT LAYOUTS



Bradley M. Tiemann, P.E.
 5-27-05

| | | | |
|--|-------------|---------------|-------------|
| Texas Department of Transportation © 2005 TxDOT | | | |
| FED. RD. DIV. NO. | PROJECT NO. | SHEET NO. | |
| 6 | | 44 | |
| STATE | DIST. | COUNTY | |
| TEXAS | LFK | SAN AUGUSTINE | |
| CONT. | SECT. | JOB | HIGHWAY NO. |
| 1680 | 02 | 1015, etc. | FM 2213 |



SITE BB - SAN AUGUSTINE COUNTY
 FM 2213 @ DRAW
 11-203-0-1680-02-004


N. T. S.

Elizabeth Ortega, P.E.
 1B27AAE71511446
 1/4/2022

BRIDGE LAYOUTS (SITE BB)

| | | | |
|--|------|----------|-----------|
| TEXAS DEPARTMENT OF TRANSPORTATION ©2022 SHEET 41 OF 47 | | | |
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | | COUNTY | SHEET NO. |
| LFK | | ANGELINA | 71 |

1/3/2022 9:39:58 AM
pw:\xtdot\projectwiseonline.com:TXDOT\3\Documents\11 - LFK\Design Projects\0911001224 - Design\Plan Set\7. Bridge\Site BD BRIDGE LAYOUT 11-210-0-0175-04-011.dgn



SITE BD - SHELBY COUNTY
US 59 @ FLAT FORK CREEK
11-210-0-0175-04-011

N. T. S.

ELIZABETH A. ORTEGO
91106
LICENSED PROFESSIONAL ENGINEER


DocuSign
Elizabeth Ortego, P.E.
1B27AAE71511446
1/4/2022

BRIDGE LAYOUTS (SITE BD)

TEXAS DEPARTMENT OF TRANSPORTATION
©2022 SHEET 42 OF 47

| | | | |
|------|----------|-----------|---------|
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | SHEET NO. | |
| LFK | ANGELINA | 72 | |


1/3/2022 9:40:13 AM pw:\tdot\projectwiseonline.com:TXDOT3\Documents\11 - LFK\Design Projects\091100122\4 - Design\Plan Set\7. Bridge\Site BF BRIDGE LAYOUT 11-210-0-0743-02-001.dgn



Bridge 210-0743-02-001

| ESTIMATED QUANTITIES | | | |
|----------------------|---------------------------|-----------------------|-----------------------|
| Description | Uncl. Str. Excav. Cu. Yd. | Class # Conc. Cu. Yd. | Reinforcing Steel Lb. |
| * 5'x5'x24" MBC-E-24 | 32 | 162.99 | 8190 |

| ESTIMATED QUANTITIES | | | |
|----------------------|---------------------------|-----------------------|-----------------------|
| Description | Uncl. Str. Excav. Cu. Yd. | Class # Conc. Cu. Yd. | Reinforcing Steel Lb. |
| 5'x5'x24" MBC-E-24 | 32 | 162.99 | 8190 |



LAYOUT FOR BRIDGES FROM STA. 16+22.00 TO STA. 16+45.00 AND STA. 77+05.50 TO STA. 77+34.00 EMPLOYED IN SHELBY COUNTY

N. T. S.

DocuSign
Elizabeth Ortego, P.E.
1B27AAE71511446
1/4/2022



SITE BF - SHELBY COUNTY
FM 138 @ DRAW
11-210-0-0743-02-001

BRIDGE LAYOUTS (SITE BF)

TEXAS DEPARTMENT OF TRANSPORTATION ©2022 SHEET 43 OF 47

| | | | |
|------|----------|-----------|---------|
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | SHEET NO. | |
| LFK | ANGELINA | 73 | |

2/1/2022 2:46:46 PM pw:\txdot\projectwiseonline.com:TXDOT3\Documents\11 - LFK\Design Projects\091100122\4 - Design\Plan Set\7. Bridge\Site BH BRIDGE LAYOUT 11-228-0-0109-07-047.dgn



N. T. S.

STATE OF TEXAS
ELIZABETH A. ORTEGO
91106
LICENSED PROFESSIONAL ENGINEER


DocuSigned by:
Elizabeth Ortega, P.E.
182741/2022

BRIDGE LAYOUTS (SITE BH)

SITE BH - TRINITY COUNTY
SH 19 @ TANTABOGUE SLOUGH
11-228-0-0109-07-047

| | | | |
|--|----------|-----------|---------|
| TEXAS DEPARTMENT OF TRANSPORTATION ©2022 SHEET 44 OF 47 | | | |
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | SHEET NO. | |
| LFK | ANGELINA | 74 | |

2/1/2022 2:46:48 PM pw:\txdot\project\wisonline.com\TXDOT3\Documents\11 - LFK\Design Projects\0911001224 - Design\Plan Set\7. Bridge\Site BH BRIDGE LAYOUT 11-228-0-0109-07-047.dgn



20 FT X 5 FT X 3 FT = 11.1 CY
RIPRAP (STONE COMMON) (DRY) (24 IN)

8 FT X 6 FT = 5.3 SY
REMOVE CONCRETE (FLUME)

8 FT X 8 FT X 0.5 FT = 1.2 CY
CONCRETE (RIPRAP)

SEE "CONCRETE RIPRAP AT TYPICAL
V-BOTTOM DITCH" IN CONCRETE
RIPRAP DETAILS SHEET FOR DETAIL

| TEST HOLE #2 STA 615+02 ELEV 184.5 | TEST HOLE #2 ELEV 192.05 |
|--|-----------------------------|
| 21 (6") 150 (17") 174.5 | 50 (2 1/4") 150 (17") 151.5 |
| 6 (6") 15 (6") 117.5 (11) | 50 (2") 150 (17") 143.5 |
| 50 (9 1/2") 150 (13") 166.5 (2) | 50 (1 1/2") 150 (11") 141.5 |
| 50 (2") 50 (1 1/2") 161.5 | 50 (1 1/2") 150 (11") 136.5 |
| 50 (2 1/2") 150 (12") 156.5 (3) | |
| 50 (2 1/4") 150 (1 1/2") 151.5 | |

DRILL LOG NOTES:
1. SAND PREVENTED CORE RECOVERY.
2. HAD A COUPLE OF LARGE CREEK ROCK IN SAMPLE FROM 12'-13'.
3. TRACES OF LIGNITE MATERIAL IS IN LAYERS SANDSTRATUS W/SILT STRATUS AND CLAY.



[Handwritten signature]

| | |
|--|--------------------|
| BRIDGE LAYOUT 170 TANTABOGUE SLOUGH SHEET 2 OF 2 | |
| STATE | BRIDGE |
| TEXAS | 11 TRINITY |
| CONTRACT NO. | SECTION |
| 0109 | 07 038, ETC. SH 19 |



SITE BH - TRINITY COUNTY
SH 19 @ TANTABOGUE SLOUGH
11-228-0-0109-07-047

N. T. S.


DocuSigned by:
Elizabeth Ortega, P.E.
1827/2/1/2022

BRIDGE LAYOUTS
(SITE BH)

TEXAS DEPARTMENT OF TRANSPORTATION
©2022 SHEET 45 OF 47

| | | | |
|------|----------|-----------|---------|
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | SHEET NO. | |
| LFK | ANGELINA | 75 | |

1/3/2022 9:41:00 AM
 pw: \\txdot\projectwiseonline.com: TXDOT3\Documents\11 - LFK\Design Projects\0911001224 - Design\Plan Set\7. Bridge\Site BI BRIDGE LAYOUT 11-228-0-0931-04-025.dgn



22



Brownlee Creek Bridge Layout

| | | |
|--------------|----------|---------|
| STATE | COUNTY | PROJECT |
| TEXAS | Trinity | |
| CONTRACT NO. | DISTRICT | SECTION |
| 0931 | 04 | 019 |

N. T. S.

Elizabeth Ortego, P.E.

1B27AAE71511446
 1/4/2022


BRIDGE LAYOUTS (SITE BI)

| | | | |
|------------------------------------|----------|-----------|---------|
| TEXAS DEPARTMENT OF TRANSPORTATION | | | |
| ©2022 SHEET 46 OF 47 | | | |
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | SHEET NO. | |
| LFK | ANGELINA | 76 | |


SITE BI - TRINITY COUNTY
 FM 358 @ BROWNLEE CREEK
 11-228-0-0931-04-025

2/1/2022 7:41:21 AM pw:\xtdot\project\wisonline.com:TXDOT\3\Documents\11 - LFK\Design Projects\0911001224 - Design\Plan Set\7. Bridge\Site BJ BRIDGE LAYOUT 11-228-0-2963-02-001.dgn


TRINITY COUNTY FM 2912 DRAW 2963-2-001
SHEET 5



| | | | | | | | | | | | | | | |
|---------------------|---------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-------------|
| Clearing & Grubbing | .03 Ac. | | | | | | | | | | | | | Sheet Total |
| Com. Road Excav. | 302 | 259 | 215 | 128 | 144 | 120 | 57 | 69 | 63 | 40 | 39 | 69 | 122 | 1,627 CY |
| Com Chan. Excav. | | | | | | | | | | 38 | | | | 38 CY |
| Embankment | 99 | 140 | 130 | 135 | 166 | 249 | 368 | 461 | 481 | 547 | 426 | 229 | 79 | 3,510 CY |
| Waste | | | | | | | | | | 38 | | | | 38 CY |
| Overhaul | | | | | | | | | | | | 523 | 6 | 523 YC |
| ROW Mark. | | | | | | | 2 | | | | | | | 8 Ea |



EXISTING UTILITY LINE RUNNING THROUGH NORTH SIDE OF CULVERT TO BE WORKED AROUND



UPSTREAM




DOWNSTREAM

SITE BJ - TRINITY COUNTY
FM 2912 @ DRAW
11-228-0-2963-02-001

N. T. S.

DocuSigned by:
Elizabeth Ortega, P.E.
1837/AE/150119...

| | | |
|---|----------|-----------|
| BRIDGE LAYOUTS (SITE BJ) | | |
| TEXAS DEPARTMENT OF TRANSPORTATION ©2022 SHEET 47 OF 47 | | |
| CONT SECT | JOB | HIGHWAY |
| 0911 00 | 122 | VA |
| DIST | COUNTY | SHEET NO. |
| LFK | ANGELINA | 77 |



TYPICAL BENT ELEVATION
(Looking Upstam)

- ① See Table for length of Pile Encasement.
- ② Field adjust encasement length based on actual conditions.


| Pile Encasement Lengths | | | |
|-------------------------|------|--------------------------------|-----------------|
| Bent | Pile | Length of Pile Encasement (ft) | Bent Total (ft) |
| 1 | 1 | 6 | 30 |
| | 2 | 6 | |
| | 3 | 6 | |
| | 4 | 6 | |
| | 5 | 6 | |
| 2 | 1 | 8 | 40 |
| | 2 | 8 | |
| | 3 | 8 | |
| | 4 | 8 | |
| | 5 | 8 | |
| 3 | 1 | 6 | 30 |
| | 2 | 6 | |
| | 3 | 6 | |
| | 4 | 6 | |
| | 5 | 6 | |
| Total | | | 100 |

GENERAL NOTES:


Verify dimensions for steel H-piling encasements and ground elevations. Pile Encasement Length may be adjusted by the Engineer based on actual channel and ground line elevations. Existing conditions may be under water. Contractor will be responsible for dewatering. Payment for dewatering will be included in the price bid for Item 420 piling encasements. If the contractor can submit a plan and adequately demonstrate the ability to perform the repairs to the engineer for approval, dewatering may not be necessary. Obtain approval for the mix design and the construction procedures before the beginning of the work. If underwater placement is approved, concrete mix should be designed for underwater placement and may require the use of anti-washout admixtures. Provide concrete for the H-piling encasement with a strength of 3,000 psi in 24 hours and coarse aggregate grades not greater than No. 5 (3/4"). Provide a concrete mix with 2 gallons of corrosion inhibitor per CY. Construction of the concrete encasement will be paid for at a unit price bid of "Linear feet" of piling encasement. Payment for collars will be included in the price of piling encasement. All steel reinforcing is to be Grade 60. Removal of exist conc. encasement @ bent 2 subsidiary to installment of encasement

PILE ENCASEMENT PROCEDURE:


- 1) Verify channel line elevations and report to the Engineer for possible adjustments.
- 2) Submit a concrete mix design and procedures for casting the encasements for approval.
- 3) Place and secure the steel reinforcement and install formwork.
- 4) Place the concrete in the encasement per approved procedures and in accordance with Item 420.
- 5) Leave forms in-place for at least 48 hours and until the concrete reaches a compressive strength of 3000 psi.



ELEVATION OF ROUND ENCASEMENT



ELEVATION OF SQUARE ENCASEMENT




SECTIONS SHOWING REINFORCING AND CONCRETE ENCASEMENT

SHOWING REINFORCING NEAR DISTRESSED AREA


SECTION A-A

SECTION B-B

PILE ENCASEMENT DETAILS




Arrange Bar C pairs to provide 1'-0" opening on opposite faces:




DocuSigned by:
Elizabeth Ortego, P.E.
1B27AAE71511446...
12/31/2021

| | | | |
|---|----------|-----------------|--------|
| | | Bridge Division | |
| PILE ENCASEMENT DETAILS (NBI# 11-003-0-1675-01-002 FM 1669 at Linston Creek) | | | |
| FILE: 110030167501002RepairDetail.dgn | DN: | CK: | DW: CJ |
| 0911 | 00 | 122 | VA |
| DIST: | COUNTY: | SHEET NO. | |
| LFK | ANGELINA | 78 | |


12/30/2021 6:47:58 AM pw:\1\tdot_projectwise\one\ine.com:TXDOT3\Documents\11 - LFK\Design Projects\091100122\4 - Design\Plan Set\7. Bridge\Cleaning_and_Sealing_Existing_Bridge



CONCRETE GIRDER JOINT WITH SILICONE SEAL




CONCRETE GIRDER JOINT WITH HOT POURED RUBBER SEAL



ARMOR JOINT SECTIONS

PROCEDURE FOR CLEANING AND SEALING EXISTING ARMOR JOINTS:

- 1) Remove existing seal.
- 2) Sandblast existing steel surface where silicone seal is to be placed.
- 3) Obtain approval of cleaned joint prior to proceeding with joint sealing operation.
- 4) Place backer rod into joint opening 1" below the top of concrete. The backer rod must be 25% larger than the joint opening.
- 5) Seal the joint opening with a Class 7 Silicone. Recess seal 1/2" below top of concrete in travel lanes and 1/8" below top of concrete in shoulders.



DETAIL "A"

PROCEDURE FOR CLEANING AND SEALING EXISTING CONCRETE GIRDER JOINT WITH SILICONE SEAL:

- 1) Clean joint opening of all old expansion materials/devices, dirt, and all other deleterious materials in accordance with Item 438, "Cleaning and Sealing Joints and Cracks." Clean joint out full depth of the joint.
- 2) Obtain approval of cleaned joint prior to proceeding with joint sealing operation.
- 3) Place backer rod into joint opening 1" below the top of concrete. The backer rod must be 25% larger than the joint opening.
- 4) Seal the joint opening with a Class 7 Silicone. Recess seal 1/2" below top of concrete in travel lanes and 1/8" below top of concrete in shoulders.

PROCEDURE FOR CLEANING AND SEALING EXISTING CONCRETE GIRDER JOINT WITH HOT POURED RUBBER SEAL:

- 1) Saw cut through the asphalt at the centerline of joint. Make multiple saw cuts to create a 1/2" minimum joint opening or match the existing joint opening. Clean joint opening of all old expansion materials/devices, bituminous materials, dirt, grease and all other deleterious materials in accordance with Item 438, "Cleaning and Sealing Joints and Cracks."
- 2) Obtain approval of cleaned joint prior to proceeding with joint sealing operation.
- 3) Place backer rod into joint opening 1" below the top of concrete. Backer rod must be of the type that can handle the heat and be compatible with the hot poured rubber seal. The backer rod must be 25% larger than the joint opening.
- 4) Seal the joint opening with a Class 3, "Hot Poured Rubber." Seal flush with the top of the asphaltic concrete pavement.

GENERAL NOTES:

Cleaning existing joint opening (full depth) of all debris, providing and placing backer rod, saw-cutting joint opening, and sealing joint is paid for by Item 438, "Cleaning and Sealing Joints and Cracks" and measured by the foot of "Cleaning and Sealing of Existing Joints."


Obtain approval for all tools, equipment, materials and techniques proposed for use to prepare the joint.

For Class 3 Hot Poured Rubber Seal, provide backer rod compatible with the hot poured rubber sealant and rated for for a minimum of 400 F.


Provide Class 3 joint sealant in accordance with DMS-6310, "Joint Sealants and Fillers" for joints in asphalt overlay.

Provide Class 7 silicone joint sealant in accordance with DMS-6310, "Joint Sealants and Fillers" for joints in concrete.

Extend sealant up into rail or curb 6 inches on low side or sides of deck. If the Class 7 Sealant cannot be effectively placed in the vertical position, a Class 4 Sealant is allowed for the extension of the seal into the curb or rail. Prepare surfaces where sealant is to be placed in accordance with manufacturer's specifications.



JOINT SEALANT TERMINATION DETAILS



DocuSigned by:
Elizabeth Ortego, P.E.

1B27AAE71511446...


12/31/2021

CLEANING AND SEALING EXISTING BRIDGE JOINTS




| | | | |
|------|----------|-----|-----------|
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | | SHEET NO. |
| LFK | ANGELINA | | 79 |

DISCLAIMER: THE USE OF THIS DETAIL IS GOVERNED BY THE TEXAS ENGINEERING PRACTICE ACT. NO WARRANTY OF ANY KIND IS MADE BY TxDOT FOR ANY PURPOSE WHATSOEVER. TxDOT ASSUMES NO RESPONSIBILITY FOR THE CONVERSION OF THIS DETAIL TO OTHER FORMATS OR FOR INCORRECT RESULTS OR DAMAGES RESULTING FROM ITS USE.
 2/2/2022 12:16:43 AM
 p:\t\dot\project\wiseonline.com:TXDOT3\Documents\11 - LFK\Design Projects\0911001224 - Design\Plan Set\7. Bridge\ConcRiprapDet*Dist.stnd.dgn




CONCRETE RIPRAP AT CULVERT SECTION

QUANTITY FOR 4" CONC RIPRAP INCLUDES THE QUANTITY FOR THE 6" WIDE TOEWALL AND WILL BE PAID FOR UNDER ITEM 432, RIPRAP (CONC) (4 IN).




CONCRETE RIPRAP AT TYPICAL V-BOTTOM DITCH

QUANTITY FOR 4" CONC RIPRAP INCLUDES THE QUANTITY FOR THE 6" WIDE TOEWALL AND WILL BE PAID FOR UNDER ITEM 432, RIPRAP (CONC) (4 IN).




CONCRETE RIPRAP AT TYPICAL FILL SECTION

QUANTITY FOR 4" CONC RIPRAP INCLUDES THE QUANTITY FOR THE 6" WIDE TOEWALL AND WILL BE PAID FOR UNDER ITEM 432, RIPRAP (CONC) (4 IN).




CONCRETE RIPRAP AT TYPICAL FLAT BOTTOM DITCH


QUANTITY FOR 4" CONC RIPRAP INCLUDES THE QUANTITY FOR THE 6" WIDE TOEWALL AND WILL BE PAID FOR UNDER ITEM 432, RIPRAP (CONC) (4 IN).



CONCRETE RIPRAP AT INLET



**CONCRETE RIPRAP AT INLET
RIPRAP APRON DETAILS
SECTION A-A**



TOEWALL DETAIL

GENERAL NOTES:

1. USE CL B CONCRETE UNLESS OTHERWISE NOTED IN PLANS. USE CL A CONCRETE FOR RIPRAP APRON AROUND INLETS.
2. PROVIDE CONSTRUCTION JOINTS OR GROOVED JOINTS EXTENDING THE FULL SLANT SLOPE HEIGHT AT INTERVALS OF APPROXIMATELY 20 FEET UNLESS OTHERWISE DIRECTED.
3. PLACE PREMOLDED OR BOARD EXPANSION JOINTS VERTICALLY AND AT RIGHT ANGLES TO THE LONGITUDINAL AXIS OF THE RIPRAP IN SECTIONS NO LESS THAN 8 FEET IN WIDTH OR MORE THAN 40 FEET IN LENGTH.
4. RIPRAP MAY EXTEND BEYOND CROWN LINE, UP TO EDGE OF PAVEMENT.
5. USE NO.3 OR NO.4 BARS @ 12" O.C. IN BOTH DIRECTIONS SUPPORTED ON REINFORCING CHAIRS.
6. SEE QUANTITY SUMMARIES FOR RIPRAP LOCATIONS.
7. CONSTRUCT SLOPES TO THAT OF THE APPROPRIATE TYPICAL SECTION OR CROSS SECTION UNLESS OTHERWISE DIRECTED.


NOT TO SCALE
 LUFKIN DISTRICT STANDARD
**CONCRETE RIPRAP
 DETAILS**

| | | | |
|---|----------|-----------|---------|
| TEXAS DEPARTMENT OF TRANSPORTATION ©2022 | | | |
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | SHEET NO. | |
| LFK | ANGELINA | 80 | |

ISSUED 01-09
 REVISED 03-14
 REVISED 10/20/2016: MODIFIED TITLE BLOCK
 REVISED 04/03/2017: MODIFIED NOTES FOR PAYMENT

2/1/2022 3:48:30 PM pw:\txdot.projectwiseonline.com:TXDOT3\Documents\11 - LFK\Design Projects\091100122\4 - Design\Plan Set\9. Environmental\SWP3Index*small disturbance.d

THE TOTAL DISTURBED AREA SHOWN IN THE PLANS IS LESS THAN 1 ACRE. THE DISTURBED AREA IN THE PLANS AND THE CONTRACTOR PROJECT SPECIFIC LOCATIONS (PSLS) WITHIN 1 MILE OF THE PROJECT LIMITS FOR THE CONTRACT, WILL FURTHER ESTABLISH THE AUTHORIZATION REQUIREMENTS FOR STORM WATER DISCHARGES. AS THE DISTURBED AREA INCLUDING PSLS IS LESS THAN 1 ACRE, THE TPDES CGP DOES NOT APPLY, HOWEVER, THE CONTRACTOR SHALL PLACE BMP'S AS DIRECTED. IF THE TOTAL AREA DISTURBED SHOWN IN THE PLANS AND PSLS WITHIN 1 MILE OF THE PROJECT LIMITS EXCEEDS 1 ACRE, THE ENGINEER WILL DEVELOP AN SWP3 SITE PLAN AND POST A SMALL CONSTRUCTION SITE NOTICE FOR THE CONSTRUCTION ACTIVITIES.



TXDOT
SWP3
INDEX

TEXAS DEPARTMENT OF TRANSPORTATION
©2022

| | | | |
|------|----------|-----------|---------|
| CONT | SECT | JOB | HIGHWAY |
| 0911 | 00 | 122 | VA |
| DIST | COUNTY | SHEET NO. | |
| LFK | ANGELINA | 81 | |

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: FILE:

I. STORMWATER POLLUTION PREVENTION-CLEAN WATER ACT SECTION 402

TPDES TXR 150000: Stormwater Discharge Permit or Construction General Permit required for projects with 1 or more acres disturbed soil. Projects with any disturbed soil must protect for erosion and sedimentation in accordance with Item 506.

List MS4 Operator(s) that may receive discharges from this project. They may need to be notified prior to construction activities.

1. N/A
 No Action Required Required Action

Action No.

II. WORK IN OR NEAR STREAMS, WATERBODIES AND WETLANDS CLEAN WATER ACT SECTIONS 401 AND 404

USACE Permit required for filling, dredging, excavating or other work in any water bodies, rivers, creeks, streams, wetlands or wet areas.

The Contractor must adhere to all of the terms and conditions associated with the following permit(s):

- No Permit Required
- Nationwide Permit 14 - PCN not Required (less than 1/10th acre waters or wetlands affected)
- Nationwide Permit 14 - PCN Required (1/10 to <1/2 acre, 1/3 in tidal waters)
- Individual 404 Permit Required
- Other Nationwide Permit Required: NWP 3A and 3C PCN not required

Required Actions: List waters of the US permit applies to, location in project and check Best Management Practices planned to control erosion, sedimentation and post-project TSS.

Maintenance activities require work within waters of the U.S. Access required through wetlands will require the use of matts (i.e. wood mats, geotextile fabric with non-erodible fill).

- FM 357 at Wallace Creek and FM 2482 at Black Bayou.
- No fill or equipment shall be placed within the stream for use of temporary work access. If methods are deemed necessary, contractor shall develop and provide access plan to Area Engineer for approval. Methods must not obstruct stream flow or life cycles of aquatic species.
- All work must be conducted within the existing Right-of-Way.
- Refer to EPIC Sheet 2 of 2 for Nation Wide Permit (NWP) 3A and 3C requirements in regard to maintaining stream flow, temporary work, suitable material, and general conditions.

Best Management Practices:

| Erosion | Sedimentation | Post-Construction TSS |
|--|--|--|
| <input checked="" type="checkbox"/> Temporary Vegetation | <input checked="" type="checkbox"/> Silt Fence | <input type="checkbox"/> Vegetative Filter Strips |
| <input type="checkbox"/> Blankets/Matting | <input type="checkbox"/> Rock Berm | <input type="checkbox"/> Retention/Irrigation Systems |
| <input type="checkbox"/> Mulch | <input type="checkbox"/> Triangular Filter Dike | <input type="checkbox"/> Extended Detention Basin |
| <input checked="" type="checkbox"/> Sodding | <input type="checkbox"/> Sand Bag Berm | <input type="checkbox"/> Constructed Wetlands |
| <input type="checkbox"/> Interceptor Swale | <input type="checkbox"/> Straw Bale Dike | <input type="checkbox"/> Wet Basin |
| <input type="checkbox"/> Diversion Dike | <input type="checkbox"/> Brush Berms | <input type="checkbox"/> Erosion Control Compost |
| <input type="checkbox"/> Erosion Control Compost | <input type="checkbox"/> Erosion Control Compost | <input type="checkbox"/> Mulch Filter Berm and Socks |
| <input type="checkbox"/> Mulch Filter Berm and Socks | <input type="checkbox"/> Mulch Filter Berm and Socks | <input type="checkbox"/> Compost Filter Berm and Socks |
| <input type="checkbox"/> Compost Filter Berm and Socks | <input type="checkbox"/> Compost Filter Berm and Socks | <input checked="" type="checkbox"/> Vegetation Lined Ditches |
| | <input type="checkbox"/> Stone Outlet Sediment Traps | <input type="checkbox"/> Sand Filter Systems |
| | <input type="checkbox"/> Sediment Basins | <input type="checkbox"/> Grassy Swales |

III. CULTURAL RESOURCES

Refer to TxDOT Standard Specifications in the event historical issues or archeological artifacts are found during construction. Upon discovery of archeological artifacts (bones, burnt rock, flint, pottery, etc.) cease work in the immediate area and contact the Engineer immediately.

- No Action Required Required Action

1. Equipment storage or stockpiling of materials is NOT permitted in any pulloff or parking area labeled as a historic marker, or where historic markers are present.

IV. VEGETATION RESOURCES

Preserve native vegetation to the extent practical. Contractor must adhere to Construction Specification Requirements Specs 162, 164, 192, 193, 506, 730, 751, 752 in order to comply with requirements for invasive species, beneficial landscaping, and tree/brush removal commitments.

- No Action Required Required Action

V. FEDERAL LISTED, PROPOSED THREATENED, ENDANGERED SPECIES, CRITICAL HABITAT, STATE LISTED SPECIES, CANDIDATE SPECIES AND MIGRATORY BIRDS.

If any of the listed species are observed, cease work in the immediate area, do not disturb species or habitat and contact the Engineer immediately.

- No Action Required Required Action

In order to maintain compliance with Chapter 64 of the Texas Parks and Wildlife Code and Migratory Bird Treaty Act (MBTA), construction activities that may affect nests (i.e. tree removal, tree limbing, bridge work) shall be conducted outside of the nesting season (March 15 to September 15). In the event birds or active nests (eggs and/or nestlings present) are encountered, contact the engineer prior to conducting work.

LIST OF ABBREVIATIONS

| | |
|---|---|
| BMP: Best Management Practice | SPCC: Spill Prevention Control and Countermeasure |
| CGP: Construction General Permit | SWP3: Storm Water Pollution Prevention Plan |
| DSHS: Texas Department of State Health Services | PCN: Pre-Construction Notification |
| FHWA: Federal Highway Administration | PSL: Project Specific Location |
| MOA: Memorandum of Agreement | TCEQ: Texas Commission on Environmental Quality |
| MOU: Memorandum of Understanding | TPDES: Texas Pollutant Discharge Elimination System |
| MS4: Municipal Separate Stormwater Sewer System | TPWD: Texas Parks and Wildlife Department |
| MBTA: Migratory Bird Treaty Act | TxDOT: Texas Department of Transportation |
| NOT: Notice of Termination | T&E: Threatened and Endangered Species |
| NWP: Nationwide Permit | USACE: U.S. Army Corps of Engineers |
| NOI: Notice of Intent | USFWS: U.S. Fish and Wildlife Service |

VI. HAZARDOUS MATERIALS OR CONTAMINATION ISSUES

General (applies to all projects):

Comply with the Hazard Communication Act (the Act) for personnel who will be working with hazardous materials by conducting safety meetings prior to beginning construction and making workers aware of potential hazards in the workplace. Ensure that all workers are provided with personal protective equipment appropriate for any hazardous materials used. Obtain and keep on-site Material Safety Data Sheets (MSDS) for all hazardous products used on the project, which may include, but are not limited to the following categories: Paints, acids, solvents, asphalt products, chemical additives, fuels and concrete curing compounds or additives. Provide protected storage, off bare ground and covered, for products which may be hazardous. Maintain product labelling as required by the Act. Maintain an adequate supply of on-site spill response materials, as indicated in the MSDS. In the event of a spill, take actions to mitigate the spill as indicated in the MSDS, in accordance with safe work practices, and contact the District Spill Coordinator immediately. The Contractor shall be responsible for the proper containment and cleanup of all product spills.

Contact the Engineer if any of the following are detected:

- * Dead or distressed vegetation (not identified as normal)
- * Trash piles, drums, canister, barrels, etc.
- * Undesirable smells or odors
- * Evidence of leaching or seepage of substances

Does the project involve any bridge class structure rehabilitation or replacements (bridge class structures not including box culverts)?

- Yes No

If "No", then no further action is required.

If "Yes", then TxDOT is responsible for completing asbestos assessment/inspection.

Are the results of the asbestos inspection positive (is asbestos present)?

- Yes No

If "Yes", then TxDOT must retain a DSHS licensed asbestos consultant to assist with the notification, develop abatement/mitigation procedures, and perform management activities as necessary. The notification form to DSHS must be postmarked at least 15 working days prior to scheduled demolition.

If "No", then TxDOT is still required to notify DSHS 15 working days prior to any scheduled demolition.

In either case, the Contractor is responsible for providing the date(s) for abatement activities and/or demolition with careful coordination between the Engineer and asbestos consultant in order to minimize construction delays and subsequent claims.

Any other evidence indicating possible hazardous materials or contamination discovered on site. Hazardous Materials or Contamination Issues Specific to this Project:

- No Action Required Required Action


VII. OTHER ENVIRONMENTAL ISSUES

- No Action Required Required Action

Pophers Creek at FM 2109 in Angelina County is within the Angelina National Forest. No stockpiling is allowed from 2.0 miles north of the project area to .07 miles south of the project area and from .17 miles to 1.65 miles south of the project area.

1. Area Engineer shall notify United States Forest prior to starting work in any National Forest. No trees shall be removed without the approval from Area Engineer and the United States Forest Service..

2. NO stock piling or storage of materials and equipment within the boundaries of the Angelina National Forest

| | | | |
|--|-----------|--------------------------|-----------|
|  Texas Department of Transportation | | Design Division Standard | |
| ENVIRONMENTAL PERMITS, ISSUES AND COMMITMENTS EPIC | | | |
| SHEET 1 OF 2 | | | |
| FILE: epic.dgn | DN: TxDOT | CK: RG | DW: VP |
| ©TxDOT: February 2015 | CONT | SECT | JOB |
| 12-12-2011 (DS) REVISIONS | 091100 | 122 | VA |
| 05-07-14 ADDED NOTE SECTION IV. | DIST | COUNTY | SHEET NO. |
| 01-23-2015 SECTION I (CHANGED ITEM 1122 TO ITEM 506, ADDED GRASSY SWALES. | LFK | ANGELINA | 82 |

NWP GENERAL CONDITIONS

AS APPLICABLE TO
THIS PROJECT

2. AQUATIC LIFE MOVEMENTS. NO ACTIVITY MAY SUBSTANTIALLY DISRUPT THE NECESSARY LIFE CYCLE MOVEMENTS OF THOSE SPECIES OF AQUATIC LIFE INDIGENOUS TO THE WATERBODY, INCLUDING THOSE SPECIES THAT NORMALLY MIGRATE THROUGH THE AREA, UNLESS THE ACTIVITY'S PRIMARY PURPOSE IS TO IMPOUND WATER.

3. SPAWNING AREAS. ACTIVITIES IN SPAWNING AREAS DURING SPAWNING SEASONS MUST BE AVOIDED TO THE MAXIMUM EXTENT PRACTICABLE. ACTIVITIES THAT RESULT IN THE PHYSICAL DESTRUCTION (E.G., THROUGH EXCAVATION, FILL, OR DOWNSTREAM SMOTHERING BY SUBSTANTIAL TURBIDITY) OF AN IMPORTANT SPAWNING AREA ARE NOT AUTHORIZED.

6. SUITABLE MATERIAL. NO ACTIVITY MAY USE UNSUITABLE MATERIAL (E.G., TRASH, DEBRIS, CAR BODIES, ASPHALT, ETC.). MATERIAL USED FOR CONSTRUCTION OR DISCHARGED MUST BE FREE FROM TOXIC POLLUTANTS IN TOXIC AMOUNTS (SEE SECTION 307 OF THE CLEAN WATER ACT).

8. ADVERSE EFFECTS FROM IMPOUNDMENTS. IF THE ACTIVITY CREATES AN IMPOUNDMENT OF WATER, ADVERSE EFFECTS TO THE AQUATIC SYSTEM DUE TO ACCELERATING THE PASSAGE OF WATER, AND/OR RESTRICTING ITS FLOW MUST BE MINIMIZED TO THE MAXIMUM EXTENT PRACTICABLE.

9. MANAGEMENT OF WATER FLOWS. TO THE MAXIMUM EXTENT PRACTICABLE, THE PRE-CONSTRUCTION COURSE, CONDITION, CAPACITY, AND LOCATION OF OPEN WATERS MUST BE MAINTAINED FOR EACH ACTIVITY, INCLUDING STREAM CHANNELIZATION AND STORM WATER MANAGEMENT ACTIVITIES, EXCEPT AS PROVIDED BELOW. THE ACTIVITY MUST BE CONSTRUCTED TO WITHSTAND EXPECTED HIGH FLOWS. THE ACTIVITY MUST NOT RESTRICT OR IMPEDE THE PASSAGE OF NORMAL OR HIGH FLOWS, UNLESS THE PRIMARY PURPOSE OF THE ACTIVITY IS TO IMPOUND WATER OR MANAGE HIGH FLOWS. THE ACTIVITY MAY ALTER THE PRE-CONSTRUCTION COURSE, CONDITION, CAPACITY, AND LOCATION OF OPEN WATERS IF IT BENEFITS THE AQUATIC ENVIRONMENT (E.G., STREAM RESTORATION OR RELOCATION ACTIVITIES).

11. EQUIPMENT. HEAVY EQUIPMENT WORKING IN WETLANDS OR MUD FLATS MUST BE PLACED ON MATS, OR OTHER MEASURES MUST BE TAKEN TO MINIMIZE SOIL DISTURBANCE.

12. SOIL EROSION AND SEDIMENT CONTROLS. APPROPRIATE SOIL EROSION AND SEDIMENT CONTROLS MUST BE USED AND MAINTAINED IN EFFECTIVE OPERATING CONDITION DURING CONSTRUCTION, AND ALL EXPOSED SOIL AND OTHER FILLS, AS WELL AS ANY WORK BELOW THE ORDINARY HIGH WATER MARK OR HIGH TIDE LINE, MUST BE PERMANENTLY STABILIZED AT THE EARLIEST PRACTICABLE DATE. PERMITTEES ARE ENCOURAGED TO PERFORM WORK WITHIN WATERS OF THE UNITED STATES DURING PERIODS OF LOW-FLOW OR NO-FLOW.

13. REMOVAL OF TEMPORARY FILLS. TEMPORARY FILLS MUST BE REMOVED IN THEIR ENTIRETY AND THE AFFECTED AREAS RETURNED TO PRE-CONSTRUCTION ELEVATIONS. THE AFFECTED AREAS MUST BE REVEGETATED, AS APPROPRIATE.

14. PROPER MAINTENANCE. ANY AUTHORIZED STRUCTURE OR FILL SHALL BE PROPERLY MAINTAINED, INCLUDING MAINTENANCE TO ENSURE PUBLIC SAFETY AND COMPLIANCE WITH APPLICABLE NWP GENERAL CONDITIONS, AS WELL AS ANY ACTIVITY-SPECIFIC CONDITIONS ADDED BY THE DISTRICT ENGINEER TO AN NWP AUTHORIZATION.

23. MITIGATION. THE DISTRICT ENGINEER WILL CONSIDER SEVERAL FACTORS WHEN DETERMINING APPROPRIATE AND PRACTICABLE MITIGATION NECESSARY TO ENSURE THAT ADVERSE EFFECTS ON THE AQUATIC ENVIRONMENT ARE MINIMAL.

25. WATER QUALITY. WHERE STATES AND AUTHORIZED TRIBES, OR EPA WHERE APPLICABLE, HAVE NOT PREVIOUSLY CERTIFIED COMPLIANCE OF AN NWP WITH CWA SECTION 401, INDIVIDUAL 401 WATER QUALITY CERTIFICATION MUST BE OBTAINED OR WAIVED (SEE 33 CFR 330.4(C)). THE DISTRICT ENGINEER OR STATE OR TRIBE MAY REQUIRE ADDITIONAL WATER QUALITY MANAGEMENT MEASURES TO ENSURE THAT THE AUTHORIZED ACTIVITY DOES NOT RESULT IN MORE THAN MINIMAL DEGRADATION OR WATER QUALITY.

27. REGIONAL AND CASE-BY-CASE CONDITIONS. THE ACTIVITY MUST COMPLY WITH ANY REGIONAL CONDITIONS THAT MAY HAVE BEEN ADDED BY THE DIVISION ENGINEER (SEE 33 CFR 330.4(E)) AND WITH ANY CASE SPECIFIC CONDITIONS ADDED BY THE CORPS OR BY THE STATE, INDIAN TRIBE, OR U.S. EPA IN ITS SECTION 401 WATER QUALITY CERTIFICATION, OR BY THE STATE IN ITS COASTAL ZONE MANAGEMENT ACT CONSISTENCY DETERMINATION.

FOR A COMPLETE LIST OF GENERAL CONDITIONS GO TO:

<http://www.swf.usace.army.mil/Missions/Regulatory/Permitting/NationwideGeneralPermits.aspx>

USACE - PERMIT #3(A) & (C)

AS APPLICABLE TO
THIS PROJECT

(A) THE REPAIR, REHABILITATION, OR REPLACEMENT OF ANY PREVIOUSLY AUTHORIZED, CURRENTLY SERVICEABLE STRUCTURE, OR FILL, OR OF ANY CURRENTLY SERVICEABLE STRUCTURE OR FILL AUTHORIZED BY 33 CFR 330.3, PROVIDED THAT THE STRUCTURE OR FILL IS NOT TO BE PUT TO USES DIFFERING FROM THOSE USES SPECIFIED OR CONTEMPLATED FOR IT IN THE ORIGINAL PERMIT OR THE MOST RECENTLY AUTHORIZED MODIFICATION. MINOR DEVIATIONS IN THE STRUCTURE'S CONFIGURATION OR FILLED AREA, INCLUDING THOSE DUE TO CHANGES IN MATERIALS, CONSTRUCTION TECHNIQUES, REQUIREMENTS OF OTHER REGULATORY AGENCIES, OR CURRENT CONSTRUCTION CODES OR SAFETY STANDARDS THAT ARE NECESSARY TO MAKE THE REPAIR, REHABILITATION, OR REPLACEMENT ARE AUTHORIZED. ANY STREAM CHANNEL MODIFICATION IS LIMITED TO THE MINIMUM NECESSARY FOR THE REPAIR, REHABILITATION, OR REPLACEMENT OF THE STRUCTURE OR FILL; SUCH MODIFICATIONS, INCLUDING THE REMOVAL OF MATERIAL FROM THE STREAM CHANNEL, MUST BE IMMEDIATELY ADJACENT TO THE PROJECT. THIS NWP ALSO AUTHORIZES THE REMOVAL OF ACCUMULATED SEDIMENT AND DEBRIS WITHIN, AND IN THE IMMEDIATE VICINITY OF, THE STRUCTURE OR FILL. THIS NWP ALSO AUTHORIZES THE REPAIR, REHABILITATION, OR REPLACEMENT OF THOSE STRUCTURES OR FILLS DESTROYED OR DAMAGED BY STORMS, FLOODS, FIRE OR OTHER DISCRETE EVENTS, PROVIDED THE REPAIR, REHABILITATION, OR REPLACEMENT IS COMMENCED, OR IS UNDER CONTRACT TO COMMENCE, WITHIN TWO YEARS OF THE DATE OF THEIR DESTRUCTION OR DAMAGE. IN CASES OF CATASTROPHIC EVENTS, SUCH AS HURRICANES OR TORNADOES, THIS TWO-YEAR LIMIT MAY BE WAIVED BY THE DISTRICT ENGINEER, PROVIDED THE PERMITTEE CAN DEMONSTRATE FUNDING, CONTRACT, OR OTHER SIMILAR DELAYS.

(C) THIS NWP ALSO AUTHORIZES TEMPORARY STRUCTURES, FILLS AND WORK, INCLUDING THE USE OF TEMPORARY MATS, NECESSARY TO CONDUCT THE MAINTENANCE ACTIVITY. APPROPRIATE MEASURES MUST BE TAKEN TO MAINTAIN NORMAL DOWNSTREAM FLOWS AND MINIMIZE FLOODING TO THE MAXIMUM EXTENT PRACTICABLE, WHEN TEMPORARY STRUCTURES, WORK AND DISCHARGES, INCLUDING COFFERDAMS, ARE NECESSARY FOR CONSTRUCTION ACTIVITIES, ACCESS FILLS, OR DEWATERING OF CONSTRUCTION SITES. TEMPORARY FILLS MUST CONSIST OF MATERIALS, AND BE PLACED IN A MANNER, THAT WILL NOT BE ERODED BY EXPECTED HIGH FLOWS. TEMPORARY FILLS MUST BE REMOVED IN THEIR ENTIRETY AND THE AFFECTED AREAS RETURNED TO PRE-CONSTRUCTION ELEVATIONS. THE AREAS AFFECTED BY TEMPORARY FILLS MUST BE REVEGETATED, AS APPROPRIATE.


NOTE: THIS NWP AUTHORIZES THE REPAIR, REHABILITATION, OR REPLACEMENT OF ANY PREVIOUSLY AUTHORIZED STRUCTURE OR FILL THAT DOES NOT QUALIFY FOR THE CLEAN WATER ACT SECTION 404(F) EXEMPTION FOR MAINTENANCE.

NOTE:

THE PROJECT CROSSES JURISDICTIONAL WATERS OF THE U.S. AND A NWP #3A,C WILL BE UTILIZED. THIS PERMIT AUTHORIZES THE REPAIR, REHABILITATION, OR REPLACEMENT OF CURRENTLY SERVICEABLE STRUCTURES OR FILL THAT WERE PREVIOUSLY AUTHORIZED. THE NWP GENERAL CONDITIONS AND THE NWP GUIDELINES MUST BE FOLLOWED IN ORDER TO MAINTAIN COMPLIANCE WITH THE NWP. NO COORDINATION HAS TAKEN PLACE WITH THE USACE. IF COORDINATION MAY BE NEEDED, CONTACT THE TXDOT LUFKIN DISTRICT ENVIRONMENTAL SECTION AT 1-800-687-8087.

**ENVIRONMENTAL PERMITS, (EPIC) □
ISSUES AND COMMITMENTS**

USACE




EPIC
**(ENVIRONMENTAL PERMITS,
ISSUES AND COMMITMENTS)**

SHEET 2 OF 2

| | | | | |
|---|-----------|----------|--------|-----------|
| FILE: epic.dgn | DN: TxDOT | CK: RG | DW: VP | CK: AR |
| ©TxDOT: February 2015 | CONT | SECT | JOB | HIGHWAY |
| 12-12-2011 (DS) REVISIONS | 0911 | 00 | 122 | VA |
| 05-07-14 ADDED NOTE SECTION IV. | DIST | COUNTY | | SHEET NO. |
| 01-23-2015 SECTION I (CHANGED ITEM 1122 TO ITEM 506, ADDED GRASSY SWALES. | LFK | ANGELINA | | 83 |


DATE: 2/2/2022 12:16:29 AM
FILE: pw:\txdot\projectwiseonline.com\TXDOT3\Documents\11 - LFK\Design Projects\091100122\4 - Design\Plan Set\9 - Environmental\0911-00-122_NWP3.dgn

20272022
 D:\AS\txdot\projectwiseonline.com\TXDOT3\Documents\111 - LFK\Design Projects\091100122\4 - Design\Plan Set\2. TCP\ec116.dgn
 DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.



TEMPORARY SEDIMENT CONTROL FENCE

SCF



HINGE JOINT KNOT WOVEN MESH (OPTION) DETAIL

Galvanized hinge joint knot woven mesh (12.5 GA. SWG Min.) requires a minimum of five horizontal wires spaced at a maximum of 12 inches apart and all vertical wires spaced at a maximum of 12 inches apart.

SEDIMENT CONTROL FENCE USAGE GUIDELINES

A sediment control fence may be constructed near the downstream perimeter of a disturbed area along a contour to intercept sediment from overland runoff. A 2 year storm frequency may be used to calculate the flow rate to be filtered.

Sediment control fence should be sized to filter a maximum flow through rate of 100 GPM/FT². Sediment control fence is not recommended to control erosion from a drainage area larger than 2 acres.


LEGEND

Sediment Control Fence

SCF

GENERAL NOTES

1. Vertical tracking is required on projects where soil distributing activities have occurred unless otherwise approved.
2. Perform vertical tracking on slopes to temporarily stabilize soil.
3. Provide equipment with a track undercarriage capable of producing linear soil impressions measuring a minimum of 12" in length by 2" to 4" in width by 1/2" to 2" in depth.
4. Do not exceed 12" between track impressions.
5. Install continuous linear track impressions where the minimum 12" length impressions are perpendicular to the slope or direction of water flow.



| | | | | | |
|--|-----------|----------|--------|--------------------------|--|
| | | | | Design Division Standard | |
| TEMPORARY EROSION, SEDIMENT AND WATER POLLUTION CONTROL MEASURES FENCE & VERTICAL TRACKING EC(1) - 16 | | | | | |
| FILE: ec116 | DN: TxDOT | CK: KM | DW: VP | DN/CK: LS | |
| © TxDOT: JULY 2016 | CONT | SECT | JOB | HIGHWAY | |
| REVISIONS | 0911 | 00 | 122 | VA | |
| | DIST | COUNTY | | SHEET NO. | |
| | LFK | ANGELINA | | 84 | |

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: _____
 FILE: _____

I. WORK AT CROSSING LOCATIONS (AT GRADE, HIGHWAY OVERPASS, HIGHWAY UNDERPASS, PEDESTRIAN, OR CLOSED/ABANDONED)

DOT #: 176309M
 Crossing Type: HIGHWAY OVERPASS
 RR Company Owning Track at Crossing: UNION PACIFIC RAILROAD COMPANY
 Operating RR Company at Track: UNION PACIFIC RAILROAD COMPANY
 RR MP: 140.120
 RR Subdivision: LUFKIN
 City: NACOGDOCHES
 County: NACOGDOCHES
 CSJ at this Crossing: 0911-00-122
 Highway/Roadway name crossing the railroad: FM 2609/ W AUSTIN ST
 # of regularly scheduled trains per day at this crossing: 8
 # of switching movements per day at this crossing: 0
 % of estimated contract cost of work within railroad ROW: 2%

Scope of Work at this Crossing to Be Performed by State Contractor:
THIS PROJECT IS FOR BRIDGE PREVENTATIVE MAINTENANCE (BPM) CONSISTING OF FILLING EROSION UNDER NORTHWEST RIPRAP, STABILIZING BANK EROSION AT BENT 5, AND REMOVING EXCESS VEGETATION GROWTH AT SPANS 6-12 AT EXISTING BRIDGE.

Scope of Work at this Crossing to Be Performed by Railroad Company:
PROVIDING FLAGGING SERVICES WHENEVER THE WORK IS WITHIN 25 FEET OF THE NEAREST RAIL.

** Choose: Highway Overpass, Highway Underpass, At Grade, Pedestrian, or Closed/Abandoned

II. OTHER PROJECT WORK WITHIN RAILROAD RIGHTS-OF-WAY (ROW)

N/A

III. FLAGGING & INSPECTION

of Days of Railroad Flagging Expected: 4

On this project, night or weekend flagging is:

- Expected
 Not Expected

Flagging services will be provided by:

- Railroad Company: TxDOT will pay flagging invoices
 Outside Party: Contractor will pay flagging invoices, to be reimbursed by TxDOT

Contractor must incorporate flaggers into anticipated construction schedule. The Railroad requires a 30 day notice if their flaggers are to be utilized. If Contractor falls behind schedule due to their own negligence and is not ready for scheduled flaggers, any flagging charges will be paid by Contractor.

Contact Information for Flagging:

- UPRR - UP.info@railpros.com
 Call Center 877-315-0513, Select #1 for flagging
 - UP.request@nrssinc.net
 Call Center 877-984-6777

 BNSF - BNSF.info@railpros.com
 Call Center 877-315-0513, Select #1 for flagging

 KCS - KCS.info@railpros.com
 Call Center 877-315-0513, Select #1 for flagging
 - Bottom Line On-Track Safety Services
 bottomline076@aol.com, 903-767-7630

OTHERS _____

Contractor must incorporate Construction Inspection into anticipated construction schedule.

- Not Required
 Required: Contact Information for Construction Inspection:

IV. CONSTRUCTION WORK TO BE PERFORMED BY THE RAILROAD

On this project, construction work to be performed by a railroad company is:

- Required
 Not Required

Coordinate with TxDOT for any work to be performed by the Railroad Company. TxDOT must issue a work order for any work done by the Railroad Company prior to the work being performed.

V. RAILROAD INSURANCE REQUIREMENTS

Railroad reference number shall be provided by TxDOT CST or DO.

The Contractor shall confirm the insurance requirements with the Railroad as the insurance limits are subject to change without notice.

Insurance policies must be issued for and on behalf of the Railroad. Where more than one Railroad Company is operating on the same right of way or where several Railroad Companies are involved and operate on their own separate rights of way, provide separate insurance policies in the name of each Railroad Company.

No direct compensation will be made to the Contractor for providing the insurance coverages shown below or any deductibles. These costs are incidental to the various bid items.

| Type of Insurance | Amount of Coverage (Minimum) |
|------------------------------|-----------------------------------|
| Workers Compensation | \$500,000 / \$500,000 / \$500,000 |
| Commercial General Liability | \$2,000,000 / \$4,000,000 |
| Business Automobile | \$2,000,000 combined single limit |

| Railroad Protective Liability | |
|---|----------------------------|
| <input type="checkbox"/> Not Required | |
| <input checked="" type="checkbox"/> Non - Bridge Projects | \$2,000,000 / \$6,000,000 |
| <input type="checkbox"/> Bridge Projects | \$5,000,000 / \$10,000,000 |
| <input type="checkbox"/> Other | |

VI. CONTRACTOR'S RIGHT OF ENTRY (ROE) AGREEMENT

On this project, an ROE agreement is:

- Not Required
 Required: TxDOT CST to assist in obtaining with the UPRR (see Item 5, Article 8.3)
 Required: UPRR Maintenance Consent Letter. TxDOT CST to assist.

- Required: Contractor to obtain (see Item 5, Article 8.4)

With the following railroad companies: _____

To view previously approved ROE Agreement templates agreed upon between the State and Railroad, see:

<http://www.txdot.gov/inside-txdot/division/rail/samples.html>

Approved ROE Agreement templates are not to be modified by the Contractor.

Contractor shall not operate within Railroad Right of Way without an executed Construction & Maintenance Agreement between the State and the Railroad and an executed ROE agreement between the Contractor and the Railroad if required on project.

VII. RAILROAD COORDINATION MEETING

On this project, a Railroad Coordination Meeting is:

- Not Required
 Required

See Item 5, Article 8.1 for more details.

VIII. SUBCONTRACTORS

Contractor shall not subcontract work without written consent of TxDOT. Subcontractors are required to maintain the same insurance coverage as required of the Contractor.

IX. EMERGENCY NOTIFICATION

In Case of Railroad Emergency
 Call Union Pacific Railroad Company
 Railroad Emergency Line at 888-877-7267
 Location: DOT 176309M
 RR Milepost: 140.120
 Subdivision: Lufkin

| | | | | | |
|--|----------------------|-----------|------|---------------|---------|
| Texas Department of Transportation | | | | Rail Division | |
| RAILROAD SCOPE OF WORK | | | | | |
| PROJECT SPECIFIC DETAILS | | | | | |
| FILE: | RR Scope of Work.dgn | DN: TxDOT | CK: | DW: | CK: |
| © TxDOT | June 2014 | CONT | SECT | JOB | HIGHWAY |
| 9/2021 | REVISIONS | 0911 | 00 | 122 | VA |
| | DIST | COUNTY | | SHEET NO. | |
| | LFK | ANGELINA | | 85 | |

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: _____
 FILE: _____

I. WORK AT CROSSING LOCATIONS (AT GRADE, HIGHWAY OVERPASS, HIGHWAY UNDERPASS, PEDESTRIAN, OR CLOSED/ABANDONED)

DOT #: 755726V
 Crossing Type: HIGHWAY OVERPASS
 RR Company Owning Track at Crossing: UNION PACIFIC RAILROAD COMPANY
 Operating RR Company at Track: UNION PACIFIC RAILROAD COMPANY
 RR MP: 115.990
 RR Subdivision: LUFKIN
 City: LUFKIN
 County: ANGELINA
 CSJ at this Crossing: 0911-00-122
 Highway/Roadway name crossing the railroad: LP 287/ S JOHN REDDITT DR
 # of regularly scheduled trains per day at this crossing: 8
 # of switching movements per day at this crossing: 0
 % of estimated contract cost of work within railroad ROW: 1.9%

Scope of Work at this Crossing to Be Performed by State Contractor:
 THIS PROJECT IS FOR BRIDGE PREVENTATIVE MAINTENANCE (BPM) CONSISTING OF
 CLEANING AND RESEALING JOINTS ON EXISTING EASTBOUND BRIDGE OVER UNION
 PACIFIC RAILROAD.

Scope of Work at this Crossing to Be Performed by Railroad Company:
 PROVIDE FLAGGING SERVICES WHENEVER THE WORK IS WITHIN 25 FEET
 OF THE NEAREST RAIL.

** Choose: Highway Overpass, Highway Underpass, At Grade, Pedestrian,
 or Closed/Abandoned

II. OTHER PROJECT WORK WITHIN RAILROAD RIGHTS-OF-WAY (ROW)

N/A

III. FLAGGING & INSPECTION

of Days of Railroad Flagging Expected: 4

On this project, night or weekend flagging is:

- Expected
 Not Expected

Flagging services will be provided by:

- Railroad Company: TxDOT will pay flagging invoices
 Outside Party: Contractor will pay flagging invoices, to be reimbursed by TxDOT

Contractor must incorporate flaggers into anticipated construction schedule.
 The Railroad requires a 30 day notice if their flaggers are to be utilized.
 If Contractor falls behind schedule due to their own negligence and is not
 ready for scheduled flaggers, any flagging charges will be paid by Contractor.

Contact Information for Flagging:

- UPRR - UP.info@railpros.com
 Call Center 877-315-0513, Select #1 for flagging
 - UP.request@nrssinc.net
 Call Center 877-984-6777

 BNSF - BNSF.info@railpros.com
 Call Center 877-315-0513, Select #1 for flagging

 KCS - KCS.info@railpros.com
 Call Center 877-315-0513, Select #1 for flagging
 - Bottom Line On-Track Safety Services
 bottomline076@aol.com, 903-767-7630

OTHERS _____

Contractor must incorporate Construction Inspection into anticipated construction schedule.

- Not Required
 Required: Contact Information for Construction Inspection:

IV. CONSTRUCTION WORK TO BE PERFORMED BY THE RAILROAD

On this project, construction work to be performed by a railroad company is:

- Required
 Not Required

Coordinate with TxDOT for any work to be performed by the Railroad Company.
 TxDOT must issue a work order for any work done by the Railroad Company
 prior to the work being performed.

V. RAILROAD INSURANCE REQUIREMENTS

Railroad reference number shall be provided by TxDOT CST or DO.

The Contractor shall confirm the insurance requirements with the Railroad as the insurance limits are subject to change without notice.

Insurance policies must be issued for and on behalf of the Railroad. Where
 more than one Railroad Company is operating on the same right of way or
 where several Railroad Companies are involved and operate on their own
 separate rights of way, provide separate insurance policies in the name of
 each Railroad Company.

No direct compensation will be made to the Contractor for providing the
 insurance coverages shown below or any deductibles. These costs are
 incidental to the various bid items.

| Type of Insurance | Amount of Coverage (Minimum) |
|------------------------------|-----------------------------------|
| Workers Compensation | \$500,000 / \$500,000 / \$500,000 |
| Commercial General Liability | \$2,000,000 / \$4,000,000 |
| Business Automobile | \$2,000,000 combined single limit |

| Railroad Protective Liability | |
|---|----------------------------|
| <input type="checkbox"/> Not Required | |
| <input checked="" type="checkbox"/> Non - Bridge Projects | \$2,000,000 / \$6,000,000 |
| <input type="checkbox"/> Bridge Projects | \$5,000,000 / \$10,000,000 |
| <input type="checkbox"/> Other | |

VI. CONTRACTOR'S RIGHT OF ENTRY (ROE) AGREEMENT

On this project, an ROE agreement is:

- Not Required
 Required: TxDOT CST to assist in obtaining with the UPRR (see Item 5, Article 8.3)
 Required: UPRR Maintenance Consent Letter. TxDOT CST to assist.

- Required: Contractor to obtain (see Item 5, Article 8.4)

With the following railroad companies: _____

To view previously approved ROE Agreement templates agreed upon between the State and Railroad, see:

<http://www.txdot.gov/inside-txdot/division/rail/samples.html>

Approved ROE Agreement templates are not to be modified by the Contractor.

Contractor shall not operate within Railroad Right of Way without an executed
 Construction & Maintenance Agreement between the State and the Railroad and
 an executed ROE agreement between the Contractor and the Railroad if required
 on project.

VII. RAILROAD COORDINATION MEETING

On this project, a Railroad Coordination Meeting is:

- Not Required
 Required


See Item 5, Article 8.1 for more details.

VIII. SUBCONTRACTORS

Contractor shall not subcontract work without written consent of TxDOT.
 Subcontractors are required to maintain the same insurance coverage
 as required of the Contractor.

IX. EMERGENCY NOTIFICATION

In Case of Railroad Emergency
 Call Union Pacific Railroad Company
 Railroad Emergency Line at 888-877-7267
 Location: DOT 755726V
 RR Milepost: 115.990
 Subdivision: Lufkin

| | | | | | |
|--|----------------------|-----------|----------|---------------|---------|
|  Texas Department of Transportation | | | | Rail Division | |
| RAILROAD SCOPE OF WORK PROJECT SPECIFIC DETAILS | | | | | |
| FILE: | RR Scope of Work.dgn | DN: TxDOT | CK: | DW: | CK: |
| © TxDOT | June 2014 | CONT | SECT | JOB | HIGHWAY |
| REVISIONS | | 0911 | 00 | 122 | VA |
| 9/2021 | | DIST | COUNTY | SHEET NO. | |
| | | LFK | ANGELINA | 86 | |

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE:
FILE:

I. WORK AT CROSSING LOCATIONS (AT GRADE, HIGHWAY OVERPASS, HIGHWAY UNDERPASS, PEDESTRIAN, OR CLOSED/ABANDONED)

DOT #: 847119N
 Crossing Type: HIGHWAY OVERPASS
 RR Company Owning Track at Crossing: ANGELINA AND NECHES RIVER RAILROAD
 Operating RR Company at Track: ANGELINA AND NECHES RIVER RAILROAD
 RR MP: 3.510
 RR Subdivision: N/A
 City: LUFKIN
 County: ANGELINA
 CSJ at this Crossing: 0911-00-122
 Highway/Roadway name crossing the railroad: LP 287/ N MEDFORD DR
 # of regularly scheduled trains per day at this crossing: 2
 # of switching movements per day at this crossing: 0
 % of estimated contract cost of work within railroad ROW: 1.3%

Scope of Work at this Crossing to Be Performed by State Contractor:
THIS PROJECT IS FOR BRIDGE PREVENTIVE MAINTENANCE (BPM) CONSISTING OF
CLEANING AND RESEALING NORTH RELIEF JOINT AND SOUTH ABUTMENT JOINTS
ON THE EXISTING BRIDGE OVER RAILROAD.

Scope of Work at this Crossing to Be Performed by Railroad Company:
PROVIDE FLAGGING SERVICES WHEREVER THE WORK IS WITHIN 25 FEET
OF THE NEAREST RAIL.

** Choose: Highway Overpass, Highway Underpass, At Grade, Pedestrian,
 or Closed/Abandoned

II. OTHER PROJECT WORK WITHIN RAILROAD RIGHTS-OF-WAY (ROW)

N/A

III. FLAGGING & INSPECTION

of Days of Railroad Flagging Expected: 4

On this project, night or weekend flagging is:

- Expected
 Not Expected

Flagging services will be provided by:

- Railroad Company: TxDOT will pay flagging invoices
 Outside Party: Contractor will pay flagging invoices, to be reimbursed by TxDOT

Contractor must incorporate flaggers into anticipated construction schedule.
 The Railroad requires a 30 day notice if their flaggers are to be utilized.
 If Contractor falls behind schedule due to their own negligence and is not
 ready for scheduled flaggers, any flagging charges will be paid by Contractor.

Contact Information for Flagging:

- UPRR - UP.info@railpros.com
 Call Center 877-315-0513, Select #1 for flagging
 - UP.request@nrssinc.net
 Call Center 877-984-6777

 BNSF - BNSF.info@railpros.com
 Call Center 877-315-0513, Select #1 for flagging

 KCS - KCS.info@railpros.com
 Call Center 877-315-0513, Select #1 for flagging
 - Bottom Line On-Track Safety Services
 bottomline076@aol.com, 903-767-7630

 OTHERS DAVID PERKINS
936-634-4403 OFFICE
dperkins2anrrr.com

Contractor must incorporate Construction Inspection into anticipated construction schedule.

- Not Required
 Required: Contact Information for Construction Inspection:

IV. CONSTRUCTION WORK TO BE PERFORMED BY THE RAILROAD

On this project, construction work to be performed by a railroad company is:

- Required
 Not Required

Coordinate with TxDOT for any work to be performed by the Railroad Company.
 TxDOT must issue a work order for any work done by the Railroad Company
 prior to the work being performed.

V. RAILROAD INSURANCE REQUIREMENTS

Railroad reference number shall be provided by TxDOT CST or DO.

The Contractor shall confirm the insurance requirements with the Railroad as the insurance limits are subject to change without notice.

Insurance policies must be issued for and on behalf of the Railroad. Where
 more than one Railroad Company is operating on the same right of way or
 where several Railroad Companies are involved and operate on their own
 separate rights of way, provide separate insurance policies in the name of
 each Railroad Company.

No direct compensation will be made to the Contractor for providing the
 insurance coverages shown below or any deductibles. These costs are
 incidental to the various bid items.

| Type of Insurance | Amount of Coverage (Minimum) |
|------------------------------|-----------------------------------|
| Workers Compensation | \$500,000 / \$500,000 / \$500,000 |
| Commercial General Liability | \$2,000,000 / \$4,000,000 |
| Business Automobile | \$2,000,000 combined single limit |

| Railroad Protective Liability | |
|---|----------------------------|
| <input type="checkbox"/> Not Required | |
| <input checked="" type="checkbox"/> Non - Bridge Projects | \$2,000,000 / \$6,000,000 |
| <input type="checkbox"/> Bridge Projects | \$5,000,000 / \$10,000,000 |
| <input type="checkbox"/> Other | |

VI. CONTRACTOR'S RIGHT OF ENTRY (ROE) AGREEMENT

On this project, an ROE agreement is:

- Not Required

 Required: TxDOT CST to assist in obtaining with the UPRR (see Item 5, Article 8.3)
 Required: UPRR Maintenance Consent Letter. TxDOT CST to assist.

 Required: Contractor to obtain (see Item 5, Article 8.4)

With the following railroad companies: _____

To view previously approved ROE Agreement templates agreed upon between the State and Railroad, see:

<http://www.txdot.gov/inside-txdot/division/rail/samples.html>

Approved ROE Agreement templates are not to be modified by the Contractor.

Contractor shall not operate within Railroad Right of Way without an executed
 Construction & Maintenance Agreement between the State and the Railroad and
 an executed ROE agreement between the Contractor and the Railroad if required
 on project.

VII. RAILROAD COORDINATION MEETING

On this project, a Railroad Coordination Meeting is:

- Not Required
 Required

See Item 5, Article 8.1 for more details.

VIII. SUBCONTRACTORS

Contractor shall not subcontract work without written consent of TxDOT.
 Subcontractors are required to maintain the same insurance coverage
 as required of the Contractor.

IX. EMERGENCY NOTIFICATION

In Case of Railroad Emergency
Call Angelina and Neches River Railroad
Railroad Emergency Line at 936-634-4403
Location: DOT 847119N
RR Milepost: 3.510
Subdivision: N/A



**RAILROAD SCOPE OF WORK
PROJECT SPECIFIC DETAILS**

| | | | | |
|----------------------------|-----------|-----------|-----------|-----------|
| FILE: RR Scope of Work.dgn | DN: TxDOT | CK: _____ | DW: _____ | CK: _____ |
| © TxDOT June 2014 | CONT | SECT | JOB | HIGHWAY |
| REVISIONS | 0911 | 00 | 122 | VA |
| 9/2021 | DIST | COUNTY | SHEET NO. | |
| | LFK | ANGELINA | 87 | |

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: _____
 FILE: _____

I. WORK AT CROSSING LOCATIONS (AT GRADE, HIGHWAY OVERPASS, HIGHWAY UNDERPASS, PEDESTRIAN, OR CLOSED/ABANDONED)

DOT #: 024082C
 Crossing Type: HIGHWAY OVERPASS
 RR Company Owning Track at Crossing: BNSF RAILWAY COMPANY
 Operating RR Company at Track: BNSF RAILWAY COMPANY
 RR MP: 120.360
 RR Subdivision: LONGVIEW
 City: SAN AUGUSTINE
 County: SAN AUGUSTINE
 CSJ at this Crossing: 0911-00-122
 Highway/Roadway name crossing the railroad: SH 21/ W MAIN ST
 # of regularly scheduled trains per day at this crossing: 4
 # of switching movements per day at this crossing: 0
 % of estimated contract cost of work within railroad ROW: 3.9%

Scope of Work at this Crossing to Be Performed by State Contractor:
THIS PROJECT IS FOR BRIDGE PREVENTATIVE MAINTENANCE (BPM) CONSISTING OF
CLEANING AND RESEALING JOINTS ON THE EXISTING BRIDGE OVER THE
BNSF RAILROAD.

Scope of Work at this Crossing to Be Performed by Railroad Company:
PROVIDE FLAGGING SERVICE WHENEVER THE WORK IS WITHIN 25 FEET
OF THE NEAREST RAIL.

** Choose: Highway Overpass, Highway Underpass, At Grade, Pedestrian,
 or Closed/Abandoned

II. OTHER PROJECT WORK WITHIN RAILROAD RIGHTS-OF-WAY (ROW)

N/A

III. FLAGGING & INSPECTION

of Days of Railroad Flagging Expected: 4

On this project, night or weekend flagging is:

- Expected
 Not Expected

Flagging services will be provided by:

- Railroad Company: TxDOT will pay flagging invoices
 Outside Party: Contractor will pay flagging invoices, to be reimbursed by TxDOT

Contractor must incorporate flaggers into anticipated construction schedule.
 The Railroad requires a 30 day notice if their flaggers are to be utilized.
 If Contractor falls behind schedule due to their own negligence and is not
 ready for scheduled flaggers, any flagging charges will be paid by Contractor.

Contact Information for Flagging:

- UPRR - UP.info@railpros.com
 Call Center 877-315-0513, Select #1 for flagging
 - UP.request@nrssinc.net
 Call Center 877-984-6777

 BNSF - BNSF.info@railpros.com
 Call Center 877-315-0513, Select #1 for flagging

 KCS - KCS.info@railpros.com
 Call Center 877-315-0513, Select #1 for flagging
 - Bottom Line On-Track Safety Services
 bottomline076@aol.com, 903-767-7630

OTHERS _____

Contractor must incorporate Construction Inspection into anticipated construction schedule.

- Not Required
 Required: Contact Information for Construction Inspection:

IV. CONSTRUCTION WORK TO BE PERFORMED BY THE RAILROAD

On this project, construction work to be performed by a railroad company is:

- Required
 Not Required

Coordinate with TxDOT for any work to be performed by the Railroad Company.
 TxDOT must issue a work order for any work done by the Railroad Company
 prior to the work being performed.

V. RAILROAD INSURANCE REQUIREMENTS

Railroad reference number shall be provided by TxDOT CST or DO.

The Contractor shall confirm the insurance requirements with the Railroad as the insurance limits are subject to change without notice.

Insurance policies must be issued for and on behalf of the Railroad. Where
 more than one Railroad Company is operating on the same right of way or
 where several Railroad Companies are involved and operate on their own
 separate rights of way, provide separate insurance policies in the name of
 each Railroad Company.

No direct compensation will be made to the Contractor for providing the
 insurance coverages shown below or any deductibles. These costs are
 incidental to the various bid items.

| Type of Insurance | Amount of Coverage (Minimum) |
|------------------------------|-----------------------------------|
| Workers Compensation | \$500,000 / \$500,000 / \$500,000 |
| Commercial General Liability | \$2,000,000 / \$4,000,000 |
| Business Automobile | \$2,000,000 combined single limit |

| Railroad Protective Liability | |
|---|----------------------------|
| <input type="checkbox"/> Not Required | |
| <input checked="" type="checkbox"/> Non - Bridge Projects | \$2,000,000 / \$6,000,000 |
| <input type="checkbox"/> Bridge Projects | \$5,000,000 / \$10,000,000 |
| <input type="checkbox"/> Other | |

VI. CONTRACTOR'S RIGHT OF ENTRY (ROE) AGREEMENT

On this project, an ROE agreement is:

- Not Required

 Required: TxDOT CST to assist in obtaining with the UPRR (see Item 5, Article 8.3)
 Required: UPRR Maintenance Consent Letter. TxDOT CST to assist.

 Required: Contractor to obtain (see Item 5, Article 8.4)

With the following railroad companies: _____

To view previously approved ROE Agreement templates agreed upon between the State and Railroad, see:

<http://www.txdot.gov/inside-txdot/division/rail/samples.html>

Approved ROE Agreement templates are not to be modified by the Contractor.

Contractor shall not operate within Railroad Right of Way without an executed
 Construction & Maintenance Agreement between the State and the Railroad and
 an executed ROE agreement between the Contractor and the Railroad if required
 on project.

VII. RAILROAD COORDINATION MEETING

On this project, a Railroad Coordination Meeting is:

- Not Required
 Required


See Item 5, Article 8.1 for more details.

VIII. SUBCONTRACTORS

Contractor shall not subcontract work without written consent of TxDOT.
 Subcontractors are required to maintain the same insurance coverage
 as required of the Contractor.

IX. EMERGENCY NOTIFICATION

In Case of Railroad Emergency
 Call BNSF Railway Company
 Railroad Emergency Line at 800-832-5452 Option 1
 Location: DOT 024082C
 RR Milepost: 120.360
 Subdivision: Longview

| | | | | | |
|--|----------------------|-----------|----------|---------------|-----------|
|  Texas Department of Transportation | | | | Rail Division | |
| RAILROAD SCOPE OF WORK PROJECT SPECIFIC DETAILS | | | | | |
| FILE: | RR Scope of Work.dgn | DN: TxDOT | CK: | DW: | CK: |
| © TxDOT | June 2014 | CONT | SECT | JOB | HIGHWAY |
| REVISIONS | | 0911 | 00 | 122 | VA |
| 9/2021 | | DIST | COUNTY | | SHEET NO. |
| | | LFK | ANGELINA | | 88 |

DATE: 2/2/2022 12:15:53 AM
 FILE: \\txdot.projectwiseonline.com:TXDOT3\Documents\11 - LFK\Design Projects\091100122\4 - Design\Plan Set\6 - Utilities\Non-bridge-projects.dgn

PART 1 - GENERAL

1.01 DESCRIPTION

This project includes construction work within the right of way and/or properties of the Railroad and adjacent to its tracks, wire lines and other facilities. These sheets describe the minimum special requirements for coordination with the Railroad when working upon, over or under Railroad Right of Way or when impacting current or future Railroad operations. Coordinate with the Railroad while performing the work outlined herein, and afford the same cooperation with the Railroad as with TxDOT. Complete all submittals and work in accordance with TxDOT Standard Specifications, Railroad Guidelines and AREMA recommendations as modified by these minimum special requirements or as directed in writing by the Railroad Designated Representative.

For purposes of this project, the Railroad Designated Representative is the person or persons designated by the Railroad Manager of Industry and Public Projects to handle specific tasks related to the project.

1.02 REQUEST FOR INFORMATION / CLARIFICATION

Submit Requests for Information ("RFI") involving work within any Railroad Right of Way to the TxDOT Engineer. The TxDOT Engineer will submit the RFI to the Railroad Designated Representative for review and approval for RFI's corresponding to work within Railroad Right of Way. Allow six (6) weeks total time for review and approval, which includes four (4) weeks for review and approval by the Railroad.

1.03 PLANS / SPECIFICATIONS

TxDOT has received written Railroad approval of the plans and specifications for this project. Any revisions or changes in the plans after award of the Contract must have the approval of TxDOT and the Railroad.

PART 2 - UTILITIES AND FIBER OPTIC

Construct all utility installations in accordance with current AREMA recommendations, Railroad, TxDOT and owning utility specifications and requirements. Railroad general guidelines can be found on the Railroad website or by contacting the Railroad Designated Representative.

PART 3 - CONSTRUCTION

3.01 GENERAL

- A. Perform all work in compliance with all applicable Railroad, Federal Railroad Administration (FRA), and TxDOT rules and regulations. Arrange and conduct work in a manner that does not endanger or interfere with the safe operation of the tracks and property of the Railroad and the traffic moving on such tracks, or the wires, signals and other property of the Railroad, its tenants or licensees, at or in the vicinity of the Work. The safe operation of railroad train movements takes precedence over any work to be performed by the Contractor. The Contractor is responsible for train delay cost and lost revenue claims due to any delays or interruption of train operations resulting from Contractor's construction or other activities.
- B. Construction activities within 15 feet of the operational tracks will only be allowed if absolutely necessary and the Railroad's Designated Representative grants approval. Construction activities within 15 feet of the operational track(s) preferably allow the tracks to stay operational. In such cases, coordination and approval by the Railroad Track Manager is required with regard to schedule, flagging, and slow orders. See Sections 3.07 and 3.08 for additional information.
- C. Provide track protection for all work equipment (including rubber tired equipment) operating within 25 feet from nearest rail. When not in use, keep Contractor machinery and materials at least 50 feet from the Railroad's nearest track.
- D. Vehicular crossings of railroad track are allowed only at existing crossings, or haul road crossings developed with Railroad approval.
- E. The Contractor is also advised that new railroad facilities within the project may be built by the Railroad. If applicable, these facilities are delineated in the plans. Be aware of the limits of responsibilities and coordinate efforts with the Railroad and TxDOT.
- F. Railroad requirements do not allow work within 50 feet of track centers when a train passes the work site and all personnel must clear the area within 50 feet of the track centerline and secure all equipment. Additional allowances may be pursued as outlined in 3.02 and 3.03.
- G. All permanent clearances shall be verified before project closing.

3.02 RAILROAD OPERATIONS

- A. Trains and/or equipment are expected on any track, at any time, in either direction. Become familiar with the train schedules in this location and structure bid assuming intermittent track windows in this period, as defined in Paragraph B that follows.
- B. All railroad tracks within and adjacent to the contract site are active, and rail traffic over these facilities shall be maintained throughout the Project. Activities may include both through moves and switching moves to local customers. Railroad traffic and operations will occur continuously throughout the day and night on these tracks and shall be maintained at all times as defined herein. Coordinate and schedule the work so that construction activities do not interfere with railroad operations.
- C. Coordinate work windows with TxDOT and the Railroad's Designated Representative. Types of work windows include Conditional Work Windows and Absolute Work Windows, as defined below:
 - 1. Conditional Work Window: A Conditional Work Window is a period of time that railroad operations have priority over construction activities. When construction activities may occur on and/or adjacent to the railroad tracks within 25 feet of the nearest track, a railroad flag person will be required. At the direction of the railroad flag person, upon approach of a train, and when trains are present on the tracks, the tracks must be cleared (i.e., no construction equipment, materials or personnel within 25 feet, or as directed by the Railroad Designated Representative, from the tracks). Conditional Work Windows are available for the Project.
 - 2. Absolute Work Window: An Absolute Work Window is a period of time that construction activities are given priority over railroad operations. During this time frame, the designated railroad track(s) will be inactive for train movements and may be fouled by the Contractor. At the end of an Absolute Work Window, the railroad tracks and/or signals must be completely operational for train operations and all Railroad, Public Utilities Commission (PUC) and FRA requirements, codes and regulations for operational tracks must be satisfied. In the situation where the operating tracks and/or signals have been affected, the Railroad will perform inspections of the work prior to placing that track back into service. Railroad flag persons will be required for construction activities requiring an Absolute Work Window. Absolute Work Windows will not generally be granted. Any request will require a detailed explanation for Railroad review.

3.03 RIGHT OF ENTRY, ADVANCE NOTICE AND WORK STOPPAGES

- A. Do not perform any work within Railroad Right of Way without a valid executed Right of Entry Agreement if required on this project.
- B. Give advance notice to the Railroad as required in the "Contractor's Right of Entry Agreement" before commencing work in connection with construction upon or over Railroad Right of Way and observe the Railroad's rules and regulations with respect thereto.
- C. Perform all work upon Railroad Right of Way in a manner to avoid interference with or endanger the operations of the Railroad. Whenever work may affect the operations or safety of trains, submit the work method to the Railroad Designated Representative for approval. Approval does not relieve the Contractor from liability. Do not commence any work which requires flagging service or inspection service until the flagging protection required by the Railroad is available at the job site. See Section 3.15 for railroad flagging requirements.
- D. Make requests in writing for both Absolute and Conditional Work Windows, at least 30 days in advance of any work. Include in the written request:
 - 1. Exactly what the work entails.
 - 2. The days and hours that work will be performed.
 - 3. The exact location of work, and proximity to the tracks.
 - 4. The type of window requested and the amount of time requested.
 - 5. The designated contact person.

Provide a written confirmation notice to the Railroad at least 48 hours before commencing work in connection with approved work windows when work is within 25 feet of nearest rail. Perform all work in accordance with previously approved work plans.
- E. Make provisions to protect operations and property of the Railroad should a condition arising from, or in connection with the work, require immediate and unusual action. If in the judgment of the Railroad Designated Representative such provisions are insufficient, the Railroad Designated Representative may require or provide such provisions as deemed necessary. In any event, such provisions shall be at the Contractor's expense and without cost to the Railroad or TxDOT. The Railroad or TxDOT shall have the right to order the Contractor to temporarily cease operations in the event of an emergency or, if in the opinion of the Railroad Designated Representative, the Contractor's operations could endanger railroad operations. In the event of such an order, immediately notify TxDOT of the order.

3.04 INSURANCE

Do not begin work upon or over Railroad Right of Way until furnishing the Railroad with the insurance policies, binders, certificates and endorsements required by the "Contractor's Right of Entry Agreement", and until the Railroad Designated Representative has advised TxDOT that such insurance is in accordance with the Agreement.

3.05 RAILROAD SAFETY ORIENTATION

- A. Complete the railroad course "Orientation for Contractor's Safety", and maintain current registration prior to working on railroad property. This course is required to be completed annually by Contractor and Subcontractor personnel working on site.

"UPRR, BNSF, KCS/TEXMEX will not accept on-track safety training certificates from other railroads. Refer to Railroad specific contractor right of entry for training information."
- B. Know and follow the "Contractor's Right of Entry Agreement" EXHIBIT D, MINIMUM SAFETY REQUIREMENTS regarding clothing, personal protective equipment, and general safety requirements.

3.06 COOPERATION

The Railroad will cooperate with Contractor so that work may be conducted in an efficient manner, and will cooperate with Contractor in enabling use of Railroad Right of Way in performing the work.


3.07 MINIMUM CONSTRUCTION CLEARANCES FOR FALSEWORK AND OTHER TEMPORARY STRUCTURES

Abide by the following minimum temporary clearances during the course of construction:
 A. 15' - 0" (BNSF) (UPRR) and 14' - 0" (KCS) horizontal from centerline of track
 B. 22' (KCS) and 21' - 6" (UPRR & BNSF) vertically above top of rail.

For construction clearance less than listed above, obtain local Railroad Operating Unit review and approval.

3.08 APPROVAL OF REDUCED CLEARANCES

- A. Maintain minimum track clearances during construction as specified in Section 3.07.
- B. Submit any proposed infringement on the specified minimum clearances to the Railroad Designated Representative through TxDOT at least 30 days in advance of the work. Do not proceed with such infringement without written approval by the Railroad Designated Representative.
- C. Do not commence work involving an approved infringement without receiving written assurance from the Railroad Designated Representative that arrangements have been made for any necessary flagging service.

| | | | | | |
|--|-----------|-----------|-----------|---------------|--|
|  Texas Department of Transportation | | | | Rail Division | |
| RAILROAD REQUIREMENTS FOR NON-BRIDGE CONSTRUCTION PROJECTS | | | | | |
| FILE: | DN: TxDOT | CK: TxDOT | DW: TxDOT | CR: TxDOT | |
| © TxDOT October 2018 | CONT | SECT | JOB | HIGHWAY | |
| REVISIONS March 2020 | 0911 | 00 | 122 | VA | |
| | DIST | COUNTY | | SHEET NO. | |
| | LFK | ANGELINA | | 89 | |

DATE: 2/2/2022 12:15:54 AM
 FILE: \\txdot\projectwiseonline.com\TXDOT3\Documents\11 - LFK\Design Projects\091100122\4 - Design\Plan Set\6 - Utilities\non-bridge-projects.dgn

3.09 MAINTENANCE OF RAILROAD FACILITIES

- A. Maintain all ditches and drainage structures free of silt or other obstructions resulting from Contractor's operations. Repair eroded areas and any other damage within Railroad Right of Way and repair any other damage to the property of the Railroad, or its tenants.
- B. Perform all such maintenance and repair of damages due to the Contractor's operations at Contractor's expense.
- C. Submit a proposed method of erosion control for review by the Railroad prior to beginning any grading on the project site. Comply with all applicable local, state and federal regulations when developing and implementing such erosion control.

3.10 SITE INSPECTIONS BY RAILROAD'S DESIGNATED REPRESENTATIVE

- A. In addition to the office reviews of construction submittals, site inspections may be performed by the Railroad Designated Representative at significant points during construction, including the following if applicable:
 1. Pre-construction meetings.
 2. Pile driving/drilling of caissons or drilled shafts.
 3. Reinforcement and concrete placement for railroad bridge substructure and/or superstructure.
 4. Erection of precast concrete or steel bridge superstructure.
 5. Placement of waterproofing (prior to placing ballast on bridge deck).
 6. Completion of the bridge structure.
- B. Site inspection is not limited to the milestone events listed above. Site visits to check progress of the work may be performed at any time throughout the construction as deemed necessary by the Railroad.
- C. Provide a detailed construction schedule, including the proposed temporary horizontal and vertical clearances and construction sequence for all work to TxDOT for submittal to the Railroad Designated Representative for review prior to commencement of work. Include the anticipated dates when the above listed events will occur. Update this schedule for the above listed events as necessary and each month at a minimum to allow the Railroad to schedule site inspections.

3.11 RAILROAD REPRESENTATIVES

Railroad representatives, conductors, flag person or watch person will be provided by the Railroad at expense of TxDOT to protect Railroad facilities, property and movements of its trains or engines. In general, the Railroad will furnish such personnel or other protective services as follows:

- A. When any part of any equipment is standing or being operated within 25 feet, measured horizontally, from nearest rail of any track on which trains may operate, or when any object is off the ground and any dimension thereof could extend inside the 25 foot limit, or when any erection or construction activities are in progress within such limits, regardless of elevation above or below track.
- B. For any excavation below elevation of track subgrade if, in the opinion of the Railroad Designated Representative, track or other railroad facilities may be subject to settlement or movement.
- C. During any clearing, grubbing, excavation or grading in proximity to railroad facilities, which, in the opinion of the Railroad Designated Representative, may endanger railroad facilities or operations.
- D. During any Contractor's operations when, in the opinion of the Railroad Designated Representative, railroad facilities, including, but not limited to, tracks, buildings, signals, wire lines, or pipe lines, may be endangered.
- E. Arrange with the Railroad Designated Representative to provide the adequate number of flag persons to accomplish the work.

3.12 COMMUNICATIONS AND SIGNAL LINES

If required, the Railroad will rearrange its communications and signal lines, its grade crossing warning devices, train signals and tracks, and facilities that are in use and maintained by the Railroad's forces in connection with its operation at expense of TxDOT. This work by the Railroad will be done by its own forces and it is not a part of the Work under this Contract.

3.13 TRAFFIC CONTROL

Coordinate any operations that control traffic across or around railroad facilities with the Railroad Designated Representative.

3.14 CONSTRUCTION EXCAVATIONS AND BORING ACTIVITIES UNDER TRACK

- A. Take special precaution and care in connection with excavating and shoring. Excavations for construction of footings, piers, columns, walls or other facilities that require shoring shall comply with requirements of TxDOT, OSHA, AREMA and Railroad "Guidelines for Temporary Shoring".
- B. The project plans indicate whether there are fiber optic lines or other such telecommunications systems that require consideration. Regardless, contact the necessary call center to determine if such cable systems are present:

UPRR 1-800-336-9193
 7:00 AM to 9:00 PM CST Monday-Friday except holidays,
 staffed 24 hrs/day for emergencies
 48 hrs notice required

BNSF 1-800-533-2891
 24 hour number
 5 working days notice required

KCS 1-800-344-8377
 Texas One Call, a 24 hour number
 48 hrs notice required, excluding weekends and holidays

If a telecommunications system is buried anywhere on or near railroad property, coordinate with TxDOT, the Railroad and the Telecommunication Company(ies) to arrange for relocation or protective measures prior to beginning work on or near railroad property. Refer to the project General Notes for additional information.

- C. Projects involving a boring or jack and bore operation under track such as drainage pipes or culverts and utilities require an installation plan reviewed and approved by the Railroad and TxDOT prior to proceeding with such construction. A railroad inspector and contractor assisted monitoring of ground and track movement is required to maintain safe passage of rail traffic. Stop installation and do not allow passage of trains if movements in excess of 1/4 inch vertical or horizontal is detected in the tracks. Immediately repair the damage to the satisfaction of TxDOT and the Railroad before proceeding.

3.15 RAILROAD FLAGGING

Per the Right of Entry Agreement for flagging, notify the Railroad Representative at least 10 working days in advance of Contractor's work and at least 30 working days in advance of any Contractor's work in which any person or equipment will be within 25 feet of nearest rail or as specified in the Contractor Right of Entry (CROE).

3.16 CLEANING OF RIGHT-OF-WAY

When work is complete, remove all tools, implements, and other materials brought into Railroad Right of Way and leave the right of Way in a clean and presentable condition to the satisfaction of TxDOT and the Railroad.

| | | | | | |
|--|-----------|-----------|-----------|---------------|--|
| Texas Department of Transportation | | | | Rail Division | |
| RAILROAD REQUIREMENTS FOR NON-BRIDGE CONSTRUCTION PROJECTS | | | | | |
| FILE: | DN: TxDOT | CK: TxDOT | DW: TxDOT | CR: TxDOT | |
| ©TxDOT October 2018 | CONT | SECT | JOB | HIGHWAY | |
| REVISIONS March 2020 | 0911 | 00 | 122 | VA | |
| DIST | COUNTY | | | SHEET NO. | |
| LFK | ANGELINA | | | 90 | |