PLANS AND CONTRACT.

INDEX OF SHEETS

SHEET NO. **DESCRIPTION**

> TITLE SHEET INDEX OF SHEETS

THE CONSTRUCTION WORK WAS PERFORMED IN ACCORDANCE WITH THE

STATE OF TEXAS DEPARTMENT OF TRANSPORTATION

PLANS OF PROPOSED STATE HIGHWAY IMPROVEMENT

FEDERAL AID PROJECT NO. F 2022(611), ETC

US 84, ETC MILLS COUNTY, ETC

LIMITS: VARIOUS LOCATIONS IN MILLS, COLEMAN, STEPHENS AND EASTLAND COUNTIES

FOR THE CONSTRUCTION OF SAFETY IMPROVMENTS

CONSISTING OF INSTALL ADVANCE WARNING SIGNALS, INTERSECTION FLASHING BEACONS. ILLUMINATION & RUMBLE STRIPS

REQUIRED SIGNS SHALL BE IN ACCORDANCE WITH THE BC STANDARDS AND THE "TEXAS MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES".

CONT	SECT	JOB		H]GHWAY			
0054	09	042,	ETC.	US	84,	ETC.	
DIST		co	UNTY		SHE	ET NO.	
23		MILLS	. ETC	:-		1	

FUNCTIONAL CLASSIFICATION = MINOR ARTERIAL DESIGN SPEED = VARIES A.D.T. (2017) = VARIES A.D.T. (2037) = VARIES

FINAL PLANS

LETTING DATE:
DATE CONTRACTOR BEGAN WORK:
DATE CONTINACTOR BEGAN WORKS
DATE WORK WAS COMPLETED & ACCEPTED:
FINAL CONTRACT COST: \$
CONTRACTOR :
CONTRACTOR •

P.E. STEPHENS CO. PROJECT STP 2022(613)HES CSJ: 3469-02-007 FM 3418 • FM 2231 REF MRK: 466.0.42 PROJECT F 2022(611) CSJ: 2638-01-027 SH 206 @ FM 2526 REF MRK: 302-1,147 EASTLAND CO. PROJECT F 2022(612)
CSJ: 0078-05-026
US 67 • FM 2131
REF MRK: 598-1.335 PROJECT F 2022(611) CSJ: 0054-09-042 US 84 @ LP 15 REF MRK: 596-1.413 COLEMAN CO. MILLS CO SCALE LAMPASAS CO. NO EXCEPTIONS PROJECT STP 2022(613)HES EQUATION: CSJ: 1032-01-038 NO RAILROAD CROSSINGS REF MRK: 530-1.261

Texas Department of Transportation®

SUBMITTED FOR LETTING:

4/2/2022

DISTRICT DESIGN ENGINEER

RECOMMENDED FOR LETTING:

4/2/2022

DISTRICT DIRECTOR OF TRANSPORTATION
PLANNING AND DEVELOPMENT

4/2/2022

RECOMMENDED FOR LETTING:

Elias Rmeili, P.E.

DISTRICT ENGINEER

SPECIFICATIONS ADOPTED BY THE TEXAS DEPARTMENT OF TRANSPORTATION, NOVEMBER 1, 2014 AND SPECIFICATION ITEMS LISTED AND DATED AS FOLLOWS, SHALL GOVERN ON THIS PROJECT: REQUIRED CONTRACT PROVISIONS FOR ALL FEDERAL-AID CONSTRUCTION CONTRACTS (FORM FHWA 1273, MAY 2012)

```
GENERAL
                 TITLE SHEET
                 PROJECT INDEX
                 GENERAL NOTES & SPEC. DATA
 3,3A-3C
                 QUANTITY SHEET
                QUANTITY SUMMARY
TRAFFIC CONTROL STANDARDS
                BC(1)-(12)-21
 6-17
 18
                 TCP(1-1)-18
 19
                 TCP(1-2)-18
 20
                WZ(RS)-16
 21
                RS(5)-13
ILLUM/FLASHING BEACON DETAILS
                US84 @ LP15 FLSH BEACON LAYOUT
                US84 @ LP15 CONDUIT DETAILS
 24
25
                US84 @ LP15 FLSH BEACON SIGN LAYOUT
                US84 @ LP15 SIGN LAYOUT
 26
27
                US67 @ FM2131 FLSH BEACON LAYOUT
                US67 @ FM2131 CONDUIT DETAILS
US67 @ FM2131 FLSH BEACON SIGN LAYOUT
 28
 29
30
                FM 580 LED FLSH CHEVRON SUMMARY
                 SH206 @ FM2526 ILLUM/FLSH BEACON LAYOUT
 31
                 SH206 @ FM2526 CONDUIT DETAILS
 32
                 SH206 @ FM2526 FLSH BEACON SIGN LAYOUT
 33
                 SH206 @ FM2526 ILLUMINATION DETAILS
 34
                FM3418 @ FM2231 FLSH BEACON SIGN LAYOUT
ILLUM/FLASHING BEACON STANDARDS
 35-37
38-49
                DOM(1)-(3)-20
ED(1)-(12)-14
 50
51
52
53-56
57
58
                 TS-FD-12
                 RID(1)-20
                 RID(2)-20
                 RIP(1)-RIP(4)-19
                LUM-A-12
                 RFBA-13
                 SPRFBA(1)-13
SIGNING PLANS
 59A
                SOSS
SIGNING STANDARDS
 60-62
                 TSR(3)-(5)-13
                 SMD (GEN) - 08
                 SMD (SLIP-1), (SLIP-2), (SLIP-3) - 08
 64-66
ENVIROMENTAL
 67
                STORM WATER POLLUTION PREVENTION PLAN
 68
```

EC(1)-16

DESCRIPTION

THE STANDARD SHEETS SPECIFICALLY
IDENTIFIED ON THIS SHEET HAVE BEEN ISSUED
BY ME AND ARE APPLICABLE TO THIS PROJECT.



04/02/2022

PROJECT INDEX



CONT	SECT	JOB		HIGH	AY	
0054	09	042	US	84,	ETC.	
DIST		COUNTY		SHEET NO.		
RWD	-	MILLS FTO	•	2		

SHEET NO.

County: Mills, Etc. Sheet 3

Highway: US 84, Etc. **Control:** 0054-09-042, Etc.

GENERAL NOTES

The Contractor will not be allowed to store equipment, materials, incidentals, hazardous chemicals, petroleum products, concrete washouts, etc. in the Department's R.O.W. without written permission from the Engineer.

See the "Environmental" section of the plans for additional information.

TEXAS ONE CALL

Fiber optic cable systems, gas lines, underground power lines, water lines, sewer lines, and other various utilities may be buried within the project limits. Protection of these utility systems is of extreme importance since any break could disrupt service to users resulting in business interruption and loss of revenue and profits. The Contractor shall telephone Texas One Call at 1-800-344-8377 (a 24-hour number), to determine if utilities are buried anywhere on the project in accordance with all UNDERGROUND FACILITY DAMAGE PREVENTION AND SAFETY laws. This action; however, will in no way be interpreted as relief of responsibilities under the terms of the Contract as set out in the plans and specifications. Coordinate the repair of all damages caused by daily operations and have facilities restored to service in a timely manner as directed at no additional cost to TxDOT.

GENERAL

Unless specifically noted as applying to only a certain project or projects, these general notes will apply to all projects associated to this contract.

Contractor questions on this project are to be addressed to the following individual(s):

Name Email Address
Bart Fris P.E. bart.fris@txdot.gov

Contractor questions will be accepted through email, phone, and in person by the above individuals.

All contractor questions will be reviewed by the Engineer. Once a response is developed, it will be posted to TxDOT's Public FTP at the following Address:

https://ftp.dot.state.tx.us/pub/txdot-info/Pre-Letting%20Responses/

All questions submitted that generate a response will be posted through this site. The site is organized by District, Project Type (Construction or Maintenance), Letting Date, CCSJ/Project Name.

The term "Article" or "Section" referred to hereon is defined in the forward of the <u>Standard Specifications for Construction and Maintenance of Highways, Streets, And Bridges</u> adopted by the Texas Department of Transportation November 2014.

County: Mills, Etc. Sheet 3

Highway: US 84, Etc. **Control:** 0054-09-042, Etc.

The total disturbed area is shown on the SW3P sheet(s).

All electrical submittals will be forwarded to District Director of Operations (325-643-0417). No electrical work will be performed prior to approval of electrical materials.

ITEM 5 CONTROL OF WORK

The responsibility for the construction surveying on this contract will be in accordance with Section 5.9.1. "Method A".

ITEM 8 PROSECUTION AND PROGRESS

Working days will be computed and charged in accordance with Section 8.3.1.4. "Standard Workweek".

Work will not be performed without time being charged unless otherwise exempted by the Section as defined above.

Working day charges will be in accordance with **Special Provision 008---003** (90 calendar days after the date of the written authorization to begin work. Do not begin any work before the end of this period unless authorized in writing by the Engineer.) **This delay is for the acquisition of illumination poles.**

ITEM 7 LEGAL RELATIONS AND RESPONSIBILITIES

No significant traffic generator events identified.

PROJECT SCHEDULES

For monthly submittals, the Contractor will provide the schedule in an Adobe Acrobat compatible format (PDF file). If the Engineer requests the schedule in an electronic format, the Contractor will submit a schedule that is fully compatible with Primavera P6 Professional Release 15.

ITEM 421 HYDRAULIC CEMENT CONCRETE

Furnish dome lids with 4" x 8" cylinder test molds.

Strength testing equipment is not required for Contract controlling test.

ITEM 502 BARRICADES, SIGNS, AND TRAFFIC HANDLING

The Contractor will be required to keep all TCP devices clean. If notified by the Engineer to clean the TCP devices, the Contractor will have until the end of that daylight period to comply. Failure to comply will result in a suspension of all work until the TCP devices are clean. Time will not be suspended.

The Contractor Force Account "Safety Contingency" that has been established for this project is intended to be utilized for work zone enhancements, to improve the effectiveness of the Traffic Control Plan, that could

County: Mills, Etc. Sheet 3A

Highway: US 84, Etc. **Control:** 0054-09-042, Etc.

not be foreseen in the project planning and design stage. These enhancements will be mutually agreed upon by the Engineer and the Contractor's Responsible Person based on weekly or more frequent traffic management reviews on the project. The Engineer may choose to use existing bid items if it does not slow the implementation of enhancement.

All equipment operated by the Contractor on or within thirty feet (30') of the roadway will have a functioning flashing beacon mounted on it. Motor graders will have two standard orange warning flags mounted on them in addition to the flashing beacon.

All devices shown on the TCP Standards are required and considered subsidiary to Item 502 unless specifically outlined elsewhere in the plans.

All signs will be constructed in accordance with the details shown in the current Standard Highway Sign Designs for Texas manual.

ITEM 506 TEMPORARY EROSION, SEDIMENTATION, AND ENVIRONMENTAL CONTROLS

The Engineer will determine actual time and placement locations of BMP's and temporary measures once construction has begun.

Sediment control fence will be used as directed by the Engineer.

CSJ: 0054-09-042:

Sediment control fence is estimated at 50 LF.

CSJ: 0078-05-026:

Sediment control fence is estimated at 50 LF.

CSJ: 1032-01-038:

Sediment control fence is estimated at 50 LF.

CSJ: 2638-01-027:

Sediment control fence is estimated at 50 LF.

CSJ: 3469-02-007:

Sediment control fence is estimated at 50 LF.

County: Mills, Etc. Sheet 3A

Highway: US 84, Etc. **Control:** 0054-09-042, Etc.

ITEM 600 ELECTRIC GENERAL

Electrical materials, wiring, and fittings not covered by the plans and specifications for this project will conform to the requirements of the current edition of the National Electrical Code as published by the National Fire Protection Association.

Electrical Contractor, Signal Shop personnel and Project Inspector will conduct a 'Tool Box' meeting to discuss upcoming electrical work.

All materials will be from the pre-qualified material producer list, "Roadway Illumination and Electrical Supplies" located on the TxDOT website. Electrical submittals will be required for all materials not on the pre-qualified list.

All electrical submittals will be forwarded to District Director of Operations (325-643-0417). No electrical work will be performed prior to approval of electrical materials.

ITEM 610 ROADWAY ILLUMINATION ASSEMBLIES

All luminaire poles will be either steel or aluminum. All Illumination Pole bases will be Transformer Base (T-Base) for breakaway capability.

For both transformer and shoe-base type illumination poles, provide double-pole breakaway fuse holder as shown on the Texas Department of Transportation (TxDOT)-Construction Division's (CST) material producers list. Category is "Roadway Illumination and Electrical Supplies". Fuse holder is shown on list under Items 610 & 620. Provide 10 amp time delay fuses.

For instructions on submitting shop drawings electronically go to TxDOT home page, Divisions (bottom left), Bridge, Shop Drawings, Electronic Submission of Shop Drawings, Guide to Electronic Shop Drawing Submittal.pdf or click on the following link:

http://ftp.dot.state.tx.us/pub/txdot-info/library/pubs/bus/bridge/e_submit_guide.pdf

For project specific shop drawings, furnish drawings of the complete assembly in accordance with Item 441, "Steel Structures". Submit shop drawings electronically.

Pre-approved shop drawing manufacturers and assembly model numbers can be found on the Texas Department of Transportation(TxDOT) – Construction Division's(CST) material producer list. Category is "Roadway Illumination and Electrical Supplies."

Complete lighting in the initial stages of construction. Make every effort to keep the jobsite lit for the duration of the project. Do not de-energize existing lighting before new lighting is operation without prior approval.

Use 240 volt electronic LED drivers for luminaires on this project.

Provide 12 circuit Buchanan Type 112SN, Kulka Type 985-GP-10 CU, or equal terminal strip in the luminaire pole access compartment. The conductors for the line and load side of the terminal strip will be identified with

County: Mills, Etc. Sheet 3B

Highway: US 84, Etc. **Control:** 0054-09-042, Etc.

a plastic label with two straps per tag. The load side will have each signal head and ped head identified on the tag.

Fabricate steel roadway illumination poles in accordance with TxDOT standards RIP (Roadway Illumination Poles -2011). Poles fabricated according to RIP require no shop drawings. Alternate designs to RIP or the use of aluminum to fabricate poles will require the submission of shop drawings electronically.

Limitations on Use of the RIP Standard

The Roadway Illumination Pole (RIP) standard details were developed for installations in locations where the 3-second gust basic maximum wind speed is 110 mph, and where the elevation of the base of the pole is less than (i.e. not more than) 25' above the elevation of surrounding terrain, in accordance with the "AASHTO Standard Specifications for Structural Supports for Highway Signs, Luminaires and Traffic Signals," 4th Edition (2001) (AASHTO Design Specifications). For poles to be installed in regions where the maximum basic wind speed exceeds 110 mph or to be mounted more than 25' above the surrounding terrain, the contractor will provide poles meeting the following requirements:

- Submittals. Following the electronic shop drawing submittal process (see
 http://ftp.dot.state.tx.us/pub/txdot-info/library/pubs/bus/bridge/e_submit_guide.pdf) the contractor will submit to the Engineer, for approval, fabrication drawings and calculations for the poles. The drawings and calculations will be sealed by a Texas registered or licensed professional engineer (P.E.).
- Luminaire Structural Support Requirements. Lighting poles, arms, and anchor bolt assemblies will have a 25 year design life to safely resist dead loads, ice loads and the required basic wind speeds at the location of installation in accordance with the current edition of the AASHTO Design Specifications. For transformer base poles, the fabricator will include transformer base and connecting hardware in calculations and shop drawing submittals. All transformer bases will have been structurally tested to resist the theoretical plastic moment capacity of the pole. Certification of the plastic moment load test and FHWA breakaway requirement test of the model of base being furnished will be submitted with the shop drawings. Shop drawings will show breakaway base model number, and manufacturer's name and logo. Manufacturer's shop drawings will include the ASTM designations for all materials to be used.

ITEM 618 CONDUIT

All boring conduit will be SCH 80 PVC.

Where PVC, duct cable, and HDPE conduit 1" and larger is allowed and installed as per TxDOT standards, provide a PVC elbow at all ground boxes and foundations.

See plans & specifications regarding type of conduit. High density polyethylene (HDPE) may be substituted where PVC is called out. High density polyethylene (HDPE) may be threaded and used with threaded PVC connectors or couplings. All couplings & connections will be tight & waterproof. Each end of every PVC pipe connection and/or coupling will be cleaned with PVC cleaner and glued thoroughly with

County: Mills, Etc. Sheet 3B

Highway: US 84, Etc. **Control:** 0054-09-042, Etc.

PVC sealer. Proposed and existing conduit will be brought into a pull box and elbowed unless otherwise shown. Where a rigid metal conduit run terminates, a bushing will be provided to protect the wire from abrasion.

The conduit will be placed at a minimum depth of four 4 ft. unless otherwise shown on the plans or directed by the Engineer. If utility lines or other obstacles are at the 5 ft. minimum depth then the conduit will be routed under the utility or obstacle unless otherwise approved by the Engineer.

The conduit will be placed on a 2 in. Sand cushion and then backfilled with a minimum of six inch (6") sand fill. The remainder of the trench will be backfilled with flexible base or soil as required by location of conduit on the project.

Flexible metal will not be permitted on this project.

High density polyethylene (HDPE) may be threaded and used with threaded PVC connectors or couplings.

Use materials from prequalified material producers list as shown on the Texas Department of Transportation (TxDOT) - Construction Division's (CST) material producer list. Category is "Roadway Illumination and Electrical Supplies."

The polymer concrete barrier box will not be paid for separately, but will be considered subsidiary to ITEM 618, "CONDUIT".

ITEM 620 ELECTRICAL CONDUCTORS

Labeling conductors with label maker is acceptable.

Grounding conductors that share the same conduit, junction box, ground box or structure will be bonded together at every accessible point in accordance with the National Electrical Code.

For Flashing Beacons (Item 685) within the project, provide single-pole breakaway disconnects. Use Bussman HEBW, Littlefuse LEB, Ferraz-Shawmut FEB, or equal on ungrounded conductors.

For all grounded conductors use Bussman HET, Littlefuse LET, Ferraz-Shawmut FEBN, or equal. These breakaway connectors have a white colored marking and a permanently installed solid neutral.

ITEM 624 GROUND BOXES

All concrete used on ground boxes with aprons or cast in various slabs, will be as thick as the ground box depth within the dimensions as shown on TxDOT's ED Standard Sheets. No variance from this will be allowed.

ITEM 628 ELECTRICAL SERVICE

Any service installed by others will comply with all TxDOT standards from weather head to fixtures.

County: Mills, Etc. Sheet 3C

Highway: US 84, Etc. **Control:** 0054-09-042, Etc.

Coordinate setting up the electrical service with the Area Engineer to insure the meter is installed under the proper account name.

The Contractor will verify conductor slack length at the weatherhead with the utility provider. If the utility provider requires a conductor slack length that does not meet the requirements shown on ED(7) notify the Engineer immediately for a resolution.

ITEM 644 SMALL ROADSIDE SIGN ASSEMBLIES

The Contractor will notify the Engineer 5 working days before installing any sign base. The Engineer will coordinate with the Contractor and the Maintenance office to assure proposed sign placements are in accordance with the current version of the Sign Crew Field Book and the TMUTCD. Any signs that are placed without this coordination by the Contractor that are not located correctly will be removed and relocated at the Contractor's expense.

Build signs not detailed in the plans according to the latest edition of the Standard Highway Sign Designs for Texas.

Existing roadside signs are to be removed/relocated and mounted on temporary supports and placed during construction as directed by the Engineer. The removal/relocation and temporary mounting of any existing sign (stop, yield, warning, etc.) will not be paid for directly but will be considered subsidiary to Item 644 unless otherwise directed by the Engineer.

Conformable Retroreflective Sheeting in accordance with DMS 8300 will be required on all Warning, Stop, and Yield signs. Retroreflective sheeting wrapped around a sign support is yellow unless the sign on the support is a Stop or Yield, in which case the sheeting will be red. Retroreflective sheeting will have a height on the post of 12 inches and the bottom of the sheeting will be 4 feet above the edge of the travel lane. Retroreflective sheeting will not be paid for directly but will be considered subsidiary to Item 644 Small Roadside Sign Assemblies.

ITEM 685 ROADSIDE FLASHING BEACON ASSEMBLIES

Roadside Flashing Beacon foundations will be Drill Shaft type.

The flasher assembly will be capable of supporting two 12" LED beacons flashing for a 24 hour period.

This roadside flashing beacon will have one pole & two pole configurations as described in the plans.

For One-Pole (Hard-Wired Power) Roadside Flashing Beacons; the assembly will consist of an installation with one foundation, pole and transformer base as shown on layout and standard sheet(s).

For One-Pole Solar Powered Roadside Flashing Beacons; the assembly will consist of an installation with one foundation, pole and transformer base. Batteries will be placed in cabinet mounted on pole, as shown in standard sheets.

County: Mills, Etc. Sheet 3C

Highway: US 84, Etc. **Control:** 0054-09-042, Etc.

For Two-Pole Solar Powered Roadside Flashing Beacons; the assembly will consist of an installation with two foundations, poles and transformer bases. The controller and batteries will be placed on the second pole at the ROW as shown on layout and standard sheets.

Batteries will be placed in cabinet mounted on the second pole.

ITEM 6185 TRUCK MOUNTED ATTENUATOR (TMA) AND TRAILER ATTENUATOR (TA)

Provide the number of vehicles with truck mounted attenuators (TMA) listed in the table below. The Contractor will be responsible for determining if one or more of these operations will be ongoing at the same time to determine the total number of TMAs needed for the project.

STANDARD / PHASE	# TMA'S REQUIRED
TCP(1-1)	1
TCP(1-2)	1

Stationary shadow vehicle(s) with TMA are estimated at 10 days for this project.

CSJ: 0054-09-042:

TMA is estimated at 2 days.

CSJ: 0078-05-026:

TMA is estimated at 2 days.

CSJ: 1032-01-038:

TMA is estimated at 2 days.

CSJ: 2638-01-027:

TMA is estimated at 2 days.

CSJ: 3469-02-007:

TMA is estimated at 2 days.



Estimate & Quantity Sheet

CONTROLLING PROJECT ID 0054-09-042

DISTRICT Brownwood

COUNTY Coleman, Eastland, Lampasas, Mills, Stephens

Report Created On: Mar 24, 2022 1:53:21 PM

HIGHWAY FM 3418, FM 580, SH 206, US 67, US 84

CONTROL SECTION JOE				0054-09-042		0078-05-026		1032-01-038		2638-01-027		3469-02-007			
		PROJI	CT ID	A00183	3451	A00184800		A00183440		A0018	3450	A0018	3429		
		DUNTY	Mill	s	Cole	man	Lampasas		Eastland		Stephens		TOTAL EST.	TOTAL FINAL	
HIGHWAY			HWAY	US 84		US 67		FM 580		SH 206		FM 3	418		1110/12
ALT	BID CODE	DESCRIPTION	UNIT	EST.	FINAL	EST.	FINAL	EST.	FINAL	EST.	FINAL	EST.	FINAL		
	351-6004	FLEXIBLE PAVEMENT STRUCTURE REPAIR(8")	SY	9.000										9.000	
	401-6001	FLOWABLE BACKFILL	CY	29.000										29.000	
	416-6029	DRILL SHAFT (RDWY ILL POLE) (30 IN)	LF							40.000				40.000	
	432-6009	RIPRAP (CONC) (CL B) (4")	CY							1.400				1.400	
	500-6001	MOBILIZATION	LS	1.000										1.000	
	502-6001	BARRICADES, SIGNS AND TRAFFIC HANDLING	МО	6.000										6.000	
	506-6038	TEMP SEDMT CONT FENCE (INSTALL)	LF	50.000		50.000		50.000		50.000		50.000		250.000	
	506-6039	TEMP SEDMT CONT FENCE (REMOVE)	LF	50.000		50.000		50.000		50.000		50.000		250.000	
	610-6290	IN RD IL (TY SA) 50T-12 (400W EQ) LED	EA							4.000				4.000	
	618-6053	CONDT (PVC) (SCH 80) (3")	LF	132.000		336.000				778.000				1,246.000	
	618-6054	CONDT (PVC) (SCH 80) (3") (BORE)	LF	29.000		210.000				201.000				440.000	
	620-6007	ELEC CONDR (NO.8) BARE	LF	209.000		541.000		1,853.000			2,6		2,603.000		
	620-6008	ELEC CONDR (NO.8) INSULATED	LF	418.000		1,082.000				3,706.000				5,206.000	
	624-6002	GROUND BOX TY A (122311)W/APRON	EA	3.000		5.000				7.000				15.000	
	628-6165	ELC SRV TY D 120/240 070(NS)AL(E)SP(O)	EA							1.000				1.000	
	636-6001	ALUMINUM SIGNS (TY A)	SF	80.000		96.000				96.000		64.000		336.000	
	644-6001	IN SM RD SN SUP&AM TY10BWG(1)SA(P)	EA					17.000)					17.000	
	644-6004	IN SM RD SN SUP&AM TY10BWG(1)SA(T)	EA	4.000		8.000				8.000		4.000		24.000	
	644-6076	REMOVE SM RD SN SUP&AM	EA			2.000		17.000)			1.000		20.000	
	682-6003	VEH SIG SEC (12")LED(YEL)	EA	4.000		4.000				4.000		4.000		16.000	
	682-6005	VEH SIG SEC (12")LED(RED)	EA	6.000		8.000				8.000		4.000		26.000	
	685-6001	INSTALL RDSD FLASH BEACON ASSEMBLY	EA	3.000		4.000				4.000				11.000	
	685-6004	INSTL RDSD FLSH BCN ASSM (SOLAR PWRD)	EA	2.000		2.000				2.000		4.000		10.000	
	685-6006	REMOV RDSD FLSH BCN AM (SOLAR PWRD)	EA	1.000								1.000		2.000	
	6056-6001	PREFORMED IN-LANE(TRANS) RUMBLE STRIP	LF	80.000		160.000				160.000		80.000		480.000	
	6185-6002			2.000		2.000		2.000		2.000		2.000		10.000	
	6350-6001	LEAD LED CHEVRON						2.000)					2.000	
	6350-6002	LED CHEVRON	EA					32.000)					32.000	
	18	EROSION CONTROL MAINTENANCE: CONTRACTOR FORCE ACCOUNT WORK (PART)	LS	1.000						_				1.000	
		SAFETY CONTINGENCY: CONTRACTOR FORCE ACCOUNT WORK (PARTICIPATING)	LS	1.000										1.000	



DISTRICT	COUNTY	CCSJ	SHEET
Brownwood	Mills	0054-09-042	4

	CSJ: 0054-09-042 (US84 @ LP15)							
ITEM	CODE	DESCRIPTION	UNIT	QUANT.				
351	6004	FLEXIBLE PAVEMENT STRUCTURE REPAIR(8")	SY	9.0				
401	6001	FLOWABLE BACKFILL	CY	29.0				
618	6053	CONDT (PVC) (SCH 80) (3")	LF	132.0				
618	6054	CONDT (PVC) (SCH 80) (3") (BORE)	LF	29.0				
620	6007	ELEC CONDR (NO.8) BARE	LF	209.0				
620	6008	ELEC CONDR (NO.8) INSULATED	LF	418.0				
624	6002	GROUND BOX TY A (122311) W/APRON	EA	3.0				
636	6001	ALUMINUM SIGNS (TY A)	SF	80.0				
644	6004	IN SM RD SN SUP&AM TY10BWG(1)SA(T)	EA	4.0				
682	6003	VEH SIG SEC (12")LED(YEL)	EA	4.0				
682	6005	VEH SIG SEC (12")LED(RED)	EA	6.0				
685	6001	INSTALL RDSD FLASH BEACON ASSEMBLY	EA	3.0				
685	6004	INSTL RDSD FLSH BCN ASSM (SOLAR PWRD)	EA	2.0				
685	6006	REMOV RDSD FLSH BCN AM (SOLAR PWRD)	EΑ	1.0				
6056	6001	PERFORMED IN-LANE (TRANS) RUMBLE STRIP*	LF	80.0				

	CSJ: 2638-01-027 (SH206 @ FM2526)								
ITEM	CODE	DESCRIPTION	UNIT	QUANT.					
416	6029	DRILL SHAFT (RDWY ILL POLE) (30")	LF	40.0					
432	6009	RIPRAP (CONC)(CL B) (4")	CY	1.4					
610	6290	IN RD IL (TY SA) 50T-12 (400W EQ) LED	EA	4.0					
618	6053	CONDT (PVC) (SCH 80) (3")	LF	778.0					
618	6054	CONDT (PVC) (SCH 80) (3") (BORE)	LF	201.0					
620	6007	ELEC CONDR (NO.8) BARE	LF	1853.0					
620	6008	ELEC CONDR (NO.8) INSULATED	LF	3706.0					
624	6002	GROUND BOX TY A (122311) W/APRON	EA	7.0					
628	6165	ELC SRV TY D 120/240 070(NS)AL(E)SP(0)	EA	1.0					
636	6001	ALUMINUM SIGNS (TY A)	SF	96.0					
644	6004	IN SM RD SN SUP&AM TY10BWG(1)SA(T)	EΑ	8.0					
682	6003	VEH SIG SEC (12")LED(YEL)	EA	4.0					
682	6005	VEH SIG SEC (12")LED(RED)	EΑ	8.0					
685	6001	INSTALL RDSD FLASH BEACON ASSEMBLY	EA	4.0					
685	6004	INSTL RDSD FLSH BCN ASSM (SOLAR PWRD)	EA	2.0					
6056	6001	PREFORMED IN-LANE(TRANS) RUMBLE STRIP	LF	160.0					

		CSJ: 0078-05-026 (US67 @ FM2131)		
ITEM	CODE	DESCRIPTION	UNIT	QUANT.
618	6053	CONDT (PVC) (SCH 80) (3")	LF	336.0
618	6054	CONDT (PVC) (SCH 80) (3") (BORE)	LF	210.0
620	6007	ELEC CONDR (NO.8) BARE	LF	541.0
620	6008	ELEC CONDR (NO.8) INSULATED	LF	1082.0
624	6002	GROUND BOX TY A (122311) W/APRON	EA	5.0
636	6001	ALUMINUM SIGNS (TY A)	SF	96.0
644	6004	IN SM RD SN SUP&AM TY10BWG(1)SA(T)	EΑ	8.0
644	6076	REMOVE SM RD SN SUP&AM	EA	2.0
682	6003	VEH SIG SEC (12")LED(YEL)	EΑ	4.0
682	6005	VEH SIG SEC (12")LED(RED)	EA	8.0
685	6001	INSTALL RDSD FLSH BEACON ASSEMBLY	EA	4.0
685	6004	INSTL RDSD FLSH BCN ASSM (SOLAR PWRD)	EΑ	2.0
6056	6001	PERFORMED IN-LANE (TRANS) RUMBLE STRIP*	LF	160.0

		CSJ: 3469-02-007 (FM3418 @ FM2231)		
ITEM	CODE	DESCRIPTION	UNIT	QUANT.
636	6001	ALUMINUM SIGNS (TY A)	SF	64.0
644	6004	IN SM RD SN SUP&AM TY10BWG(1)SA(T)	EΑ	4.0
644	6076	REMOVE SM RD SN SUP&AM	EΑ	1.0
682	6003	VEH SIG SEC (12")LED(YEL)	EΑ	4.0
682	6005	VEH SIG SEC (12")LED(RED)	EΑ	4.0
685	6004	INSTL RDSD FLSH BCN ASSM (SOLAR PWRD)	EΑ	4.0
685	6006	REMOV RDSD FLSH BCN AM (SOLAR PWRD)	EΑ	1.0
6056	6001	PERFORMED IN-LANE (TRANS) RUMBLE STRIP*	LF	80.0

	CSJ: 1032-01-038 (FM580)								
ITEM	CODE	DESCRIPTION	UNIT	QUANT.					
644	6001	IN SM RD SN SUP&AM TY10BWG(1)SA(P)	EA	17.0					
644	6076	REMOVE SM RD SN SUP&AM	EΑ	17.0					
6350	6001	LEAD LED CHEVRON	EΑ	2.0					
6350	6002	LED CHEVRON	EΑ	32.0					



04/02/2022

QUANTITY SUMMARY

NOTE: Information and Quantity for Drill Shafts on Sign Mts are for the contractors information only. (Refer to SPRFBA(1)-13 note 4 stating drill shaft foundations are subsidiary to Bid Item 685).

T	exas	Department of	Transportation
CONT	SECT	JOB	H]GHWAY
0054	09	042	US 84. FT

CONT SECT JOB HIGHWAY

0054 09 042 US 84, ETC.

DIST COUNTY SHEET NO.

BWD MILLS, ETC. 5

BARRICADE AND CONSTRUCTION (BC) STANDARD SHEETS GENERAL NOTES:

- 1. The Barricade and Construction Standard Sheets (BC sheets) are intended to show typical examples for placement of temporary traffic control devices, construction pavement markings, and typical work zone signs. The information contained in these sheets meet or exceed the requirements shown in the "Texas Manual on Uniform Traffic Control Devices" (TMUTCD).
- The development and design of the Traffic Control Plan (TCP) is the responsibility of the Engineer.
- The Contractor may propose changes to the TCP that are signed and sealed by a licensed professional engineer for approval. The Engineer may develop, sign and seal Contractor proposed changes.
- 4. The Contractor is responsible for installing and maintaining the traffic control devices as shown in the plans. The Contractor may not move or change the approximate location of any device without the approval of the Engineer.
- 5. Geometric design of lane shifts and detours should, when possible, meet the applicable design criteria contained in manuals such as the American Association of State Highway and Transportation Officials (AASHTO), "A Policy on Geometric Design of Highways and Streets," the TxDOT "Roadway Design Manual" or engineering judgment.
- When projects abut, the Engineer(s) may omit the END ROAD WORK, TRAFFIC FINES DOUBLE, and other advance warning signs if the signing would be redundant and the work areas appear continuous to the motorists. If the adjacent project is completed first, the Contractor shall erect the necessary warning signs as shown on these sheets, the TCP sheets or as directed by the Engineer. The BEGIN ROAD WORK NEXT X MILES sign shall be revised to show appropriate work zone distance.
- The Engineer may require duplicate warning signs on the median side of divided highways where median width will permit and traffic volumes justify the signing.
- 8. All signs shall be constructed in accordance with the details found in the "Standard Highway Sign Designs for Texas," latest edition. Sign details not shown in this manual shall be shown in the plans or the Engineer shall provide a detail to the Contractor before the sign is manufactured.
- The temporary traffic control devices shown in the illustrations of the BC sheets are examples. As necessary, the Engineer will determine the most appropriate traffic control devices to be used.
- 10. Where highway construction or maintenance work is being undertaken, other than mobile operations as defined by the Texas Manual on Uniform Traffic Control Devices, CSJ limit signs are required. CSJ limit signs are shown on BC(2). The OBEY WARNING SIGNS STATE LAW sign, STAY ALERT TALK OR TEXT LATER and the WORK ZONE TRAFFIC FINES DOUBLE sign with plaque shall be erected in advance of the CSJ limits. The BEGIN ROAD WORK NEXT X MILES. CONTRACTOR and END ROAD WORK signs shall be erected at or near the CSJ limits. For mobile operations, ČSJ limit signs are not required.
- 11. Traffic control devices should be in place only while work is actually in progress or a definite need exists.
- 12. The Engineer has the final decision on the location of all traffic control
- 13. Inactive equipment and work vehicles, including workers' private vehicles must be parked away from travel lanes. They should be as close to the right-of-way line as possible, or located behind a barrier or guardrail, or as approved by the Engineer.

WORKER SAFETY NOTES:

- 1. Workers on foot who are exposed to traffic or to construction equipment within the right-of-way shall wear high-visibility safety apparel meeting the requirements of ISEA "American National Standard for High-Visibility Apparel." or equivalent revisions, and labeled as ANSI 107-2004 standard performance for Class 2 or 3 risk exposure. Class 3 garments should be considered for high traffic volume work areas or night time work.
- 2. Except in emergency situations, flagger stations shall be illuminated when flagging is used at night.

COMPLIANT WORKZONE TRAFFIC CONTROL DEVICES

- 1. Only pre-qualified products shall be used. The "Compliant Work Zone Traffic Control Devices List" (CWZTCD) describes pre-qualified products and their sources.
- 2. Work zone traffic control devices shall be compliant with the Manual for Assessing safety Hardware (MASH).

THE DOCUMENTS BELOW CAN BE FOUND ON-LINE AT http://www.txdot.gov COMPLIANT WORK ZONE TRAFFIC CONTROL DEVICES LIST (CWZTCD) DEPARTMENTAL MATERIAL SPECIFICATIONS (DMS) MATERIAL PRODUCER LIST (MPL) ROADWAY DESIGN MANUAL - SEE "MANUALS (ONLINE MANUALS)" STANDARD HIGHWAY SIGN DESIGNS FOR TEXAS (SHSD) TEXAS MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (TMUTCD) TRAFFIC ENGINEERING STANDARD SHEETS


SHEET 1 OF 12



BARRICADE AND CONSTRUCTION **GENERAL NOTES** AND REQUIREMENTS

BC(1)-21

FILE:	bc-21.dgn	DN: T	<dot< th=""><th>ck: TxDOT</th><th>DW:</th><th>TxDC</th><th>)T</th><th>CK:</th><th>TxDOT</th></dot<>	ck: TxDOT	DW:	TxDC)T	CK:	TxDOT
C TxD0T	November 2002	CONT	SECT	JOB			HIGH	HWAY	1
4-03	REVISIONS 7-13	0054	09	042		US	84	,	ETC.
9-07				COUNTY			SI	HEE.	T NO.
5-10	5-21	BWD	N	IILLS, I	ETC	`.		6	ò



- \sharp May be mounted on back of "ROAD WORK AHEAD" (CW20-1D) sign with approval of Engineer. (See note 2 below)
- The typical minimum signing on a crossroad approach should be a "ROAD WORK AHEAD" (CW20-1D)sign and a (G20-2) "END ROAD WORK" sign, unless noted otherwise in plans.
- 2. The Engineer may use the reduced size 36" x 36" ROAD WORK AHEAD (CW20-1D) sign mounted back to back with the reduced size 36" x 18" "END ROAD WORK" (G20-2) sign on low volume crossroads (see Note 4 under "Typical Construction Warning Sign Size and Spacing"). See the "Standard Highway Sign Designs for Texas" manual for sign details. The Engineer may omit the advance warning signs on low volume crossroads. The Engineer will determine whether a road is low volume as per TMUTCD Part 5. This information shall be shown in the plans.
- Based on existing field conditions, the Engineer/Inspector may require additional signs such as FLAGGER AHEAD, LOOSE GRAVEL, or other appropriate signs. When additional signs are required, these signs will be considered part of the minimum requirements. The Engineer/Inspector will determine the proper location and spacing of any sign not shown on the BC sheets, Traffic Control Plan sheets or the Work Zone Standard Sheets.
- The "ROAD WORK NEXT X MILES" (G20-1aT) sign shall be required at high volume crossroads to advise motorists of the length of construction in either direction from the intersection. The Engineer will determine whether a roadway is considered high volume.
- 5. Additional traffic control devices may be shown elsewhere in the plans for higher volume crossroads. When work occurs in the intersection area, appropriate traffic control devices, as shown elsewhere in the plans or as determined by the Engineer/Inspector, shall be in place.

BEGIN T-INTERSECTION WORK ZONE ★ ★ G20-9TP ★ ★ R20-5T FINES DOUBL X R20-5aTP MORKERS ARE PRESENT ROAD WORK ← NEXT X WILES X X G20-2bT WORK ZONE G20-1bTI INTERSECTED 1000'-1500' - Hwy 1 Block - City 1000'-1500' - Hwy 1 Block - City ROADWAY \Rightarrow ROAD WORK G20-1bTR NEXT X MILES => WORK ZONE G20-2bT * * Limit BEGIN G20-5T * * G20-9TP ZONE TRAFFI G20-6T * * R20-5T FINES DOUBLE * R20-5aTP #HEN HORKERS ARE PRESENT ROAD WORK G20-2

CSJ LIMITS AT T-INTERSECTION

- 1. The Engineer will determine the types and location of any additional traffic control devices, such as a flagger and accompanying signs, or other signs, that should be used when work is being performed at or near an intersection.
- 2. If construction closes the road at a T-intersection, the Contractor shall place the "CONTRACTOR NAME"(G20-6T) sign behind the Type 3 Barricades for the road closure (see BC(10) also). The "ROAD WORK NEXT X MILES" left arrow(G20-1bTL) and "ROAD WORK NEXT X MILES" right arrow (G20-1bTR)" signs shall be replaced by the detour signing called for in the plans.

TYPICAL CONSTRUCTION WARNING SIGN SIZE AND SPACING 1,5,6

SIZE

onventional

48" x 48"

36" × 36'

48" x 48"

SPACING

	_		
Expressway/ Freeway		osted Speed	Sign∆ Spacing "X"
		MPH	Feet (Apprx.)
48" × 48"		30	120
40 % 40		35	160
		40	240
		45	320
48" × 48"		50	400
		55	500 ²
		60	600²
		65	700 ²
48" × 48"		70	800 ²
		75	900 ²
		80	1000 ²
		*	* 3

* For typical sign spacings on divided highways, expressways and freeways, see Part 6 of the "Texas Manual on Uniform Traffic Control Devices" (TMUTCD) typical application diagrams or TCP Standard Sheets.

 \triangle Minimum distance from work area to first Advance Warning sign nearest the work area and/or distance between each additional sign.

GENERAL NOTES

Sign

Number

or Series

CW20'

CW21

CW22

CW23

CW25

CW14

CW1, CW2,

CW7. CW8.

CW9, CW11

CW3, CW4,

CW5, CW6,


CW10, CW12

CW8-3,

- 1. Special or larger size signs may be used as necessary.
- 2. Distance between signs should be increased as required to have 1500 feet advance warning.
- 3. Distance between signs should be increased as required to have 1/2 mile or more advance warning.
- 4. 36" x 36" "ROAD WORK AHEAD" (CW20-1D) signs may be used on low volume crossroads at the discretion of the Engineer as per TMUTCD Part 5. See Note 2 under "Typical Location of Crossroad Signs".
- 5. Only diamond shaped warning sign sizes are indicated.
- 6. See sign size listing in "TMUTCD", Sign Appendix or the "Standard Highway Sign Designs for Texas" manual for complete list of available sign design sizes.

WORK AREAS IN MULTIPLE LOCATIONS WITHIN CSJ LIMITS	SAMPLE LAYOUT OF SIGNING FOR WORK BEGINNING AT THE CSJ LIMITS
ROAD WORK AHEAD AHEAD SX CW20-1D WPH CW13-1P	** ** ** ** ** ** ** ** ** ** ** ** **
Channelizing Devices	WORK SPACE CSJ Limit END SPEED NO-PASSING I ine should coordinate CSJ Limit R2-1 LIMIT WORK ZONE G20-2bT **
When extended distances occur between minimal work spaces, the Engineer/: "ROAD WORK AHEAD"(CW20-1D)signs are placed in advance of these work areas within the project limits. See the applicable TCP sheets for exact locat	to remind drivers they are still G20-2 ** location NOTES
channelizing devices.	The Contractor shall determine the appropri

SAMPLE LAYOUT OF SIGNING FOR WORK BEGINNING DOWNSTREAM OF THE CSJ LIMITS



The Contractor shall determine the appropriate distance to be placed on the G20-1 series signs and "BEGIN ROAD WORK NEXT X MILES" (G20-5T) sign for each specific project. This distance shall replace the "X" and shall be rounded to the nearest whole mile with the approval of the Engineer.

- The "BEGIN WORK ZONE" (G20-9TP) and "END WORK ZONE" (G20-2b1 shall be used as shown on the sample layout when advance signs are required outside the CSJ Limits. They inform the motorist of entering or leaving a part of the work zone lying outside the CSJ Limits where traffic fines may double if workers are present.
- ** CSJ limit signing is required for highway construction and maintenance work, with the exception of mobile operations.
- Area for placement of "ROAD WORK AHEAD" (CW20-1D) sign and other signs or devices as called for on the Traffic
- Contractor will install a regulatory speed limit sign at the end of the work zone.

LEGEND								
ı—ı Туре 3 Barricade								
000 Channelizing Devices								
♣ Sign								
X	See Typical Construction Warning Sign Size and Spacing chart or the TMUTCD for sign spacing requirements.							

SHEET 2 OF 12

Texas Department of Transportation

Traffic Safety


BARRICADE AND CONSTRUCTION PROJECT LIMIT

BC(2)-21

ILE:	bc-21.dgn	DN: T	<dot< th=""><th>ck: TxDOT</th><th>DW:</th><th>TxDC</th><th>)T</th><th>ск: TxDOT</th></dot<>	ck: TxDOT	DW:	TxDC)T	ск: TxDOT	
C) TxDOT	November 2002	CONT	SECT	JOB			HIGH	YAW	
	REVISIONS	0054	09	042		US	84	, ETC.	
9-07 8-14 7-13 5-21	•	DIST	COUNTY				SHEET NO.		
	5-21	BWD	N	IILLS, I	ETC	· .		7	

TYPICAL APPLICATION OF WORK ZONE SPEED LIMIT SIGNS

Work zone speed limits shall be regulatory, established in accordance with the "Procedures for Establishing Speed Zones," and approved by the Texas Transportation Commission, or by City Ordinance when within Incorporated City Limits.



GUIDANCE FOR USE:

LONG/INTERMEDIATE TERM WORK ZONE SPEED LIMITS

This type of work zone speed limit should be included on the design of the traffic control plans when restricted geometrics with a lower design speed are present in the work zone and modification of the geometrics to a higher design speed is not feasible.

Long/Intermediate Term Work Zone Speed Limit signs, when approved as described above, should be posted and visible to the motorist when work activity is present. Work activity may also be defined as a change in the roadway that requires a reduced speed for motorists to safely negotiate the work area, including:

- a) rough road or damaged pavement surface
- b) substantial alteration of roadway geometrics (diversions)
- c) construction detours
- d) grade
- e) width
- f) other conditions readily apparent to the driver

As long as any of these conditions exist, the work zone speed limit signs should remain in place.

SHORT TERM WORK ZONE SPEED LIMITS

This type of work zone speed limit may be included on the design of the traffic control plans when workers or equipment are not behind concrete barrier, when work activity is within 10 feet of the traveled way or actually in the traveled way.

Short Term Work Zone Speed Limit signs should be posted and visible to the motorists only when work activity is present. When work activity is not present, signs shall be removed or covered. (See Removing or Covering on BC(4)).

GENERAL NOTES

- Regulatory work zone speed limits should be used only for sections of construction projects where speed control is of major importance.
- Regulatory work zone speed limit signs shall be placed on supports at a 7 foot minimum mounting height.
- 3. Speed zone signs are illustrated for one direction of travel and are normally posted for each direction of travel.
- 4. Frequency of work zone speed limit signs should be:

40 mph and greater 0.2 to 2 miles

35 mph and less 0.2 to 1 mile

- 5. Regulatory speed limit signs shall have black legend and border on a white reflective background (See "Reflective Sheeting" on BC(4)).
- Fabrication, erection and maintenance of the "ADVANCE SPEED LIMIT" (CW3-5) sign, "WORK ZONE" (G20-5aP) plaque and the "SPEED LIMIT" (R2-1) signs shall not be paid for directly, but shall be considered subsidiary to Item 502.
- 7. Turning signs from view, laying signs over or down will not be allowed, unless as otherwise noted under "REMOVING OR COVERING" on BC(4).
- Techniques that may help reduce traffic speeds include but are not limited to:
 A. Law enforcement.
 - B. Flagger stationed next to sign.
 - C. Portable changeable message sign (PCMS).
 - D. Low-power (drone) radar transmitter.
 - E. Speed monitor trailers or signs.
- Speeds shown on details above are for illustration only.
 Work Zone Speed Limits should only be posted as approved for each project.
- 10. For more specific guidance concerning the type of work, work zone conditions and factors impacting allowable regulatory construction speed zone reduction see TxDOT form #1204 in the TxDOT e-form system.

SHEET 3 OF 12




Traffic Safety Division Standard

BARRICADE AND CONSTRUCTION WORK ZONE SPEED LIMIT


BC(3)-21

ILE:	bc-21.dgn	DN: Tx[70C	ck: TxDOT	DW:	TxDC)T (ck: TxDOT
TxDOT	November 2002	CONT	SECT	JOB			HIGH	IWAY
		0054	09	042		US	84,	, ETC.
9-07 8-14 7-13 5-21	•	DIST	COUNTY			SHEET NO.		
	3-21	BWD	M	IILLS, E	ETC	· •		8




* When placing skid supports on unlevel ground, the leg post lengths must be adjusted so the sign appears straight and plumb. Objects shall NOT be placed under skids as a means of leveling.

* * When plaques are placed on dual-leg supports, they should be attached to the upright nearest the travel lane. Supplemental plaques (advisory or distance) should not cover the surface of the parent sign.



Splicing embedded perforated square metal tubing in order to extend post height will only be allowed when the splice is made using four bolts, two above and two below the spice point. Splice must be located entirely behind the sign substrate, not near the base of the support. Splice insert lengths should be at least 5 times nominal post size, centered on the splice and of at least the same gauge material.




Attachment to wooden supports will be by bolts and nuts or screws. Use TxDOT's or manufacturer's recommended procedures for attaching sign substrates to other types of sign supports

Nails shall NOT be allowed. Each sign shall be attached directly to the sign support. Multiple signs shall not be joined or spliced by any means. Wood supports shall not be extended or repaired by splicing or other means.

STOP/SLOW PADDLES

- 1. STOP/SLOW paddles are the primary method to control traffic by flaggers. The STOP/SLOW paddle size should be 24" x 24". STOP/SLOW paddles shall be retroreflectorized when used at night.
- 3. STOP/SLOW paddles may be attached to a staff with a minimum length of 6' to the bottom of the sign.
- 4. Any lights incorporated into the STOP or SLOW paddle faces shall only be as specifically described in Section 6E.03 Hand Signaling Devices in the TMUTCD.



SHEETING REQUIREMENTS (WHEN USED AT NIGHT)								
USAGE	COLOR	SIGN FACE MATERIAL						
BACKGROUND	RED	TYPE B OR C SHEETING						
BACKGROUND	ORANGE	TYPE B _{FL} OR C _{FL} SHEETING						
LEGEND & BORDER	WHITE	TYPE B OR C SHEETING						
LEGEND & BORDER	BLACK	ACRYLIC NON-REFLECTIVE FILM						

CONTRACTOR REQUIREMENTS FOR MAINTAINING PERMANENT SIGNS WITHIN THE PROJECT LIMITS

- Permanent signs are used to give notice of traffic laws or regulations, call attention to conditions that are potentially hazardous to traffic operations, show route designations, destinations, directions, distances, services, points of interest, and other geographical, recreational, specific service (LOGO), or cultural information. Drivers proceeding through a work zone need the same, if not better route guidance as normally installed on a roadway without construction.
- When permanent regulatory or warning signs conflict with work zone conditions, remove or cover the permanent signs until the permanent sign message matches the roadway condition. For details for covering large guide signs see the TS-CD standard.
- When existing permanent signs are moved and relocated due to construction purposes, they shall be visible to motorists at all times.
- If existing signs are to be relocated on their original supports, they shall be installed on crashworthy bases as shown on the SMD Standard sheets. The signs shall meet the required mounting heights shown on the BC Sheets or the SMD Standards. This work should be paid for under the appropriate pay item for relocating existing signs.
- If permanent signs are to be removed and relocated using temporary supports. the Contractor shall use crashworthy supports as shown on the BC standard sheets, TLRS standard sheets or the CW7TCD list. The signs shall meet the required mounting heights shown on the BC, or the SMD standard sheets during construction. This work should be paid for under the appropriate pay item for relocating existing signs.
- Any sign or traffic control device that is struck or damaged by the Contractor or his/her construction equipment shall be replaced as soon as possible by the Contractor to ensure proper guidance for the motorists. This will be subsidiary to Item 502.

GENERAL NOTES FOR WORK ZONE SIGNS

- Contractor shall install and maintain signs in a straight and plumb condition and/or as directed by the Engineer.
- Wooden sign posts shall be painted white.
- Barricades shall NOT be used as sign supports.
- All signs shall be installed in accordance with the plans or as directed by the Engineer. Signs shall be used to regulate, warn, and guide the traveling public safely through the work zone.
- The Contractor may furnish either the sign design shown in the plans or in the "Standard Highway Sign Designs for Texas" (SHSD). The Engineer/Inspector may require the Contractor to furnish other work zone signs that are shown in the TMUTCD but may have been omitted from the plans. Any variation in the plans shall be documented by written agreement between the Engineer and the Contractor's Responsible Person. All changes must be documented in writing before being implemented. This can include documenting the changes in the Inspector's TxDOT diary and having both the Inspector and Contractor initial and date the agreed upon changes.
- The Contractor shall furnish sign supports listed in the "Compliant Work Zone Traffic Control Device List" (CWZTCD) for small roadside signs. Supports for temporary large roadside signs shall meet the requirements detailed on the Temporary Large Roadside Signs (TLRS) standard sheets. The Contractor shall install the sign support in accordance with the manufacturer's recommendations. If there is a question reaardina installation procedures, the Contractor shall furnish the Engineer a copy of the manufacturer's installation recommendations so the Engineer can verify the correct procedures are being followed.
- The Contractor is responsible for installing signs on approved supports and replacing signs with damaged or cracked substrates and/or damaged or marred reflective sheeting as directed by the Engineer/Inspector.
- Identification markings may be shown only on the back of the sign substrate. The maximum height of letters and/or company logos used for identification shall be 1 inch.
- The Contractor shall replace damaged wood posts. New or damaged wood sign posts shall not be spliced.

<u>DURATION OF WORK (as defined by the "Texas Manual on Uniform Traffic Control Devices" Part 6)</u>

- The types of sign supports, sign mounting height, the size of signs, and the type of sign substrates can vary based on the type of work being performed. The Engineer is responsible for selecting the appropriate size sign for the type of work being performed. The Contractor is responsible for ensuring the sign support, sign mounting height and substrate meets manufacturer's recommendations in regard to crashworthiness and duration of work requirements.
- a. Long-term stationary work that occupies a location more than 3 days.
- Intermediate-term stationary work that occupies a location more than one daylight period up to 3 days, or nighttime work lasting more than one hour.
- Short-term stationary daytime work that occupies a location for more than 1 hour in a single daylight period.
- Short, duration work that occupies a location up to 1 hour.
- Mobile work that moves continuously or intermittently (stopping for up to approximately 15 minutes.)

SIGN MOUNTING HEIGHT

- The bottom of Long-term/Intermediate-term signs shall be at least 7 feet, but not more than 9 feet, above the paved surface, except as shown for supplemental plagues mounted below other signs.
- The bottom of Short-term/Short Duration signs shall be a minimum of 1 foot above the pavement surface but no more than 2 feet above
- the ground. Long-term/Intermediate-term Signs may be used in lieu of Short-term/Short Duration signing.
- Short-term/Short Duration signs shall be used only during daylight and shall be removed at the end of the workday or raised to appropriate Long-term/Intermediate sign height.
- Regulatory signs shall be mounted at least 7 feet, but not more than 9 feet, above the paved surface regardless of work duration.

SIZE OF SIGNS

The Contractor shall furnish the sign sizes shown on BC (2) unless otherwise shown in the plans or as directed by the Engineer.

SIGN SUBSTRATES

- The Contractor shall ensure the sign substrate is installed in accordance with the manufacturer's recommendations for the type of sign support that is being used. The CWZTCD lists each substrate that can be used on the different types and models of sign supports.
- "Mesh" type materials are NOT an approved sign substrate, regardless of the tightness of the weave.
- All wooden individual sign panels fabricated from 2 or more pieces shall have one or more plywood cleat, 1/2" thick by 6" wide, fastened to the back of the sign and extending fully across the sign. The cleat shall be attached to the back of the sign using wood screws that do not penetrate the face of the sign panel. The screws shall be placed on both sides of the splice and spaced at 6" centers. The Engineer may approve other methods of splicing the sign face.

REFLECTIVE SHEETING

- 1. All signs shall be retroreflective and constructed of sheeting meeting the color and retro-reflectivity requirements of DMS-8300
- for rigid signs or DMS-8310 for roll-up signs. The web address for DMS specifications is shown on BC(1).
- White sheeting, meeting the requirements of DMS-8300 Type A, shall be used for signs with a white background. 3. Orange sheeting, meeting the requirements of DMS-8300 Type B_{FL} or Type C_{FL} , shall be used for rigid signs with orange backgrounds.

SIGN LETTERS

1. All sign letters and numbers shall be clear, and open rounded type uppercase alphabet letters as approved by the Federal Highway Administration (FHWA) and as published in the "Standard Highway Sign Design for Texas" manual. Signs, letters and numbers shall be of first class workmanship in accordance with Department Standards and Specifications.

REMOVING OR COVERING

- When sign messages may be confusing or do not apply, the signs shall be removed or completely covered.
- Long-term stationary or intermediate stationary signs installed on square metal tubing may be turned away from traffic 90 degrees when the sign message is not applicable. This technique may not be used for signs installed in the median of divided highways or near any intersections where the sign may be seen from approaching traffic.
- Signs installed on wooden skids shall not be turned at 90 degree angles to the roadway. These signs should be removed or completely covered when not required.
- When signs are covered, the material used shall be opaque, such as heavy mil black plastic, or other materials which will cover the entire sign face and maintain their opaque properties under automobile headlights at night, without damaging the sign sheeting.
- Burlap shall NOT be used to cover signs. Duct tape or other adhesive material shall NOT be affixed to a sign face.
- Signs and anchor stubs shall be removed and holes backfilled upon completion of work.

SIGN SUPPORT WEIGHTS

- 1. Where sign supports require the use of weights to keep from turning over, the use of sandbags with dry, cohesionless sand should be used. The sandbags will be tied shut to keep the sand from spilling and to maintain a
- constant weight.
- Rock, concrete, iron, steel or other solid objects shall not be permitted for use as sign support weights. Sandbags should weigh a minimum of 35 lbs and a maximum of 50 lbs.
- Sandbags shall be made of a durable material that tears upon vehicular
- impact. Rubber (such as tire inner tubes) shall NOT be used. Rubber ballasts designed for channelizing devices should not be used for ballast on portable sign supports. Sign supports designed and manufactured
- with rubber bases may be used when shown on the CWZTCD list. Sandbags shall only be placed along or laid over the base supports of the traffic control device and shall not be suspended above ground level or hung with rope, wire, chains or other fasteners. Sandbags shall be placed along the length of the skids to weigh down the sign support.
- Sandbags shall NOT be placed under the skid and shall not be used to level sign supports placed on slopes.

FLAGS ON SIGNS

1. Flags may be used to draw attention to warning signs. When used, the flag shall be 16 inches square or larger and shall be orange or fluorescent red-orange in color. Flags shall not be allowed to cover any portion of the sign face.

SHEET 4 OF 12



BARRICADE AND CONSTRUCTION TEMPORARY SIGN NOTES

BC (4) -21

LE:	bc-21.dgn	DN: T	<dot< th=""><th>ck: TxDOT</th><th>DW:</th><th>TxDC</th><th>)T</th><th>CK:</th><th>: TxDOT</th></dot<>	ck: TxDOT	DW:	TxDC)T	CK:	: TxDOT
)TxDOT	November 2002	CONT	SECT	JOB			HIG	HWA	ιY
		0054	09	042		US	84	,	ETC.
9-07	9-07 8-14 7-13 5-21	DIST	COUNTY			SHEET NO.			
7-13		BWD	l N	IILLS, I	ETC	: .		-	9



10:16:

opposite sides going in opposite directions. Minimum

weld, do not

back fill puddle.

weld starts here


-2" x 2"

12 ga.

upright


2"

SINGLE LEG BASE



GROUND MOUNTED SIGN SUPPORTS

Refer to the CWZTCD and the manufacturer's installation procedure for each type sign support. The maximum sign square footage shall adhere to the manufacturer's recommendation. Two post installations can be used for larger signs.



WEDGE ANCHORS

Both steel and plastic Wedge Anchor Systems as shown on the SMD Standard Sheets may be used as temporary sign supports for signs up to 10 square feet of sign face. They may be set in concrete or in sturdy soils if approved by the Engineer. (See web address for "Traffic Engineering Standard Sheets" on BC(1)).

OTHER DESIGNS

MORE DETAILS OF APPROVED LONG/INTERMEDIATE AND SHORT TERM SUPPORTS CAN BE FOUND ON THE CWZTCD LIST. SEE BC(1) FOR WEBSITE LOCATION.

GENERAL NOTES

- Nails may be used in the assembly of wooden sign supports, but 3/8" bolts with nuts or 3/8" x 3 1/2" lag screws must be used on every joint for final
- No more than 2 sign posts shall be placed within a 7 ft. circle, except for specific materials noted on the CW7TCD List.
- When project is completed, all sign supports and foundations shall be removed from the project site. This will be considered subsidiary to Item 502.
 - See BC(4) for definition of "Work Duration."
 - Wood sign posts MUST be one piece. Splicing will NOT be allowed. Posts shall be painted white.
 - ☐ See the CWZTCD for the type of sign substrate that can be used for each approved sign support.

SHEET 5 OF 12



Traffic Safety Division Standard

BARRICADE AND CONSTRUCTION TYPICAL SIGN SUPPORT

BC(5)-21

FILE:	bc-21.dgn	DN: T	<dot< th=""><th>ck: TxDOT</th><th>DW:</th><th>TxDOT</th><th>CH</th><th><: TxDOT</th></dot<>	ck: TxDOT	DW:	TxDOT	CH	<: TxDOT
© TxDOT	November 2002	CONT	SECT	JOB		H)	GHW	ΑY
		0054	09	042		US 8	4,	ETC.
9-07	8-14	DIST		COUNTY			SHE	ET NO.
7-13	5-21	BWD	N.	IILLS,	ETC			10

SKID MOUNTED PERFORATED SQUARE STEEL TUBING SIGN SUPPORTS

* LONG/INTERMEDIATE TERM STATIONARY - PORTABLE SKID MOUNTED SIGN SUPPORTS

32′

PORTABLE CHANGEABLE MESSAGE SIGNS

- The Engineer/Inspector shall approve all messages used on portable changeable message signs (PCMS).
- Messages on PCMS should contain no more than 8 words (about four to eight characters per word), not including simple words such as "TO," "FOR," "AT," etc.
- Messages should consist of a single phase, or two phases that alternate. Three-phase messages are not allowed. Each phase of the message should convey a single thought, and must be understood by itself.
- Use the word "EXIT" to refer to an exit ramp on a freeway; i.e., "EXIT CLOSED." Do not use the term "RAMP."
- Always use the route or interstate designation (IH, US, SH, FM) along with the number when referring to a roadway.
- When in use, the bottom of a stationary PCMS message panel should be a minimum 7 feet above the roadway, where possible.
- 7. The message term "WEEKEND" should be used only if the work is to start on Saturday morning and end by Sunday evening at midnight. Actual days and hours of work should be displayed on the PCMS if work is to begin on Friday evening and/or continue into Monday morning.
- 8. The Engineer/Inspector may select one of two options which are available for displaying a two-phase message on a PCMS. Each phase may be displayed for either four seconds each or for three seconds each.
- Do not "flash" messages or words included in a message. The message should be steady burn or continuous while displayed.
- 10. Do not present redundant information on a two-phase message; i.e., keeping two lines of the message the same and changing the third line.
- 11. Do not use the word "Danger" in message.

is governed by the "Texas Engineering Practice Act". No warranty of any purpose whatsoever. TxD01 assumes no responsibility for the conversion mots or for incorrect results or damages resulting from its use.

- Do not display the message "LANES SHIFT LEFT" or "LANES SHIFT RIGHT" on a PCMS. Drivers do not understand the message.
- 13. Do not display messages that scroll horizontally or vertically across the face of the sign.
- 14. The following table lists abbreviated words and two-word phrases that are acceptable for use on a PCMS. Both words in a phrase must be displayed together. Words or phrases not on this list should not be abbreviated, unless shown in the TMUTCD.
- 15. PCMS character height should be at least 18 inches for trailer mounted units. They should be visible from at least 1/2 (.5) mile and the text should be legible from at least 600 feet at night and 800 feet in daylight. Truck mounted units must have a character height of 10 inches and must be legible from at least 400 feet.
- Each line of text should be centered on the message board rather than left or right justified.
- 17. If disabled, the PCMS should default to an illegible display that will not alarm motorists and will only be used to alert workers that the PCMS has malfunctioned. A pattern such as a series of horizontal solid bars is appropriate.

WORD OR PHRASE	ABBREVIATION	WORD OR PHRASE	ABBREVIATION
Access Road	ACCS RD	Major	MAJ
Alternate	ALT	Miles	MI
Avenue	AVE	Miles Per Hour	MPH
Best Route	BEST RTE	Minor	MNR
Boulevard	BLVD	Monday	MON
Bridge	BRDG	Normal	NORM
Cannot	CANT	North	N
Center	CTR	Northbound	(route) N
Construction Ahead	CONST AHD	Parking	PK ING RD
CROSSING	XING	Road	
Detour Route	DETOUR RTE	Right Lane	RT LN SAT
Do Not	DONT	Saturday	
East	F	Service Road	SERV RD
Eastbound	(route) E	Shoulder	SHLDR
Emergency	EMER	Slippery	SLIP
		South	S
Entrance, Enter	ENT	Southbound	(route) S
Express Lane	EXP LN	Speed	SPD
Expressway	EXPWY	Street	ST
XXXX Feet	XXXX FT	Sunday	SUN
Fog Ahead	FOG AHD	Telephone	PHONE
Freeway	FRWY, FWY	Temporary	TEMP
Freeway Blocked	FWY BLKD	Thursday	THURS
Friday	FRI	To Downtown	TO DWNTN
Hazardous Driving		Traffic	TRAF
Hazardous Material	HAZ DRIVINO	Travelers	TRVLRS
High-Occupancy	HOV	Tuesday	TUES
Vehicle		Time Minutes	TIME MIN
Highway	HWY	Upper Level	UPR LEVEL
Hour (s)	HR, HRS	Vehicles (s)	VEH, VEHS
Information	INFO	Warning	WARN
It Is	ITS	Wednesday	WED
Junction	JCT	Weight Limit	WT LIMIT
Left	LFT	West	W
Left Lane	LFT LN	Westbound	(route) W
Lane Closed	LN CLOSED	Wet Pavement	WET PVMT
Lower Level	LWR LEVEL	Will Not	WONT
Maintenance	MAINT		

Roadway

designation # IH-number, US-number, SH-number, FM-number

RECOMMENDED PHASES AND FORMATS FOR PCMS MESSAGES DURING ROADWORK ACTIVITIES

(The Engineer may approve other messages not specifically covered here.)

Phase 1: Condition Lists

Road/Lane/Ram	p Closure List	Other Cond	dition List
FREEWAY CLOSED X MILE	FRONTAGE ROAD CLOSED	ROADWORK XXX FT	ROAD REPAIRS XXXX FT
ROAD CLOSED AT SH XXX	SHOULDER CLOSED XXX FT	FLAGGER XXXX FT	LANE NARROWS XXXX FT
ROAD CLSD AT FM XXXX	RIGHT LN CLOSED XXX FT	RIGHT LN NARROWS XXXX FT	TWO-WAY TRAFFIC XX MILE
RIGHT X LANES CLOSED	RIGHT X LANES OPEN	MERGING TRAFFIC XXXX FT	CONST TRAFFIC XXX FT
CENTER LANE CLOSED	DAYTIME LANE CLOSURES	LOOSE GRAVEL XXXX FT	UNEVEN LANES XXXX FT
NIGHT LANE CLOSURES	I-XX SOUTH EXIT CLOSED	DETOUR X MILE	ROUGH ROAD XXXX FT
VARIOUS LANES CLOSED	EXIT XXX CLOSED X MILE	ROADWORK PAST SH XXXX	ROADWORK NEXT FRI-SUN
EXIT CLOSED	RIGHT LN TO BE CLOSED	BUMP XXXX FT	US XXX EXIT X MILES
MALL DRIVEWAY CLOSED	X LANES CLOSED TUE - FRI	TRAFFIC SIGNAL XXXX FT	LANES SHIFT
xxxxxxx			

* LANES SHIFT in Phase 1 must be used with STAY IN LANE in Phase 2.

Phase 2: Possible Component Lists

	/Effect on Travel	Location List	Warning List	* * Advance Notice List
MERGE RIGHT	FORM X LINES RIGHT	AT FM XXXX	SPEED LIMIT XX MPH	TUE-FRI XX AM- X PM
DETOUR NEXT X EXITS	USE XXXXX RD EXIT	BEFORE RAILROAD CROSSING	MAXIMUM SPEED XX MPH	APR XX- XX X PM-X AM
USE EXIT XXX	USE EXIT I-XX NORTH	NEXT X MILES	MINIMUM SPEED XX MPH	BEGINS MONDAY
STAY ON US XXX SOUTH	USE I-XX E TO I-XX N	PAST US XXX EXIT	ADVISORY SPEED XX MPH	BEGINS MAY XX
TRUCKS USE US XXX N	WATCH FOR TRUCKS	XXXXXXX TO XXXXXXX	RIGHT LANE EXIT	MAY X-X XX PM - XX AM
WATCH FOR TRUCKS	EXPECT DELAYS	US XXX TO FM XXXX	USE CAUTION	NEXT FRI-SUN
EXPECT DELAYS	PREPARE TO STOP		DRIVE SAFELY	XX AM TO XX PM
REDUCE SPEED XXX FT	END SHOULDER USE		DRIVE WITH CARE	NEXT TUE AUG XX
USE OTHER ROUTES	WATCH FOR WORKERS			TONIGHT XX PM- XX AM
STAY IN LANE	*	** \$	See Application Guidelin	es Note 6.

APPLICATION GUIDELINES

- 1. Only 1 or 2 phases are to be used on a PCMS.
- The 1st phase (or both) should be selected from the "Road/Lane/Ramp Closure List" and the "Other Condition List".
- A 2nd phase can be selected from the "Action to Take/Effect on Travel, Location, General Warning, or Advance Notice Phase Lists".
- A Location Phase is necessary only if a distance or location is not included in the first phase selected.
- If two PCMS are used in sequence, they must be separated by a minimum of 1000 ft. Each PCMS shall be limited to two phases, and should be understandable by themselves.
- 6. For advance notice, when the current date is within seven days of the actual work date, calendar days should be replaced with days of the week. Advance notification should typically be for no more than one week prior to the work.

WORDING ALTERNATIVES

- 1. The words RIGHT, LEFT and ALL can be interchanged as appropriate.
- Roadway designations IH, US, SH, FM and LP can be interchanged as appropriate.
- EAST, WEST, NORTH and SOUTH (or abbreviations E, W, N and S) can be interchanged as appropriate.
- 4. Highway names and numbers replaced as appropriate.
- 5. ROAD, HIGHWAY and FREEWAY can be interchanged as needed.
- AHEAD may be used instead of distances if necessary.
- 7. FT and MI, MILE and MILES interchanged as appropriate.
 8. AT. BEFORE and PAST interchanged as needed.
- 9. Distances or AHEAD can be eliminated from the message if a location phase is used.

PCMS SIGNS WITHIN THE R.O.W. SHALL BE BEHIND GUARDRAIL OR CONCRETE BARRIER OR SHALL HAVE A MINIMUM OF FOUR (4)
PLASTIC DRUMS PLACED PERPENDICULAR TO TRAFFIC ON THE UPSTREAM SIDE OF THE PCMS, WHEN EXPOSED TO ONE DIRECTION OF TRAFFIC. WHEN EXPOSED TO TWO WAY TRAFFIC, THE FOUR DRUMS SHOULD BE PLACED WITH ONE DRUM AT EACH OF THE FOUR CORNERS OF THE UNIT.


FULL MATRIX PCMS SIGNS

BLVD

CLOSED

- 1. When Full Matrix PCMS signs are used, the character height and legibility/visibility requirements shall be maintained as listed in Note 15 under "PORTABLE CHANGEABLE MESSAGE SIGNS" above.
- 2. When symbol signs, such as the "Flagger Symbol"(CW20-7) are represented graphically on the Full Matrix PCMS sign and, with the approval of the Engineer, it shall maintain the legibility/visibility requirement listed above.
- s. When symbol signs are represented graphically on the Full Matrix PCMS, they shall only supplement the use of the static sign represented, and shall not substitute for, or replace that sign.
- 4. A full matrix PCMS may be used to simulate a flashing arrow board provided it meets the visibility, flash rate and dimming requirements on BC(7), for the same size arrow.

SHEET 6 OF 12



Traffic Safety Division Standard

PORTABLE CHANGEABLE MESSAGE SIGN (PCMS)


BC(6)-21

FILE:	bc-21.dgn	DN: T	OOT	ck: TxDOT	DW:	TxDO	T	ck: TxDOT
© TxD0T	November 2002	CONT	SECT	JOB		HIGHWAY		
REVISIONS		0054	09	042		US	84,	, ETC.
9-07	8-14	DIST	COUNTY			SHEET NO.		
7-13	5-21	BWD	V	IILLS, E	ETC			11

[1


100

- Barrier Reflectors shall be pre-qualified, and conform to the color and reflectivity requirements of DMS-8600. A list of pregualified Barrier Reflectors can be found at the Material Producer List web address shown on BC(1).
- 2. Color of Barrier Reflectors shall be as specified in the TMUTCD. The cost of the reflectors shall be considered subsidiary to Item 512.



CONCRETE TRAFFIC BARRIER (CTB)

- 3. Where traffic is on one side of the CTB, two (2) Barrier Reflectors shall be mounted in approximately the midsection of each section of CTB. An alternate mounting location is uniformly spaced at one end of each CTB. This will allow for attachment of a barrier grapple without damaging the reflector. The Barrier Reflector mounted on the side of the CTB shall be located directly below the reflector mounted on top of the barrier, as shown in the detail above.
- 4. Where CTB separates two-way traffic, three barrier reflectors shall be mounted on each section of CTB. The reflector unit on top shall have two yellow reflective faces (Bi-Directional) while the reflectors on each side of the barrier shall have one yellow reflective face, as shown in the detail above.
- 5. When CTB separates traffic traveling in the same direction, no barrier reflectors will be required on top of the CTB.
- 6. Barrier Reflector units shall be yellow or white in color to match the edgeline being supplemented.
- 7. Maximum spacing of Barrier Reflectors is forty (40) feet.
- 8. Pavement markers or temporary flexible-reflective roadway marker tabs shall NOT be used as CTB delineation.
- 9. Attachment of Barrier Reflectors to CTB shall be per manufacturer's
- 10. Missing or damaged Barrier Reflectors shall be replaced as directed by the Engineer
- 11. Single slope barriers shall be delineated as shown on the above detail.




LOW PROFILE CONCRETE BARRIER (LPCB)

reflectors is 20 feet.

Attach the delineators as per manufacturer's recommendations.

IN WORK ZONES



DELINEATION OF END TREATMENTS

END TREATMENTS FOR CTB'S USED IN WORK ZONES

End treatments used on CTB's in work zones shall meet the apppropriate crashworthy standards as defined in the Manual for Assessing Safety Hardware (MASH), Refer to the CWZTCD List for approved end treatments and manufacturers.

BARRIER REFLECTORS FOR CONCRETE TRAFFIC BARRIER AND ATTENUATORS

WARNING LIGHTS

Warning reflector may be round

or square. Must have a yellow

reflective surface area of at least

30 square inches

- 1. Warning lights shall meet the requirements of the TMUTCD.
- 2. Warning lights shall NOT be installed on barricades.
- 3. Type A-Low Intensity Flashing Warning Lights are commonly used with drums. They are intended to warn of or mark a potentially hazardous area. Their use shall be as indicated on this sheet and/or other sheets of the plans by the designation "FL". The Type A Warning Lights shall not be used with signs manufactured with Type B_{FL} or C_{FL} Sheeting meeting the requirements of Departmental Material Specification DMS-8300.
- 4. Type-C and Type D 360 degree Steady Burn Lights are intended to be used in a series for delineation to supplement other traffic control devices. Their use shall be as indicated on this sheet and/or other sheets of the plans by the designation "SB".
- 5. The Engineer/Inspector or the plans shall specify the location and type of warning lights to be installed on the traffic control devices.
- 6. When required by the Engineer, the Contractor shall furnish a copy of the warning lights certification. The warning light manufacturer will certify the warning lights meet the requirements of the latest ITE Purchase Specifications for Flashing and Steady-Burn Warning Lights.
- 7. When used to delineate curves, Type-C and Type D Steady Burn Lights should only be placed on the outside of the curve, not the inside.
- 8. The location of warning lights and warning reflectors on drums shall be as shown elsewhere in the plans.

WARNING LIGHTS MOUNTED ON PLASTIC DRUMS

- 1. Type A flashing warning lights are intended to warn drivers that they are approaching or are in a potentially hazardous area.
- 2. Type A random flashing warning lights are not intended for delineation and shall not be used in a series.
- 3. A series of sequential flashing warning lights placed on channelizing devices to form a merging taper may be used for delineation. If used, the successive flashing of the sequential warning lights should occur from the beginning of the taper to the end of the merging taper in order to identify the desired vehicle path. The rate of flashing for each light shall be 65 flashes per minute, plus or minus 10 flashes.
- 4. Type C and D steady-burn warning lights are intended to be used in a series to delineate the edge of the travel lane on detours, on lane changes, on lane closures, and on other similar conditions.
- 5. Type A, Type C and Type D warning lights shall be installed at locations as detailed on other sheets in the plans.
- 6. Warning lights shall not be installed on a drum that has a sign, chevron or vertical panel.
- 7. The maximum spacing for warning lights on drums should be identical to the channelizing device spacing.


WARNING REFLECTORS MOUNTED ON PLASTIC DRUMS AS A SUBSTITUTE FOR TYPE C (STEADY BURN) WARNING LIGHTS

- 1. A warning reflector or approved substitute may be mounted on a plastic drum as a substitute for a Type C, steady burn warning light at the discretion of the Contractor unless otherwise noted in the plans.
- 2. The warning reflector shall be yellow in color and shall be manufactured using a sign substrate approved for use with plastic drums listed
- 3. The warning reflector shall have a minimum retroreflective surface area (one-side) of 30 square inches.
- 4. Round reflectors shall be fully reflectorized, including the area where attached to the drum.
- 5. Square substrates must have a minimum of 30 square inches of reflectorized sheeting. They do not have to be reflectorized where it attaches to the drum.
- 6. The side of the warning reflector facing approaching traffic shall have sheeting meeting the color and retroreflectivity requirements for DMS 8300-Type B or Type C.
- 7. When used near two-way traffic, both sides of the warning reflector shall be reflectorized.
- 8. The warning reflector should be mounted on the side of the handle nearest approaching traffic.
- 9. The maximum spacing for warning reflectors should be identical to the channelizing device spacing requirements.

Arrow Boards may be located behind channelizing devices in place for a shoulder taper or merging taper, otherwise they shall be delineated with four (4) channelizing devices placed perpendicular to traffic on the upstream side of traffic.

- 1. The Flashing Arrow Board should be used for all lane closures on multi-lane roadways, or slow moving maintenance or construction activities on the travel lanes.

 2. Flashing Arrow Boards should not be used on two-lane, two-way roadways, detours, diversions
- or work on shoulders unless the "CAUTION" display (see detail below) is used.
- The Engineer/Inspector shall choose all appropriate signs, barricades and/or other traffic control devices that should be used in conjunction with the Flashing Arrow Board.
- 4. The Flashing Arrow Board should be able to display the following symbols:



- 5. The "CAUTION" display consists of four corner lamps flashing simultaneously, or the Alternating Diamond Caution mode as shown.
- The straight line caution display is NOT ALLOWED.
- The Flashing Arrow Board shall be capable of minimum 50 percent dimming from rated lamp voltage.
 The flashing rate of the lamps shall not be less than 25 nor more than 40 flashes per minute.
 Minimum lamp "on time" shall be approximately 50 percent for the flashing arrow and equal

- intervals of 25 percent for each sequential phase of the flashing chevron.

 9. The sequential arrow display is NOT ALLOWED.

 10. The flashing arrow display is the TxDOT standard; however, the sequential chevron display may be used during daylight operations.
- 11. The Flashing Arrow Board shall be mounted on a vehicle, trailer or other suitable support.
 12. A Flashing Arrow Board SHALL NOT BE USED to laterally shift traffic.
 13. A full matrix PCMS may be used to simulate a Flashing Arrow Board provided it meets visibility,
- flash rate and dimming requirements on this sheet for the same size arrow.
- 14. Minimum mounting height of trailer mounted Arrow Boards should be 7 feet from roadway to bottom of panel.

	REQUIREMENTS										
TYPE	MINIMUM SIZE	MINIMUM NUMBER OF PANEL LAMPS	MINIMUM VISIBILITY DISTANCE								
В	30 × 60	13	3/4 mile								
С	48 × 96	15	1 mile								

ATTENTION Flashing Arrow Boards shall be equipped with automatic dimming devices.

WHEN NOT IN USE, REMOVE THE ARROW BOARD FROM THE RIGHT-OF-WAY OR PLACE THE ARROW BOARD BEHIND CONCRETE
TRAFFIC BARRIER OR GUARDRAIL.

FLASHING ARROW BOARDS

SHEET 7 OF 12

TRUCK-MOUNTED ATTENUATORS

- Truck-mounted attenuators (TMA) used on TxDOT facilities must meet the requirements outlined in the Manual for Assessing Safety Hardware (MASH).
- Refer to the CWZTCD for the requirements of Level 2 or Level 3 TMAs.
- 3. Refer to the CWZTCD for a list of approved TMAs.
- 4. TMAs are required on freeways unless otherwise noted in the plans.
- 5. A TMA should be used anytime that it can be positioned 30 to 100 feet in advance of the area of crew exposure without adversely affecting the work performance.
- The only reason a TMA should not be required is when a work area is spread down the roadway and the work crew is an extended distance from the TMA.



Traffic Safety Division Standard

BARRICADE AND CONSTRUCTION ARROW PANEL. REFLECTORS. WARNING LIGHTS & ATTENUATOR

BC(7)-21

FILE:	bc-21.dgn	DN: T	<dot< th=""><th>ck: TxDOT</th><th>DW:</th><th>TxDOT</th><th>СК</th><th>: TxDOT</th></dot<>	ck: TxDOT	DW:	TxDOT	СК	: TxDOT
© TxD0T	November 2002	CONT	SECT	JOB		H)	GHW	AY
REVISIONS		0054	09	042 US		US 8	4,	ETC.
9-07	8-14	DIST	COUNTY			SHEET NO.		
7-13	5-21	RWD	l k	2111	ETC		•	12

1. For long term stationary work zones on freeways, drums shall be used as the primary channelizing device.

2. For intermediate term stationary work zones on freeways, drums should be used as the primary channelizing device but may be replaced in tangent sections by vertical panels, or 42" two-piece cones. In tangent sections, one-piece cones may be used with the approval of the Engineer but only

if personnel are present on the project at all times to maintain the

- cones in proper position and location. 3. For short term stationary work zones on freeways, drums are the preferred channelizing device but may be replaced in tapers, transitions and tangent sections by vertical panels, two-piece cones or one-piece cones as approved by the Engineer.
- 4. Drums and all related items shall comply with the requirements of the current version of the "Texas Manual on Uniform Traffic Control Devices" (TMUTCD) and the "Compliant Work Zone Traffic Control Devices List" (CWZTCD).
- 5. Drums, bases, and related materials shall exhibit good workmanship and shall be free from objectionable marks or defects that would adversely affect their appearance or serviceability.
- 6. The Contractor shall have a maximum of 24 hours to replace any plastic drums identified for replacement by the Engineer/Inspector. The replacement device must be an approved device.

GENERAL DESIGN REQUIREMENTS

GENERAL NOTES

Pre-qualified plastic drums shall meet the following requirements:


- 1. Plastic drums shall be a two-piece design; the "body" of the drum shall be the top portion and the "base" shall be the bottom.
- 2. The body and base shall lock together in such a manner that the body separates from the base when impacted by a vehicle traveling at a speed of 20 MPH or greater but prevents accidental separation due to normal handling and/or air turbulence created by passing vehicles.
- 3. Plastic drums shall be constructed of lightweight flexible, and deformable materials. The Contractor shall NOT use metal drums or single piece plastic drums as channelization devices or sign supports.
- 4. Drums shall present a profile that is a minimum of 18 inches in width at the 36 inch height when viewed from any direction. The height of drum unit (body installed on base) shall be a minimum of 36 inches and a maximum of 42 inches.
- 5. The top of the drum shall have a built-in handle for easy pickup and shall be designed to drain water and not collect debris. The handle shall have a minimum of two widely spaced 9/16 inch diameter holes to allow attachment of a warning light, warning reflector unit or approved
- 6. The exterior of the drum body shall have a minimum of four alternating orange and white retroreflective circumferential stripes not less than 4 inches nor greater than 8 inches in width. Any non-reflectorized space between any two adjacent stripes shall not exceed 2 inches in
- 7. Bases shall have a maximum width of 36 inches, a maximum height of 4 inches, and a minimum of two footholds of sufficient size to allow base to be held down while separating the drum body from the base.
- 8. Plastic drums shall be constructed of ultra-violet stabilized, orange, high-density polyethylene (HDPE) or other approved material.
- 9. Drum body shall have a maximum unballasted weight of 11 lbs.
- 10. Drum and base shall be marked with manufacturer's name and model number.


RETROREFLECTIVE SHEETING

- 1. The stripes used on drums shall be constructed of sheeting meeting the color and retroreflectivity requirements of Departmental Materials Specification DMS-8300, "Sign Face Materials." Type A or Type B reflective sheeting shall be supplied unless otherwise specified
- 2. The sheeting shall be suitable for use on and shall adhere to the drum surface such that, upon vehicular impact, the sheeting shall remain adhered in-place and exhibit no delaminating, cracking, or loss of retroreflectivity other than that loss due to abrasion of the sheeting

BALLAST

- 1. Unballasted bases shall be large enough to hold up to 50 lbs. of sand. This base, when filled with the ballast material, should weigh between 35 lbs (minimum) and 50 lbs (maximum). The ballast may be sand in one to three sandbags separate from the base, sand in a sand-filled plastic base, or other ballasting devices as approved by the Engineer. Stacking of sandbags will be allowed, however height of sandbags above pavement surface may not exceed 12 inches.
- 2. Bases with built-in ballast shall weigh between 40 lbs. and 50 lbs. Built-in ballast can be constructed of an integral crumb rubber base or a solid rubber base.
- Recycled truck tire sidewalls may be used for ballast on drums approved for this type of ballast on the CWZTCD list.
- 4. The ballast shall not be heavy objects, water, or any material that would become hazardous to motorists, pedestrians, or workers when the drum is struck by a vehicle.
- 5. When used in regions susceptible to freezing, drums shall have drainage holes in the bottoms so that water will not collect and freeze becoming a hazard when struck by a vehicle.
- 6. Ballast shall not be placed on top of drums.
- 7. Adhesives may be used to secure base of drums to pavement.





DETECTABLE PEDESTRIAN BARRICADES

- 1. When existing pedestrian facilities are disrupted, closed, or relocated in a TTC zone, the temporary facilities shall be detectable and include accessibility features consistent with the features present in the existing pedestrian facility. Refer to WZ(BTS-2) for Pedestrian Control requirements for Sidewalk Diversions, Sidewalk Detours and Crosswalk Closures.
- 2. Where pedestrians with visual disabilities normally use the closed sidewalk, a Detectable Pedestrian Barricade shall be placed across the full width of the closed sidewalk instead of a Type 3 Barricade.
- 3. Detectable pedestrian barricades similar to the one pictured above, longitudinal channelizing devices, some concrete barriers, and wood or chain link fencing with a continuous detectable edging can satisfactorily delineate a pedestrian
- 4. Tape, rope, or plastic chain strung between devices are not detectable, do not comply with the design standards in the "Americans with Disabilities Act Accessibility Guidelines (ADAAG)" and should not be used as a control for pedestrian
- 5. Warning lights shall not be attached to detectable pedestrian barricades.
- 6. Detectable pedestrian barricades should use 8" nominal barricade rails as shown on BC(10) provided that the top rail provides a smooth continuous rail suitable for hand trailing with no splinters, burrs, or sharp edges.



18" x 24" Sign (Maximum Sign Dimension) Chevron CW1-8, Opposing Traffic Lane Divider, Driveway sign D70a, Keep Right R4 series or other signs as approved by Engineer

See Ballast



12" x 24" Vertical Panel mount with diagonals sloping down towards travel way

Plywood, Aluminum or Metal sign substrates shall NOT be used on plastic drums

SIGNS, CHEVRONS, AND VERTICAL PANELS MOUNTED ON PLASTIC DRUMS

- 1. Signs used on plastic drums shall be manufactured using substrates listed on the CWZTCD.
- 2. Chevrons and other work zone signs with an orange background shall be manufactured with Type B_{FL} or Type C_{FL} Orange sheeting meeting the color and retroreflectivity requirements of DMS-8300, "Sign Face Material," unless otherwise specified in the plans.
- 3. Vertical Panels shall be manufactured with orange and white sheeting meeting the requirements of DMS-8300 Type A or Type B. Diagonal stripes on Vertical Panels shall slope down toward the intended traveled lane.
- 4. Other sign messages (text or symbolic) may be used as approved by the Engineer. Sign dimensions shall not exceed 18 inches in width or 24 inches in height, except for the R9 series signs discussed in note 8 below.
- 5. Signs shall be installed using a 1/2 inch bolt (nominal) and nut, two washers, and one locking washer for each
- 6. Mounting bolts and nuts shall be fully engaged and adequately torqued. Bolts should not extend more than 1/2
- 7. Chevrons may be placed on drums on the outside of curves, on merging tapers or on shifting tapers. When used in these locations, they may be placed on every drum or spaced not more than on every third drum, A minimum of three (3) should be used at each location called for in the plans.
- 8. R9-9, R9-10, R9-11 and R9-11a Sidewalk Closed signs which are 24 inches wide may be mounted on plastic drums, with approval of the Engineer.

SHEET 8 OF 12





Traffic Safety

BARRICADE AND CONSTRUCTION CHANNELIZING DEVICES

BC(8)-21

ILE: bc-21.dgn	DN: T	DOT	ck: TxDOT	DW:	TxDC)T c	k: TxDOT
C)TxDOT November 2002	CONT	SECT	JOB			HIGH	YAY
	0054	09	042		US	84,	ETC.
4-03 8-14 9-07 5-21	DIST	COUNTY			SHI	SHEET NO.	
7-13	BWD	M	IILLS. I	ETC	·		13






PORTABLE

- 1. Vertical Panels (VP's) are normally used to channelize traffic or divide opposing lanes of traffic.
- 2. VP's may be used in daytime or nighttime situations. They may be used at the edge of shoulder drop-offs and other areas such as lane transitions where positive daytime and nighttime delineation is required. The Engineer/Inspector shall refer to the Roadway Design Manual for additional requirements on the use VP's for drop-offs.
- 3. VP's should be mounted back to back if used at the edge of cuts adjacent to two-way two lane roadways. Stripes are to be reflective orange and reflective white and should always slope downward toward the travel lane.
- 4. VP's used on expressways and freeways or other high speed roadways, may have more than 270 square inches of retroreflective area facing traffic.


 5. Self-righting supports are available with portable base.
- See "Compliant Work Zone Traffic Control Devices List"
- 6. Sheeting for the VP's shall be retroreflective Type A or Type B conforming to Departmental Material Specification DMS-8300, unless noted otherwise,
- 7. Where the height of reflective material on the vertical panel is 36 inches or greater, a panel stripe of 6 inches shall be used.

VERTICAL PANELS (VPs)



- 1. Opposing Traffic Lane Dividers (OTLD) are delineation devices designed to convert a normal one-way roadway section to two-way operation. OTLD's are used on temporary centerlines. The upward and downward arrows on the sign's face indicate the direction of traffic on either side of the divider. The base is secured to the pavement with an adhesive or rubber weight to minimize movement caused by a vehicle impact or wind gust.
- 2. The OTLD may be used in combination with 42"
- 3. Spacing between the OTLD shall not exceed 500 feet. 42" cones or VPs placed between the OTLD's should not exceed 100 foot spacing.
- 4. The OTLD shall be orange with a black nonreflective legend. Sheeting for the OTLD shall be retroreflective Type B_{FL} or Type C_{FL} conforming to Departmental Material Specification DMS-8300. unless noted otherwise. The legend shall meet the requirements of DMS-8300.

OPPOSING TRAFFIC LANE DIVIDERS (OTLD)




- 2. Chevrons are intended to give notice of a sharp change of alignment with the direction of travel and provide additional emphasis and guidance for vehicle operators with regard to changes in horizontal alignment of the roadway.
- 3. Chevrons, when used, shall be erected on the out side of a sharp curve or turn, or on the far side of an intersection. They shall be in line with and at right angles to approaching traffic. Spacing should be such that the motorist always has three in view, until the change in alignment eliminates its need.
- 4. To be effective, the chevron should be visible for at least 500 feet.
- Chevrons shall be orange with a black nonreflec-tive legend. Sheeting for the chevron shall be retroreflective Type B_{FL} or Type C_{FL} conforming to Departmental Material Specification DMS-8300, unless noted otherwise. The legend shall meet the requirements of DMS-8300.
- 6. For Long Term Stationary use on tapers or transitions on freeways and divided highways, self-righting chevrons may be used to supplement plastic drums but not to replace plastic drums.

CHEVRONS

GENERAL NOTES

- 1. Work Zone channelizing devices illustrated on this sheet may be installed in close proximity to traffic and are suitable for use on high or low speed roadways. The Engineer/Inspector shall ensure that spacing and placement is uniform and in accordance with the "Texas Manual on Uniform Traffic Control Devices" (TMUTCD).
- 2. Channelizing devices shown on this sheet may have a driveable, fixed or portable base. The requirement for self-righting channelizing devices must be specified in the General Notes or other plan sheets.
- 3. Channelizing devices on self-righting supports should be used in work zone areas where channelizing devices are frequently impacted by errant vehicles or vehicle related wind gusts making alignment of the channelizing devices difficult to maintain. Locations of these devices shall be detailed elsewhere in the plans. These devices shall conform to the TMUTCD and the "Compliant Work Zone Traffic Control Devices List" (CWZTCD).
- 4. The Contractor shall maintain devices in a clean condition and replace damaged, nonreflective, faded, or broken devices and bases as required by the Engineer/Inspector. The Contractor shall be required to maintain proper device spacing and alignment.
- 5. Portable bases shall be fabricated from virgin and/or recycled rubber. The portable bases shall weigh a minimum of 30 lbs.
- Pavement surfaces shall be prepared in a manner that ensures proper bonding between the adhesives, the fixed mount bases and the pavement surface. Adhesives shall be prepared and applied according to the manufacturer's recommendations.
- 7. The installation and removal of channelizing devices shall not cause detrimental effects to the final pavement surfaces, including pavement surface discoloration or surface integrity. Driveable bases shall not be permitted on final pavement surfaces. The Engineer/Inspector shall approve all application and removal procedures of fixed bases.



LONGITUDINAL CHANNELIZING DEVICES (LCD)

36'

Fixed Base w/ Approved Adhesive

(Driveable Base, or Flexible

Support can be used)

- 1. LCDs are crashworthy, lightweight, deformable devices that are highly visible, have good target value and can be connected together. They are not designed to contain or redirect a vehicle on impact.
- 2. LCDs may be used instead of a line of cones or drums.
- 3. LCDs shall be placed in accordance to application and installation requirements specific to the device, and used only when shown on the CWZTCD list.
- 4. LCDs should not be used to provide positive protection for obstacles, pedestrians or workers.
- 5. LCDs shall be supplemented with retroreflective delineation as required for temporary barriers on BC(7) when placed roughly parallel to the travel lanes.
- 6. LCDs used as barricades placed perpendicular to traffic should have at least one row of reflective sheeting meeting the requirements for barricade rails as shown on BC(10). Place reflective sheeting near the top of the LCD along the full length of the device.

WATER BALLASTED SYSTEMS USED AS BARRIERS

- Water ballasted systems used as barriers shall not be used solely to channelize road users, but also to protect the work space per the appropriate Manual for Assessing Safety Hardware (MASH) crashworthiness requirements based on roadway speed and barrier application.
- 2. Water ballasted systems used to channelize vehicular traffic shall be supplemented with retroreflective delineation or channelizing devices to improve daytime/nighttime visibility. They may also be supplemented with pavement markings.
- 3. Water ballasted systems used as barriers shall be placed in accordance to application and installation requirements specific to the device, and used only when shown on the CWZTCD list.
- Water ballasted systems used as barriers should not be used for a merging taper except in low speed (less than 45 MPH urban areas. When used on a taper in a low speed urban area, the taper shall be delineated and the taper length should be designed to optimize road user operations considering the available geometric conditions.
- When water ballasted systems used as barriers have blunt ends exposed to traffic, they should be attenuated as per manufacturer recommendations or flared to a point outside the clear zone.

If used to channelize pedestrians, longitudinal channelizing devices or water ballasted systems must have a continuous detectable bottom for users of long canes and the top of the unit shall not be less than 32 inches in height.

HOLLOW OR WATER BALLASTED SYSTEMS USED AS LONGITUDINAL CHANNELIZING DEVICES OR BARRIERS

Posted Speed	Formula	D	Minimur esirab er Len **	le	Suggested Maximum Spacing of Channelizing Devices			
		10' Offset	11' Offset	12' Offset	On a Taper	On a Tangent		
30	2	150′	165′	1801	30'	60′		
35	$L = \frac{WS^2}{60}$	2051	2251	2451	35′	70′		
40	60	265′	295′	320′	40'	80′		
45		450′	495′	540′	45′	90′		
50		5001	550′	600'	50′	100′		
55	L=WS	550′	605′	660′	55′	110′		
60	L - 11 3	600'	660′	720′	60′	120′		
65		650′	715′	7801	65′	130′		
70		700′	770′	840′	70′	140′		
75		750′	825′	900′	75′	150′		
80		800′	880′	960′	80′	160′		

XX Taper lengths have been rounded off. L=Length of Taper (FT.) W=Width of Offset (FT.) S=Posted Speed (MPH)

SUGGESTED MAXIMUM SPACING OF CHANNELIZING DEVICES AND MINIMUM DESIRABLE TAPER LENGTHS

SHEET 9 OF 12



Traffic Safety Division Standard


BARRICADE AND CONSTRUCTION CHANNELIZING DEVICES

BC (9) -21


		_		_					
ILE:	bc-21.dgn	DN: T	<dot< th=""><th>ck: TxDOT</th><th>DW:</th><th>TxDO</th><th>ТС</th><th>: TxDOT</th></dot<>	ck: TxDOT	DW:	TxDO	ТС	: TxDOT	
C) TxDOT	November 2002	CONT	SECT	JOB			HIGHW	ΑY	
		0054	09	042		US	84,	ETC.	
9-07	8-14	DIST	COUNTY				SHE	SHEET NO.	
7-13	5-21	BWD	MILLS. ETC.					14	

TYPE 3 BARRICADES

- Refer to the Compliant Work Zone Traffic Control Devices List (CWZTCD) for details of the Type 3 Barricades and a list of all materials used in the construction of Type 3 Barricades.
- Type 3 Barricades shall be used at each end of construction projects closed to all traffic.
- 3. Barricades extending across a roadway should have stripes that slope downward in the direction toward which traffic must turn in detouring. When both right and left turns are provided, the chevron striping may slope downward in both directions from the center of the barricade. Where no turns are provided at a closed road, striping should slope downward in both directions toward the center of roadway.
- Striping of rails, for the right side of the roadway, should slope downward to the left. For the left side of the roadway, striping should slope downward to the right.
- Identification markings may be shown only on the back of the barricade rails. The maximum height of letters and/or company logos used for identification shall be 1".
- Barricades shall not be placed parallel to traffic unless an adequate clear zone is provided.
- Warning lights shall NOT be installed on barricades.
- 8. Where barricades require the use of weights to keep from turning over, the use of sandbags with dry, cohesionless sand is recommended. The sandbags will be tied shut to keep the sand from spilling and to maintain a constant weight. Sand bags shall not be stacked in a manner that covers any portion of a barricade rails reflective sheeting. Rock, concrete, iron, steel or other solid objects will NOT be permitted. Sandbags shall be made of a durable material that tears upon vehicular impact. Rubber (such as tire inner tubes) shall not be used for sandbags. Sandbags shall only be placed along or upon the base supports of the device and shall not be suspended above ground level or hung with rope, wire, chains or other fasteners.
- Sheeting for barricades shall be retroreflective Type A or Type B conforming to Departmental Material Specification DMS-8300 unless otherwise noted.




TYPICAL STRIPING DETAIL FOR BARRICADE RAIL




Stiffener may be inside or outside of support, but no more than 2 stiffeners shall be allowed on one barricade.

TYPICAL PANEL DETAIL FOR SKID OR POST TYPE BARRICADES



TYPE 3 BARRICADE (POST AND SKID) TYPICAL APPLICATION



3"-4"

4" min. orange

2" min.

4" min. white

4" min. orange

6" min. 2" min. 4" min.


2" max. 3" min. 2" to 6" 3" min.

CULVERT WIDENING OR OTHER ISOLATED WORK WITHIN THE PROJECT LIMITS

Two-Piece cones

One-Piece cones

Tubular Marker



TRAFFIC CONTROL FOR MATERIAL STOCKPILES

28" Cones shall have a minimum weight of 9 1/2 lbs.

42" 2-piece cones shall have a minimum weight of 30 lbs. including base.

- Traffic cones and tubular markers shall be predominantly orange, and meet the height and weight requirements shown above.
- One-piece cones have the body and base of the cone molded in one consolidated unit. Two-piece cones have a cone shaped body and a separate rubber base, or ballast, that is added to keep the device upright and in place.
- Two-piece cones may have a handle or loop extending up to 8" above the minimum height shown, in order to aid in retrieving the device.
- 4. Cones or tubular markers shall have white or white and orange reflective bands as shown above. The reflective bands shall have a smooth, sealed outer surface and meet the requirements of Departmental Material Specification DMS-8300 Type A or Type B.
- 5. 28" cones and tubular markers are generally suitable for short duration and short-term stationary work as defined on BC(4). These should not be used for intermediate-term or long-term stationary work unless personnel is on-site to maintain them in their proper upright position.
- 42" two-piece cones, vertical panels or drums are suitable for all work zone durations.
- Cones or tubular markers used on each project should be of the same size and shape.

SHEET 10 OF 12

Texas Department of Transportation

Traffic Safety Division Standard

BARRICADE AND CONSTRUCTION CHANNELIZING DEVICES

BC(10)-21

ILE:	bc-21.dgn	DN: T	<dot< th=""><th>ck: TxDOT</th><th>DW:</th><th>TxDC</th><th>T(</th><th>ck: TxDOT</th></dot<>	ck: TxDOT	DW:	TxDC	T(ck: TxDOT
C) TxDOT	November 2002	CONT	SECT	JOB			HIG	HWAY
		0054	09	042		US	84	, ETC.
J U	8-14	DIST	COUNTY			SHEET NO.		
7-13	5-21	BWD	M	IILLS, I	ETC			15

WORK ZONE PAVEMENT MARKINGS

GENERAL

- 1. The Contractor shall be responsible for maintaining work zone and existing pavement markings, in accordance with the standard specifications and special provisions, on all roadways open to traffic within the CSJ limits unless otherwise stated in the plans.
- 2. Color, patterns and dimensions shall be in conformance with the "Texas Manual on Uniform Traffic Control Devices" (TMUTCD).
- 3. Additional supplemental pavement marking details may be found in the plans or specifications.
- 4. Pavement markings shall be installed in accordance with the TMUTCD and as shown on the plans.
- 5. When short term markings are required on the plans, short term markings shall conform with the TMUTCD, the plans and details as shown on the Standard Plan Sheet WZ(STPM).
- 6. When standard pavement markings are not in place and the roadway is opened to traffic, DO NOT PASS signs shall be erected to mark the beginning of the sections where passing is prohibited and PASS WITH CARE signs at the beginning of sections where passing
- 7. All work zone pavement markings shall be installed in accordance with Item 662, "Work Zone Pavement Markings."

RAISED PAVEMENT MARKERS

- 1. Raised pavement markers are to be placed according to the patterns
- 2. All raised pavement markers used for work zone markings shall meet the requirements of Item 672, "RAISED PAVEMENT MARKERS" and Departmental Material Specification DMS-4200 or DMS-4300.

PREFABRICATED PAVEMENT MARKINGS

- 1. Removable prefabricated pavement markings shall meet the requirements
- 2. Non-removable prefabricated pavement markings (foil back) shall meet the requirements of DMS-8240.


MAINTAINING WORK ZONE PAVEMENT MARKINGS

- 1. The Contractor will be responsible for maintaining work zone pavement markings within the work limits.
- 2. Work zone pavement markings shall be inspected in accordance with the frequency and reporting requirements of work zone traffic control device inspections as required by Form 599.
- 3. The markings should provide a visible reference for a minimum distance of 300 feet during normal daylight hours and 160 feet when illuminated by automobile low-beam headlights at night, unless sight distance is restricted by roadway geometrics.
- 4. Markings failing to meet this criteria within the first 30 days after placement shall be replaced at the expense of the Contractor as per

REMOVAL OF PAVEMENT MARKINGS

- 1. Pavement markings that are no longer applicable, could create confusion or direct a motorist toward or into the closed portion of the roadway shall be removed or obliterated before the roadway is opened to traffic.
- 2. The above shall not apply to detours in place for less than three days, where flaggers and/or sufficient channelizing devices are used in lieu of markings to outline the detour route.
- 3. Pavement markings shall be removed to the fullest extent possible, so as not to leave a discernable marking. This shall be by any method approved by TxDOT Specification Item 677 for "Eliminating Existing Pavement Markings and Markers".
- 4. The removal of pavement markings may require resurfacing or seal coating portions of the roadway as described in Item 677.
- 5. Subject to the approval of the Engineer, any method that proves to be successful on a particular type pavement may be used.
- 6. Blast cleaning may be used but will not be required unless specifically shown in the plans.
- 7. Over-painting of the markings SHALL NOT BE permitted.
- 8. Removal of raised pavement markers shall be as directed by the
- 9. Removal of existing pavement markings and markers will be paid for directly in accordance with Item 677, "ELIMINATING EXISTING PAVEMENT MARKINGS AND MARKERS, " unless otherwise stated in the plans.
- 10.Black-out marking tape may be used to cover conflicting existing markings for periods less than two weeks when approved by the Engineer.

Temporary Flexible-Reflective Roadway Marker Tabs



STAPLES OR NAILS SHALL NOT BE USED TO SECURE TEMPORARY FLEXIBLE-REFLECTIVE ROADWAY MARKER TABS TO THE PAVEMENT SURFACE

- 1. Temporary flexible-reflective roadway marker tabs used as guidemarks shall meet the requirements of DMS-8242.
- 2. Tabs detailed on this sheet are to be inspected and accepted by the Engineer or designated representative. Sampling and testing is not normally required, however at the option of the Engineer, either "A" or "B" below may be imposed to assure quality before placement on the
 - A. Select five (5) or more tabs at random from each lot or shipment and submit to the Construction Division, Materials and Pavement Section to determine specification compliance.
 - B. Select five (5) tabs and perform the following test. Affix five (5) tabs at 24 inch intervals on an asphaltic pavement in a straight line. Using a medium size passenger vehicle or pickup, run over the markers with the front and rear tires at a speed of 35 to 40 miles per hour, four (4) times in each direction. No more than one (1) out of the five (5) reflective surfaces shall be lost or displaced as a result of this test.
- 3. Small design variances may be noted between tab manufacturers.
- 4. See Standard Sheet WZ(STPM) for tab placement on new pavements. See Standard Sheet TCP(7-1) for tab placement on seal coat work.

RAISED PAVEMENT MARKERS USED AS GUIDEMARKS

- 1. Raised pavement markers used as guidemarks shall be from the approved product list, and meet the requirements of DMS-4200.
- 2. All temporary construction raised pavement markers provided on a project shall be of the same manufacturer.
- 3. Adhesive for guidemarks shall be bituminous material hot applied or butyl rubber pad for all surfaces, or thermoplastic for concrete surfaces.

Guidemarks shall be designated as: YELLOW - (two amber reflective surfaces with yellow body). WHITE - (one silver reflective surface with white body).

DEPARTMENTAL MATERIAL SPECIFICATIO	NS
PAVEMENT MARKERS (REFLECTORIZED)	DMS-4200
TRAFFIC BUTTONS	DMS-4300
EPOXY AND ADHESIVES	DMS-6100
BITUMINOUS ADHESIVE FOR PAVEMENT MARKERS	DMS-6130
PERMANENT PREFABRICATED PAVEMENT MARKINGS	DMS-8240
TEMPORARY REMOVABLE, PREFABRICATED PAVEMENT MARKINGS	DMS-8241
TEMPORARY FLEXIBLE, REFLECTIVE ROADWAY MARKER TABS	DMS-8242

A list of preauglified reflective raised payement markers. non-reflective traffic buttons, roadway marker tabs and other pavement markings can be found at the Material Producer List web address shown on BC(1).

SHEET 11 OF 12





Traffic Safety

BARRICADE AND CONSTRUCTION PAVEMENT MARKINGS

BC(11)-21

E: bc-21.dgn	DN: T	<dot< td=""><td>ck: TxDOT</td><td>DW:</td><td>TxDOT</td><td>Г ск</td><td>:TxDOT</td></dot<>	ck: TxDOT	DW:	TxDOT	Г ск	:TxDOT		
TxDOT February 1998	CONT	SECT	JOB			H I GHW	ΔY		
REVISIONS -98 9-07 5-21	0054	09	042		US 8	JS 84, ETC.			
·96 9-07 5-21 ·02 7-13	DIST	COUNTY SHEET NO			ET NO.				
-02 8-14	BWD	N	IILLS, I	ETC	:.	16			





ruck Mounted

Traffic Flow

Attenuator (TMA)

Minimum

Sign Spacing

"x"

Distance

1201

160′

240′

3201

4001

500'

600'

700'

800'

9001

Suggested

Longitudinal Buffer Space "B"

90'

1201

155′

195′

240′

295'

350'

410'

475′

540′

LONG TERM STATIONARY

Traffic Operations Division Standard

HIGHWAY

042 US 84, ETC

Warning Sign Sequence in Opposite Direction

Same as Below

(Less than 2000 ADT - See note 7)

END

ROAD WORK

CW20-4D

LEGEND											
Type 3 Barricade		Channelizing Devices									
Heavy Work Vehicle		Truck Mounted Attenuator (TMA)									
Trailer Mounted Flashing Arrow Board	(M	Portable Changeable Message Sign (PCMS)									
Sign	♡	Traffic Flow									
Flag	4	Flagger									
	Type 3 Barricade Heavy Work Vehicle Trailer Mounted Flashing Arrow Board Sign	Type 3 Barricade Heavy Work Vehicle Trailer Mounted Flashing Arrow Board Sign									

Posted Speed	Formula	D	Minimum esirab er Leng **	le	Spacir Channe		Minimum Sign Spacing "x"	Suggested Longitudinal Buffer Space	Stopping Sight Distance
*		10' Offset	11' Offset	12' Offset	On a Taper	On a Tangent	Distance	"В"	
30	. <u>ws</u> 2	1501	1651	180′	30'	60′	120′	90′	200'
35	L = WS	2051	225'	245′	35′	70′	160′	120′	250'
40	80	2651	2951	3201	40′	80'	240′	155′	3051
45		450′	495′	540′	45′	90'	320′	195′	360′
50		5001	550′	600,	50°	100′	400′	240′	425′
55	L=WS	550′	605′	660′	55`	110'	500′	295′	495′
60	- " -	600'	660′	720′	60`	120′	600,	350′	570′
65		650′	715′	780′	65 <i>°</i>	130'	700′	410′	645′
70		700′	770′	840′	701	140′	8001	475′	730′
75		750′	825′	900′	75′	150′	900'	540′	820′

* Conventional Roads Only

** Taper lengths have been rounded off.

L=Length of Taper(FT) W=Width of Offset(FT) S=Posted Speed(MPH)

TYPICAL USAGE									
MOBILE	SHORT DURATION	SHORT TERM STATIONARY	INTERMEDIATE TERM STATIONARY	LONG TERM STATIONARY					
	1	1							

GENERAL NOTES

ROAD

WORK

AHEAD

CW20-1D

END

ROAD WORK

G20-2 48" X 24"

 $\overline{\mathcal{U}}$

CW20-7

24" X 18"

CW3-4

48" X 48"

CW20-4D

48" X 48"

CW20-1D

(Flags-

48" X 48"

See note 1)

(See note 2)▲

(See note 2) ▲

XXX FEET

BE PREPARED TO STOP

ONE LANE

ROAD

AHEAD

ROAD WORK

AHEAD

48" X 48"

(Flags-See note 1)

- 1. Flags attached to signs where shown are REQUIRED.
- 2, All traffic control devices illustrated are REQUIRED, except those denoted with the triangle symbol may be omitted when stated elsewhere in the plans, or for routine maintenance work, when approved by the Engineer.
- 3. The CW3-4 "BE PREPARED TO STOP" sign may be installed after the CW20-4D "ONE LANE ROAD AHEAD" sign, but proper sign spacing shall be maintained.
- 4. Sign spacing may be increased or an additional CW20-1D "ROAD WORK AHEAD" sign may be used if advance warning ahead of the flagger or R1-2 "YIELD" sign is less than 1500 feet.
- 5. A Shadow Vehicle with a TMA should be used anytime it can be positioned 30 to 100 feet in advance of the area of crew exposure without adversely affecting the performance or quality of the work. If workers are no longer present but road or work conditions require the traffic control to remain in place, Type 3 Barricades or other channelizing devices may be substituted for the Shadow Vehicle and TMA.
- 6. Additional Shadow Vehicles with TMAs may be positioned off the paved surface, next to those shown in order to protect wider work spaces.

TCP (1-2a)

- 7. R1-2 "YIELD" sign traffic control may be used on projects with approaches that have adequate sight distance. For projects in urban areas, work spaces should be no longer than one half city block. In rural areas on roadways with less than 2000 ADT, work spaces should be no longer than 400 feet.
- 8. R1-2 "YIELD" sign with "R1-2aP "TO ONCOMING TRAFFIC" plaque shall be placed on a support at a 7 foot minimum mounting height.

- 9. Flaggers should use two-way radios or other methods of communication to control traffic.
- 10. Length of work space should be based on the ability of flaggers to communicate.
- 11. If the work space is located near a horizontal or vertical curve, the buffer distances should be increased in order to maintain adequate stopping sight distance to the flagger and a queue of stopped vehicles (see table above).
- 12. Channelizing devices on the center-line may be omitted when a pilot car is leading traffic and approved by the Engineer.
- 3. Flaggers should use 24" STOP/SLOW paddles to control traffic. Flags should be limited to emergency situations.





Traffic Operations Division Standard

TRAFFIC CONTROL PLAN ONE-LANE TWO-WAY TRAFFIC CONTROL

TCP(1-2)-18

FILE: tcp1-2-18.dgn	DN:		CK:	DW:	CK:
© TxDOT December 1985	CONT	SECT	JOB		HIGHWAY
REVISIONS 4-90 4-98	0054	09	042 U		84, ETC.
2-94 2-12	DIST		COUNTY		SHEET NO.
1-97 2-18	BWD	, N	AILLS,	ETC.	19





GENERAL NOTES

- 1. Each Rumble Strip Array should consist of three rumble strips spaced center to center at the spacing shown in Table 2, placed transverse across the lane at locations shown.
- 2. The CW17-2T "RUMBLE STRIPS AHEAD" sign should be located after the CW20-1D "ROAD WORK AHEAD sign and spaced as shown. If traffic is observed to be queuing, or is expected to queue beyond the Rumble Strips, the CW17-2T sign and the first Rumble Strip Array may be located upstream of the CW20-1D sign as necessary to provide warning.
- 3. Temporary Rumble Strips will be considered subsidiary to Item 502, and shall be a product listed on the Compliant Work Zone Traffic Control
- 4. Removal of the Temporary Rumble Strips should be accomplished before removing the advance warning signs.
- 5. Temporary Rumble Strips should not be used on horizontal curves, loose gravel, soft or bleeding asphalt, heavily rutted pavements or unpaved surfaces.
- 6. Temporary Rumble Strips shall be installed and maintained as per manufacturer's recommendations.
- 7. This standard sheet shall be used in conjunction with other appropriate TCP standard, TMUTCD typical application or project specific detail for the project.
- 8. The one-lane two-way application may utilize a flagger, an AFAD or a portable traffic signal.
- 9. Temporary Rumble Strips may be used on freeways or expressways based on engineering judgment.

	LEGEND							
	Type 3 Barricade		Channelizing Devices					
	Heavy Work Vehicle		Truck Mounted Attenuator (TMA)					
E	Trailer Mounted Flashing Arrow Panel	(M	Portable Changeable Message Sign (PCMS)					
-	Sign	Ŷ	Traffic Flow					
\Diamond	Flag	ПO	Flagger					

Posted Formula Speed		Desirable Taper Lengths X X			Spacir Channe		Minimum Sign Spacing "X"	Suggested Longitudinal Buffer Space
*		10' Offset	11' Offset	12' Offset	On a Taper	On a Tangent	Distance	"В"
30	2	150′	1651	1801	30′	60′	1201	90′
35	L= WS ²	2051	2251	2451	35′	70′	160′	120′
40	60	265′	2951	3201	40′	80′	240'	155′
45		450′	4951	540'	45′	90′	320'	195′
50		5001	550′	6001	50′	100′	4001	240′
55	L=WS	550′	6051	660′	55′	110′	500′	295′
60	L #13	600'	660′	7201	60′	120′	600'	350′
65		650′	715′	780′	65′	130′	700′	410'
70		7001	7701	840′	70′	140′	8001	475′
75		750′	825′	900′	75′	150′	900′	540′

- * Conventional Roads Only
- ** Taper lengths have been rounded off. L=Length of Taper(FT) W=Width of Offset(FT) S=Posted Speed (MPH)

TYPICAL USAGE							
MOBILE	SHORT DURATION	LONG TERM STATIONARY					
	✓	✓					

♦ Signs are for illustrative purposes only. Signs required may vary depending on the TCP, TMUTCD Typical Application, or project specific details for the project.

Т	TABLE 2						
Speed	Approximate distance between strips in an Array						
< 40 MPH	10'						
> 40 MPH & < 55 MPH	15′						
> 55 MPH	20′						


Texas Department of Transportation

TEMPORARY RUMBLE STRIPS

Traffic Operations Division Standard

WZ(RS) - 16

	"-		•	. •				
FILE:	wzrs16.dgn	DN: Tx	DOT	ck: TxDOT	DW:	TxD0	T c	k: TxDOT
C TxDOT	November 2012	CONT	SECT	JOB			HIGH	WAY
	REVISIONS	0054	09	042		US	84,	ETC.
2-14 4-16		DIST		COUNTY			SH	EET NO.
4-10		BWD	l N	ILLS,	ETC	• (20



GENERAL NOTES

- 1. Transverse or in-lane rumble strips should only be used at high incident and special geometric locations. These special geometric locations may include: approaches to rural, high speed signalized or Stop -controlled intersections with sight restrictions and/or high crash rates, approaches to unexpected urban intersections, approaches to newly installed Stop or signalized controlled intersections, approaches to toll plazas, approaches to hazardous horizontal curves, and approaches to railroad grade crossings.
- 2. When used, the rumble strips shall be placed 200 feet prior to and after the placement of the warning device.
- The use of rumble strips should not be widespread or used indiscriminately.
- Preformed black raised rumble strips should be used. They should be installed in accordance with the manufacturer's recommendations.
- A list of approved, preformed raised rumble strips can be obtained from the Traffic Operations Division.
- Consideration should be given to noise levels when in -lane or transverse rumble strips are installed near residential areas, schools, churches, etc.
- 7. The use of the "Rumble Strips Ahead" sign may be used in advance of in -lane or transverse rumble strips, based on engineering judgement. This sign is typically not necessary for rumble strip installations built to the guidelines on this standard sheet. When used, this sign should be spaced in advance of the rumble strips based on the guidelines for advance placement of warning sign included in the "Texas Manual on Uniform Traffic Control Devices".



- 8. Consideration should be given to bicyclists. A 12 inch gap from the edge line may be used to accommodate bicyclists when a usable shoulder is not available. Additional gaps in the in -lane or transverse rumble strips are not recommended since they could cause motorists to swerve to avoid the rumble strips.
- 9. Other signs can be used as conditions warrant.




Traffic Operations Division Standard


TRANSVERSE OR IN-LANE RUMBLE STRIPS


RS(5)-13


FILE:	rs(5)-13.dgn	DN: Tx	DOT	ck: TxDOT	DW:	TxDC	T	CK:	TxDOT
C TxDOT	April 2006	CONT	SECT	JOB			ніс	HWA	Y.
0.10	REVISIONS	0054	09	042		US	84	,	ETC.
2-10 10-13		DIST		COUNTY			,	HEE	T NO.
10-13		BWD	N	MILLS,	ET(: .		7	21


94

















					644	644	6350	6350
					6001	6076	6001	6002
					EA	EA	EA	EA
COUNTY	ROADWAY	POSTED SPEED	COORDINATES	NO. OF CURVES	IN SM RD SN SUP&AM TY10BWG(1)SA (P)	REMOVE SM RD SN SUP&AM	LEAD LED CHEVRON	LED CHEVRON
LAMPASAS	FM 580	60	31°09'53.61"N, 98°04'44.83"W	2	17	17	2	32

*NOTE:

REFER TO: D&OM(3)-20 STANDARD FOR SIGN PLACEMENT DETAILS.



04/02/2022




CONT SECT JOB HIGHWAY


1032 01 038 FM 580


DIST COUNTY SHEET NO.

23 LAMPASAS 29


PROJECT SUMMARY







	GROUND BOX (GB) LOCATION DETAILS							
GB # (GROUND BOX)	SH 206	FM 2526	DESCRIPTION	LONGITUDE	LATITUDE			
GB #1	STA 378+68, 90' RT		GB - ILLUM/FB	-99.011419	32.272238			
GB #2	STA 378+28, 80' RT		GB - ILLUM/FB	-99.011330	32.272317			
GB #3	STA 377+71, 105' RT		GB - ILLUM/FB	-99.011327	32.272485			
GB #4	STA 378+52, 35' RT		GB - ILLUM/FB	-99.011244	32.272208			
GB #5	STA 378+32, 35' LT		GB - ILLUM/FB	-99.011015	32.272169			
GB #6	STA 377+41, 105' LT		GB - ILLUM/FB	-99.010678	32.272309			
GB #7	STA 376+83, 80' LT		GB - ILLUM/FB	-99.010668	32.272488			



Illumination, Ground Boxes and Pedestal Service is measured from Center of Pole,Box,Etc. to CL of Roadway. (See Figure above for example)





04/02/2022 SCALE 1" = 50'


SH206 @ FM2526 ILLUMINATION DETAILS



CONT	SECT	JOB	HIGHWAY			
0054	09	042	US	84,	ETC.	
DIST		COUNTY		SHE	ET NO.	
BWD	ı	WILLS, ET	· ·		33	








MINIMUM WARNING DEVICES AT CURVES WITH ADVISORY SPEEDS

Amount by which Advisory Speed	Curve Advisory Speed				
is less than Posted Speed	Turn (30 MPH or less)	Curve (35 MPH or more)			
5 MPH & 10 MPH	• RPMs	• RPMs			
15 MPH & 20 MPH	RPMs and One Direction Large Arrow sign	RPMs and Chevrons; or RPMs and One Direction Large Arrow sign where geometric conditions or roadside obstacles prevent the installation of chevrons.			
25 MPH & more	RPMs and Chevrons; or RPMs and One Direction Large Arrow sign where geometric conditions or roadside obstacles prevent the installation of	• RPMs and Chevrons			


SUGGESTED SPACING FOR DELINEATORS ON HORIZONTAL CURVES

chevrons



SUGGESTED SPACING FOR CHEVRONS ON HORIZONTAL CURVES

approach lane.



DELINEATOR AND CHEVRON SPACING

WHEN DEGREE OF CURVE OR RADIUS IS KNOWN

			FEET	
Degree of Curve	Radius of Curve	Spacing in Curve	Spacing in Straightaway	Chevron Spacing in Curve
		Α	2A	В
1	5730	225	450	
2	2865	160	320	
3	1910	130	260	200
4	1433	110	220	160
5	1146	100	200	160
6	955	90	180	160
7	819	85	170	160
8	716	75	150	160
9	637	75	150	120
10	573	70	140	120
11	521	65	130	120
12	478	60	120	120
13	441	60	120	120
14	409	55	110	80
15	382	55	110	80
16	358	55	110	80
19	302	50	100	80
23	249	40	80	80
29	198	35	70	40
38	151	30	60	40
57	101	20	40	40

Curve delineator approach and departure spacing should include 3 delineators spaced at 2A. This spacing should be used during design preparation or when the degree of curve is known.

DELINEATOR AND CHEVRON **SPACING**

WHEN DEGREE OF CURVE OR RADIUS IS NOT KNOWN

Advisory Speed (MPH)	Spacing in Curve	Spacing in Straightaway	Chevron Spacing in Curve
	Α	2×A	В
65	130	260	200
60	110	220	160
55	100	200	160
50	85	170	160
45	75	150	120
40	70	140	120
35	60	120	120
30	55	110	80
25	50	100	80
20	40	80	80
15	35	70	40

If the degree of curve is not known, delineator spacing may be determined based on the Advisory Speed of the curve. Use the delineator curve spacing for each Advisory Speed (MPH).

DELINEATOR AN	D OBJECT	MARKER A	APPLIC	CATION	AND	SPACING	
CONDITION	REQUIRED	TREATME	ENT	MINI	MUM	SPACING	

CONDITION	REQUIRED TREATMENT	MINIMUM SPACING
Frwy./Exp. Tangent	RPMs	See PM-series and FPM-series standard sheets
Frwy./Exp. Curve	Single delineators on right side	See delineator spacing table
Frwy/Exp.Ramp	Single delineators on at least one side of ramp (should be on outside of curves) (see Detail 3 on D&OM(4))	100 feet on ramp tangents Use delineator spacing table for ramp curves ("straightway spacing" does not apply to ramp curves)
Acceleration/Deceleration Lane	Double delineators (see Detail 3 on D&OM(4))	100 feet (See Detail 3 on D & OM (4
Truck Escape Ramp	Single red delineators on both sides	50 feet
Bridge Rail (steel or concrete)and Metal Beam Guard Fence	Bi-Directional Delineators when undivided with one lane each direction Single Delineators when multiple lanes each direction	Equal spacing (100'max) but not less than 3 delineators
Concrete Traffic Barrier (CTB) or Steel Traffic Barrier	Barrier reflectors matching the color of the edge line	Equal spacing 100' max
Cable Barrier	Reflectors matching the color of the edge line	Every 5th cable barrier post (up to 100'max)
Guard Rail Terminus/Impact Head	Divided highway - Object marker on approach end Undivided 2-lane highways - Object marker on approach and departure end	Requires reflective sheeting provided by manufacturer per D & OM (VIA) or a Type 3 Object Marker (OM-3) in front of the terminal end See D & OM (5) and D & OM (6)
Bridges with no Approach Rail	Type 3 Object Marker (OM-3) at end of rail and 3 single delineators approaching rail	See D & OM(5)
Reduced Width Approaches to Bridge Rail	Type 2 and Type 3 Object Markers (OM-3) and 3 single delineators approaching bridge	Requires reflective sheeting provided by manufacturer per D & OM (VIA) or a Type 3 Object Marker (OM-3) in front of the terminal end
		See D & OM (5)
Culverts without MBGF	Type 2 Object Markers	See Detail 2 on D & OM(4)
Crossovers	Double yellow delineators and RPMs	See Detail 1 on D & OM (4)
Pavement Narrowing (lane merge) on Freeways/Expressway	Single delineators adjacent to affected lane for full length of transition	100 feet

NOTES

- 1. Unless indicated otherwise, the delineator or barrier reflector color shall conform to the color of the pavement edge line on the side of the road where the delineators or barrier reflectors are placed.
- 2. Barrier reflectors may be used to replace required delineators.
- 3. Single red delineators may be mounted on the back side of delineator posts for wrong way driver applications

LEGEND Bi-directional Delineator \mathbf{x} Delineator Sign



DELINEATOR & OBJECT MARKER PLACEMENT DETAILS

D & OM(3) - 20

ILE: dom3-20.dgn	DN: TX[TOC	ck: TXDOT	DW:	TXDOT	: TXDOT		
C)TxDOT August 2004	CONT	SECT	JOB			HIG	HWA	Y.
	0054	09	042		US	84	,	ETC.
3-15 8-15	DIST		COUNTY			Ş	HEE	T NO.
3-15 7-20	BWD	M	IILLS, I	ETC	· .	37		37

GENERAL NOTES FOR ALL ELECTRICAL WORK

- The location of all conduits, junction boxes, ground boxes, and electrical services is diagrammatic and may be shifted to accommodate field conditions.
- 2. Provide new and unused materials. Ensure that all materials and installations comply with the applicable articles of the National Electrical Code (NEC), TxDOT standards and specifications, National Electrical Manufacturers Association (NEMA), and are listed by Underwriters Laboratories (UL) or a Nationally Recognized Testing Lab (NRTL). NRTLs such as Canadian Standard Association (CSA), Intertek Testing Services NA Inc., or FM Approvals LLC can be considered equivalent to UL. Where reference is made to NEMA listed devices, International Electrotechnical Commission (IEC) listed devices will not be considered an acceptable equal to a NEMA listed device. Acceptable devices may have both a NEMA and IEC listing. Faulty fabrication or poor workmanship in any material, equipment, or installation is justification for rejection. Replace or reinstall rejected material or equipment at no additional cost to the Department.
- 3. Miscellaneous nuts, bolts and hardware, except for high strength bolts, may be stainless steel when plans specify galvanized, provided the bolt size is $\frac{1}{2}$ in. or less in diameter.
- 4. Provide the following test equipment as required by the Engineer to confirm compliance with the contract and the NEC: voltmeter, ammeter, megohm meter (1000 volt DC), ground resistance tester, torque wrenches, and torque screwdrivers. Ensure all equipment has been properly calibrated within the last year. Provide calibration certification to the Engineer upon request. Operate test equipment during inspection as requested by the Engineer.
- 5. Install grounding as shown on the plans and in accordance with the NEC. Ensure all metallic conduits; metal poles; luminaires; and metal enclosures are bonded to the equipment grounding conductor. Provide stranded bare copper or green insulated grounding conductors. Ground rods, connectors, and bonding jumpers are subsidiary to the various bid items.
- 6. When required by the Engineer, notify the Department in writing of materials from the Material Producers List (MPL) intended for use on each project. Prequalified materials are listed on the MPL on TxDOT's website under "Roadway Illumination and Electrical Supplies." No substitutions will be allowed for materials on this list.

CONDUIT

A. MATERIALS

- 1. Provide conduit, junction boxes, fittings, and hardware as per TxDOT Departmental Material Specification (DMS) 11030 "Conduit" and Item 618 "Conduit" of TxDOT's "Standard Specifications For Construction And Maintenance Of Highways, Streets, And Bridges," latest edition. Provide conduits listed under Item 618 on the MPL under "Roadway Illumination and Electrical Supplies." Provide conduit types according to the descriptive code or as shown on the plans. Do not substitute other types of conduits for those shown. Provide liquidtight flexible metal conduit (LFMC) when flexible conduit is called for on galvanized steel rigid metallic conduit (RMC) systems. Provide liquidtight flexible nonmetallic conduit (LFNC) when flexible conduit is called for on polyvinyl chloride (PVC) systems.
- Provide galvanized steel RMC for all exposed conduits, unless otherwise shown on the plans. Properly bond all metal conduits.
- 3. Unless otherwise shown on the plans, provide junction boxes with a minimum size as shown in the following table, which applies to the greatest number of conductors entering the box through one conduit with no more than four conduits per box. When a mixture of conductor sizes is present, count the conductors as if all are of the larger size. For situations not applicable to the table, size junction boxes in accordance with NEC.

AWG	3 CONDUCTORS	5 CONDUCTORS	7 CONDUCTORS
#1	10" x 10" x 4"	12" x 12" x 4"	16" x 16" x 4"
#2	8" × 8" × 4"	10" x 10" x 4"	12" x 12" x 4"
#4	8" × 8" × 4"	10" x 10" x 4"	10" x 10" x 4"
#6	8" × 8" × 4"	8" × 8" × 4"	10" x 10" x 4"
#8	8" × 8" × 4"	8" × 8" × 4"	8" × 8" × 4"

- 4. Junction boxes with an internal volume of less than 100 cu. in. and supported by entering raceways must have threaded entries or hubs identified for the intended purpose and supported by connection of two or more rigid metal conduits. Secure conduit within 3 ft. of the enclosure or within 18 in. of the enclosure if all conduit entries are on the same side. Mechanically secure all junction boxes with an internal volume greater than 100 cu. inches.
- Provide hot dipped galvanized cast iron or sand cast aluminum outlet boxes for junction boxes containing only 10 AWG or 12 AWG conductors. Do not use die cast aluminum boxes. Size outlet boxes according to the NEC.
- 6. Do not use intermediate metal conduit (IMC) or electrical metallic tubing (EMT) unless specifically required by the plan sheets. When EMT is called for, provide junction boxes made from galvanized steel sheeting, listed and approved for outdoor use, unless otherwise noted on the plans. Size all galvanized steel junction boxes in accordance with the NEC. Provide junction boxes for IMC conduit systems that meet the same requirements for junction boxes used with RMC systems.
- 7. Provide PVC junction boxes intended for outdoor use on PVC conduit systems, unless otherwise noted on the plans.

- 8. Provide PVC elbows in PVC conduit systems, unless otherwise shown on the plans. Use only a flat, high tensile strength polyester fiber pull tape for pulling conductors through the PVC conduit system. When galvanized steel RMC elbows are specifically called for in the plans and any portion of the RMC elbow is buried less than 18 in., ground the RMC elbow by means of a grounding bushing on a rigid metal extension. Grounding of the rigid metal elbow is not required if the entire RMC elbow is encased in a minimum of 2 in. of concrete. PVC extensions are allowed on these concrete encased rigid metal elbows. RMC or PVC elbows are subsidiary to various bid items.
- 9. When required, provide High-Density Polyethylene (HDPE) conduit with factory installed internal conductors according to Item 622 "Duct Cable." At the Contractor's request and with approval by the Engineer, substitute HDPE conduit with no conductors for bored schedule 40 or schedule 80 PVC conduit bid under Item 618. Ensure bored HDPE substituted for PVC is schedule 40 and of the same size PVC called for in the plans. Ensure the substituted HDPE meets the requirements of Item 622, except that the conduit is supplied without factory-installed conductors. Make the transition of the HDPE conduit to PVC (or RMC elbow when required) at the bore pit. Provide conduit of the size and schedule as shown on the plans. Do not extend substituted conduit into ground boxes or foundations. Provide PVC or galvanized steel RMC elbows as called for at all ground boxes and foundations.
- 10. Use two-hole straps when supporting 2 in. and larger conduits. On electrical service poles, properly sized stainless steel or hot dipped galvanized one-hole standoff straps are allowed on the service riser conduit.
- B. CONSTRUCTION METHODS
- 1. Provide and install expansion joint conduit fittings on all structure-mounted conduits at the structure's expansion joints to allow for movement of the conduit. In addition, provide and install expansion joint fittings on all continuous runs of galvanized steel RMC conduit externally exposed on structures such as bridges at maximum intervals of 150 ft. When requested by the project Engineer, supply manufacturer's specification sheet for expansion joint conduit fittings. Repair or replace expansion joint fittings that do not allow for movement at no additional cost to the Department. Provide the method of determining the amount of expansion to the Engineer upon request. Do not use LFMC or LFNC as a substitute for the required expansion conduit fittings.
- 2. Space all conduit supports at maximum intervals of 5 ft. Install conduit spacers when attaching metal conduit to surface of concrete structures. See "Conduit Mounting Options" on ED(2). Install conduit support within 3 ft. of all enclosures and conduit terminations.
- 3. Do not attach conduit supports directly to pre-stressed concrete beams except as shown specifically in the plans or as approved by the Engineer.
- 4. Unless otherwise shown on the plans, jack or bore conduit placed beneath existing roadways, driveways, sidewalks, or after the base or surfacing operation has begun. Backfill and compact the bore pits below the conduit per Item 476 "Jacking, Boring, or Tunneling Pipe or Box" prior to installing conduit or duct cable to prevent bending of the connections.
- 5. When placing conduit in the sub-grade of new roadways, backfill all trenches with excavated material unless otherwise noted on the plans. When placing conduit in the sub-base of new roadways, backfill all trenches with cement-stabilized base as per requirements of Items 110 "Excavation", 400 "Excavation and Backfill for Structures", 401 "Flowable Backfill", 402 "Trench Excavation Protection", and 403 "Temporary Special Shoring."
- 6. Provide and place warning tape approximately 10 in. above all trenched conduit as per Item 618.
- 7. During construction, temporarily cap or plug open ends of all conduit and raceways immediately after installation to prevent entry of dirt, debris and animals. Temporary caps constructed of durable duct tape are allowed. Tightly fix the tape to the conduit opening. Clean out the conduit and prove it clear in accordance with Item 618 prior to installing any conductors.
- 8. Ensure conduit entry into the top of any enclosure is waterproof by installing conduit sealing hubs or using boxes with threaded bosses. This includes surface mounted safety switches, meter cans, service enclosures, auxiliary enclosures and junction boxes. Grounding bushings on water tight sealing hubs are not required.
- Fit the ends of all PVC conduit terminations with bushings or bell end fittings. Provide and install a grounding type bushing on all metal conduit terminations.
- 10. Install a bonding jumper from each grounding bushing to the nearest ground rod, grounding lug, or equipment grounding conductor. Ensure all bonding jumpers are the same size as the equipment grounding conductor. Bonding of conduit used as a casing under roadways for duct cable is not required, if the duct extends the full length through the casing.
- 11. At all electrical services, install a 6 AWG solid copper grounding electrode conductor.
- 12. Place conduits entering ground boxes so that the conduit openings are between 3 in. and 6 in. from the bottom of the box. See the ground box detail on sheet ED(4).
- 13. Seal ends of all conduits with duct seal, expandable foam, or by other methods approved by the Engineer. Seal conduit immediately after completion of conductor installation and pull tests. Do not use duct tape as a permanent conduit sealant. Do not use silicone caulk as a conduit sealant.
- 14. File smooth the cut ends of all mounting strut and conduit. Before installing, paint the field cut ends of all mounting strut and RMC (threaded or non-threaded) with zinc rich paint (94% or more zinc content) to alleviate overspray. Use zinc rich paint to touch up galvanized material as allowed under Item 445 "Galvanizing." Do not paint non-galvanized material with a zinc rich paint as an alternative for materials required to be galvanized.




ELECTRICAL DETAILS CONDUITS & NOTES

Operation: Division Standard

ED(1)-14


		_							
E:	ed1-14.dgn	DN:		CK:	DW:	DW:		СК	
TxDOT	October 2014	CONT	SECT	JOB HIGHWAY			lΥ		
	REVISIONS	0054	09	042		US	84	,	ETC.
		DIST	COUNTY				SHEET NO.		ET NO.
		BWD	l N	MILLS. ETC.			38		88




CONDUIT HANGING DETAIL

CONDUIT MOUNTING CHANNEL									
"SPAN"	"W" × "H"	"T"							
less than 2'	1 5/8" × 1 3/8"	12 Ga.							
2'-0" to 2'-6"	1 5/8" × 1 5/8"	12 Ga.							
>2'-6" to 3'-0"	1 5/8" × 2 1/16"	12 Ga.							


Channels with round or short slotted hole patterns are allowed, if the load carrying capacity is not reduced by more than 15%.






HANGER ASSEMBLY DETAIL


ELECTRIC CONDUIT TO BRIDGE DECK ATTACHMENT





CONDUIT MOUNTING OPTIONS


Attachment to concrete surfaces See ED(1)B.2



TYPICAL CONDUIT ENTRY TO BRIDGE STRUCTURE DETAIL

EXPANSION ANCHOR NOTES FOR BRIDGE DECK ATTACHMENT

- Use torque controlled mechanical expansion anchors that are approved for use in cracked concrete by the International Code Council, Evaluation Service (ICC-ES). The chosen anchor product shall have a designated ICC-ES Evaluation Report number, and its approval status shall be maintained on the ICC-ES website under Division 031600 for Concrete Anchors.
- Unless otherwise approved by the Engineer: do not use adhesive anchors; do not use expansion anchors that are not included in the ICC-ES approval list; and do not use expansion anchors that are only approved for use in uncracked concrete.
- 3. Use anchors manufactured with stainless steel expansion wedges. Anchors manufactured with carbon steel expansion wedges are not allowed. Anchor bodies can be either zinc-plated carbon steel or stainless steel. For application in marine environment, both the anchor body and expansion wedge shall be stainless steel.
- 4. Install anchors as shown on the plans and in accordance with the anchor manufacturer's published installation instructions. Arrange a field demonstration test to evaluate the procedures and tools. The test shall be witnessed and approved by the Engineer prior to furnishing anchors on the structure.
- 5. Prior to hole drilling, use rebar locator to ensure clearing of existing deck strands or reinforcement. Install anchors to ensure a minimum effective embedment depth, (hef), as shown. Increase (hef)as needed to ensure sufficient thread length for proper torqueing and tightening of anchors.
- 6. Use anchors of minimum 1600 Lbs tensile capacity (minimum of steel, concrete breakout, and concrete pullout strengths as determined by ACI 318 Appendix D) at the required minimum embedment depth (^hef). No lateral loads shall be introduced after conduit installation.



ELECTRICAL DETAILS CONDUIT SUPPORTS

ED(2) - 14

		BWD	MILLS. ETC.					39		
		DIST	COUNTY				CHI	ET NO.		
	REVISIONS	0054	09	042		US :	84,	ETC.		
)TxDOT	October 2014	CONT	SECT	JOB			H I GHWAY			
.E:	ed2-14.dgn	DN: Tx	DOT	ck: TxDOT	DW:	TxDOT	CI	k: TxDOT		

- Provide Type XHHW insulated conductors in accordance with Departmental Material Specification (DMS)11040 "Conductors" and Item 620 "Electrical Conductors." Provide conductors as listed on the Material Producers List (MPL) on the Department web site under "Roadway Illumination and Electrical Supplies" Item 620. Color code insulated conductors in conformance with the NEC. Identify grounded (neutral) conductors with white insulation. Identify grounding conductors (ground wires) with green insulation or bare conductors. Identify ungrounded (hot) conductors with any color insulation except green, white, or gray. Keep color scheme consistent throughout the wiring system. Identify conductors 6 American Wire Gauge (AWG) and smaller by continuous color jacket. Identify electrical conductors 4 AWG and larger by continuous color jacket or by colored tape. When identifying conductors with colored tape, mark at least 6 in. of the conductor's insulation with half laps of tape.
- Provide a solid copper 6 AWG grounding electrode conductor to bond the electrical service equipment to the concrete encased grounding electrode or the ground rod at the service location. Connect the grounding electrode conductor to the ground rod with a UL listed connector in accordance with DMS 11040. Connect the grounding electrode conductor to the concrete encased grounding electrode as shown in the
- Where two or more circuits are present in one conduit or enclosure, permanently identify the conductors of each branch circuit by attaching a non-metallic tag around both circuit conductors at each accessible location. Provide tags with two straps, large enough to indicate circuit number, letter, or other identification as shown in the plans. Print circuit identification on the tag
- Use listed compression or screw type pressure connectors, terminal blocks, or split bolt connectors for splicing as specified in DMS 11040. Use not melt adhesive tape to fill the gap and seal the ends of heat shrink tubing. Provide UL listed gel-filled insulating splice covers. Splicing materials, insulating materials, breakaway disconnects, splice covers, and fuse holders are subsidiary to various bid items.
- B. CONSTRUCTION METHODS
- Use only a flat, high tensile strength polyester fiber pull tape for pulling conductors through the conduit system. After installing conductors in conduit, perform conductor pull test. If a conductor cannot be freely pulled, make any needed alterations or repairs at no additional cost to the department. Perform insulation resistance tests in accordance with Item 620. Coordinate with the Engineer to witness the tests.
- 2. Leave 2 ft. minimum, 3 ft. maximum length for each conductor up to the splice in ground boxes. Leave 3 ft. minimum, 4 ft. maximum length of conductor in ground boxes when pulled through with no splice. Leave 1 ft. minimum, 1.5 ft. maximum length of conductor at enclosures, weatherheads and pole bases.
- Make splices only in junction boxes, ground boxes, pole bases, or electrical enclosures and use only listed compression or screw type pressure connectors, terminal blocks, or split bolt connectors. Insulate splices with heavy wall heat shrink tubing or gel-filled insulating splice covers to provide a watertight splice. Overlap conductor insulation with heat shrink tubing a minimum of 2 in. past both sides of the splice. Where heat shrink tubing may not shrink sufficiently to provide a watertight seal around the individual conductors, prior to heating the tubing, increase the diameter of the conductor insulation using hot melt adhesive tape to provide a watertight seal between the individual conductors and the heat shrink tubing. Ensure the tape extends past the heat shrink tubing. Use hot melt adhesive tape to fill the gap and seal the ends of heat shrink tubing. Heat shrink tubing that appears to have been burned, or overheated, is considered defective and must be replaced.
- Size and install gel-filled insulating splice covers according to manufacturer's specifications when used in place of heat shrink tubing.
- Wire nuts with factory applied waterproof sealant may be used for 8 AWG or smaller conductors in above ground junction boxes, but not in pole bases or ground boxes. Install wire nuts in an upright position to prevent the
- 6. Support conductors in illumination poles with a J-hook at the top of the pole.
- 7. When terminating conductors, remove the insulation and jacketing material without nicking the individual strands of the conductor. Conductors with nicked individual conductor strands or removed strands will be considered damaged.
- 8. Replace conductors and cables that are damaged beyond repair or that fail an insulation resistance test at no additional cost to the department.
- 9. Do not repair damaged conductors with duct tape, electrical tape, or wire nuts. Use only approved splicing methods.
- 10. Do not terminate more than one conductor under a sinale connector. unless the connector is rated for multiple conductors. Do not exceed the pressure connector's listing for maximum number and size of conductors allowed.
- Install breakaway connectors on conductors bid under Item 620 whenever those conductors pass through a breakaway support device. Follow manufacturer's instructions when terminating conductors to breakaway connectors. Properly torque threaded connections. Proper terminations are critical to the safe operation of breakaway devices. Trim waterproofing boots on breakaway connectors to fit snugly around the conductor to ensure waterproof connection. Only one conductor may enter a single opening in a boot. Provide waterproof boots with the correct number of openings. Leave unused openings factory sealed. Use prequalified breakaway connectors as shown on the MPL.

12. Provide and install a separate stranded equipment grounding conductor (EGC) in all conduits that contain circuit wiring of 50 volts or more. Unless shown elsewhere, size the EGC to be the same size as the largest current carrying conductor contained in the conduit. Ensure all EGCs are bonded together at every accessible location. For traffic signal installations, provide a minimum size 8 AWG EGC. The EGC is paid for under Item 620.

C. TEMPORARY WIRING


- Install temporary conductors and electrical equipment in accordance with the NEC article "Temporary Installations" and Department standard sheets.
- 2. Provide a ground fault circuit interrupter (GFCI) for power outlets for portable electrical equipment, power tools, ice machines, ice storage bins and refrigerators located outdoors at grade. GFCI may be any one of following: molded cord and plug set, receptacle, or circuit breaker type.
- 3. Use listed wire nuts with factory applied sealant for temporary wiring
- 4. Enclose conductor splices within a listed enclosure or ground box, or ensure the splices are more than 10 ft. above grade vertically and more than 5 ft. horizontally from any metal structure. Where installing temporary conductors in areas subject to vehicle traffic or mobile construction equipment, ensure the vertical clearance to ground is at least 18 ft. when measured at the lowest point. Ground messenger wires that support power conductors in conformance with the NEC.
- 5. Protect and when necessary repair any existing electrical conduits uncovered during the construction process in a timely manner and in conformance with


GROUND RODS & GROUNDING ELECTRODES

- A. MATERIAL INFORMATION
- Provide and install a grounding electrode at electrical services. Provide ground rods according to DMS 11040 and the plans. Larger diameter or longer length rods may be called for in some specific locations, see the individual plans sheets. Concrete encased grounding electrodes may be called for in specific locations including electrical service, see individual plan sheets.


B. CONSTRUCTION METHODS

- Furnish auxiliary ground rods for lightning protection and install in soil, concrete, or both, as called for in the plans. For ground rods installed in concrete, ensure the connection of the conductor to the ground rod is readily accessible for inspection or repairs. For ground rods installed in soil, ensure that the upper end is between 2 to 4 in. below finished grade
- 2. Do not place ground rods in the same drilled hole as a timber pole.
- 3. Install ground rods so the imprinted part number is at the upper end of
- 4. Remove all non-conductive coatings such as concrete splatter from the rod at the clamp location.
- 5. Route all conductors as short and straight as possible for connection to lightning protection ground rods. When a bend is required, ensure a minimum radius bend of four inches for these conductors.
- 6. Unless otherwise called for in the plans, protect grounding electrode conductors with non-metallic conduit. When protecting grounding electrode conductors with metal conduit, provide and install a grounding type bushing and properly sized bonding jumper on each end of the metal conduit.
- 7. Written authorization is required before installing a ground rod in a horizontal trench for rocky soil or a solid rock bottom.







SPLICE OPTION 1 Compression Type



SPLICE OPTION 2 Split Bolt Type



DN: TXDOT CK: TXDOT DW: TXDOT CK: TXDO C)TxDOT October 2014 CONT SECT JOB 0054 09 042 US 84, ETC BWD MILLS, ETC.





APRON FOR GROUND BOX

- (1) Uniformly space ends of conduits within the ground box. Position ends of conduits so that ground box walls do not interfere with the installation of grounding bushings or bell end fittings.
- (2) Maintain sufficient space between conduits to allow for proper installation of bushing.
- (3) Place aggregate under the box, not in the box. Aggregate should not encroach on the interior volume of the box.
- (4) Install a grounding bushing on the upper end of all RMC terminating in a ground box. Ground RMC elbows when any part of the elbow is less than 18 in. below the bottom of the ground box. Install a PVC bushing or bell end fitting on the upper end of all PVC conduits terminating in a ground box.


GROUND BOX DIMENSIONS									
TYPE	OUTSIDE DIMENSIONS (INCHES) (Width x Length X Depth)								
Α	12 X 23 X 11								
В	12 X 23 X 22								
С	16 X 29 X 11								
D	16 X 29 X 22								
E	12 X 23 X 17								

GROUND BOX COVER DIMENSIONS									
DIMENSIONS (INCHES)									
TYPE	Н	I	J	К	L	М	N	Р	
А, В & Е	23 1/4	23	13 3/4	13 ½	9 %	5 1/8	1 3/8	2	
C & D	30 ½	30 1/4	17 ½	17 1/4	13 1/4	6 ¾	1 3/8	2	





END



SIDE

GROUND BOX COVER

GROUND BOXES A. MATERIALS

- Provide polymer concrete ground boxes measuring 16x30x24 in. (WxLxD) or smaller in accordance with Departmental Material Specification (DMS) 11070 "Ground Boxes" and Item 624 "Ground Boxes."
- 2. Provide Type A, B, C, D, and E ground boxes as shown in the plans, and as listed on the Material Producers List (MPL) on the Department web site under "Roadway Illumination and Electrical Supplies," Item 624.
- 3. Ensure ground box cover is correctly labeled in accordance with DMS 11070.
- 4. Provide larger ground boxes in accordance with Item 624 and as shown in the plans.
- B. CONSTRUCTION METHODS
- Remove all gravel and dirt from conduit. Cap all conduits prior to placing aggregate and setting ground box. Provide Grade 3 or 4 coarse aggregate as shown on Table 2 of Item 302 "Aggregates for Surface Treatments." Ensure aggregate bed is in place and at least 9 inches deep, prior to setting the ground box. Install ground box on top of aggregate.
- Cast ground box aprons in place. Reinforcing steel may be field bent. Ensure the depth
 of concrete for the apron extends from finished grade to the top of the aggregate bed
 under the box. Ground box aprons, including concrete and reinforcing steel, are
 subsidiary to ground boxes when called for by descriptive code.
- 3. Keep bolt holes in the box clear of dirt. Bolt covers down when not working in ground boxes.
- 4. Install all conduits and ells in a neat and workmanlike manner. Uniformly space conduits so grounding bushings and bell end fittings can easily be installed.
- 5. Temporarily seal all conduits in the ground box until conductors are installed.
- 6. Permanently seal conduits immediately after the completion of conductor installation and pull tests. Permanently seal the ends of all conduits with duct seal, expandable foam, or other method as approved. Do not use duct tape as a permanent conduit sealant. Do not use silicone caulk as a sealant.
- 7. When a ground rod is present in a ground box, bond all equipment grounding conductors together and to the ground rod with listed connectors.
- 8. When a type B or D ground box is stacked to meet volume requirements, it is allowable to cut an appropriately sized hole for conduit entry in the side wall at least 18 inches below grade.
- 9. If an existing ground box in the contract has a metal cover, bond the cover to the equipment grounding conductor with a 3 ft. long stranded bonding jumper the same size as the grounding conductor. The bonding jumper is subsidiary to various bid items. Verify existing ground boxes with metal covers are shown on the plans, with notes fully describing the work required.
- 10. If other ground boxes with metal covers are within the project limits but are not part of the contract, the Engineer may direct the Contractor to bond the metal covers, identifying the specific boxes in writing. This work will be paid for separately.
- 11. Bond metal ground box covers to the grounding conductor with a tank ground type lug.



ELECTRICAL DETAILS GROUND BOXES

ED(4)-14

FILE:	ed4-14.dgn	DN: Tx	DOT	ck: TxDOT	DW:	TxDO	ГС	k: TxDO
© TxD0T	October 2014	CONT	SECT	JOB			H I GH	WAY
	REVISIONS	0054	09	042		US	84,	ETC
		DIST		COUNTY			SH	EET NO.
		RWD	l N	ATLUS.	FTC	`.		41

ELECTRICAL SERVICES NOTES

- 1. Provide new materials. Ensure installation and materials comply with the applicable provisions of the National Electrical Code (NEC) and National Electrical Manufacturers Association (NEMA) standards. Ensure material is Underwriters Laboratories (UL) listed. Provide and install electrical service conduits, conductors, disconnects, contactors, circuit breaker panels, and branch circuit breakers as shown on the Electrical Service Data chart in the plans. Faulty fabrication or poor workmanship in material, equipment, or installation is justification for rejection. Where manufacturers provide warranties and guarantees as a customary trade practice, furnish these to the State.
- 2. Provide electrical services in accordance with Electrical Details standard sheets, Departmental Material Specification (DMS) 11080 "Electrical Services, "DMS 11081 "Electrical Services-Type A," DMS 11082 "Electrical Services-Type C," DMS 11083 "Electrical Services-Type D," DMS 11084 "Electrical Services-Type T," DMS 11085 "Electrical Services-Pedestal (PS)", and Item 628 "Electrical Services" of the Standard Specifications. Provide electrical service types A, C, and D, as listed on the Material Producers List (MPL) on the Department web site under "Roadway Illumination and Electrical Supplies," Item 628. Provide other service types as detailed on the plans.
- Provide all work, materials, services, and any incidentals needed to install a complete electrical service as specified in the plans.
- 4. Coordinate with the Engineer and the utility provider for metering and compliance with utility requirements. Primary line extensions, connection charges, meter charges, and other charges by the utility company to provide power to the location are paid for in accordance with Item 628. Get approval for the costs associated with these charges prior to engaging the utility company to do the work. Consult with the utility provider to determine costs and requirements, and coordinate the work as approved.
- 5. The enclosure manufacturer will provide Master Lock Type 2 with brass tumblers keyed #2195 for all custom electrical enclosures. Installing Contractor is to provide Master Lock #2195 Type 2 with brass tumblers for "off the shelf" enclosures. Master Lock #2195 keys and locks become property of the State. Unless otherwise approved, do not energize electrical service equipment until locks are installed.
- 6. Enclosures with external disconnects that de-energize all equipment inside the enclosure do not need a dead front trim. Protect incoming line terminations from incidental contact as required by the NEC.
- When galvanized is specified for nuts, screws, bolts or miscellaneous hardware, stainless steel may be used.
- 8. Provide wiring and electrical components rated for 75°C. Provide red, black, and white colored XHHW service entrance conductors of minimum size 6 American Wire Gauge (AWG). Identify size 6 AWG conductors by continuous color jacket. Identify electrical conductors sized 4 AWG and larger by continuous color jacket or by colored tape. Mark at least 6 inches of the conductor's insulation with half laps of colored tape, when identifying conductors. Ensure each service entrance conductor exits through a separately bushed non-metallic opening in the weatherhead. The lengths of the conductors outside the weatherhead are to be 12 inches minimum, 18 inches maximum, or as required by utility.
- 9. All electrical service conduit and conductors attached to the electrical service including the riser or the elbow below ground are subsidiary to the electrical service. For an underground utility feed, all service conduit and conductors after the elbow, including service conduit and conductors for the utility pole riser when furnished by the Contractor, will be paid for separately.
- 10. Provide rigid metal conduit (RMC) for all conduits on service, except for the V_2 in. PVC conduit containing the electrical service grounding electrode conductor. Size the service entrance conduit as shown in the plans. Ensure conduit for branch circuit entry to enclosure is the same size as that shown on the layout sheets for branch circuit conduit. Extend all rigid metal conduits a minimum of 6 inches underground and then couple to the type and schedule of the conduit shown on the layout for that particular branch circuit. Install a grounding bushing on the RMC where it terminates in the service enclosure.
- 11. Use of liquidtight flexible metal conduit (LFMC) is allowed between the meter and service enclosure when they are mounted 90 to 180 degrees to each other. Size the LFMC the same size as service entrance conduit. LFMC must not exceed 3 feet in length. Strap LFMC within 1 foot of each end. LFMC less than 12 inches in length need not be strapped. Each end of LFMC must have a grounding bushing or be terminated with a grounding fitting. The LFMC must contain a grounded (neutral) conductor. Ensure any bend in LFMC never exceeds 180 degrees. A pull test is required on all installed conductors, with at least six inches of free conductor movement demonstrated to the satisfaction of the Engineer.
- 12. Ensure all mounting hardware and installation details of services conform to utility company specifications.
- 13. For all electrical service enclosures listed under Item 628 on the MPL, the UL 508 enclosure manufacturers will prepare and submit a schematic drawing unique to each service. Before shipment to the job site, place the applicable laminated schematic drawings and the laminated plan sheet showing the electrical service data chart used to build the enclosure in the enclosure's data pocket. The installing contractor will copy and laminate the actual project plan sheets detailing all equipment and branch circuits supplied by that service. The laminated plan sheets are to be placed in the service enclosure's document pocket. Reduce 11 in. x 17 in. plan sheets to 8 $\frac{1}{2}$ in. x 11 in. before laminating. If the installation differs from the plan sheets, the installing contractor is to redline plan sheets before laminating.
- 14. When providing an "Off The Shelf" Type D or Type T service, provide laminated plan sheets detailing equipment and branch circuits supplied by that service. Reduce 11 in. x 17 in. plan sheets to 8 $\frac{1}{2}$ in. x 11 in before laminating. Deliver these drawings before completion of the work to the Engineer, instead of placing in enclosure that has no door pocket.
- 15. Do not install conduit in the back wall of a service enclosure where it would penetrate the equipment mounting panel inside the enclosure. Provide grounding bushings on all metal conduits, and terminate bonding jumpers to grounding bus. Grounding bushings are not required when the end of the metal conduit is fitted with a conduit sealing hub or threaded boss, such as a meter base hub.

SERVICE ASSEMBLY ENCLOSURE

- 1. Provide threaded hub for all conduit entries into the top of enclosure.
- 2. Type galvanized steel (GS) enclosures may be used for Type C panelboards and for Type D and T services that do not use an enclosure mounted photocell or lighting contactor. Provide GS enclosures in accordance with DMS 11080, 11082, 11083, and 11084.
- 3. Provide aluminum (AL) and stainless steel (SS) enclosures for Types A, C, and D in accordance with DMS 11080, 11081, 11082, 11083, and 11084. Do not paint stainless steel.
- 4. Provide pedestal service (PS) enclosures in accordance with ED(9) and DMS 11080 and 11085. Do not provide GS pedestal services. If GS is shown in the PS descriptive code, provide an AL enclosure.

MAIN DISCONNECT & BRANCH CIRCUIT BREAKERS


- 1. Field drill flange-mounted remote operator handle if needed, to ensure handle is lockable in both the "On" and "Off" positions.
- 2. When the utility company provides a transformer larger than 50 KVA, verify that the available fault current is less than the circuit breaker's ampere interrupting capacity (AIC) rating and provide documentation from the electric utility provider to the Engineer.


PHOTOELECTRIC CONTROL

1. Provide photocell as listed on the MPL. Move, adjust, or shield the photocell from stray or ambient night time light to ensure proper operation. Mount photocell facing north when practical. Mount top of pole photocells as shown on Top Mounted Photocell Detail.

			* ELE	CTRICAL	SERV	ICE DATA	4					
Elec. Service ID	Plan Sheet Number	Electrical Service Description	Service Conduit **Size	Service Conductors No./Size	Safety Switch Amps	Main Ckt. Bkr. Pole/Amps	Two-Pole Contractor Amps	Panelbd/ Loadcenter Amp Rating	Branch Circuit ID	Branch Ckt. Bkr. Pole/Amps	Branch Circuit Amps	KVA Load
SB 183	289	ELC SRV TY A 240/480 100(SS)AL(E)SF(U)	2"	3/#2	100	2P/100	100	N/A	Lighting NB	2P/40	26	28.1
									Lighting SB	2P/40	25	
									Underpass	1P/20	15	
NB Access	30	ELC SRV TY D 120/240 060(NS)SS(E)TS(O)	1 1/4"	3/#6	N/A	2P/60		100	Sig. Controller	1P/30	23	5.3
							30		Luminaires	2P/20	9	
									CCTV	1P/20	3	
2nd & Main	58	ELC SRV TY T 120/240 000 (NS) GS (N) SP (O)	1 1/4"	3/#6	N/A	N/A	N/A	70	Flashing Beacon 1	1P/20	4	1.0
									Flashing Beacon 2	1P/20	4	


- * Example only, not for construction. All new electrical services must have electrical service data chart specific to that service as shown in the plans.
- ** Verify service conduit size with utility. Size may change due to utility meter requirements. Ensure conduit size meets the National Electrical Code.






TOP MOUNTED PHOTOCELL

Install conduit strap maximum 3 feet from box. 5 foot maximum spacing between straps supporting conduit.




Operation



SCHEMATIC TYPE A THREE WIRE

SCHEMATIC TYPE C


THREE WIRE



SCHEMATIC TYPE D - CUSTOM 120/240 VOLTS - THREE WIRE

	WIRING LEGEND
	Power Wiring
	Control Wiring
— н —	Neutral Conductor
— G—	Equipment grounding conductor-always required

	SCHEMATIC LEGEND
1	Safety Switch (when required)
2	Meter (when required-verify with electric utility provider)
3	Service Assembly Enclosure
4	Main Disconnect Breaker (See Electrical Service Data)
5	Circuit Breaker, 15 Amp (Control Circuit)
6	Auxiliary Enclosure
7	Control Station ("H-O-A" Switch)
8	Photo Electric Control (enclosure- mounted shown)
9	Lighting Contactor
10	Power Distribution Terminal Blocks
11	Neutral Bus
12	Branch Circuit Breaker (See Electrical Service Data)
13	Separate Circuit Breaker Panelboard
14	Load Center
15	Ground Bus



SCHEMATIC TYPE T

120/240 VOLTS - THREE WIRE

Galvanized steel-"Buy Off The Shelf" only. When required install photocell top of the pole or on luminaire only, no lighting contractor will be installed.



Traffic Operations Division Standard

ELECTRICAL DETAILS SERVICE ENCLOSURE AND NOTES

ED(6)-14

E:	ed6-14.dgn	DN: Tx	DOT	ck: TxDOT	DW:	TxDOT	СК	:TxDOT	
TxDOT	October 2014	CONT	SECT	JOB		F	I GHW	ΔY	
	REVISIONS	0054	09	042		US 8	34,	ETC.	
		DIST		COUNTY		SHEET NO.			
		DWD		ATLIC	C T C	,		43	

ë≨

with zinc-rich paint before installing.

- 2. Provide poles for overhead service with an eyebolt or similar fitting for attachment of the service drop to the pole in conformance with the electric utility provider's specifications.
- 3. Provide and install galvanized $\frac{y_4}{4}$ in. x 18 in. x 4 in. (dia. x length x hook length) anchor bolts for underground service supports. Provide and install galvanized $\frac{3}{4}$ in. x $\frac{5}{6}$ in. x 4 in. anchor bolts for overhead service supports. Ensure anchor bolts have 3 in of thread, with $3 \frac{1}{4}$ in, to $3 \frac{1}{2}$ in, of the exposed anchor bolt projecting above finished foundation. Provide and install leveling nuts for all anchor bolts.


members as approved. Do not stack channel. File smooth and paint field cut ends of all channel


- 4. Bond one of the anchor bolts to the rebar cage with 6 AWG bare stranded copper conductor. Use listed mechanical connectors rated for embedment in concrete. See Inset B.
- 5. Furnish and install rigid metallic ells in all steel pole and steel frame foundations for all conduits entering the service from underground.
- 6.Use class C concrete for foundations. Ensure reinforcing steel is Grade 60 with 3" of unobstructed concrete cover.
- 7. Drill and tap steel poles and frames for $\frac{1}{2}$ in. X 13 UNC tank ground fitting. For steel pole service supports, provide and install tank ground fitting 4 in. to 6 in. below electrical service enclosure. Provide properly sized hole through the bottom of the enclosure for the service grounding electrode conductor. Ensure electrical service grounding electrode conductor is as short and straight as possible from the enclosure to the tank ground fitting. For steel frame service supports, provide and install tank ground fitting on steel frame post. Install service grounding electrode conductor in a non-metallic conduit or tubing from the enclosure to the steel frame post. Connect electrical service grounding electrode conductor to the tank ground fitting. See steel frame and steel pole details and Inset A for more information. Size service entrance conduit and branch circuit conduit as shown in the plans. For underground conduit runs from the electrical service, extend RMC from the service enclosure to an RMC elbow, and then connect the schedule type and size of conduit shown in the plans. Provide and install grounding bushings where RMC terminates in the enclosure. Grounding bushings are not required when RMC is fitted into a sealing hub or threaded boss.
- 8. If Steel pole or frame is painted, bond each separate painted piece with a bonding jumper attached to a tapped hole.


Varies

SERVICE

- 9. Provide $\frac{1}{4}$ " 20 machine screws for bonding. Do not use sheet metal screws. Remove all nonconductive material at contact points. Terminate bonding jumpers with listed devices. Install minimum size 6 AWG stranded copper bonding jumpers. Make up all threaded bonding connections wrench tight.
- 10. Avoid contact of the service drop and service entrance conductors with the metal pole to prevent abrasion of the insulated conductors.
- 11. Shop drawings are not required for service support structure unless specifically stated elsewhere or directed by the Engineer.







NOTE: All rough edges shall be ground smooth Drain hole for galv. **→** /- //2 ' | 1/2 " 2 - places TYP. POLE TOP PLATE 24" Digmeter drill shaft

2 1/2" TYP.


1 1/4

Operation

5 ½"


. 1 1/4 "--

BASE PLATE DETAIL



BOTTOM OF POLE

SERVICE SUPPORT TYPE SF & SP



TOP VIEW

SERVICE SUPPORT TY SF (0) & SF (U)




ED(7) - 14

DN: TXDOT CK: TXDOT DW: TXDOT CK: TXDO JOB CTxDOT October 2014 0054 09 042 US 84, ETC BWD MILLS, ETC.

2022 10:17:04 DDSGTEAM_Desid

- 1. Do not pass luminaire conductors through the signal controller cabinet.
- Include an equipment grounding conductor in all conduits throughout the electrical system. Bond all exposed metal parts to the grounding conductor.
- 3. Provide roadway luminaires, when required, in accordance with the material and construction sections of Item 610, "Roadway Illumination Assemblies," except for performance testing of luminaires. Test installed roadway luminaires for proper operation as a part of the associated traffic signal system test.
- 4. If internally illuminated street name signs are approved for use, ground the fixture to the pole with a 12 AWG green XHHW conductor.
- Bond anchor bolts to rebar cage in two locations using #3 bars or 6 AWG stranded copper conductors. Use Listed mechanical connectors rated for embedment in concrete. See TXDOT standard TS-FD for further details.
- 6. Drill and tap signal poles for ½ in. X 13 UNC tank ground fitting. Provide and install tank ground fitting 4 in. to 6 in. directly below electrical service enclosure. Provide properly sized hole through the bottom of the enclosure for the service grounding electrode conductor. Connect the electrical service grounding electrode conductor to the tank ground fitting. Ensure electrical service grounding electrode conductor is as short and straight as possible from the enclosure to the tank ground fitting. See Inset A detail for further information. Size service entrance conduit and branch circuit conduit as shown in the plans.
- 7. Mount electrical service enclosure and meter to signal pole with stainless steel bands. Ensure bands are a minimum width of $\frac{3}{4}$ in. Secure enclosures to bands using two-bolt brackets. Install brackets near top and bottom of each enclosure. Install properly sized stainless steel washers on each bolt in the enclosure. Band or drill and tap properly sized stand-off straps to signal pole for attaching conduit.
- 8. Conduct pull tests and insulation resistance tests on all illumination and power conductors as required in Item 620 "Electrical Conductors" and ED(3). To prevent electronics damage, do not conduct insulation resistance tests on traffic signal cables after termination.
- Lock all enclosures and bolt down all ground box covers before applying power to the signal installation.
- 10. Terminate conduits entering the top of enclosures with a conduit-sealing hub or threaded boss such as meter hub. Install a grounding bushing on all metal conduits not connected to conduit-sealing hub or threaded boss. Bond the grounding bushing to the ground bus with a bonding jumper. Seal all conduits entering enclosures with duct seal or expanding foam. Do not use silicone to seal conduit ends.
- 11. For all conduits, ensure the burial depth is a minimum of 18". Ensure the minimum burial depth for conduit placed under a roadway is 24".



SIGNAL POLE WITH SERVICE

Type T electrical service mounted on signal pole shown as an example. See electrical details, layout sheets, and electrical service data chart for additional details.

SIGNAL CONTROLLER FRONT VIEW

SIGNAL POLE

Texas Department of Transportation

Traffic Operations Division Standard

ELECTRICAL DETAILS
TYPICAL TRAFFIC SIGNAL
SYSTEM DETAILS

ED(8)-14

See TS-CF standard for conduit and grounding requirements. See layout sheets for ground box locations and any additional conduits that are required.


See con reg


SIDE VIEW

71H


PEDESTAL SERVICE NOTES

- 1. Manufacture pedestal electrical services in accordance with Departmental Material Specifications (DMS)11080 "Electrical Services", 11085 "Electrical Services-Pedestal (PS)" and Item 628 "Electrical Services. "Provide pedestal electrical services as listed on the Material Producers list (MPL) on the Department's web site under "Roadway Illumination and Electrical Supplies," Item 628. Ensure all mounting hardware and installation details of services meet utility company specifications. Contact the local utility company for approval of pedestal details prior to installing the electrical pedestal service. Submit any changes required by the utility company prior to manufacturing the pedestal enclosure.
- 2. When a meter socket is required, provide a socket with a minimum 100 amp rating that complies with local utility requirements.
- 3. Provide Class A or C concrete for pedestal service foundations in accordance with Item 420, "Concrete Substructures," except that concrete will not be paid for directly but is considered subsidiary to Item 628.
- 4. Provide #4 reinforcing steel for foundations in accordance with Item 440, "Reinforcement for Concrete."
- 5. Install $\frac{1}{2}$ in, X 2 $\frac{1}{16}$ in, minimum length concrete single expansion type anchors for mounting pedestal enclosure to foundation. Anchor location to match mounting holes in each corner of enclosure. Secure each of the four corners of the pedestal enclosure to the anchors in the foundation with a $\frac{1}{2}$ in, galvanized or stainless steel machine thread bolt, a properly sized locknut and a flat washer.
- 6. Finish top of concrete foundation in a neat and workmanlike manner. If leveling washers are used, ensure no more than $\frac{1}{8}$ in. gap at any corner. Do not exceed a maximum dip or rise in the foundation of $\frac{1}{8}$ in. per foot. When properly installed, ensure the top of the service enclosure is level front to back and side to side within $\frac{1}{4}$ in. Repair rocking or movement of the service enclosure at no additional cost to the department.
- 7. Do not use liquidtight flexible metal conduit (LFMC) on pedestal type services.
- 8. Ensure all elbows in the foundation are sized as per utility provider's conduit requirements for underground conduit and feeders. PVC extensions may be installed provided the ends of the rigid metal conduits are more than 2 in. below the top of the concrete foundation. Where extension conduits are metal, grounding bushings must be installed with a bonding jumper properly terminated.






SECTION A-A ANCHOR BOLT DETAIL



TYPE C shown, TYPE A similar except that TYPE A shall have individual circuit breakers (CB) mounted on an equipment mounting panel. CB Handles shall protrude through hinged deadfront trim.





Traffic Operations Division Standard


ELECTRICAL DETAILS ELECTRICAL SERVICE SUPPORT PEDESTAL SERVICE TYPE PS

ED(9)-14

ILE:	ed9-14.dgn	DN: T	OOT	ck: TxDOT	DW:	TxDO	T	CK:	TxDOT
C) TxDOT	October 2014	CONT	SECT	JOB			HIG	HWA	Υ
	REVISIONS	0054	09	042		US	84	,	ETC.
		DIST		COUNTY			s	HEE	T NO.
		BWD	, N	AILLS,	ETO	.		4	16

TIMBER POLE (TP) SERVICE SUPPORT NOTES

- Ensure electrical service support is a class 5 treated timber pole as per Item 627 "Treated Timber Poles." Embed timber pole to depth required in Item 627.
- Conduit and electrical conductors attached to the electrical service pole and underground within 12 in. of service pole are not paid for directly but are subsidiary to the electrial service.
- 3. Install pole-top mounted photocell (T) on north side of pole, or in service enclosure (E) as required. See Electrical Service Data chart in plan set.
- 4. Gain pole as required to provide flat surface for each channel. Gain timber pole to $\frac{5}{8}$ in. max. depth and 1 $\frac{7}{8}$ in. max. height. Gain pole in a neat and workmanlike manner.
- 5. Mount meter and service equipment on stainless steel or galvanized channel (Unistrut, Kindorf, or equal). Provide channel sized 1 in. to 3 $\frac{3}{4}$ i maximum depth, and $\frac{1}{2}$ in. to $\frac{15}{6}$ in. maximum width. File smooth the cut ends of galvanized channel and paint with zinc rich paint before installing on pole. Secure each channel section to timber pole with two galvanized or SS lag bolts, $\frac{1}{4}$ in. minimum diameter by $\frac{1}{2}$ in. minimum length. Use a galvanized or SS flat washer on each lag bolt. Do not stack channel.
- When excess length must be trimmed from poles, trim from the top end only.
- (1) Class 5 pole, height as required
- ② Service drop from utility company (attached below weatherhead)
- 3 Service conduit (RMC) and service entrance conductors One Red, One Black, One White (See Electrical Service Data)
- (4) Safety switch (when required)
- (5) Meter (when required)
- (6) Service enclosure
- (7) 6 AWG bare grounding electrode conductor in ½ in. PVC to ground rod extend ½ in. PVC 6 in. underground.
- (8) % in. x 8 ft. Copper clad ground rod - drive ground rod to a depth of 2 in. to 4 in. below grade.
- 9 RMC same size as branch circuit conduit.
- See pole-top mounted photocell detail on ED(5).
- (1) When required by the serving utility provide bare 6 AWG copper conductor. Run wire from pole top to butt wrap or copper butt plate. Protect conductor with non-conductive material to a height of 8 ft. above finished grade.
- (2) When required by utility, cut top of pole at an angle to enhance rain run off.




SERVICE SUPPORT TYPE TP (0)

GRANITE CONCRETE (GC) & OTHER CONCRETE (OC) NOTES


Ensure electrical service support structures bid as type Granite Concrete (GC) or Other Concrete (OC) meet the following requirements.

- Provide GC and OC poles that meet the requirements of DMS 11080 "Electrical Services."
- 2. Provide prestressed concrete poles suitable for direct embedment into the ground without special foundations.
- 3. Verify poles are marked as required on DMS 11080. Location of marking should be approximately 4' above final grade. Use the two-point pickup locations when handling pole in horizontal position, and one-point pickup location for use in raising the pole to a vertical position. These marks are small but conspicuous.
- 4. Embed poles 42 in. or 10% of the length plus 2 ft., whichever is greater.
- Ensure all installation details of services are in accordance with utility company specifications.
- Install a one point rack or eye bolt bracket 6 inches to 12 inches below the weatherhead as an overhead service drop anchoring point for the electric utility.
- 7. Furnish and install galvanized or stainless steel channel strut 1 $\frac{1}{2}$ in. or 1 $\frac{5}{8}$ in. wide by 1 in. up to 3 $\frac{3}{4}$ in. deep (Unistrut, Kindorf, B-line or equal). Attach channel strut with stainless steel concrete anchors (max. 1" depth), square U-bolts or back to back channel strut with long bolts, or other secure mounting as approved by the Engineer. Ensure bolts are galvanized in accordance with ASTM A153. Do not stack channel struts.
- 8. Backfill the holes thoroughly by tamping in 6 in. lifts. After tamping to grade, place additional backfill material in a 6 inch high cone around the pole to allow for settling. Use material equal in composition and density to the surrounding area. Backfilling will not be paid for directly but is subsidiary to various bid items.




CONCRETE SERVICE SUPPORT

Overhead(0)




CONCRETE SERVICE SUPPORT

Underground (U)



DETAIL A

See Note 7. Before installing channel that has been cut, file sharp edges and paint with zinc-rich paint. Ensure there is no paint splatter on the pole.




0054 09 042 US 84, ETC


BWD MILLS, ETC.


DUCT CABLE & HDPE CONDUIT NOTES

- Provide duct cable in accordance with Departmental Material Specification (DMS) 11060
 "Duct Cable" and Item 622 "Duct Cable." Provide duct cable as listed on the Material
 Producer List (MPL) on the Department web site under "Roadway Illumination and Electrical
 Supplies" Item 622.
- Provide High-Density Polyethylene (HDPE) conduit in accordance with DMS 11060 and Item 618, "Conduit." Provide HDPE as listed on the MPL on the Department web site under "Roadway Illumination and Electrical Supplies," Item 618.
- 3. Supply duct cable with a minimum 2 in. diameter, unless otherwise shown in the plans. Provide duct cable and HDPE conduit as shown by descriptive code or on the plans. Bend duct cable and HDPE conduit as recommended by the manufacturer, with a minimum bending radius of 26 in. for 2 in. duct. Follow manufacturers' recommendations when handling duct cable and HDPE conduit reels and during installation of duct cable and HDPE conduit.
- 4. Do not splice conductors within duct cable or HDPE conduit. Couple duct cable and HDPE entering a ground box or foundation to a PVC elbow. When galvanized steel RMC elbows are called for in the plans and any portion of the RMC elbow is buried less than 18" from possible contact, ground the RMC elbow.
- 5. Furnish and install duct cable with factory installed conductors, sized as shown in the plans and as required by the National Electrical Code (NEC). The NEC contains specific requirements for duct cable in Article, "Nonmetallic Underground Conduit with Conductors: Type NUCC."
- 6. When conduit casing is called for in the plans, extend duct cable or HDPE conduit through the conduit casing in one continuous length without connection to the casing.
- 7. Seal the ends of duct cable or HDPE conduit with duct seal, expandable foam, or other approved method after completing the pull tests required by Item 622.
- 8. Provide minimum cover of 24 in. under roadways, 18 in. in other locations, or as shown on the plans.
- 9. Furnish and install listed fittings to couple duct cable or HDPE conduit to other types of conduit. Duct cable and HDPE conduit may be field-threaded and spliced with PVC or RMC threaded couplings; connected with listed tie-wrap fittings; connected using listed coupling made of HDPE with stainless steel external banding clamps and locking rings; connected with approved electrofusion conduit couplings; or connected using an approved chemical fusion method using an epoxy or adhesive specifically designed for HDPE couplings and connectors all installed in accordance with their manufacturer's instructions. Do not use PVC glue on HDPE. Do not use water pipe fittings, or connect conduit with heat shrink tubing.




DUCT CABLE/HDPE TO PVC






DUCT CABLE/HDPE AT GROUND BOX

When the upper end of an RMC EII does not enter the ground box, it may be extended with a SCH-40 PVC conduit nipple and bell end, provided there is a minimum of 18" of cover over all parts of the elbow. If not, a rigid extension and ground bushing is required.



DUCT CABLE / HDPE AT FOUNDATION



BORE PIT DETAIL



ELECTRICAL DETAILS
DUCT CABLE/
HDPE CONDUIT

ED(11)-14

E:	ed11-14.dgn	DN: Tx	DOT	ck: TxDOT	DW:	TxDO	T o	ck: TxDOT
TxDOT	October 2014	CONT	SECT	JOB			HIGH	WAY
	REVISIONS	0054	09	042		US	84,	ETC.
		DIST		COUNTY			SH	HEET NO.
		BWD	N	AILLS,	ETO	· .		48


BATTERY BOX GROUND BOXES NOTES

A. MATERIALS


- Provide polymer concrete or fiberglass reinforced plastic (FRP) battery box ground box and cover in accordance with Departmental Material Specification (DMS) 11071 "Battery Box Ground Boxes." Battery box will accommodate up to 4 batteries, each measuring 8 in. x 13.5 in. x 10 in. (W x L x D). Label battery box ground box cover in accordance with DMS 11071.
- 2. Supply a marine grade batteries with covers. Secure the marine grade batteries with covers to the stainless steel rack in the bottom of the ground box with tie down straps.

B. CONSTRUCTION METHODS

- 1. Ensure conduit entry will not interfere with placement of the batteries in the battery box ground box.
- 2. Remove all gravel and dirt from conduit. Cap all conduits prior to placing aggregate and setting bottery box ground box. Provide Grade 3 or 4 coarse aggregate as shown on Table 2 of Item 302 "Aggregates for Surface Treatments." Ensure the aggregate bed is in place and is a minimum of 9 in, deep prior to setting the box. Install battery box ground box on top of aggregate.
- 3. Cast battery box aprons in place. Reinforcing steel may be field bent. Ensure the depth of concrete for the apron extends from finished grade to the top of the aggregate bed under the box. Battery box ground box aprons, including concrete and reinforcing steel, are subsidiary to battery box ground boxes when called for by descriptive code.
- 4. Bolt covers down when not working in battery box ground boxes. Keep bolt holes in the box clear of dirt.




PLAN VIEW





APRON FOR BATTERY BOX GROUND BOXES

- 1 Place aggregate under the box and not in the box.
 Aggregate should not encroach on the interior volume of the box.
- 2 Install bushing or bell end fitting on the upper end of all ells.
- (3) Install all conduits in a neat and workmanlike manner.




BATTERY BOX TOP VIEW





SECTION X-X



SECTION Y-Y



ELECTRICAL DETAILS
BATTERY BOX
GROUND BOXES

Traffic Operations Division Standard

ED(12)-14

	- 410 14 4	ъ. Т.	DOT	ck: TxDOT		TD.O	т .	k: TxDOT
FILE:	ed12-14. dgn	DN: Tx	DOT	CK: IXDOI	DW:	TxD0	1 6	K: IXDUI
C TxD0T	October 2014	CONT	SECT	JOB			HIGH	WAY
	REVISIONS	0054	09	042		US	84,	ETC.
		DIST		COUNTY			SH	EET NO.
		RWD	l k	ATLLS.	FTC	•		⊿ 9

ze Thr 6" |

R=d-

1 ½" Min

Circular Steel Bottom Template

HOOKED ANCHOR

(TYPE 1)

ANCHOR BOLT ASSEMBLY

(8) Orient anchor bolts orthogonal

ensure that two bolts are in

tension under dead load.

with the fixed arm direction to

(Omit bottom template

for FDN 24-A)

									<u> </u>				
						FOUND	ATION	DESI	GN T	ABLE			
FDN	DRILLED		FORCING TEEL	EMBEDDE LENGTI	D DRILLE H-f† 4),	D SHAFT	1			FOUNDATION DESIGN LOAD			
TYPE	SHAFT DIA	VERT SPIRAL TEXAS CONE PENETROMETER ANCHOR FY BOLT (KSI) CIR ANCHOR MOMENT SHEAR TYPICAL APPLICATI									TYPICAL APPLICATION		
		BARS	& FIICH	10	15	40	DIA		DIA	1115	K-ft	Kips	
24-A	24"	4-#5	#2 at 12"	5.7	5.3	4.5	¾ "	36	12 3/4"	1	10	1	Pedestal pole, pedestal mounted controller.
30-A	30"	8-#9	#3 at 6"	11.3	10.3	8.0	1 1/2 "	55	17"	2	87	3	Mast arm assembly. (see Selection Table)
36-A	36"	10-#9	#3 at 6"	13.2	12.0	9.4	1 ¾"	55	19"	2	131		Mast arm assembly. (see Selection Table) 30' strain pole with or without luminaire.
36-B	36"	12-#9	#3 at 6"	15.2	13.6	10.4	2"	55	21"	2	190	7	Mast arm assembly. (see Selection Table) Strain pole taller than 30′& strain pole with mast arm
42-A	42"	14-#9	#3 at 6"	17.4	15.6	11.9	2 1/4"	55	23"	2	271	9	Mast arm assembly. (see Selection Table)


	FOUNDATION SELE ARM PLUS IL	CTION TABL SN SUPPORT	E FOR STANDA ASSEMBLIES	ARD MAST (ft)		Traffic Signal Pole
		FDN 30-A	FDN 36-A	FDN 36-B	FDN 42-A	
7	MAX SINGLE ARM LENGTH	32'	48′			
SPEED		24′ X 24′				
)EE	[28' X 28'				- Length
SF	MAXIMUM DOUBLE_ARM	32' X 28'	32' X 32'			
WIND S	LENGTH COMBINATIONS		36′ X 36′			
×	[40' X 36'			
•	l i		44' X 28'	44′ X 36′		
2	MAX SINGLE ARM LENGTH		36′	44′		Del I led
SPEED			24' X 24'			
ΣĒΕ	l		28' X 28'			
SF	MAXIMUM DOUBLE ARM		32' X 24'	32' X 32'		
ΔN	LENGTH COMBINATIONS			36′ X 36′		Use average N value ove
WINDS				40′ ×24′	40′ X 36′	the top third of the
-					44′ × 36′	embedded shaft. Ignore the top 1' of so

Type 2

NUT ANCHOR

(TYPE 2)

(Typ)



NOTES:

- 1) Anchor bolt design develops the foundation capacity given under Foundation Design Loads.
- (2) Foundation Design Loads are the allowable moments and shears at the base of the structure.
- (3) Foundations may be listed separately or grouped according to similarity of location and type. Quantities are for the Contractor's information only.
- ④ Field Penetrometer readings at a depth of approximately 3 to 5 feet may be used to adjust shaft lengths.
- (5) If rock is encountered, the Drilled Shaft shall extend a minimum of two diameters into solid rock.
- (6) Decimal lengths in Design Table are to allow interpolation for other penetrometer values. Round to nearest foot for entry into Summary Table.

-Vertical


Diameter


Bolt Circle


Bars

	ANCHOR BOLT & TEMPLATE SIZES											
BOLT DIA IN.	7 BOLT LENGTH	TOP THREAD	BOTTOM THREAD	BOLT CIRCLE	R2	Rı						
¾ "	1'-6"	3"	_	12 3/4"	7 1/8"	5 % "						
1 1/2"	3′-4"	6"	4"	17"	10"	7"						
1 3/4"	3′-10"	7"	4 1/2 "	19"	11 1/4"	7 3/4"						
2"	4'-3"	8"	5"	21"	12 ½"	8 1/2 "						
2 1/4"	4'-9"	9"	5 ½"	23"	13 ¾"	9 1/4"						

(7) Min dimensions given, longer bolts are acceptable.







FOUNDATION DETAILS

Conduit

GENERAL NOTES:

Design conforms to 1994 AASHTO Standard Specifications for Structural Supports for Highway Signs, Luminaires and Traffic Signals and interim revisions thereto.

FOUNDATION SUMMARY TABLE 3

6

6

6

6

6

126 40

10

10

10

10

DRILLED SHAFT LENGTH 6

(FEET)

24-A 30-A 36-A 36-B 42-A

Reinforcing steel shall conform to Item 440, "Reinforcing Steel".

TOTAL DRILLED SHAFT LENGTHS

Concrete shall be Class "C".

LOCATION

IDENTIFICATION

TA. 1002+70.15 RT

TA. 1021+61.77 RT

TA. 1022+35.83 RT

STA. 1022+54.84 RT

STA. 1043+64.82 LT

US 67 @ FM 2131 STA. 885+02.05 RT

STA. 904+85.73 RT

STA. 905+32.56 RT

STA. 905+72.11 LT

STA. 906+19.20 LT

TA. 925+01.87 LT

SH 206 @ FM 2526

TA. 376+28.76 RT

STA. 376+72.00 LT

STA. 378+40.16 RT

STA. 378+77.69 LT

STA. 357+53.16 RT

STA. 376+89.51 LT

STA. 377+65.13 RT

TA. 378+20.94 RT

TA. 397+54.25 LT

FM 3418 @ FM 2231

STA. 158+49.94 RT

STA. 178+26.03 RT

STA. 178+75.73 RT

STA. 198+50.18 LT

US 84 @ LP 15

N BLOW

/ft.

10

10

FDN

TYPE

24-A

24-A

10 30-A

10 30-A

10 30-A

10 30-A

10 24-A

10 24-A 1

Threads for anchor bolts and nuts shall be rolled or cut threads of 8UN series up to 2" in diameter or UNC series for all sizes. Bolts and nuts shall have Class 2A and 2B fit tolerances. Galvanized nuts shall be tapped after galvanizing.

Anchor bolts that are larger than 1" in diameter shall conform to "alloy steel" or "medium-strength mild steel" per Item 449, "Anchor Bolts". Anchor bolts that are 1" in diameter or less shall conform to ASTM A36. Galvanize a minimum of the top end thread length plus 6" for all anchor bolts unless otherwise noted. Exposed washers and exposed nuts shall be galvanized. All galvanizing shall be in accordance with Item 445, "Galvanizing".

Templates and embedded nuts need not be galvanized. Lubricate and tighten anchor bolts when erecting the structure in accordance with Item 449, "Anchor Bolts".



TRAFFIC SIGNAL POLE FOUNDATION

TS-FD-12

	(C)TxDOT August 1995	DN: MS		CK: JSY	DW:	MAO/M	MF	CK:	JSY/TEB
5-96	REVISIONS	CONT	SECT	JOB			HIG	HWA	¥Υ
11-99		0054	09	042		US	84	,	ETC.
		DIST		COUNTY			s	HEI	ET NO.
l		BWD	l N	MILLS,	ETC	:.		-	50

ROADWAY ILLUMINATION ASSEMBLY NOTES

- Details apply to roadway lighting installations bid or referenced under Item 610, "Roadway Illumination Assemblies."
 Provide, furnish, and install all other materials not shown on the plans which may be necessary for complete and proper
 construction. Where manufacturers provide warranties or guarantees as a customary trade practice, furnish to the State
 such warranties or guarantees.
- 2. The locations of poles and fixtures may be shifted by the Engineer to accommodate local conditions. Install or remove poles and luminaires located near overhead electrical lines using established industry and utility safety practices and in accordance with laws governing such work. Consult with the appropriate utility company prior to beginning such work.
- 3. Provide new and unused materials. Ensure that all materials and installations comply with the applicable articles of the National Electrical Code (NEC), TxDOT standards and specifications, National Electrical Manufacturers Association (NEMA), and are listed by Underwriters Laboratories (UL) or a Nationally Recognized Testing Lab (NRTL). NRTLs such as Canadian Standard Association, Intertek Testing Services NA Inc., or FM Approvals LLC can be considered equivalent to UL. Faulty fabrication or poor workmanship in any material, equipment, or installation is justification for rejection.
- 4. Provide Roadway Illumination Light Fixtures as per TxDOT Departmental Material Specification (DMS) 11010, Item 610, and as shown on the Material Producers List (MPL) for Roadway Illumination and Electrical Supplies.
- 5. Fabricate steel roadway illumination poles in accordance with Roadway Illumination Poles (RIP) standards and Item 610. Poles fabricated according to RIP standards do not require shop drawing submittals.
 - a. Alternate designs to RIP standards or the use of aluminum to fabricate poles will require the submission of shop drawings electronically. For instructions on submitting shop drawings electronically see "Guide to Electronic Shop Drawing Submittal" on the TxDOT web site.
 - b. Limitations on use of the RIP standard: The RIP standard details were developed for installations in locations where the 3-second gust basic maximum wind speed is 110 mph, and where the elevation of the base of the pole is less than (i.e. not more than) 25′ above the elevation of the surrounding terrain, in accordance with the "AASHTO Standard Specifications for Structural Supports for Highway Signs, Luminaires and Traffic Signals," 6th Edition (2013) of the AASHTO Design Specifications. For poles to be installed in regions where the maximum basic wind speed exceeds 110 mph or to be mounted more than 25′ above the surrounding terrain, provide poles meeting the following requirements:
 - i. Submittals. Following the electronic shop drawing submittal process (see Guide to Electronic Shop Drawing Submittal on the TxDOT web site), submit to the Engineer for approval fabrication drawings and calculations for the poles, sealed by a Texas licensed professional engineer (P.E.).
 - ii. Luminaire Structural Support Requirements. Provide Light poles, arms, and anchor bolt assemblies with a 25 year design life to safely resist dead loads, ice loads and the required basic wind speeds at the location of installation in accordance with the 6th edition (2013) of the AASHTO Design Specifications. For transformer base poles, include transformer base and connecting hardware in calculations and shop drawing submittals. Structurally test all transformer bases to resist the theoretical plastic moment capacity of the pole. Submit certification of the plastic moment load test and FHWA breakaway requirement test of the model of base being furnished with the shop drawings. Show breakaway base model number, manufacturer's name, and logo on shop drawings. Include on manufacturer's shop drawings the ASTM designations for all materials to be used.
- 6. For both transformer and shoe-base type illumination poles, provide and install double-pole breakaway fuse holders as specified by DMS-11040. Breakaway fuse holders are listed on the MPL for Roadway Illumination and Electrical Supplies under Items 610 & 620. Provide 10 amp time delay fuses for breakaway connectors in light poles, or inside the light fixture for underpass luminaires. In each pole, connect luminaires to the breakaway connector with continuous stranded 12 AWG copper conductors as listed on the MPL. Bond all equipment grounding conductors together and to the ground lug in the transformer base or hand hole.
- Tighten anchor bolts for shoe base, concrete traffic barrier base, and bridge mount roadway illumination poles, in accordance with Item 449.
- 8. Install T-Base with following procedure:
 - a. Anchor Bolt Tightening.
 - i. Coat the threads of the anchor bolts with electrically conductive lubricant.
 - ii. Place the T-base over the anchor bolts. Foundation must be level and flat. The maximum permissible gap under any one corner of the t-base is 1/8" before nuts are tightened.
 - iii.Coat the bearing surfaces of the nuts and washers with electrically conductive lubricant. Install (1) 1/2" hold down washer, (1) lock washer, and (1) nut on each anchor bolt. Turn the nuts onto the bolts so that each is hand-tight against the washer.
 - iv. Using a torque wrench, tighten each nut to 150 ft-Ib. Uniform contact is required between the foundation and the T-base in the corner regions of the T-base, and all corner gaps must be closed after applying torque. If a gap still exists after torquing to 150 ft-Ibs, continue torquing each bolt incrementally until gap is closed or maximum allowable torque of 250 ft. pound is reached, whichever comes first. If 250 ft-Ibs is not enough to close the gap the foundation must be leveled. Gaps along the straight sides of the T-bases and the foundation are permissible. Ensure that no high point of contact occurs between the straight sides of the T-base and the foundation.
 - v. Check top of T-base for level. If not level then foundation must be leveled.
 - b. Top Bolt Procedure
 - i. Erect pole over T-base with crane. Coat bolts, nuts, washers, and lock washers with electrically conductive lubricant.


- ii. Install bolts and 1/2" connecting washers from the inside of the T-base, thread up through the pole base. Install flat washers, lock washers and nuts snug tight according to Item 447, "Structural Bolting."
- iii. Tighten each nut to 150 ft-Ib. using a torque wrench.
- c. Level and Plumb
 - Ensure pole is plumb and mast arm is perpendicular to the roadway according to plans to within 5 degrees.
- 9. Construct luminaire pole foundations in accordance with Item 416, "Drilled Shaft Foundations," and TxDOT standard sheet RID(2).
- 10. Provide and install underpass luminaires in accordance with Item 610, DMS-11010, and TxDOT standard sheet RID(3). Typical luminaire size for underpass luminaires is 150W HPS or 150W EQ LED.
- 11. Mount luminaires on arms level as shown by the luminaire level indicator.
- 12. Orient luminaires perpendicular to the roadway intended to be lit unless otherwise shown on the plans.

Wiring Diagram Notes:


- 1 Use 1/2 in.-13 UNC threaded, copper or tin-plated copper, pole bonding connector, sized appropriately for conductors, bonded to T-base, or use ground lug in handhole as available.
- Use pre-qualified two-pole breakaway connectors for all luminaire pole installations. For luminaires fed by a circuit with a neutral conductor, use double pole breakaway connectors with the neutral side unfused and marked white.
- (3) Split Bolt or other connector.

Decorative LED Lighting Notes:

- LED Drivers in Remote Outdoor enclosures (for drivers that do not include an enclosure as part of a factory assembly):
 - a. Provide NEMA 3R outdoor enclosure or as approved.
 - b. Install enclosure at least 12" above ground or other horizontal surface. Mount vertically or on ceiling, and avoid direct sun where possible.
 - Install drivers with at least 2 inches of space from enclosure walls.
 - d. For multiple drivers in an enclosure, provide at least 4 inches side to side and 1 inch end to end from other drivers or electronic equipment
 - e. For drivers mounted on back wall of enclosure, mount enclosure on 1 5/8" strut or other standoff to dissipate heat, or mount driver to side of the enclosure or to the metal cover.
 - f. Provide remote drivers with a maximum of 100 watts
 - g. Provide drivers with documentation of 100,000 hr lifetime at Tcase of 65C or higher.



Driver Spacing In Remote Enclosure



L1,L2 = Hot Conductors G = Grounding Conductor TYPICAL WIRING DIAGRAM

LUMINAIRES SERVED AT 480V ON 240/480 VOLT SERVICE OR LUMINAIRES SERVED AT 240V FOR 120/240 VOLT SERVICE.




RID(1)-20


DETAILS

ILE: rid1-20.dgn	DN:		CK:	DW:		С	к:
© TxDOT January 2007	CONT	SECT	JOB			HIGH	WAY
REVISIONS	0054	09	042		US	84,	ETC.
7-17 2-20	DIST		COUNTY			SH	EET NO.
2-20	BWD	l 1	ATLUS.	FTC	_		51

72A



warranty of any the conversion




SHOWING CONSTANT GRADE


	TABLE	E 1		
	ANCHOR B	OLTS		
POLE MOUNTING	BOLT C	BOLT CIRCLE		
HE I GHT	Shoe Base	T-Base	SIZE	
<40 ft.	13 in.	14 in.	1in.x 30in.	
40-50 ft.	15 in.	17 ¼in.	1 ¼in. × 30in.	

TABLE 2					
RECOM	MENDED I LENGT (See no		ON		
MOUNT ING HE I GHT					
HEIGHT	10	15	40		
<20 ft.	6′	6′	6′		
>20 ft. to 30 ft.	8′	6′	6′		
>30 ft. to 40 ft.	8′	8′	6,		
>40 ft. to 50 ft.	10′	8′	6,		

	TABLE	3
PAY QUANTII	TY OF RIPRAP	PER FOUNDATION on the plans)
Foundation Diameter	RIPRAP DIAMETER	RIPRAP (CONC) (CL B)
30 in.	78 in.	0.35 CY



FOUNDATION DETAIL



ANCHOR BOLT DETAIL

GENERAL NOTES:

- 1. "Recommended Foundation Lengths" table is for information purposes only. Foundation lengths shall be as shown on the plans, or as directed by the Engineer. Foundations will be paid for under Item 416, "Drilled Shaft Foundations." unless otherwise shown on the plans.
- 2. Erect roadway illumination assembly poles plumb and true. Form and level the top 6" of the foundation so the pole will be plumb. Use leveling nuts to plumb shoe base poles. Do not use shims or leveling nuts under transformer bases. Do not grout between baseplate and the foundation.
- 3. Ensure Class 2A and 2B fit for anchor bolts and nuts. Tap and chase nuts after galvanizing. Anchor bolt body with rolled threads need not be full
- 4. Use appropriate class of concrete as specified in Items 416 and 432. Concrete for riprap may be upgraded to Class C at no extra cost to the Department
- 5. Place riprap around the foundation when called for elsewhere in the plans. Riprap will be paid for under Item 432.
- 6. Locate breakaway roadway illumination assemblies as shown in the placement table, unless otherwise dimensioned on the plans. Protect non-breakaway illumination assemblies from vehicular impact (i.e. 2.5 ft. behind guard rail or mounted on traffic barrier), or located outside the clear zone, except that 2.5 ft. from curb face is minimum desired for light poles on city streets, 45 mph or less. See Roadway Design Manual for further information.
- 7. Use 4 hold down and 4 connecting washers on transformer base poles as recommended by the manufacturer and supplied with base.
- 8. Install a minimum of 2 conduits in each foundation. See lighting layout sheets for locations of foundations with more than 2 conduits. Cap unused conduits in foundations on both ends.
- 9. Conduit location in foundations is critical for breakaway devices. Place conduits 2 in. apart on centerline as shown.
- Bond anchor bolt to rebar cage with #6 bare stranded copper conductor. Use listed mechanical connectors rated for embedment in concrete. The bonded steel in the foundation creates a concrete encased grounding electrode which replaces the ground rod.
- Grade earthwork around T-base foundations even with the finished grade as shown in Section A-A to ensure proper function of the breakaway device. Use riprap on T-base foundations that are located on sloped grades, and as shown on the plans for level grades.

TABLE 4 BREAKAWAY POLE PLACEMENT (See note 6) ** POLE OFFSET (DISTANCE TO FACE OF TRANSFORMER BASE) ROADWAY FUNCTIONAL CLASSIFICATION Freeway Mainlanes 15 ft. (minimum and (roadway with full control of access) typical) from lane edge All curbed, 45 mph or less design speed 2.5 ft. minimum (15 ft. desirable) from curb face 10 ft. minimum*(15 ft. desirable) from lane edge All others

- * or as close to ROW line as is practical
- ** provide 2/5 of the luminaire mounting height behind the pole for "falling area" to prevent encroachment on the other travel lanes. See design guidelines.

Texas Department of Transportation

Traffic Safety Division Standard

ROADWAY ILLUMINATION DETAILS (RDWY ILLUM FOUNDATIONS) RID(2) - 20

FILE: rid2-20.dgn	DN:		CK:	DW:			CK:
© TxDOT January 2007	CONT	SECT	JOB			HIG	HWAY
REVISIONS	0054	09	042		US	84	, ETC.
7-17	DIST		COUNTY			s	HEET NO.
12-20	BWD	l N	AILLS,	ETC			52

		SHIPP	ING PARTS LIST - PO	LES AND LUM	IINAIRE	ARMS		
Nominal	Shoe Base		T-Base				CSB/SSCB Mounted	
Mounting Ht.	Designation	0.,,,,	Designation			Des	signation	0
(ft)	Pole A1 A2 Luminaire	Quantity	Pole A1 A2 L	uminaire	Quantity	Pole	A1 A2 Luminaire	Quantity
20	(Type SA 20 S - 4) (150W EQ) LED		(Type SA 20 T - 4) (150W EQ) LED				
	(Type SA 20 S - 4 - 4) (150W EQ) LED		(Type SA 20 T - 4 - 4) (150W EQ) LED				
30	(Type SA 30 S - 4) (250W EQ) LED		(Type SA 30 T - 4) (250W EQ) LED		(Type SP 28 S	- 4) (250W EQ) LED	
	(Type SA 30 S - 4 - 4) (250W EQ) LED		(Type SA 30 T - 4 - 4) (250W EQ) LED		(Type SP 28 S	- 4 - 4) (250W EQ) LED	
	(Type SA 30 S - 8) (250W EQ) LED		(Type SA 30 T - 8) (250W EQ) LED		(Type SP 28 S	- 8) (250W EQ) LED	
	(Type SA 30 S - 8 - 8) (250W EQ) LED		(Type SA 30 T - 8 - 8) (250W EQ) LED		(Type SP 28 S	- 8 - 8) (250W EQ) LED	
40	(Type SA 40 S - 4) (250W EQ) LED		(Type SA 40 T - 4) (250W EQ) LED		(Type SP 38 S	- 4) (250W EQ) LED	
	(Type SA 40 S - 4 - 4) (250W EQ) LED		(Type SA 40 T - 4 - 4) (250W EQ) LED		(Type SP 38 S	- 4 - 4) (250W EQ) LED	
	(Type SA 40 S - 8) (250W EQ) LED		(Type SA 40 T - 8) (250W EQ) LED		(Type SP 38 S	- 8) (250W EQ) LED	
	(Type SA 40 S - 8 - 8) (250W EQ) LED		(Type SA 40 T - 8 - 8) (250W EQ) LED		(Type SP 38 S	- 8 - 8) (250W EQ) LED	
	(Type SA 40 S - 10) (250W EQ) LED		(Type SA 40 T - 10) (250W EQ) LED		(Type SP 38 S	- 10) (250W EQ) LED	
	(Type SA 40 S - 10 - 10) (250W EQ) LED		(Type SA 40 T - 10 - 10) (250W EQ) LED		(Type SP 38 S	- 10 - 10) (250W EQ) LED	
	(Type SA 40 S - 12) (250W EQ) LED		(Type SA 40 T - 12) (250W EQ) LED		(Type SP 38 S	- 12) (250W EQ) LED	
	(Type SA 40 S - 12 - 12) (250W EQ) LED		(Type SA 40 T - 12 - 12) (250W EQ) LED		(Type SP 38 S	- 12 - 12) (250W EQ) LED	
50	(Type SA 50 S - 4) (400W EQ) LED		(Type SA 50 T - 4) (400W EQ) LED		(Type SP 48 S	- 4) (400W EQ) LED	
	(Type SA 50 S - 4 - 4) (400W EQ) LED		(Type SA 50 T - 4 - 4) (400W EQ) LED		(Type SP 48 S	- 4 - 4) (400W EQ) LED	
	(Type SA 50 S - 8) (400W EQ) LED		(Type SA 50 T - 8) (400W EQ) LED		(Type SP 48 S	- 8) (400W EQ) LED	
	(Type SA 50 S - 8 - 8) (400W EQ) LED		(Type SA 50 T - 8 - 8) (400W EQ) LED		(Type SP 48 S	- 8 - 8) (400W EQ) LED	
	(Type SA 50 S - 10) (400W EQ) LED		(Type SA 50 T - 10) (400W EQ) LED		(Type SP 48 S	- 10) (400W EQ) LED	
	(Type SA 50 S - 10 - 10) (400W EQ) LED		(Type SA 50 T - 10 - 10) (400W EQ) LED		(Type SP 48 S	- 10 - 10) (400W EQ) LED	
	(Type SA 50 S - 12) (400W EQ) LED		(Type SA 50 T - 12) (400W EQ) LED		(Type SP 48 S	- 12) (400W EQ) LED	
	(Type SA 50 S - 12 - 12) (400W EQ) LED		(Type SA 50 T - 12 - 12) (400W EQ) LED		(Type SP 48 S	- 12 - 12) (400W EQ) LED	

OTHER Designation Pole A1 A2 Luminaire Quantit									
Designation Pole A1 A2 Luminaire Quantit									
Pole A1 A2 Luminaire dualifi	+.,	Ougst:	Designation						
	' y	QUALITY	Luminaire	Α2	A 1	Pole			
						<u> </u>			
			•						
			•						
				,	•				

GENERAL NOTES:

- 1. All work, materials and services not shown on the plans which may be necessary for complete and proper construction shall be performed, furnished and installed by the Contractor. Faulty fabrication or poor workmanship in any material, equipment or installation will be considered justification for rejection. Where manufacturers provide warranties or guarantees as a customary trade practice, furnish to the Department such warranties or guarantees.
- 2. The location of poles and fixtures are diagrammatic only and may be shifted by the Engineer to accommodate local conditions. Install or remove poles and luminaires located near overhead electrical lines using established industry and utility safety practices and in accordance with laws governing such work. Consult with the appropriate utility company prior to beginning such work.
- 3. Standard Steel Pole Designs. Steel poles fabricated in accordance with the details and dimensions shown herein, shall be considered standard designs. Submission of shop drawings and design calculations for standard designs is not required.
- 4. Optional Steel Pole Designs. Multi-sided steel poles may be allowed as optional designs, if steel poles are permitted or required, pending approval by the Department as outlined below.
 - a. Shop Drawings. Optional designs require submission of shop drawings and design calculations bearing the seal of an engineer licensed in the State of Texas, in accordance with Item 441, "Steel Structures." The Department may elect to pre-approve some shop drawings for optionally designed poles. Submission of shop drawings and design calculations is not required for structures fabricated in accordance with the details of shop drawings on the pre-approved list maintained by the TxDOT Traffic Operations Division. Any deviation from the pre-approved shop drawings will require submission of shop drawings of the complete
 - assembly and design calculations as described above. b. Structural Support Design for Luminaires. Lighting support structures shall be designed for a 25 year design life in accordance with the AASHTO Standard Specifications for Structural Supports for Highway Signs, Luminaires and Traffic Signals, 6th Edition (2013) and Interim Revisions thereto. All poles shall be designed for 110 mph 3-second gust wind speeds. The Gust Factor, G, and Wind Importance Factor, Ir, shall be applied as per the AASHTO Specifications assuming a 25-year design life. The design wind pressure for hurricane wind velocities greater than 100 mph shall not be less than the design wind pressure using 100 mph with the non-hurricane Wind Importance Factor, Ir, value. For transformer base poles, fabricator shall include transformer base and connecting hardware in design calculations and shop drawing submittals. All transformer bases shall have been structurally tested to resist the theoretical plastic moment capacity of the pole. Certification of the plastic moment load test and FHWA breakaway requirement test of the model of base being furnished shall be submitted with the shop
 - drawings. Shop drawings shall show breakaway base model number, and manufacturer's name and logo.

 Manufacturer's shop drawings shall include the ASTM designations for all materials to be used.

 c. Mast Arm Attachments. All poles and attachments shall be structurally designed to support two 12-foot mast arms and luminaires. Poles shall be supplied with mast arm combinations as shown in the plans. All
 - mast arms shall be designed for a 60-pound luminaire having an effective projected area of 1.6 square feet. d. Anchor Bolt Assembly. Anchor bolt assemblies for optionally designed poles shall be the same as those shown herein.
- 5. Aluminum Pole Designs. Aluminum pole designs may be allowed, if aluminum poles are permitted or required, pending approval by the Department as outlined below.
 - a. Meet all of the requirements stated above for optional steel pole designs and the following:
 1. Aluminum poles shall be fabricated in accordance with "Structural Welding Code-Aluminum" AWS D1.2.
 - Aluminum pole designs shall use the same anchor bolt assembly and be subject to the same geometric restraints and other requirements for steel poles specified herein.
 Aluminum poles shall be equipped with vibration mitigation devices, as approved by the engineer.

 - Aluminum poles shall be equipped with vibration mitigation devices, as approved by the engineer. Pole components shall be constructed using the following material:

 Shaft: ASTM B221 or B241 Alloy 6063-T6, ASTM B209 Alloy 5086-H34, ASTM B221 Alloy 6005-T5.

 Base Flange: ASTM B26 Alloy 356.0-T6 or ASTM B108 Alloy 356.0-T6 (Yield strength test required).


 Mast Arms: ASTM B209 Alloy 6061-T6 or ASTM B221 Alloy 6005-T5.

 Mast Arms: ASTM B241 Alloy 6061-T6 or ASTM B063-T6.

 Pole Cap: ASTM B209 Alloy 5086-H32 or ASTM B108 or B26 Alloy 356.0-T6.

 Bolts: Stainless Steel AISI 300 series. Bolts threading into aluminum threads shall be treated with anti-seize compound, Never-Seez Compound, Permatex 133K or equal.
- 6. Special Designs. Poles with architectural treatments shall meet the requirements shown elsewhere in the plans.
- 7. Luminaire Mounting Height. Actual luminaire mounting height shall be the nominal mounting height given on RIP(2) for all pole-arm combinations except for poles with 4 ft. luminaire arms, which shall be 3'-0" lower than the nominal height, unless otherwise shown or directed.

EXPLANATION OF ROADWAY ILLUMINATION ASSEMBLY DESIGNATIONS







ROADWAY ILLUMINATION POLES

RIP(1) - 19

ı	FILE: r	ip-19.dgn	DN:		CK:	DW:		С	к:
	C TxD0T	January 2007	CONT	SECT	JOB			HIGH	WAY
	7.47	REVISIONS	0054	09	042		US	84,	ETC.
ı	7-17 12-19		DIST		COUNTY			SHI	EET NO.
	12-19		BWD	N	/ILLS,	ETC			53

		SHOE BAS	E POLE		
Luminaire Mounting Height (Nominal)(ft)	Base Diameter (in)	Top Diameter (in)	Length (ft)	Pole Thickness (in)	Design Moment (K-ft)
20.00	7.00	4.90	15.00	0.1196	7.1
30.00	7.50	4.00	25.00	0.1196	13.2
31.00-39.00	8.00	4.36-3.24	26.00-34.00	0.1196	20.7
40.00	8.50	3.60	35.00	0.1196	20.7
50.00	10.50	4.20	45.00	0.1196	30.3

1 Simplex Arm Connection 60% of CP-3 Pole Thickness See Transformer Base Baseplate Detail, Sheet 4 of 4 See Transformer Base Details. Sheet 4 of 4 See Transformer Base Anchor Bolt Assembly Detail, TRANSFORMER BASE POLE

See Pole

Top Detail.

	TRA	NSFORMER	BASE POLE		
Luminaire Mounting Height (Nominal)(ft)	Base Diameter (in)	Top Diameter (in)	Length (ft)	Pole Thickness (in)	Design Moment (K-ft)
20.00	7.00	5.11	13.50	0.1196	7.1
30.00	7.50	4.21	23.50	0.1196	13.2
31.00-39.00	8.00	4.57-3.45	24.50-32.50	0.1196	20.7
40.00	8.50	3.81	33.50	0.1196	20.7
50.00	10.00	3.91	43.50	0.1196	30.3

Rise ① Simplex Arm Connection Seam Weld Ę located 45° from mast arm axis 60% of Thickness See Handhole Detail, Sheet 3 of 4 Max. 6′ -0" 7′ -6" 0val Sect See Concrete Traffic Barrier Base Baseplate Detail. Sheet 4 of 4 See Concrete Traffic Barrier Base Anchor Bolt Assembly Detail, Sheet 4 of 4

See Pole

Top Detail,

CONCRETE TRAFFIC BARRIER BASE POLE

Mounting Diameter Diameter Length Thickness (K-ff) Height (in) (in) (ff) Thickness About & Per	CONCR	ETE TRAF	FIC BARR	IER BAS	SE POLE (CSB/SS0	CB)
Height (in) (in) (ft) (in) About & Per				Length			
28 00 9 00 5 78 23 00 0 1196 10 3 13	Height	(:0)		(ft)			Perp. to Rail
1 20.00 9.00 3.70 23.00 0.1190 10.3 13	28.00	9.00	5.78	23.00	0.1196	10.3	13.2
38.00 9.00 4.38 33.00 0.1196 16.6 20	38.00	9.00	4.38	33.00	0.1196	16.6	20.8
28.00 9.00 5.78 23.00 0.1196 10.3 13 38.00 9.00 4.38 33.00 0.1196 16.6 20 48.00 10.50 4.48 43.00 0.1345 25.1 30	48.00	10.50	4.48	43.00	0.1345	25.1	30.5

GENERAL NOTES:

- 1. Designs conform to AASHTO Standard Specifications for Structural Supports for Highway Signs, Luminaires, and Traffic Signals, 6th Edition (2013) and Interim Revisions thereto. Design 3-Second Gust Wind Speed equals 110 mph with a 1.14 gust factor. A wind importance factor of 0.80 is applied to adjust the wind speed to a 25 year recurrence interval. Design moments listed in tables assume base of pole is 25' above natural ground level.
- Structures are designed to support two 12' luminaire most arms and luminaires. Most arms are designed to support a 60-pound luminaire having an effective projected area of 1.6 square feet.
- 3. Fabrication shall be in accordance with the Specifications and with the details, dimensions, and weld procedures shown herein. Do not submit shop drawings for roadway illumination pole assemblies fabricated in accordance with the details, dimensions, and weld procedures shown herein. Weld references call for preapproved weld procedures which the Fabricator must obtain prior to fabrication. Materials, fabrication tolerances, and shipping practices shall meet the requirements of these sheets and the Specifications. In the absence of specified fabrication tolerances, dimensions shall be within the tolerances generally obtainable in normal fabrication practice.

- For mounting heights between values shown in the tables, use base diameter and thickness values for the larger height.
- 5. Unless otherwise noted, all steel parts shall be galvanized in accordance with Item 445, "Galvanizing."
- 6. Steel poles shall be fabricated in accordance with Item 441, "Steel Structures." Longitudinal seam welds for pole sections shall have 60% minimum penetration. All welding shall be in accordance with AWS D1.1, Structural Welding Code-Steel.
- 7. Two-section poles joined by circumferential welds will not be permitted, unless otherwise shown on the plans. Poles may be fabricated in two sections and field-assembled by the lap-joint method. The two sections shall telescope together with a lap length of not less than 1-1/2 times the shaft diameter at the lap joint.
- 8. Alternate material equal to or better than material specified may be substituted with the approval of the Engineer.
- Lubricate and tighten anchor bolts, when erecting shoe base poles and concrete traffic barrier base poles, in accordance with Item 449, "Anchor Bolts."

- 10. All poles, except Transformer Base Poles, shall have hand holes with reinforcing frames and covers. For ground mounted shoe base poles, hand holes shall be placed 90 degrees to mast arm unless otherwise noted on the plans. For poles mounted on a concrete traffic barrier with one luminaire arm, hand holes shall be located 180 degrees from luminaire arm. For poles mounted on a concrete traffic barrier with two luminaire arms, all hand holes shall be on the same side of the barrier. For poles mounted on a bridge lighting bracket or a retaining wall lighting bracket, hand hole shall be on traffic side of the pole, at a height that will clear the barrier.
- 11. The finished pole shall have a smooth, uniform finish free of pits, blisters, or other defects. Scratched, chipped, and other damaged galvanized areas on poles and mast arms shall be repaired in accordance with Item 445, "Galvanizina."
- 12. Pole length is based on a 5′-6" luminaire arm rise. 4 ft. luminaire arms have a 2′-6" rise. A pole with 4 ft. luminaire arms will have an actual mounting height 3′-0" less than the nominal mounting height. Increasing the pole length to meet the nominal mounting height is allowed, but unnecessary unless otherwise directed by the engineer.
- 13. Erect transformer base poles in accordance with sheet RID(1).

COMPONENT ASTM DESIGNATION MIN. YIELD (ksi) A572 Gr 50, A595 Gr A, A1011 HSLAS Gr 50 Cl 2 (3), or A1008 HSLAS Gr 50 Cl 2 (3), or A1008 HSLAS Gr 50 Cl 2 (3), or A1008 HSLAS Gr 50 Cl 2 (3), or A36 50 Base Plate and Handhole Frame A572 Gr.50, or A36 36 T-Base Connecting Bolts F3125 Gr A325 92 Anchor Bolts F1554 Gr 55, A193-B7 or A321 55 105 Anchor Bolt Templates A36 36 Heavy Hex (H.H.) Nuts A194 Gr 2H, or A563 Gr DH Flat Washers F436	MATERIAL	DATA	
A595 Gr A, A1011 HSLAS Gr 50 Cl 2 (3), or A1008 HSLAS Gr 50 Cl 2 Base Plate and Handhole Frame A572 Gr.50, or A36 T-Base Connecting Bolts F3125 Gr A325 92 Anchor Bolts F1554 Gr 55, A193-B7 or A321 Anchor Bolt Templates A36 A194 Gr 2H, or A563 Gr DH	COMPONENT		YIELD
Base Plate and Handhole Frame A36 36 T-Base Connecting Bolts F3125 Gr A325 92 Anchor Bolts F1554 Gr 55, A193-B7 or A321 55 Anchor Bolt Templates A36 36 Heavy Hex (H.H.) Nuts A194 Gr 2H, or A563 Gr DH	Pole Shaft (0.14"/ft. Taper)	A595 Gr A, A1011 HSLAS Gr 50 Cl 2 ③, or A1008 HSLAS	50
Anchor Bolts F1554 Gr 55, A193-B7 or A321 Anchor Bolt Templates A36 Heavy Hex (H.H.) Nuts A194 Gr 2H, or A563 Gr DH	Base Plate and Handhole Frame	1	36
Anchor Bolts A193-B7 or A321 105 Anchor Bolt Templates A36 Heavy Hex (H.H.) Nuts A194 Gr 2H, or A563 Gr DH	T-Base Connecting Bolts	F3125 Gr A325	92
Heavy Hex (H.H.) Nuts A194 Gr 2H, or A563 Gr DH	Anchor Bolts		
Heavy Hex (H.H.) Nuts A563 Gr DH	Anchor Bolt Templates	A36	36
Flat Washers F436	Heavy Hex (H.H.) Nuts		
·	Flat Washers	F436	

NOTES:

- 1)2'-6" rise for 4 ft. luminaire arms.
- ② Before ovalized as shown on Concrete Traffic Barrier Base Baseplate details, Sheet 4 of 4.
- ③A1011 SS Gr 50 may be used instead of HSLAS, provided the material meets the elongation requirements for HSLAS.

POLE ASSEMBLY FABRICATION TOLERANCES TABLE DIMENSION **TOLERANCE** Shaft length I.D. of outside piece +1/8", -1/16" of slip fitting pieces O.D. of inside piece +1/32", -1/8" of slip fitting pieces Shaft diameter: other +3/16" Out of "round" 1/4" Straightness of shaft ±1/4" in 10 ft Twist in multi-sided shaft 4° in 50 ft Perpendicular to baseplate 1/8" in 24" ±1/4" Pole centered on baseplate Location of Attachments ±1/4" ±1/16" Bolt hole spacing

SHEET 2 OF 4



Traffic Safety Division Standard

ROADWAY
ILLUMINATION
POLES

RIP(2)-19

_			_			
FILE: rip-19.dgn	DN:		CK:	DW:		CK:
© TxDOT January 2007	CONT	SECT	JOB		HIG	YAWH
	0054	09	042	US	84	, ETC.
7-17 12-19	DIST		COUNTY		S	HEET NO.
12 13	BWD	l N	ATLUS.	FTC.		54

73B


: 3/24/2022 10: : T:\BWDDSGTEAM\

warranty of any the conversion warranty of any

LUMINAIRE ARM

LUMINAIRE ARM DIMENSIONS						
Nominal Arm Length	Arm Length	Rise				
4′-0"	3′-6"	2′-6"				
6′-0"	5′-6"	5′-6"				
8′-0"	7′-6"	5′-6"				
10'-0"	9′-6"	5′-6"				
12'-0"	11′-6"	5′-6"				

ARM ASSEMBLY FABRICATION TOLERANCES TABLE							
DIMENSION	TOLERANCE						
Arm Length	±1"						
Arm Rise	±1"						
Deviation from flat	1/8" in 12"						
Spacing between holes	±1/32"						



UPPER SIMPLEX FITTING

½" Dia. x 1 ½"

-Lock Washer®

_{√2} \LA-3

Тур

Gusset Plate

A325 Bolt(8)

Arm Simplex Pole Simplex

(Gusset not shown for clarity)

LOWER SIMPLEX FITTING (Gusset not shown for clarity)


SECTION B-B


SIDE

Lip

LA-3>-/2

Тур







ARM SIMPLEX DETAIL 9

NOTES:

- (4) Any of the materials listed for plates may be used where the drawings do not specify a particular ASTM designation.
- (5) A576 must be suitable for forging and also meet minimum tensile strength of 65 ksi, minimum yield of 35 ksi, and elongation in 2 inches of 22 percent.
- (6) A572, A1008 HSLAS-F, and A1011 HSLAS-F materials may have higher yield strengths but shall not have less elongation than the grade indicated.
- 7 Dimensional limits are given to show acceptable variation in design. All of a Fabricator's production of a particular arm length shall have the same dimensions within specified tolerances.
- 8 Each pole simplex fitting shall be supplied with 2 bolts and 2 lock washers of the size specified. The bolts and lock washers shall be secured to the pole with the other hardware items called for in the plans.
- Proposed deviations in arm simplex dimensions or materials must be submitted to the Department for approval.
- (10) A welded handhole frame is permissible. Maximum of two (2) CJP weld splices is allowed.


MATERIALS					
Pole or Arm Simplex	ASTM A27 Gr 65-35 or Gr 70-36, A148 Gr 80-50, A576 Gr 1021 (\$), or A36 (Arm only)				
Arm Pipes	ASTM A53 Gr A or B,A500 Gr B, A501, A 1008 HSLAS-F Gr 50 ⑥, or A1011 HSLAS-F Gr 50 ⑥				
Arm Struts and Gusset Plates (4)	ASTM A36,A572 Gr 50 6, or A588				
Misc.	ASTM designations as noted				






SECTION C-C

SIMPLEX ATTACHMENT DETAIL





SHEET 3 OF 4



ROADWAY ILLUMINATION **POLES**

Traffic Safety Division Standard

RIP(3) - 19

	FILE: rip-19.dgn			CK:	DW:			CK:
ı	© TxDOT January 2007	CONT	SECT	JOB			HIGH	YAW
_	REVISIONS	0054	09	042		US	84	, ETC.
ı	7-17 12-19	DIST		COUNTY			SI	HEET NO.
	12-19	BWD	N	AILLS,	ETC			55

HANDHOLE


POLE TOP

No warranty of any for the conversion

exas Engineering Practice Act". TXDOI assumes no responsibility


BASEPLATE

SHOE BASE BASEPLATE TABLE						
MOUNTING HEIGHTS (nominal)	BOLT CIRCLE	SQUARE	THICK	BOLT HOLE DIAMETER		
20' - 39'	13"	13"	1 1/4"	1 1/4"		
40′	15"	15"	1 1/4"	1 1/2"		
50′	15"	15"	1 ½"	1 1/2"		




SHOE BASE ANCHOR BOLT ASSEMBLY

SHOE BA	SE A	NCHOR B	OLT ASSEM	BLY TABLE
MOUNTING HEIGHTS (nominal)	A.B. Dia.	BOLT CIRCLE DIAMETER	CTR. HOLE DIAMETER	BOLT HOLE DIAMETER
20′ -39′	1 "	13"	11"	1 1/16 "
40′ -50′	1 1/4"	15"	12 ½"	1 % "




CONCRETE TRAFFIC BARRIER BASE BASEPLATE

CONCRETE TRAFFIC BARRIER BASE BASEPLATE TABLE						
MOUNTING HEIGHTS (nominal)	POLE DIA.	DIM. A	DIM. B			
28' - 38'	9"	7"± 1/4"	10"± 1/4"			
48′	10 ½"	7"± 1/4"	13"± 1/4"			




CONCRETE TRAFFIC BARRIER BASE ANCHOR BOLT ASSEMBLY

TRANSFORMER BASE ANCHOR BOLT ASSEMBLY TABL				
MOUNTING HEIGHTS (nominal)	A.B. Dia.	BOLT CIRCLE DIAMETER	CTR. HOLE DIAMETER	BOLT HOLE DIAMETER
20' - 39'	1 "	14"	12"	1 1/16 "
40' - 50'	1 1/4"	17 1/4"	14 ¾"	1 5/6 "
				-



TRANSFORMER BASE BASEPLATE

TRANSFORMER BASE BASEPLATE TABLE						
MOUNTING HEIGHTS (noming!)	BOLT CIRCLE	SQUARE	THICK	CONNECTING BOLT DIA.	BOLT HOLE DIAMETER	TRANSFOMER BASE TYPE
20' - 39'	13"	13"	1 1/4"	1"	1 1/4"	A
40′	15"	15"	1 1/4"	1 1/4"	1 1/2"	В
50′	15"	15"	1 1/2"	1 1/4"	1 ½"	В





TRANSFORMER BASE ANCHOR BOLT ASSEMBLY

TRANSFORMER BASE TABLE					
YPE	TOP B.C.	BTM. B.C.			
Α	13"	14"			
В	15"	17 1/4"			


TYPE

Α






DETAIL B



TOP PLAN



1/2" - 1 3UNC Tapped thru

grounding

ELEVATION TRANSFORMER BASE **DETAILS**

Door Fastener Lg. S.S. Hex Head Bolt w/ Clip

Transformer

Base-

-Access Door

Approx. 9"x 11"

See

<u>-</u>2"

-See Detail A

ANCHOR BOLT FABRICATION

TOLERANCES TA	ABLE
DIMENSION	TOLERANCE
Length	± ½"
Threaded length	± ½"
Galvanized length (if required)	- 1/4"

Texas Department of Transportation Detail B

ROADWAY ILLUMINATION **POLES**

RIP(4)-19

ı	FILE: rip-19.dgn	DN:		CK:	DW:		СК	:
	© TxDOT January 2007	CONT	SECT	JOB		ніс	SHW.	AY
ı	REVISIONS	0054	09	042	US	84	١,	ETC.
ı	7-17 12-19	DIST		COUNTY			SHE	ET NO.
	12 13	BWD	l N	MILLS,	ETC.			56


GENERAL NOTES:

- 1. For mounting heights between those shown in the table, use the values in the table for the larger mounting height.
- 2. All breakaway bases shall meet the breakaway requirements of the AASHTO Standard Specifications for Structural Supports for Highway Signs, Luminaires and Traffic Signals, 6th Edition (2013) and Interim Revisions thereto, and shall have been tested by FHWA-approved methods. All bases shall have been structurally tested to resist 150% of the design moment.
- 3. Transformer bases shall be cast from aluminum, ASTM B108 or B26 Alloy 356.0-T6, or other material approved by the Engineer. Four $\ensuremath{\mathsf{Hex}}$ Head (H.H.) bolts with four H.H. nuts, four lock washers, four flat washers, and connecting and hold-down washers as recommended by the manufacturer, galvanized to ASTM A153 Class C or D, or B695 Class 50, shall be provided with each transformer base for connecting the pole. Bolts shall be ASTM A325 or approved equal. Nuts shall be ASTM A563 grade DH galvanized.
- 4. Bases shall be stamped, incised or by other approved permanent means, marked to show fabricator's name or logo, and model number. Such information shall be placed in a readily seen location, inside or outside the base, but shall not be placed on the door.
- 5. Doors for transformer bases shall be made of plastic, fiberglass or other non-metallic material approved by the Engineer and shall be attached with stainless steel screws or bolts. Transformer bases shall be cleaned by grit blast cleaning after heat treatment. Certification by the manufacturer of heat treatment shall be furnished with transformer bases. The certification shall show the metal alloy and temper and that the base meets those requirements, chemical and physical. The certification shall also show the material ASTM specification. Transformer bases shall be cast with a removable tab bar for material testing. Some bars may have been removed by the manufacturer for testing.

NOTES:

- (1) Anchor Bolt Templates do not need to be aalvanized.
- Pole diameter before ovalized.

Traffic Safety Division Standard



of any conver-its use

is governed by the "Texas Engineering Practice Act". No warranty any purpose whatsoever, TxDOT assumes no responsibility for the other formats or for incorrect results or damages resulting from

of this standard i made by TxDOT for this standard to

The use kind is sion of

ASTM A27 Gr. 65-35 or A148 Gr. 80-50, A576 Gr. 1021 ③, or A36 (Arm only) ASTM A53 Gr.B, A501, A1008 HSLAS-F Gr.50 (4), or A1011 HSLAS-F Gr.50 (4) ASTM A36, A572 Gr.50 ④, or A588 ASTM designations as noted

MATERIALS

- (1) Dimensional limits are given to show acceptable variation in design. All of a Fabricator's production of a particular arm length shall have the same dimensions within specified tolerances.
- 2) Any of the materials listed for plates may be used where the drawings do not specify a particular ASTM designation.
- (3) A576 must be suitable for forging and also meet minimum tensile strength of 65 ksi, minimum yield of 35 ksi, and elongation in 2 inches of 22 percent.
- 4 ASTM A572, A1008 HSLAS-F, and A1011 HSLAS-F may have higher yield strengths but shall not have less elongation than the grade indicated.

GENERAL NOTES:

Design conforms to 1994 AASHTO Standard Specifications for Structural Supports for Highway Signs, Luminaires, and Traffic Signals and Interim Revisions thereto. Design Wind Speed equals 90 mph plus a 1.3 gust factor. Arms are designed to support a 60 lb. luminaire having an effective projected area (actual area times drag coefficient) of 1.6 sq. ft.

Materials and fabrication shall be in accordance with Item 686, "Traffic Signal Pole Assemblies (Steel)" and with the details, dimensions, and weld procedures shown herein. Weld references call for preapproved weld procedures which the Fabricator must obtain prior to fabrication. In the absense of specified Fabricaton tolerances, dimensions shall be within the tolerances generally obtainable in normal fabrication practice.

Unless otherwise noted, all parts shall be galvanized after fabrication in accordance with Item 445, "Galvanizina".

Deviation from the details and dimensions shown herein require submission of shop drawings in accordance with Item 441, "Steel Structures". Alternate designs are not acceptable.

Each pole simplex fitting shall be supplied with 2 ASTM A325 bolts and 2 lock washers of the size specified. The bolts and lock washers shall be secured to the pole with the other hardware items called for in the plans. When clamp attachment is specified, the Fabricator shall ship the clamp assembly securely attached to the pole at the location shown on the plans.

If clamp assemblies are ordered without poles, the Fabricator shall ship one upper and one lower clamp assembly together in a single package, including all nuts and washers required for the clamps and simplex fittings.




ARM DETAILS


LUM-A-12

(TxDOT August	1995	DN: LEH	l	CK: JSY	DW:	LTT		CK: TEB
-96	REVISIONS		CONT	SECT	JOB			HIGH	WAY
-99 -12			0054	09	042		US	84,	ETC.
			DIST		COUNTY			SH	EET NO.
			BWD	N	IILLS, I	ETC	· ·		57

GENERAL NOTES:


- 1. Details show a typical warning sign with two flashing beacon heads, other arrangements are possible. When only one beacon is required, install the upper beacon.
- 2. See Item 685, "Roadside Flashing Beacon Assemblies" for further requirements.
- 3. See SMD standard sheets for lateral and vertical clearances and sign mounting details. Install signs as shown on the sign layout sheets.
- 4. Use either a Screw-In Type Anchor Foundation or a Drilled Shaft Foundation as shown elsewhere in the plans. When plans require a Drilled Shaft Foundation, see standard sheet TS-FD. Install the Screw-In Type Anchor Foundation as per manufacturer's recommendations. On a slope, install one edge at ground level. Screw-In/Drilled Shaft Foundation is subsidiary to Item 685. Installation of a ground rod is not required for solar powered flashing beacon assemblies.
- 5. When used, provide Screw-In Type Anchor Foundations as shown on TxDOT's Material Producer List (MPL) in the file "Highway Traffic Signals".
- 6. Install beacon heads as shown here, as shown elsewhere on the plans, or as directed. Use hardware specifically designed for mounting beacon heads on poles.
- 7. Conduit in foundation and within 6 in. of foundation is subsidiary to the Item 685, "Roadside Flashing Beacon Assemblies."
- 8. Unless otherwise shown on the plans, pole shaft shall be one piece, Schedule 40 Aluminum pipe, ASTM B429 or B221 (Alloy 6061-T6 only). Aluminum conduit will not develop the necessary strength and will not be allowed.
- 9. Per manufacturer's recommendations, engage all threads on the pedestal pole base and pipe unless the pipe is fully seated into base. In high winds, use a pole and base collar assembly to add strength and prevent loosening of connection.
- 10. Provide single pole non-fused watertight breakaway electrical connectors for frangible pedestal pole bases, as shown on TxDOT's MPL in the file "Roadway Illumination and Electrical Supplies." Approved models are listed under Item 685. For ungrounded (hot) conductors, install a breakaway connector with a dummy fuse slug). For grounded (neutral) conductors, install a breakaway connector with a white colored marking and a permanently installed dummy fuse (slug).
- 11. Provide clearance as shown above the sidewalk or pavement grade at the edge of the road. When a bottom beacon is not used, mount the bottom of the sign at least 7 ft. above the sidewalk or pavement grade at the edge of the road.
- 12. Make connections to ground rods according to NEC. Ground rod clamps shall be listed for their intended purpose.
- 13. Ensure height of conduit and ground rod is below top of anchor bolts.






FRONT

SIDE



NON-FUSED BREAKAWAY ELECTRICAL CONNECTORS



NON-FUSED BREAKAWAY ELECTRICAL CONNECTORS EXPLODED VIEW



Traffic Operations Division Standard


ROADSIDE FLASHING **BEACON ASSEMBLY**


RFBA-13

LE: rfba-13.dgn	DN: Tx	DOT	ck: TxDOT	DW:	TxD0	T	CK:	TxDOT
TxDOT January 1992	CONT	SECT	JOB			HIG	HWA	Y
REVISIONS -93 12-04	0054	09	042		US	84	,	ETC.
-93 12-04 -93 3-13	DIST		COUNTY			s	HEE	T NO.
-98	BWD	l N	IILLS,	ETO	: .		5	8

GENERAL NOTES:

- 1. Details show a typical warning sign with two flashing beacon heads, other arrangements are possible. When only one beacon is required, install the upper beacon.
- 2. See Item 685, "Roadside Flashing Beacon Assemblies" for further
- 3. See SMD standard sheets for lateral and vertical clearances and sign mounting details. Install signs as shown on the sign layout sheets.
- 4. Use either a Screw-In Type Anchor Foundation or a Drilled Shaft Foundation as shown elsewhere in the plans. When plans require a Drilled Shaft Foundation, see standard sheet TS-FD. Install the Screw-In Type Anchor Foundation as per manufacturer's recommendations. On a slope, install one edge at ground level. Screw-In/Drilled Shaft Foundation is subsidiary to Item 685. Installation of a ground rod is not required for solar powered flashing beacon assemblies.
- 5. When used, provide Screw-In Type Anchor Foundations as shown on TxDOT's Material Producer List (MPL) in the file "Highway Traffic Signals".
- 6. Use materials specifically designed for attaching cabinets, beacon heads, solar panels, etc., to poles.
- 7. Install beacon heads as shown here, as shown elsewhere on the plans, or as directed. Use hardware specifically designed for mounting beacon heads
- 8. Conduit in foundation and within 6 in. of foundation is subsidiary to the Item 685, "Roadside Flashing Beacon Assemblies."
- 9. Per manufacturer's recommendations, engage all threads on the pedestal pole base and pipe unless the pipe is fully seated into base. In high winds, use a pole and base collar assembly to add strength and prevent
- Provide single pole non-fused watertight breakaway electrical connectors for frangible pedestal pole bases, as shown on TxDOT's MPL in the file "Roadway Illumination and Electrical Supplies." Approved models are listed under Item 685. For ungrounded (hot) conductors, install a breakaway connector with a dummy fuse slug). For grounded (neutral) conductors, install a breakaway connector with a white colored marking and a permanently installed dummy fuse (slug).
- 11. Install the batteries in a battery box. Place the batteries on a $\frac{1}{16}$ thick plastic sheet and connect together. Place a plastic cover (battery bell jar) over the top of each battery and secure the battery bell jar to the battery with a strap. The batteries, bell jars, straps and $\frac{3}{16}$ plastic sheet are subsidiary to the Item 685, "Roadside Flashing Beacon Assemblies." When required, install batteries in the flasher cabinet. Wire batteries according to manufacturers recommendations. Provide the number of batteries as required by the manufacturer.
- 12. See standard sheet Electrical Details (ED) for additional requirements regarding the installation of ground boxes/battery boxes, conduit, and
- 13. Provide clearance as shown above the sidewalk or pavement grade at the edge of the road. When a bottom beacon is not used, mount the bottom of the sign at least 7 ft. above the sidewalk or pavement grade at the edge
- 14. Unless otherwise shown on the plans, pole shaft shall be one piece, Schedule 40 Aluminum pipe, ASTM B429 or B221 (Alloy 6061-T6 only). Aluminum conduit will not develop the necessary strength and will not
- 15. Orient solar panel for optimum exposure to sunlight (face to the south). Prior to installation, check the location to ensure there is no overhead obstruction that would block the solar panel from receiving full sunlight. Unless specified elsewhere, mount a minimum of 14' above grade.
- 16. Ensure height of conduit is below top of anchor bolts.






NON-FUSED BREAKAWAY ELECTRICAL CONNECTORS

To Flasher

Cabinet



NON-FUSED BREAKAWAY ELECTRICAL CONNECTORS **EXPLODED VIEW**



SOLAR POWERED ROADSIDE FLASHING BEACON ASSEMBLY DETAILS

SPRFBA(1)-13

3 13		BWD	N	IILLS,	ETO	: .		59
3-13		DIST		COUNTY			SH	IEET NO.
12-04	REVISIONS	0054	09	042		US	84,	ETC.
C TxD0T	May 2003	CONT	SECT	JOB			HIGH	YAW
FILE:	spb1-13.dgn	DN: Tx	DOT	ck: TxDOT	DW:	TxDO	T	k: TxDOT

				SUMMARY	OF SM	Α	L	LSIG	NS				
						(A	ŝ	SM RI	D SGN	ASSM TY X	XXXX (X)	\overline{XX} ($\overline{X} - \overline{XXXX}$)	
ROADWAY FM 3418 @ FM 2231 US 67 @ FM 2131						(TYPE	(TYPE						
	SIGN		SIGN			≥		POST TYPE	POSTS	ANCHOR TYPE		TING DESIGNATION	1
ROADWAY	NO.	STATION	NOMENCLATURE	SIGN	DIMENSIONS	ALUMINUM	ALUMINUM	FRP = Fiberglass		UA=Universal Conc UB=Universal Bolt	PREFABRICATED	1EXT or 2EXT = # of Ext BM = Extruded Wind Beam	REMOV SM
						ALU	ALUI	TWT = Thin-Wall 10BWG = 10 BWG	1 or 2	SA=Slipbase-Conc SB=Slipbase-Bolt	_	WC = 1.12 #/f+ Wing	RD SN SUF
							EXAL	S80 = Sch 80		WS=Wedge Steel	T = "T" U = "U"	Channel EXAL= Extruded Alum Sign	4 AW
54 740 -	 						Û			WP=Wedge Plastic		Panels	
FM 3418 @													
	1		-4	CTOD AUTAD	40.40			105110			_		
	+ '	20·34 LT.	W3-/	STOP AHEAD	48x48	*		IOBWG	<i>'</i>	SB	Τ		-
	2	20·34 RT.	W3-1	STOP AHEAD	48×48	•		IOBWG	1	SB	Т		х
	3	30·34 LT.	W2-IaT	HIGHWAY INTERSECTION AHEAD	48×48			IOBWG	,	SB	7		-
									,		·		
	4	30·34 RT.	W2-IaT	HIGHWAY INTERSECTION AHEAD	48x48	•		IOBWG	1	SB	<i>T</i>		
US 67 @													
FM 2131	-												
	1 ,	224·67 LT.	W2-IaT	HIGHWAY INTERSECTION AHEAD	48x48	•		IOBWG	1	SB	T		
			#10 to T	LUCINA INTERCECTION AUGAR	40.40			100110		60	_		
	2	224·67 RT.	₩2-IaT	HIGHWAY INTERSECTION AHEAD	48×48	•		IOBWG	/	SB	Τ		
	3	234·67 LT.	W3-/	STOP AHEAD	48×48	•		IOBWG	1	SB	Т		х
	4	234·67 RT.	W3-/	STOP AHEAD	48×48			IOBWG	,	SB	T		-
					10.110								
	5	255•64 LT.	W3-/	STOP AHEAD	48×48	•		IOBWG	1	SB	Τ		<u> </u>
FW 2131	6	255-64 RT.	W3-/	STOP AHEAD	48×48	•		IOBWG	1	SB	Т		х
	7	005.10.17	W2 IsT	HIGHWAY INTERSECTION AHEAD	48×48	•		IOPHIC	,	SB	T		
	+ ′	265·12 LT.	W2-IaT	HIGHWAI INTERSECTION AREAD	40,40			IOBWG		38	'		
	8	265·12 RT.	W2-IoT	HIGHWAY INTERSECTION AHEAD	48x48	•		IOBWG	1	SB	Τ		
US 84 @	1												
LP 15													
	1	20-80 LT.	W3-/	STOP AHEAD	48x48	•		IOBWG	,	SB	7		
				CT00 41/540							_		
	2	20·80 RT.	W3-/	STOP AHEAD	48×48	•		IOBWG	1	SB	7		
	3	13·61 LT .	W2-IaT	HIGHWAY INTERSECTION AHEAD	48×48	•		IOBWG	1	SB	τ		
	4	13·61 RT.	W2-IaT	 HIGHWAY INTERSECTION AHEAD	48×48			IOBWG	,	SB	τ		
		13 0/11/	WE 101		1010			105110	,	35	·		
SH 206 @ FW 2526	-												-
FW 2320													
	1	94·82 RT.	W2-IaT	HIGHWAY INTERSECTION AHEAD	48x48	•		IOBWG	1	SB	Τ		
	2	94·82 LT.	W2-IaT	HIGHWAY INTERSECTION AHEAD	48×48			IOBWG	1	SB	Т		
	! .			CTOD AUTAD	40.40			10040		60	_		
	3	104·83 RT.	W3-/	STOP AHEAD	48×48	*		IOBWG	<i>'</i>	SB	T		
	4	104·83 LT.	W3-/	STOP AHEAD	48×48	•		IOBWG	1	SB	Τ		
	5	126·62 LT.	W3-/	STOP AHEAD	48×48			IOBWG	,	SB	T		
	6	126·62 RT.	W3-/	STOP AHEAD	48×48	•		IOBWG	1	SB	Т		
	7	136·62 RT.	W2-IaT	HIGHWAY INTERSECTION AHEAD	48×48			IOBWG	1	SB	Т		
1		I -	I -					-	1	I -			1

48x48

IOBWG

SB

HIGHWAY INTERSECTION AHEAD

136·62 LT.

W2-IaT



04/02/2022

ALUMINUM SIGN BLANKS THICKNESS Square Feet Minimum Thickness Less than 7.5 0.080" 7.5 to 15 0.100" Greater than 15 0.125"

The Standard Highway Sign Designs for Texas (SHSD) can be found at the following website.

http://www.txdot.gov/

NOTE:

- 1. Sign supports shall be located as shown on the plans, except that the Engineer may shift the sign supports, within design guidelines, where necessary to secure a more desirable location or to avoid conflict with utilities. Unless otherwise shown on the plans, the Contractor shall stake and the Engineer will verify all sign support locations.
- For installation of bridge mount clearance signs, see Bridge Mounted Clearance Sign Assembly (BMCS)Standard Sheet.
- For Sign Support Descriptive Codes, see Sign Mounting Details Small Roadside Signs General Notes & Details SMD(GEN).
- 4. All Stationing on this sheet is associated with Alignment "377 CONST"

Texas Department of Transportation

Traffic Operations Division Standard

SUMMARY OF SMALL SIGNS

SOSS

10		BWD	N	ILLS,	ET(: .		59	9A	
-16 -16		DIST		COUNTY			S	HEE	T NO.	
1.0	REVISIONS	0054	09	042		US	84	,	ETC	•
TxDOT	May 1987	CONT	SECT	JOB			HIG	HWA	Y	
.E:	sums16.dgn	DN: Tx	DOT	ck: TxDOT	DW:	TxDO	T	CK:	TxDO	1

REQUIREMENTS FOR INDEPENDENT MOUNTED ROUTE SIGNS

SHEETING REQUIREMENTS							
USAGE	COLOR	SIGN FACE MATERIAL					
BACKGROUND	WHITE	TYPE A SHEETING					
BACKGROUND	ALL OTHERS	TYPE B OR C SHEETING					
LEGEND & BORDERS	WHITE	TYPE A SHEETING					
LEGEND & BORDERS	BLACK	ACRYLIC NON-REFLECTIVE FILM					
LEGEND & BORDERS	ALL OTHERS	TYPE B or C SHEETING					








TYPICAL EXAMPLES

REQUIREMENTS FOR BLUE, BROWN & GREEN D AND I SERIES GUIDE SIGNS

SHEETING REQUIREMENTS							
USAGE	COLOR	SIGN FACE MATERIAL					
BACKGROUND	ALL	TYPE B OR C SHEETING					
LEGEND & BORDERS	WHITE	TYPE D SHEETING					
LEGEND, SYMBOLS & BORDERS	ALL OTHERS	TYPE B OR C SHEETING					













TYPICAL EXAMPLES

GENERAL NOTES

- Signs to be furnished shall be as detailed elsewhere in the plans and/or as shown on sign tabulation sheet. Standard sign designs and arrow dimensions can be found in the "Standard Highway Sign Designs for Texas" (SHSD).
- 2. White legend shall use the Clearview Alphabet. The following Clearview fonts shall be used to replace the existing white Federal Highway Administration (FHWA) Standard Highway Alphabets, when not specified in the SHSD, or in the plans.

В	CV-1W
С	CV-2W
D	CV-3W
Ε	CV-4W
Emod	CV-5WR
F	CV-6W

- 3. Route sign legend (ie. IH, US, SH and FM shields) shall use the Federal Highway Administration (FHWA) Standard Highway Alphabets B, C, D, E, Emod or F).
- 4. Lateral spacing between letters and numerals shall conform with the SHSD, and any approved changes thereto. Lateral spacing of legend shall provide a balanced appearance when spacing is not shown.
- 5. Independent mounted route sign with white or colored legend and borders shall be applied by screening process with transparent color ink, transparent colored overlay film to white background sheeting or cut-out white sheeting to colored background sheeting, or combination thereof. White legend, symbols and borders on all other signs shall be cut-out white sheeting applied to colored background sheeting.
- 6. Information regarding borders and radii for signs is found in the "Standard Highway Sign Designs for Texas". Dimensions shown and described for borders and corner radii on parent sign are nominal. Borders may vary in width as much as 1/2 inch. Corner radii above 3 inches may vary in width as much as 1 inch. Borders and corner radii within a parent sign must be of matching widths. The sign area outside the corner radius should be trimmed or rounded.
- 7. Sign substrate shall be any material that meets the Departmental Material Specification requirements of DMS-7110 or approved alternative.
- 8. Mounting details of roadside signs are shown in the "SMD series" Standard Plan Sheets.

DEPARTMENTAL MATERIAL SPEC	IFICATIONS
ALUMINUM SIGN BLANKS	DMS-7110
SIGN FACE MATERIALS	DMS-8300

ALUMINUM SIGN BLANKS THICKNESS							
Square Feet	Minimum Thickness						
Less than 7.5	0.080						
7.5 to 15	0.100						
Greater than 15	0.125						

The Standard Highway Sign Designs for Texas (SHSD) can be found at the following website.

http://www.txdot.gov/



Traffic Operations Division Standard

TYPICAL SIGN REQUIREMENTS


TSR(3)-13

FILE:	tsr3-13.dgn	DN: T	(DOT	ck: TxDOT	DW:	TxD()T	CK:	T×DOT
© TxDOT	October 2003	CONT	SECT	JOB			ніс	HWA	Y
	REVISIONS	0054	09	042		US	84	,	ETC.
12-03 7-13		DIST		COUNTY			5	HEE	T NO.
9-08		BWD	N	AILLS,	ETO	: .		6	0

WRONG WAY SIGNS)



No warranty of any for the conversion







REQUIREMENTS FOR FOUR SPECIFIC SIGNS ONLY

SHEETING REQUIREMENTS			
USAGE	COLOR	SIGN FACE MATERIAL	
BACKGROUND	RED	TYPE B OR C SHEETING	
BACKGROUND	WHITE	TYPE B OR C SHEETING	
LEGEND & BORDERS	WHITE	TYPE B OR C SHEETING	
LEGEND	RED	TYPE B OR C SHEETING	

REQUIREMENTS FOR WARNING SIGNS





TYPICAL EXAMPLES

CHEETING DECHIDENENTS				
SHEETING REQUIREMENTS				
USAGE	COLOR	SIGN FACE MATERIAL		
BACKGROUND	FLOURESCENT YELLOW	TYPE B _{FL} OR C _{FL} SHEETING		
LEGEND & BORDERS	BLACK	ACRYLIC NON-REFLECTIVE FILM		
LEGEND & SYMBOLS	ALL OTHER	TYPE B OR C SHEETING		

REQUIREMENTS FOR WHITE BACKGROUND REGULATORY SIGNS

(EXCLUDING STOP, YIELD, DO NOT ENTER AND WRONG WAY SIGNS)





TYPICAL EXAMPLES

SHEETING REQUIREMENTS			
USAGE	COLOR	SIGN FACE MATERIAL	
BACKGROUND	WHITE	TYPE A SHEETING	
BACKGROUND	ALL OTHERS	TYPE B OR C SHEETING	
LEGEND, BORDERS AND SYMBOLS	BLACK	ACRYLIC NON-REFLECTIVE FILM	
LEGEND, BORDERS AND SYMBOLS	ALL OTHER	TYPE B OR C SHEETING	

REQUIREMENTS FOR SCHOOL SIGNS





TYPICAL EXAMPLES

	SHEETING REQUIREMENTS				
USAGE	COLOR	SIGN FACE MATERIAL			
BACKGROUND	WHITE	TYPE A SHEETING			
BACKGROUND	FLOURESCENT YELLOW GREEN	TYPE B _{FL} OR C _{FL} SHEETING			
LEGEND, BORDERS AND SYMBOLS	BLACK	ACRYLIC NON-REFLECTIVE FILM			
SYMBOLS	RED	TYPE B OR C SHEETING			

GENERAL NOTES

- 1. Signs to be furnished shall be as detailed elsewhere in the plans and/or as shown on sign tabulation sheet. Standard sign designs and arrow dimensions can be found in the "Standard Highway Sign Designs for Texas" (SHSD).
- 2. Sign legend shall use the Federal Highway Administration (FHWA) Standard Highway Alphabets (B, C, D, E, Emod or F).
- 3. Lateral spacing between letters and numerals shall conform with the SHSD, and any approved changes thereto. Lateral spacing of legend shall provide a balanced appearance when spacing is not shown.
- 4. Black legend and borders shall be applied by screening process or cut-out acrylic non-reflective black film to background sheeting, or combination
- 5. White legend and borders shall be applied by screening process with transparent colored ink, transparent colored overlay film to white background sheeting or cut-out white sheeting to colored background sheeting, or combination thereof.
- 6. Colored legend shall be applied by screening process with transparent colored ink, transparent colored overlay film or colored sheeting to background sheeting, or combination thereof.
- 7. Sign substrate shall be any material that meets the Departmental Material Specification requirements of DMS-7110 or approved alternative.
- 8. Mounting details for roadside mounted signs are shown in the "SMD series" Standard Plan Sheets.

ALUMINUM SIGN BLANKS THICKNESS			
Square Feet	Minimum Thickness		
Less than 7.5	0.080		
7.5 to 15	0.100		
Greater than 15	0.125		

DEPARTMENTAL MATERIAL SPEC	CIFICATIONS
ALUMINUM SIGN BLANKS	DMS-7110
SIGN FACE MATERIALS	DMS-8300

The Standard Highway Sign Designs for Texas (SHSD) can be found at the following website.

http://www.txdot.gov/



Traffic Operations Division Standard

TYPICAL SIGN REQUIREMENTS


TSR (4) - 13

ILE:	tsr4-13.dgn	DN: T	(DOT	ck: TxDOT	DW:	TxDC)T	ck: TxDOT
C) TxD0T	October 2003	CONT	SECT	JOB			HIGH	YAWI
	REVISIONS	0054	09	042		US	84,	ETC.
12-03 7-1 9-08	3	DIST		COUNTY			SH	HEET NO.
3 00		BWD	N.	ILLS, I	ET(61


ARROW DETAILS

for Large Ground-Mounted and Overhead Guide Signs


SIGN BLANK PUNCHING DETAILS FOR ATTACHMENTS WHEN SPECIFIED TO BE TYPE A ALUMINUM SIGNS (FOR MOUNTING TO GUIDE SIGN FACE)



Type A




Type B




E-3






Down Arrow

‰" Ho∣es





STATE ROUTE MARKERS

INTERSTATE ROUTE MARKERS

36 21 15 11/2 20 13/4 48 28

Sign Size	"Y"
24×24	2
30×24	3
36×36	3
45×36	4
48×48	4
60×48	5

U.S. ROUTE MARKERS

No.of Digits	W	Х
4	24	4
4	36	5
4	48	6
3	24	3
3	36	4
3	48	5

TYP	LETTER SIZE	USE	
A-I	10.67" U/L and 10" Caps	Single	
A-2	13.33" U/L and 12" Caps	Lane	
A-3	16" & 20" U/L	Exits	
B-I	10.67" U/L and 10" Caps	Multiple	
B-2	13.33" U/L and 12" Caps	Lane	
B-3	16" & 20" U/L	Exits	

CODE	USED ON SIGN NO.
E-3	E5-IaT
E-4	E5-lbT

NOTE

Arrow dimensions are shown in the "Standard Highway Sign Designs for Texas" manual.

The Standard Highway Sign Designs for Texas (SHSD) can be found at the following website.

http://www.txdot.gov/

0.063"

aluminum

Type A sign

EXIT ONLY PANEL

dia.


MOUNTING DETAILS OF ATTACHMENTS TO GUIDE SIGN FACE ("EXIT ONLY" AND "LEFT EXIT" PANELS, ROUTE MARKERS AND OTHER ATTACHMENTS)

background Attachment sheeting sian sheeting-Attachment sheeting must be cut at panel joints



10:17:14 AM_Desig


- 1. Sheeting for legend, symbols, and borders must be cut at panel joints.
- 2. Direct applied attachment signs will be subsidiary to "Aluminum Signs" or "Fiberglass Signs".




SCREW ATTACHMENT

ARROW DETAILS

for Destination Signs (Type D)





Traffic Operations Division Standard



TYPICAL SIGN REQUIREMENTS

TSR(5)-13

ILE:	tsr5-13.dgn	DN: T	×D0T	ck: TxDOT	DW:	TxDC	T	ck: TxDOT
C) TxDOT	October 2003	CONT	SECT	JOB			HIGH	IWAY
	REVISIONS	0054	09	042		US	84,	ETC.
12-03 7- 9-08	13	DIST		COUNTY			SH	HEET NO.
9-00		BWD	N	IILLS, I	ETC			62

NUT/BOLT ATTACHMENT

NOTE:

Furnish Type A aluminum sign attachments only when specified in the plans. These signs will be paid for under "Aluminum Signs".

1/4" nut

and bolt

Washer

Lock washer

SIGN SUPPORT DESCRIPTIVE CODES (Descriptive Codes correspond to project estimate and quantities sheets)

SM RD SGN ASSM TY XXXXX(X)XX(X-XXXX)

Post Type

FRP = Fiberglass Reinforced Plastic Pipe (see SMD(FRP)) TWT = Thin-Walled Tubing (see SMD(TWT))

10BWG = 10 BWG Tubing (see SMD(SLIP-1) to (SLIP-3)) S80 = Schedule 80 Pipe (see SMD(SLIP-1) to (SLIP-3))

Number of Posts (1 or 2)

Anchor Type

UA = Universal Anchor - Concreted (see SMD(FRP) and (TWT)) UB = Universal Anchor - Bolted down (see SMD(FRP) and (TWT))

- WS = Wedge Anchor Steel (see SMD(TWT))
- WP = Wedge Anchor Plastic (see SMD(TWT))

No more than 2 sign

posts should be located

within a 7 ft. circle.

- SA = Slipbase Concreted (see SMD(SLIP-1) to (SLIP-3))
- SB = Slipbase Bolted Down (see SMD(SLIP-1) to (SLIP-3))

Sign Mounting Designation


P = Prefab. "Plain" (see SMD(SLIP-1) to (SLIP-3), (TWT), (FRP)) T = Prefab, "T" (see SMD(SLIP-1) to (SLIP-3), (TWT)) U = Prefab. "U" (see SMD(SLIP-1) to (SLIP-3))

IF REQUIRED 1EXT or 2EXT = Number of Extensions (see SMD(SLIP-1) to (SLIP-3), (TWT))

BM = Extruded Wind Beam (see SMD(SLIP-1) to (SLIP-3)) WC = 1.12 #/ft Wing Channel (see SMD(SLIP-1) to (SLIP-3))

EXAL = Extruded Aluminum Sign Panels (see SMD(SLIP-3))

REQUIRED CLEARANCE FOR BREAKAWAY SUPPORT



To avoid vehicle undercarriage snagging, any substantial remains of a breakaway support, when it is broken away, should not project more than 4 inches above a 60-inch chord (i.e., typical space between wheel paths).


Not Acceptable

7 ft. diameter

circle

Not Acceptable

PAVED SHOULDERS



LESS THAN 6 FT. WIDE

When the shoulder is 6 ft. or less in width. the sign must be placed at least 12 ft. from the edge of the travel lane.

HIGHWAY 6 ft min INTERSECTION AHEAD Greater than 6 ft 7.5 ft max Travel 7.0 ft min > Lane Paved Shou I der

SIGN LOCATION

GREATER THAN 6 FT. WIDE

When the shoulder is greater than 6 ft in width, the sign must be placed at least 6 ft, from the edge of the shoulder.

When this sign is needed at the end of a two-lane, two way roadway, the right edge of the sign should be in line with the centerline of the roadway. Place as close to ROW as practical.

Paved

Shou I der


T-INTERSECTION


12 ft min

← 6 ft min ·

7.5 ft max

7.0 ft min *





Travel

Lane



- * Signs shall be mounted using the following condition that results in the greatest sign elevation:
- (1) a minimum of 7 to a maximum of 7.5 feet above the edge of the travel lane or (2) a minimum of 7 to a maximum of 7.5 feet above the
- grade at the base of the support when sign is installed on the backslope.

The maximum values may be increased when directed by

See the Traffic Operations Division website for detailed drawings of sign clamps, Triangular Slipbase System components and Wedge Anchor System components.

The website address is: http://www.txdot.gov/publications/traffic.htm


Texas Department of Transportation Traffic Operations Division

SIGN MOUNTING DETAILS SMALL ROADSIDE SIGNS GENERAL NOTES & DETAILS


SMD (GEN) - 08

© TxDOT July 2002	DN: TXD	ОТ	CK: TXDOT	DW:	TXDOT		СК	: TXDOT
08 REVISIONS	CONT	SECT	JOB			HIG	HWA	ΔY
	0054	09	042		US	84	,	ETC.
	DIST	COUNTY		SHEET NO.		ET NO.		
	BWD	V	IILLS, I	ETC	•		6	53

BEHIND BARRIER



BEHIND GUARDRAIL




 $\hbox{\tt **Sign clearance based on distance required for proper guard rail or concrete barrier performance.}$

TYPICAL SIGN ATTACHMENT DETAIL

diameter

circle




diameter

circle / Not Acceptable

Bolts used to mount sign panels to the clamp are 5/16-18 UNC galvanized square head with nut, nylon washer, flat washer and lock washer. The bolt length is 1 inch for aluminum.

When two sign clamps are used to mount signs back-to-back, use a 5/16-18 UNC galvanized hex head per ASTM A307 with nut and helical-spring lock washer. The approximate bolt lengths for various post sizes and sign clamp types are given in the table at right. The bolt length may need to be adjusted depending upon field conditions.

Sign clamps may be either the specific size clamp




Acceptable

diameter


circle

	Approximate Bolt Length						
Pipe Diameter	Specific Clamp	Universal Clamp					
2" nominal	3"	3 or 3 1/2"					
2 1/2" nominal	3 or 3 1/2"	3 1/2 or 4"					
3" nominal	3 1/2 or 4"	4 1/2"					

SIGNS WITH PLAQUES



CURB & GUTTER OR RAISED ISLAND



Right-of-way restrictions may be created by rocks, water, vegetation, forest, buildings, a narrow island, or other factors.


In situations where a lateral restriction prevents the minimum horizontal clearance from the edge of the travel lane, signs

*** Post may be shorter if protected by guardrail or if Engineer determines the

Maximum HIGHWAY possible INTERSECTION AHEAD

RESTRICTED RIGHT-OF-WAY

(When 6 ft min, is not possible,)



should be placed as far from the travel lane as practical.

post could not be hit due to extreme




10 BWG Tubing or Keeper Plate Schedule 80 Pipe (See General Note 3) Slip Base \Box 5/8" structural bolts (3), nuts (3), and washers Washers (6) per ASTM A325 if required by or A449 and manufacturer galvanized per Item 445 "Galvanizing." Bolt length is 2 1/2". 3/4 " diameter hole. 36" Provide a 7" x 1/2" diameter rod or #4 rebar. Class A concrete 42 12" min. 24" max. Non-reinforced concrete footing (shall be used unless noted elsewhere in the plans). Foundation should take approx. 2.5 cf of concrete. 12" Dia

SM RD SGN ASSM TY XXXXX(X)SA(X-XXXX)

NOTE

There are various devices approved for the Triangular Slipbase System. Please reference the Material Producer List for approved slip base systems. http://www.txdot.gov/business/producer list.htm The devices shall be installed per manufacturers' recommendations. Installation procedures shall be provided to the Engineer by Contractor.

CONCRETE ANCHOR



SM RD SGN ASSM TY XXXXX(X)SB(X-XXXX)

Concrete anchor consists of 5/8" diameter stud bolt with UNC series bolt threads on the upper end. Heavy hex nut per ASTM A563, and hardened washer per ASTM F436. The stud bolt shall have a minimum yield and ultimate tensile strength of 50 and 75 KSI, respectively. Nuts, bolts and washers shall be galvanized per Item 445, "Galvanizing." Adhesive type anchors shall have stud bolts installed with Type III epoxy per DMS-6100, "Epoxies and Adhesives." Adhesive anchors may be loaded after adequate epoxy cure time per the manufacturer's recommendations. Top of bolt shall extend at least flush with top of the nut when installed. The anchor, when installed in 4000 psi normalweight concrete with a 5 1/2" minimum embedment, shall have a minimum allowable tension and shear of 3900 and 3100 psi, respectively.

GENERAL NOTES:

- 1. Slip base shall be permanently marked to indicate manufacturer. Method, design, and location of marking are subject to approval of the TxDOT Traffic Standards Engineer.
- Material used as post with this system shall conform to the following specifications:

10 BWG Tubing (2.875" outside diameter)

0.134" nominal wall thickness

Seamless or electric-resistance welded steel tubing or pipe

Steel shall be HSLAS Gr 55 per ASTM A1011 or ASTM A1008

Other steels may be used if they meet the following:

55,000 PSI minimum yield strength 70,000 PSI minimum tensile strength

20% minimum elongation in 2"

Wall thickness (uncoated) shall be within the range of 0.122" to 0.138"

Outside diameter (uncoated) shall be within the range of 2.867" to 2.883"

Galvanization per ASTM A123 or ASTM A653 G210. For precoated steel tubing (ASTM A653), recoat tube outside diameter weld seam by metallizing with zinc wire per ASTM B833.

Schedule 80 Pipe (2.875" outside diameter)

0.276" nominal wall thickness

Steel tubing per ASTM A500 Gr C

Other seamless or electric-resistance welded steel tubing or pipe with equivalent

outside diameter and wall thickness may be used if they meet the following:

46,000 PSI minimum yield strength 62,000 PSI minimum tensile strength

21% minimum elongation in 2"

Wall thickness (uncoated) shall be within the range of 0.248" to 0.304" Outside diameter (uncoated) shall be within the range of 2.855" to 2.895"

Galvanization per ASTM A123 3. See the Traffic Operations Division website for detailed drawings of sign clamps and Texas

Universal Triangular Slipbase System components. The website address is:

http://www.txdot.gov/publications/traffic.htm

4. Sign supports shall not be spliced except where shown. Sign support posts shall not be spliced.

ASSEMBLY PROCEDURE

Foundation

- 1. Prepare 12-inch diameter by 42-inch deep hole. If solid rock is encountered, the depth of the foundation may be reduced such that it is embedded a minimum of 18 inches into the solid rock.
- 2. The Engineer may permit batches of concrete less than 2 cubic yards to be mixed with a portable. motor-driven concrete mixer. For small placements less than 0.5 cubic yards, hand mixing in a suitable container may be allowed by Engineer. Concrete shall be Class A.
- 3. Push the pipe end of the slip base stub into the center of the concrete. Rotate the stub back and forth while pushing it down into the concrete to assure good contact between the concrete and stub. Continue to work the stub into the concrete until it is between 2 to 4 inches above the ground.
- 4. Plumb the stub. Allow a minimum of 4 days to set, unless otherwise directed by the Engineer.
- 5. The triangular slipbase system is multidirectional and is designed to release when struck from any direction.


- 1. Cut support so that the bottom of the sign will be 7 to 7.5 feet above the edge of the travelway (i.e., edge of the closest lame) when slip plate is below the edge of pavement or 7 to 7.5 feet above slip plate when the slip plate is above the edge of the travelway. The cut shall be plumb and
- 2. Attach sign to support using connections shown. When multiple signs are installed on the same support, ensure the minimum clearance between each sign is maintained. See SMD(SLIP-2) for clearances based on sign types.




SIGN MOUNTING DETAILS SMALL ROADSIDE SIGNS TRIANGULAR SLIPBASE SYSTEM

SMD(SLIP-1)-08

(C) T>	kDOT July 2002	DN: TX	тоот	CK: TXDOT	DW:	TXDOT		CK:	TXDOT
9-08	REVISIONS	CONT	SECT	JOB)B		HIGHWAY		`
		0054	09	042		US	84,		ETC.
		DIST	DIST COUNTY		SHEET NO		T NO.		
		BWD	N	IILLS.	ETC	:.		6	4



10:17:16 AM*Design



GENERAL NOTES:

Wing

11

1.1

1.1

U-Bracket

Sign Clamp -

Universal)

(Specific or

Channe

Top View

3/8" x 3 1/2" heavy hex

A307 galvanized per

Item 445 "Galvanizing."

bolt with nut, lock washer

and 2 flat washers per ASTM

T&U Bracket

Item 445.

Detail E

Sign Clamp

Universal)

0

Friction caps may be manufactured from hot rolled

thickness shall be 24 gauge for all cap sizes. The rim edges shall be reasonably straight and

manner as to produce a drive-on friction fit and

The depth shall be sufficient to give positive

shall be free of sharp creases or indentations

Caps shall have an electrodeposited coating of

"Galvanizing.

1/2" x 4" heavy

hex bolt, nut, lock

washer and 2 flat


washers per ASTM

A307 galvanized per

Detail B

1.	SIGN SUPPORT	# OF POSTS	MAX. SIGN AREA
	10 BWG	1	16 SF
	10 BWG	2	32 SF
	Sch 80	1	32 SF
	Sch 80	2	64 SF

- The Engineer may require that a Schedule 80 post be used in place of a 10 BWG where a sign height is abnormally high due to a fill slope.
- 3. Sign supports shall not be spliced except where shown. Sign support posts shall not be spliced.
- Aluminum sign blanks shall conform to Departmental Material Specifications DMS-7110 and shall have the following minimum thicknesses: 0.080 for signs less than 7.5 sq. ft., 0.100 for signs 7.5 to 15 sq. ft., and 0.125 for signs greater than 15 sq. ft.
- 5. Signs that require specific supports due to reasons in addition to windloading are indicated on the "REQUIRED SUPPORT" table on this sheet.
- 6. For horizontal rectangular signs fabricated from flat aluminum, T-brackets are used for signs 24 inches or less in height. U-brackets are used for signs of
- greater height.
 7. When two triangular slipbase supports are used to support a single sign, they shall not be "rigidly" connected to each other except through the sign panel. This will allow each support to act independently when impacted by an errant vehicle.
- Wing channel shall meet ASTM A 1011 SS Gr 50 and be galvanized per ASTM A 123.
- 9. Excess pipe, wing channel, or windbeam shall be cut off so that it does not extend beyond the sign panel (i.e., excess support shall not be visible when the sian is viewed from the front,) Repair galvanized coating at cut support ends per Item 445, "Galvanizing."
- 10. Additional route markers may be added vertically, provided the total sign area does not exceed the maximum allowable amount per Note 1.
- 11. Additional sign clamp required on the "T-bracket" post for 24 inch height signs. Place the clamp 3 inches above bottom of sign when possible.
- 12. Post open ends shall be fitted with Friction Caps.
- 13. Sign blanks shall be the sizes and shapes shown on the plans.







SIGN MOUNTING DETAILS SMALL ROADSIDE SIGNS TRIANGULAR SLIPBASE SYSTEM

SMD (SLIP-2) -08


© Tx	DOT July 2002	DN: TX	тоот	CK: TXDOT	DW:	TXDOT	C	K: TXDO	T
9-08	REVISIONS	CONT	SECT	JOB			HIGH	WAY	
		0054	09	042		US	84,	ETC	
		DIST	IST COUNTY			SHEET NO.			
		BWD	N.	MILLS,	ETC			65	




EXTRUDED ALUMINUM SIGN WITH T BRACKET



Detail B





Splices shall only be allowed behind the sign substrate.




SM RD SGN ASSM TY S80(2)XX(P-EXAL) * Additional stiffener placed at approximate center

of signs when sign width is greater than 10'.






Extruded Aluminum Sign With T Bracket



Detail E



for clamp installation

Use Extruded Alum. Windbeam as stiffeners See SMD (2-1) for additional details See Detail E for clamp installation

following minimum thicknesses: 0.080 for signs less than 7.5 sq. ft., 0.100 for signs 7.5 to 15 sq. ft., and 0.125 for signs greater than 15 sq. ft.

MAX. SIGN AREA

32 SF

32 SF

5. Signs that require specific supports due to reasons in addition to windloading are indicated on the "REQUIRED SUPPORT" table on this sheet.

The Engineer may require that a Schedule 80 post be used in place of a 10 BWG where a sign height is abnormally high due to a fill slope.

Sign support posts shall not be spliced. Aluminum sign blanks shall conform to Departmental Material Specifications DMS-7110 and shall have the

3. Sign supports shall not be spliced except where shown.

GENERAL NOTES:

10 BWG

10 BWG

Sch 80

Sch 80

1. SIGN SUPPORT # OF POSTS

6. For horizontal rectangular signs fabricated from flat aluminum, T-brackets are used for signs 24 inches or less in height. U-brackets are used for signs of

greater height.
7. When two triangular slipbase supports are used to support a single sign, they shall not be "rigidly" connected to each other except through the sign panel. This will allow each support to act independently when impacted by an errant vehicle.

Wing channel shall meet ASTM A 1011 SS Gr 50 and be galvanized per ASTM A 123.

9. Excess pipe, wing channel, or windbeam shall be cut off so that it does not extend beyond the sign panel (i.e., excess support shall not be visible when the sign is viewed from the front.) Repair galvanized coating at cut support ends per Item 445, "Galvanizing."

10. Sign blanks shall be the sizes and shapes shown on

11. Additional sign clamp required on the "T-bracket" post for 24 inch high signs. Place the clamp 3 inches above bottom of sign when possible.

12. Post open ends shall be fitted with Friction Caps.

	REQUIRED SUPPORT						
	SIGN DESCRIPTION	SUPPORT					
	48-inch STOP sign (R1-1)	TY 10BWG(1)XX(T) TY 10BWG(1)XX(P-BM)					
	60-inch YIELD sign (R1-2)	TY 10BWG(1)XX(T) TY 10BWG(1)XX(P-BM)					
	48x16-inch ONE-WAY sign (R6-1)	TY 10BWG(1)XX(T) TY 10BWG(1)XX(P-BM)					
•	36x48, 48x36, and 48x48-inch signs	TY 10BWG(1)XX(T)					
	48x60-inch signs	TY \$80(1)XX(T)					
	48x48-inch signs (diamond or square)	TY 10BWG(1)XX(T)					
	48x60-inch signs	TY S80(1)XX(T)					
	48-inch Advance School X-ing sign (S1-1)	TY 10BWG(1)XX(T)					
	48-inch School X-ing sign (S2-1)	TY 10BWG(1)XX(T)					
	Large Arrow sign (W1-6 & W1-7)	TY 10BWG(1)XX(T)					



SIGN MOUNTING DETAILS SMALL ROADSIDE SIGNS TRIANGULAR SLIPBASE SYSTEM

SMD (SLIP-3) -08

© Tx	DOT July 2002	DN: TX	тоот	CK: TXDOT	DW:	TXDOT	(K:	TXDOT
9-08	REVISIONS	CONT	SECT	JOB			HIGH	WAY	
5 00		0054	09	042		US	84,	E	TC.
		DIST	ST COUNTY SHEE		EET	NO.			
		BWD	N	MILLS.	ETC			66	5

are encountered on-site during project construction, adverse impacts on protected birds, active

nests, eggs, and/or young shall be avoided.

Erosion Control Compost

Compost Filter Berms and Socks

Mulch filter Berms and Socks

Sedimentation Chambers

0054 09 042 US 84, ETC

COUNTY

BWD MILLS. ETC.

SITE DESCRIPTION

OJECT LIMITS:	1 - 1 - 21 45 4707
CCSJ 0054-09-042 - US 84 @ LP 15	Lat = 31.454397
	Long = -98.562922
CSJ 0078-05-026 - US 67 @ FM 2131	Lat = 31.747278
	Long = -99.426308
CSJ 1032-01-038 - FM 580	Lat = 31.164892
	Long = -98.079119
CSJ 2638-01-027 - SH 206 @ FM 2526	Lat = 32.272389
	Long = -99.010989
CSJ 3469-02-007 - FM 3418 @ FM 2231	Lat = 32.729447
	Long = -98.954453

LOCATION MAPS:

Refer to title sheet for project location map.

PROJECT DESCRIPTION:

CCSJ 0054-09-042, ETC.

For the construction of SAFTEY IMPROVEMENTS Consisting of INSTALL INTERSECTION FLASHING BEACON, ILLUMINATION & LED FLASHING CHEVRONS.

MAJOR SOIL DISTURBING ACTIVITIES:

The major soil activities for this project include boring and trenching for conduit placement for Illumination and Flashing Beacons, as depicted in plans.

TOTAL PROJECT AREA: 00.01 AC.

00.01 AC.

TOTAL AREA TO BE DISTURBED:

EXISTING CONDITION OF SOIL & VEGETATIVE COVER AND % OF EXISTING VEGETATIVE COVER:

	J 0054-09-042, ETC.
	rounding land varies from outside urban area to pasture
	geland. The existing soils vary, R.O.W. vegitation cover
	predominantly comprised of various native grasses and wil
	vers. There is minimal soil disturbance anticipated with
this	s project
OF I	RECEIVING WATERS:
ccs	J 0054-09-042, ETC.
CCS.	1 0054-09-042, ETC. Iff from project flows into various Segments due
CCS.	J 0054-09-042, ETC.
CCS.	1 0054-09-042, ETC. Iff from project flows into various Segments due
CCS.	1 0054-09-042, ETC. Iff from project flows into various Segments due
CCS.	1 0054-09-042, ETC. Iff from project flows into various Segments due
CCS	1 0054-09-042, ETC. Iff from project flows into various Segments due
CCS.	1 0054-09-042, ETC. Iff from project flows into various Segments due
CCS.	1 0054-09-042, ETC. Iff from project flows into various Segments due
CCS.	1 0054-09-042, ETC. Iff from project flows into various Segments due
CCS.	1 0054-09-042, ETC. Iff from project flows into various Segments due

EROSION AND SEDIMENT CONTROLS

	All procios controls will be maintained to acad wantites
	All erosion controls will be maintained in good working order. If a repair is necessary, it will be made at the
	earliest possible date, but no later than seven (7)
	calendar days after the ground has dried sufficiently to
	prevent further damage from equipment. The areas around
	creeks and drainage ways shall have priority over other areas on the project site.
INSPECTIO	N:
	An inspection will be performed by a TxDOT inspector at least
	once every seven (7) calendar days. An inspection and maintenan
	report will be made per each inspection. Stormwater controls will be modified as directed by the Engineer based on these reports.
WASTE MA	ERIALS:
	Any waste materials generated during construction will
-	be disposed of in accordance with existing federal, state, and local laws.
HAZARDOUS	WASTE (INCLUDING SPILL REPORTING):
	At a minimum, any products in the following categories are
	considered to be hazardous: Fuels, Lubricating products, Asphalt products, or Concrete curing compounds and any additives.
	In the event of a spill which may be hazardous,
	clean-up will be done in accordance with federal, state, and
	local regulations.
SANITARY	WASTE:
	Sanitary waste from portable units will be collected by a
	licensed sanitary waste management contractor.
VEHICLE .	TRACKING AND DUST CONTROL (ON & OFF SITE):
	Watering for dust control (on site) will be required as Directed
	Watering for dust control (on site) will be required as Directed by the Engineer and shall be considered subsidiary to various bid items. Other requirements are as follows:
x	by the Engineer and shall be considered subsidiary to various
	by the Engineer and shall be considered subsidiary to various bid items. Other requirements are as follows: DUST CONTROL (OFF SITE) AS NEEDED- PER ENGINEER HAUL ROADS DAMPENED FOR DUST CONTROL
_	by the Engineer and shall be considered subsidiary to various bid items. Other requirements are as follows: DUST CONTROL (OFF SITE) AS NEEDED- PER ENGINEER HAUL ROADS DAMPENED FOR DUST CONTROL LOADED HAUL TRUCKS TO BE COVERED WITH TARPAULIN
\equiv	by the Engineer and shall be considered subsidiary to various bid items. Other requirements are as follows: DUST CONTROL (OFF SITE) AS NEEDED- PER ENGINEER HAUL ROADS DAMPENED FOR DUST CONTROL LOADED HAUL TRUCKS TO BE COVERED WITH TARPAULIN EXCESS DIRT ON ROAD REMOVED DAILY
\equiv	by the Engineer and shall be considered subsidiary to various bid items. Other requirements are as follows: DUST CONTROL (OFF SITE) AS NEEDED- PER ENGINEER HAUL ROADS DAMPENED FOR DUST CONTROL LOADED HAUL TRUCKS TO BE COVERED WITH TARPAULIN
=	by the Engineer and shall be considered subsidiary to various bid items. Other requirements are as follows: DUST CONTROL (OFF SITE) AS NEEDED- PER ENGINEER HAUL ROADS DAMPENED FOR DUST CONTROL LOADED HAUL TRUCKS TO BE COVERED WITH TARPAULIN EXCESS DIRT ON ROAD REMOVED DAILY STABILIZED CONSTRUCTION ENTRANCE
=	by the Engineer and shall be considered subsidiary to various bid items. Other requirements are as follows: DUST CONTROL (OFF SITE) AS NEEDED- PER ENGINEER HAUL ROADS DAMPENED FOR DUST CONTROL LOADED HAUL TRUCKS TO BE COVERED WITH TARPAULIN EXCESS DIRT ON ROAD REMOVED DAILY STABILIZED CONSTRUCTION ENTRANCE Disposal areas, stockpiles, and haul roads shall be constructed in a mann
=	by the Engineer and shall be considered subsidiary to various bid items. Other requirements are as follows: DUST CONTROL (OFF SITE) AS NEEDED- PER ENGINEER HAUL ROADS DAMPENED FOR DUST CONTROL LOADED HAUL TRUCKS TO BE COVERED WITH TARPAULIN EXCESS DIRT ON ROAD REMOVED DAILY STABILIZED CONSTRUCTION ENTRANCE
=	by the Engineer and shall be considered subsidiary to various bid items. Other requirements are as follows: DUST CONTROL (OFF SITE) AS NEEDED- PER ENGINEER HAUL ROADS DAMPENED FOR DUST CONTROL LOADED HAUL TRUCKS TO BE COVERED WITH TARPAULIN EXCESS DIRT ON ROAD REMOVED DAILY STABILIZED CONSTRUCTION ENTRANCE Disposal areas, stockpiles, and haul roads shall be constructed in a mann that will minimize and control the amount of sediment that may enter receiving waters. Disposal areas shall not be located in any wetland,
=	by the Engineer and shall be considered subsidiary to various bid items. Other requirements are as follows: DUST CONTROL (OFF SITE) AS NEEDED- PER ENGINEER HAUL ROADS DAMPENED FOR DUST CONTROL LOADED HAUL TRUCKS TO BE COVERED WITH TARPAULIN EXCESS DIRT ON ROAD REMOVED DAILY STABILIZED CONSTRUCTION ENTRANCE Disposal areas, stockpiles, and haul roads shall be constructed in a manner that will minimize and control the amount of sediment that may enter receiving waters. Disposal areas shall not be located in any wetland, water body or stream bed. Construction staging area and vehicle maintened area shall be constructed by the contractor in a manner to minimize the
=	by the Engineer and shall be considered subsidiary to various bid items. Other requirements are as follows: DUST CONTROL (OFF SITE) AS NEEDED- PER ENGINEER HAUL ROADS DAMPENED FOR DUST CONTROL LOADED HAUL TRUCKS TO BE COVERED WITH TARPAULIN EXCESS DIRT ON ROAD REMOVED DAILY STABILIZED CONSTRUCTION ENTRANCE Disposal areas, stockpiles, and haul roads shall be constructed in a manner that will minimize and control the amount of sediment that may enter receiving waters. Disposal areas shall not be located in any wetland, water body or stream bed. Construction staging area and vehicle maintend area shall be constructed by the contractor in a manner to minimize the runoff of pollutants. All waterways shall be cleared as soon as practiced.
=	by the Engineer and shall be considered subsidiary to various bid items. Other requirements are as follows: DUST CONTROL (OFF SITE) AS NEEDED- PER ENGINEER HAUL ROADS DAMPENED FOR DUST CONTROL LOADED HAUL TRUCKS TO BE COVERED WITH TARPAULIN EXCESS DIRT ON ROAD REMOVED DAILY STABILIZED CONSTRUCTION ENTRANCE Disposal areas, stockpiles, and haul roads shall be constructed in a mannithat will minimize and control the amount of sediment that may enter receiving waters. Disposal areas shall not be located in any wetland, water body or stream bed. Construction staging area and vehicle maintened area shall be constructed by the contractor in a manner to minimize the runoff of pollutants. All waterways shall be cleared as soon as practice of temporary embankment, temporary bridges, matting, false work, piling,
=	by the Engineer and shall be considered subsidiary to various bid items. Other requirements are as follows: DUST CONTROL (OFF SITE) AS NEEDED- PER ENGINEER HAUL ROADS DAMPENED FOR DUST CONTROL LOADED HAUL TRUCKS TO BE COVERED WITH TARPAULIN EXCESS DIRT ON ROAD REMOVED DAILY STABILIZED CONSTRUCTION ENTRANCE Disposal areas, stockpiles, and haul roads shall be constructed in a manner that will minimize and control the amount of sediment that may enter receiving waters. Disposal areas shall not be located in any wetland, water body or stream bed. Construction staging area and vehicle maintena area shall be constructed by the contractor in a manner to minimize the
=	by the Engineer and shall be considered subsidiary to various bid items. Other requirements are as follows: DUST CONTROL (OFF SITE) AS NEEDED- PER ENGINEER HAUL ROADS DAMPENED FOR DUST CONTROL LOADED HAUL TRUCKS TO BE COVERED WITH TARPAULIN EXCESS DIRT ON ROAD REMOVED DAILY STABILIZED CONSTRUCTION ENTRANCE Disposal areas, stockpiles, and haul roads shall be constructed in a mannethat will minimize and control the amount of sediment that may enter receiving waters. Disposal areas shall not be located in any wetland, water body or stream bed. Construction staging area and vehicle maintena area shall be constructed by the contractor in a manner to minimize the runoff of pollutants. All waterways shall be cleared as soon as practical of temporary embankment, temporary bridges, matting, folse work, piling, debris or other obstructions placed during construction operations that
=	by the Engineer and shall be considered subsidiary to various bid items. Other requirements are as follows: DUST CONTROL (OFF SITE) AS NEEDED- PER ENGINEER HAUL ROADS DAMPENED FOR DUST CONTROL LOADED HAUL TRUCKS TO BE COVERED WITH TARPAULIN EXCESS DIRT ON ROAD REMOVED DAILY STABILIZED CONSTRUCTION ENTRANCE Disposal areas, stockpiles, and haul roads shall be constructed in a manne that will minimize and control the amount of sediment that may enter receiving waters. Disposal areas shall not be located in any wetland, water body or stream bed. Construction staging area and vehicle maintena area shall be constructed by the contractor in a manner to minimize the runoff of pollutants. All waterways shall be cleared as soon as practica of temporary embankment, temporary bridges, matting, false work, piling, debris or other obstructions placed during construction operations that are not a part of the finished work.
=	by the Engineer and shall be considered subsidiary to various bid items. Other requirements are as follows: DUST CONTROL (OFF SITE) AS NEEDED- PER ENGINEER HAUL ROADS DAMPENED FOR DUST CONTROL LOADED HAUL TRUCKS TO BE COVERED WITH TARPAULIN EXCESS DIRT ON ROAD REMOVED DAILY STABILIZED CONSTRUCTION ENTRANCE Disposal areas, stockpiles, and haul roads shall be constructed in a manner that will minimize and control the amount of sediment that may enter receiving waters. Disposal areas shall not be located in any wetland, water body or stream bed. Construction staging area and vehicle maintened area shall be constructed by the contractor in a manner to minimize the runoff of pollutants. All waterways shall be cleared as soon as practical of temporary embankment, temporary bridges, matting, false work, piling, debris or other obstructions placed during construction operations that are not a part of the finished work. For off R.O.W. facilities the contractor shall comply with TCEQ
=	by the Engineer and shall be considered subsidiary to various bid items. Other requirements are as follows: DUST CONTROL (OFF SITE) AS NEEDED- PER ENGINEER HAUL ROADS DAMPENED FOR DUST CONTROL LOADED HAUL TRUCKS TO BE COVERED WITH TARPAULIN EXCESS DIRT ON ROAD REMOVED DAILY STABILIZED CONSTRUCTION ENTRANCE Disposal areas, stockpiles, and haul roads shall be constructed in a manner that will minimize and control the amount of sediment that may enter receiving waters. Disposal areas shall not be located in any wetland, water body or stream bed. Construction staging area and vehicle maintened area shall be constructed by the contractor in a manner to minimize the runoff of pollutants. All waterways shall be cleared as soon as practice of temporary embankment, temporary bridges, matting, false work, piling, debris or other obstructions placed during construction operations that are not a part of the finished work. For off R.O.W. facilities the contractor shall comply with TCEQ requirements.
=	by the Engineer and shall be considered subsidiary to various bid items. Other requirements are as follows: DUST CONTROL (OFF SITE) AS NEEDED- PER ENGINEER HAUL ROADS DAMPENED FOR DUST CONTROL LOADED HAUL TRUCKS TO BE COVERED WITH TARPAULIN EXCESS DIRT ON ROAD REMOVED DAILY STABILIZED CONSTRUCTION ENTRANCE Disposal areas, stockpiles, and haul roads shall be constructed in a mann that will minimize and control the amount of sediment that may enter receiving waters. Disposal areas shall not be located in any wetland, water body or stream bed. Construction staging area and vehicle maintened area shall be constructed by the contractor in a manner to minimize the runoff of pollutants. All waterways shall be cleared as soon as practical of temporary embankment, temporary bridges, matting, false work, piling, debris or other obstructions placed during construction operations that are not a part of the finished work. For off R.O.W. facilities the contractor shall comply with TCEQ requirements. The contractor is responsible for ensuring that all subcontractors are aware of and comply with all components of the SW3P per Item 506.
=	bid items. Other requirements are as follows: DUST CONTROL (OFF SITE) AS NEEDED- PER ENGINEER HAUL ROADS DAMPENED FOR DUST CONTROL LOADED HAUL TRUCKS TO BE COVERED WITH TARPAULIN EXCESS DIRT ON ROAD REMOVED DAILY STABILIZED CONSTRUCTION ENTRANCE Disposal areas, stockpiles, and haul roads shall be constructed in a mann that will minimize and control the amount of sediment that may enter receiving waters. Disposal areas shall not be located in any wetland, water body or stream bed. Construction staging area and vehicle maintena area shall be constructed by the contractor in a manner to minimize the runoff of pollutants. All waterways shall be cleared as soon as practica of temporary embankment, temporary bridges, matting, false work, piling, debris or other obstructions placed during construction operations that are not a part of the finished work. For off R.O.W. facilities the contractor shall comply with TCEQ requirements. The contractor is responsible for ensuring that all subcontractors are aware of and comply with all components of the SW3P per Item 506. Furnish one SW3P permit posting sign and sign support as detailed on the SW3P Sheet. Install this sign in a location selected by
=	by the Engineer and shall be considered subsidiary to various bid items. Other requirements are as follows: DUST CONTROL (OFF SITE) AS NEEDED- PER ENGINEER HAUL ROADS DAMPENED FOR DUST CONTROL LOADED HAUL TRUCKS TO BE COVERED WITH TARPAULIN EXCESS DIRT ON ROAD REMOVED DAILY STABILIZED CONSTRUCTION ENTRANCE Disposal areas, stockpiles, and haul roads shall be constructed in a mann that will minimize and control the amount of sediment that may enter receiving waters. Disposal areas shall not be located in any wetland, water body or stream bed. Construction staging area and vehicle maintena area shall be constructed by the contractor in a manner to minimize the runoff of pollutants. All waterways shall be cleared as soon as practica of temporary embankment, temporary bridges, matting, false work, piling, debris or other obstructions placed during construction operations that are not a part of the finished work. For off R.O.W. facilities the contractor shall comply with TCEQ requirements. The contractor is responsible for ensuring that all subcontractors are aware of and comply with all components of the SW3P per Item 506. Furnish one SW3P permit posting sign and sign support as detailed on the SW3P Sheet. Install this sign in a location selected by the Engineer. The sign and support should be removed upon completion of
\equiv	by the Engineer and shall be considered subsidiary to various bid items. Other requirements are as follows: DUST CONTROL (OFF SITE) AS NEEDED- PER ENGINEER HAUL ROADS DAMPENED FOR DUST CONTROL LOADED HAUL TRUCKS TO BE COVERED WITH TARPAULIN EXCESS DIRT ON ROAD REMOVED DAILY STABILIZED CONSTRUCTION ENTRANCE Disposal areas, stockpiles, and haul roads shall be constructed in a mann that will minimize and control the amount of sediment that may enter receiving waters. Disposal areas shall not be located in any wetland, water body or stream bed. Construction staging area and vehicle maintena area shall be constructed by the contractor in a manner to minimize the runoff of pollutants. All waterways shall be cleared as soon as practica of temporary embankment, temporary bridges, matting, false work, piling, debris or other obstructions placed during construction operations that are not a part of the finished work. For off R.O.W. facilities the contractor shall comply with TCEQ requirements. The contractor is responsible for ensuring that all subcontractors are aware of and comply with all components of the SW3P per Item 506. Furnish one SW3P permit posting sign and sign support as detailed on the SW3P Sheet. Install this sign in a location selected by the Engineer. The sign and support should be removed upon completion of the project and is the property of the Contractor. The purchase of the
=	by the Engineer and shall be considered subsidiary to various bid items. Other requirements are as follows: DUST CONTROL (OFF SITE) AS NEEDED- PER ENGINEER HAUL ROADS DAMPENED FOR DUST CONTROL LOADED HAUL TRUCKS TO BE COVERED WITH TARPAULIN EXCESS DIRT ON ROAD REMOVED DAILY STABILIZED CONSTRUCTION ENTRANCE Disposal areas, stockpiles, and haul roads shall be constructed in a mann that will minimize and control the amount of sediment that may enter receiving waters. Disposal areas shall not be located in any wetland, water body or stream bed. Construction staging area and vehicle maintena area shall be constructed by the contractor in a manner to minimize the runoff of pollutants. All waterways shall be cleared as soon as practica of temporary embankment, temporary bridges, matting, false work, piling, debris or other obstructions placed during construction operations that are not a part of the finished work. For off R.O.W. facilities the contractor shall comply with TCEQ requirements. The contractor is responsible for ensuring that all subcontractors are aware of and comply with all components of the SW3P per Item 506. Furnish one SW3P permit posting sign and sign support as detailed on the SW3P Sheet. Install this sign in a location selected by the Engineer. The sign and support should be removed upon completion of
=	by the Engineer and shall be considered subsidiary to various bid items. Other requirements are as follows: DUST CONTROL (OFF SITE) AS NEEDED- PER ENGINEER HAUL ROADS DAMPENED FOR DUST CONTROL LOADED HAUL TRUCKS TO BE COVERED WITH TARPAULIN EXCESS DIRT ON ROAD REMOVED DAILY STABILIZED CONSTRUCTION ENTRANCE Disposal areas, stockpiles, and haul roads shall be constructed in a mann that will minimize and control the amount of sediment that may enter receiving waters. Disposal areas shall not be located in any wetland, water body or stream bed. Construction staging area and vehicle maintened area shall be constructed by the contractor in a manner to minimize the runoff of pollutants. All waterways shall be cleared as soon as practica of temporary embankment, temporary bridges, matting, false work, piling, debris or other obstructions placed during construction operations that are not a part of the finished work. For off R.O.W. facilities the contractor shall comply with TCEQ requirements. The contractor is responsible for ensuring that all subcontractors are aware of and comply with all components of the SW3P per Item 506. Furnish one SW3P permit posting sign and sign support as detailed on the SW3P Sheet. Install this sign in a location selected by the Engineer. The sign and support should be removed upon completion of the project and is the property of the Contractor. The purchase of the sign and support, installation, relocation(s) if determined necessary by the Engineer and removal at project end shall be subsidiary to Item 506.
=	by the Engineer and shall be considered subsidiary to various bid items. Other requirements are as follows: DUST CONTROL (OFF SITE) AS NEEDED- PER ENGINEER HAUL ROADS DAMPENED FOR DUST CONTROL LOADED HAUL TRUCKS TO BE COVERED WITH TARPAULIN EXCESS DIRT ON ROAD REMOVED DAILY STABILIZED CONSTRUCTION ENTRANCE Disposal areas, stockpiles, and haul roads shall be constructed in a mann that will minimize and control the amount of sediment that may enter receiving waters. Disposal areas shall not be located in any wetland, water body or stream bed. Construction staging area and vehicle maintend area shall be constructed by the contractor in a manner to minimize the runoff of pollutants. All waterways shall be cleared as soon as practice of temporary embankment, temporary bridges, matting, false work, piling, debris or other obstructions placed during construction operations that are not a part of the finished work. For off R.O.W. facilities the contractor shall comply with TCEQ requirements. The contractor is responsible for ensuring that all subcontractors are aware of and comply with all components of the SW3P per Item 506. Furnish one SW3P permit posting sign and sign support as detailed on the SW3P Sheet. Install this sign in a location selected by the Engineer. The sign and support should be removed upon completion of the project and is the property of the Contractor. The purchase of the sign and support, installation, relocation(s) if determined necessary by

Best Management Practices:

Erosion	Sedimentation	Post-Construction TSS
☐ Temporary Vegetation	X Silt Fence	☐ Vegetative Filter Strips
☐ Blankets/Matting	Rock Berm	☐ Retention/Irrigation Systems
Mulch	☐ Triangular Filter Dike	Extended Detention Basin
Sodding	Sand Bag Berm	Constructed Wetlands
☐ Interceptor Swale	Straw Bale Dike	☐ Wet Basin
☐ Diversion Dike	Brush Berms	☐ Erosion Control Compost
☐ Erosion Control Compost	☐ Erosion Control Compost	☐ Mulch Filter Berm and Socks
☐ Mulch Filter Berm and Socks	☐ Mulch Filter Berm and Socks	Compost Filter Berm and Socks
Compost Filter Berm and Sock	s 🗌 Compost Filter Berm and Sock	s 🗌 Vegetation Lined Ditches
	Stone Outlet Sediment Traps	Sand Filter Systems
	Sediment Basins	


NARRATIVE - SEQUENCE OF CONSTRUCTION (STORM WATER MANAGEMENT) ACTIVITIES:

. P	reserve existing vegetative cover as much as possible.
2. I	nstall temporary sediment control items when needed
	prior to any soil disturbing activities.
3. I	nstall illumination, flashing beacons, and signage.

STORM WATER MANAGEMENT:

Storm water will be carr	ied to cross drainage structures
by side road ditches and	culverts which will empty
into the various natural	runoff channels.

STORM WATER POLLUTION PREVENTION PLAN PERMIT POSTING




Texas Department of Transportation Brownwood District Office 2495 Highway 183 North Brownwood Texas, 76802



BROWNWOOD DIST. STORM WATER **POLLUTION** PREVENTION PLAN



CONT	SECT	JOB	HIGHWAY				
0054	09	042	US	84,	ETC.		
DIST	COUNTY SHEET NO.			ET NO.			
BWD	1	MILLS. ETC	:.	68			



HINGE JOINT KNOT WOVEN MESH (OPTION) DETAIL

Galvanized hinge joint knot woven mesh (12.5 GA.SWG Min.) requires a minimum of five horizontal wires spaced at a maximum of 12 inches apart and all vertical wires spaced at a maximum of 12 inches apart.

SEDIMENT CONTROL FENCE USAGE GUIDELINES

A sediment control fence may be constructed near the downstream perimeter of a disturbed area along a contour to intercept sediment from overland runoff. A 2 year storm frequency may be used to calculate the flow rate to be filtered.


Sediment control fence should be sized to filter a maximum flow through rate of 100 GPM/FT². Sediment control fence is not recommended to control erosion from a drainage area larger than 2 acres.

LEGEND

Sediment Control Fence

GENERAL NOTES

- Vertical tracking is required on projects where soil distributing activities have occurred unless otherwise approved.
- 2. Perform vertical tracking on slopes to temporarily stabilize soil.
- 3. Provide equipment with a track undercarriage capable of producing linear soil impressions measuring a minimum of 12" in length by 2" to 4" in width by 1/2" to 2" in depth.
- 4. Do not exceed 12" between track impressions.
- 5. Install continous linear track impressions where the minimum 12" length impressions are perpendicular to the slope or direction of water flow.



VERTICAL TRACKING



Design Division Standard

TEMPORARY EROSION,
SEDIMENT AND WATER
POLLUTION CONTROL MEASURES
FENCE & VERTICAL TRACKING

EC(1)-16

LE: ec116	DN: TxD	OT	CK: KM	DW: VP		DN/C	DN/CK: LS	
TxDOT: JULY 2016	CONT	SECT	JOB		HIGHWAY			
REVISIONS	0054	09	042		US	84,	ETC.	
	DIST	COUNTY				SHEET NO.		
	BWD	M	IILLS, I	ETO	:.	- (69	

ያ ያ made sults warranty of any kind lats or for incorrect Engineering Practice Act". No of this standard to other form

30242022 TEXEMPSCIE ANY DOSION DIVISOR