

INDEX OF SHEETS
SEE SHEET 2

FUNCTIONAL CLASSIFICATION: URBAN PRINCIPAL ARTERIAL	
DESIGN SPEED	
FM 1765 45 MPH	
ADT	
YR CSJ	0686-02-029
2023	10,700
2043	15,100

REGISTERED ACCESSIBILITY SPECIALIST (RAS)
INSPECTION REQUIRED. TDLR NO.: TABS2023006443

STATE OF TEXAS DEPARTMENT OF TRANSPORTATION

PLANS OF PROPOSED STATE HIGHWAY IMPROVEMENT

PROJECT NO.
STP2023 (549) HES

STATE CONTROL
CSJ: 0686-02-029

NET LENGTH OF PROJECT: 4,250 FT. = 0.805 Mile


GALVESTON COUNTY
FM 1765

LIMITS: FROM IH 45 TO VAUTHIER ROAD

FOR THE CONSTRUCTION OF MISCELLANEOUS WORK
CONSISTING OF SIDEWALKS, CURB RAMPS, AND DRIVEWAYS.

BEGIN PROJECT
CSJ: 0686-02-029
CL STA: 0+50
REF MRK: 702+1.627
MP=2.648
X=3240790.5523
Y=13708124.7734

END PROJECT
CSJ: 0686-02-029
CL STA: 43+00
REF MRK: 704+0.414
MP=3.453
X=3244802.3606
Y=13708844.9681




LAYOUT MAP
NOT TO SCALE

EQUATIONS : NONE
EXCEPTIONS : NONE
RR CROSSING : NONE

NOTES:

SPECIFICATIONS ADOPTED BY THE TEXAS DEPARTMENT OF TRANSPORTATION, NOVEMBER 1, 2014, AND THE SPECIFICATION ITEMS LISTED AND DATED AS FOLLOWS SHALL GOVERN ON THIS PROJECT: REQUIRED CONTRACT PROVISIONS FOR ALL FEDERAL-AID CONSTRUCTION CONTRACTS (FORM FHWA 1273, JUNE 05, 2022).

REG. NO.	STATE	PROJECT NO.			ROUTE NO.
6	TEXAS	STP 2023 (549)	HES		FM 1765
STATE DIST. NO.	COUNTY	CONTROL NO.	SECTION NO.	JOB NO.	SHEET NO.
12	GALVESTON	0686	02	029	1



VICINITY MAP
SCALE = NTS

1/31/2023
H:\CDA\0686-02-029 (FM 1765)\General\Title Sheet\FM 1765 TITLE SHEET.dgn
COUNTY GALVESTON PROJ. NO. STP2023 (549) HES
HWY. NO. FM 1765 LETTING DATE APRIL 2023
DATE ACCEPTED



DESIGNED BY: 2/1/2023

SUBMITTED FOR LETTING
King Chen
SUPERVISING DESIGN ENGINEER

APPROVED FOR LETTING: 2/2/2023

Larry W. Blackburn, P.E.
DISTRICT ENGINEER

©2023 by Texas Department of Transportation
all rights reserved

I. GENERAL

1	TITLE SHEET
2	INDEX OF SHEET
3	EXISTING TYPICAL SECTIONS
4 - 5	PROPOSED TYPICAL SECTIONS
6,6A -6J	GENERAL NOTES
7 - 8	ESTIMATE AND QUANTITY SHEET
9 - 10	SUMMARY OF QUANTITIES
11	SUMMARY OF TRAFFIC SIGNAL QUANTITY
12	DRIVEWAY LOCATIONS

II. TRAFFIC CONTROL PLAN

12A	CONSTRUCTION SEQUENCE OVERVIEW
-----	--------------------------------

III. TRAFFIC CONTROL STANDARDS

13 - 24	*BC (1)-21 THRU BC (12)-21
25	* CSMD TC8010-2020 (HOU DIST)
26	* DS TC8020-04 (HOU DIST)
27	* TCP (1-4)-18
28	* TCP (2-4)-18
29	* TCP (3-1)-13
30	* WZ (BTS-1)-13
31	* WZ (BTS-2)-13

IV. ROADWAY

32	HORIZONTAL ALIGNMENT DATA
33 - 43	SIDEWALK PLAN
44 - 49	DEMOLITION PLAN
50	CHECKER PLATE DETAILS
51	SIDEWALK AND TYPE C2 CURB DETAILS
52	ACCESS PAD RAMP DETAILS

V. ROADWAY STANDARDS

53	* CC & DID (HOU DIST)
54	* CCCG-22
55 - 58	* PED-18 (HOU DIST)
59	* FERTILIZER, SEED, SOD, STRAW, COMPOST, AND WATER (HOU)
60 - 62	* DRIVEWAY DETAILS DD (HOU DIST)
63	* TREE PROTECTION (HOU DIST)

VI. SIGNING & PAVEMENT MARKING STANDARDS

64	* PM(1)-22A
65	* PM(4)-22
66	* SMD (GEN)-08
67	* SMD (SLIP-1)-08
68	* SMD (SLIP-2)-08
69	* SMD (SLIP-3)-08

VII. TRAFFIC SIGNALS

70	NOTES FOR PERMANENT TRAFFIC SIGNAL
71	FM 1765 AT S. AMBURN ST. TRAFFIC SIGNAL EXISTING CONDITION
72 - 73	FM 1765 AT S. AMBURN ST. TRAFFIC SIGNAL PROPOSED PLANS

VIII. TRAFFIC SIGNALS STANDARDS


74	CD/PM(APS) PS (HOU DIST)
75	* ED(1)-14
76	* ED(3)-14
77	* ED(4)-14

IX. ENVIRONMENTAL ISSUES

78	ENVIRONMENTAL PERMITS ISSUES AND COMMITMENTS EPIC (HOU DIST)
79	TxDOT STORM WATER POLLUTION PREVENTION PLAN SWP3 (HOU DIST)

X. ENVIRONMENTAL ISSUES STANDARDS

80	* EC(1)-16
81 - 83	* EC(9)-16



* STANDARDS


THE STANDARD SHEETS SPECIFICALLY IDENTIFIED ABOVE, HAVE BEEN SELECTED BY ME, OR UNDER MY RESPONSIBLE SUPERVISION, AS BEING APPLICABLE TO THIS PROJECT.

Sanjay Pokharel P.E.


 SANJAY POKHAREL, P.E.

2/2/2023

© 2023 TxDOT		TEXAS DEPARTMENT OF TRANSPORTATION	
		FM 1765	
		INDEX OF SHEETS	
N. T. S.		SHEET 1 OF 1	
DW:	DRAWING FILE NAME:	STATE:	PROJECT NO.:
CK DW:		6 TX	FM 1765
DW:	REVISIONS:		
CK DW:		STATE DIST. NO:	COUNTY:
TR:		12 GALVESTON	CONTROL NO.:
CK TR:			SECTION NO.:
			JOB NO.:
			SHEET NO.:
			02



EXISTING TYPICAL SECTION
STA 1+35 TO STA 38+15.70




EXISTING TYPICAL SECTION
STA 38+15.70 TO STA 42+25.00

LEGEND:

➔ DIRECTION OF TRAFFIC

NOTES:

1. LOCATION OF EXIST LEFT TURN LANE VARIES FROM WB TO EB DIRECTION THROUGHOUT THE PROJECT.
2. EXIST SIDEWALK THAT DOESN'T CONFORM TO TXDOT ADA POLICY WILL BE REMOVED AND REPLACED THROUGHOUT THE PROJECT.
3. FOR PAVEMENT MARKINGS, SEE PAVEMENT MARKINGS LAYOUT AND STANDARD SHEETS.
4. MATCH EXISTING DRAINAGE FLOWLINES AT R.O.W. DITCH.




Sanjay Pokharel P.E.
SANJAY POKHAREL, P.E. 1/27/2023

SCALE: N.T.S.

TEXAS DEPARTMENT OF TRANSPORTATION
© 2023 TxDOT



FM 1765
EXISTING TYPICAL SECTION

DN:	ORIGINAL DATE OF DRAWING:	6	STATE:	TEXAS	FEDERAL PROJECT NO.:		SHEET NO.:	FM 1765
CK:	DATE:		STATE DIST. NO.:	12	COUNTY:	GALVESTON	CONTROL NO.:	0686
TR:					SECTION NO.:	02	JOB NO.:	029
CK:	TR:							03



- LEGEND:**
- ① 4" CONC. SIDEWALK ITEM 531-6001 OVER 6" CEM STAB BKFL ITEM 400-6005
 - ② BLOCK SOD ITEM 162-6002
 - ➔ DIRECTION OF TRAFFIC

- NOTES:**
1. LOCATION OF EXIST LEFT TURN LANE VARIES FROM WB TO EB DIRECTION THROUGHOUT THE PROJECT.
 2. EXIST SIDEWALK THAT DOESN'T CONFORM TO TXDOT ADA POLICY SHALL BE REMOVED AND REPLACED THROUGHOUT THE PROJECT.
 3. PROP SIDEWALK SHOULD BE 6'-0" WIDE WHEN CONSTRUCTED AGAINST CURB. PROP SIDEWALK SHOULD BE 5'-0" WIDE WHEN CONSTRUCTING 2 FEET OR MORE FROM FACE OF CURB.
 4. SIDEWALK WIDTH MAY VARY AS SHOWN ON PLANS TO AVOID CONFLICTS. SIDEWALK CAN BE REDUCED TO A MINIMUM WIDTH OF 48" AT CONFLICT POINT WITH APPROVAL OF THE FIELD ENGINEER.
 5. UNDER ALL SIDEWALKS, PLACE A LAYER OF 6" CEMENT STABILIZED BACKFILL.
 6. FOR PAVEMENT MARKINGS, SEE PAVEMENT MARKINGS LAYOUT AND STANDARD SHEETS.
 7. MATCH EXISTING DRAINAGE FLOWLINES AT R.O.W. DITCH.




Sanjay Pokharel P.E.
 SANJAY POKHAREL, P.E. 1/27/2023

SCALE: N.T.S.

TEXAS DEPARTMENT OF TRANSPORTATION
 © 2023 TxDOT
 FM 1765
 PROPOSED TYPICAL SECTION
 SHEET 1 OF 2

DN:	ORIGINAL DATE OF DRAWING:	FED. PROJ. NO.:	STATE:	FEDERAL PROJECT NO.:	HIGHWAY NO.:
CK DN:	REVISED:	6	TEXAS		FM 1765
CK DW:		STATE DIST. NO.:	COUNTY:	CONTROL NO.:	SECTION NO.:
TR:		12	GALVESTON	0686	02
CK TR:				029	04

H:\CD\A\0686-02-029 (FM 1765)\General\Proposed Typical Section\Prop Typ Section.dgn 1/27/2023



PROPOSED TYPICAL SECTION

LEFT: STA 4+37.48 TO STA 13+86.67
 STA 24+94.44 TO STA 42+73.73


RIGHT: STA 6+42.07 TO STA 23+79.42

LEGEND:

- ① 4" CONC. SIDEWALK ITEM 531-6001
OVER 6" CEM STAB BKFL ITEM 400-6005
- ② BLOCK SOD ITEM 162-6002
- ➔ DIRECTION OF TRAFFIC

NOTES:

1. LOCATION OF EXIST LEFT TURN LANE VARIES FROM WB TO EB DIRECTION THROUGHOUT THE PROJECT.
2. EXIST SIDEWALK THAT DOESN'T CONFORM TO TXDOT ADA POLICY SHALL BE REMOVED AND REPLACED THROUGHOUT THE PROJECT.
3. PROP SIDEWALK SHOULD BE 6'-0" WIDE WHEN CONSTRUCTED AGAINST CURB. PROP SIDEWALK SHOULD BE 5'-0" WIDE WHEN CONSTRUCTING 2 FEET OR MORE FROM FACE OF CURB.
4. SIDEWALK WIDTH MAY VARY AS SHOWN ON PLANS TO AVOID CONFLICTS. SIDEWALK CAN BE REDUCED TO A MINIMUM WIDTH OF 48" AT CONFLICT POINT WITH APPROVAL OF THE FIELD ENGINEER.
5. UNDER ALL SIDEWALKS, PLACE A LAYER OF 6" CEMENT STABILIZED BACKFILL.
6. FOR PAVEMENT MARKINGS, SEE PAVEMENT MARKINGS LAYOUT AND STANDARD SHEETS.
7. MATCH EXISTING DRAINAGE FLOWLINES AT R.O.W. DITCH.



Sanjay Pokharel P.E.

SANJAY POKHAREL, P.E. 1/27/2023

SCALE: N.T.S.

TEXAS DEPARTMENT OF TRANSPORTATION
 © 2023 TxDOT
 FM 1765
 PROPOSED TYPICAL SECTION
 SHEET 2 OF 2

DN:	ORIGINAL DATE OF DRAWING:	FED. DIST. NO.:	STATE:	FEDERAL PROJECT NO.:	ROUTE NO.:
CK:	REVISED:	6	TEXAS		FM 1765
CK:	TR:	STATE DIST. NO.:	COUNTY:	CONTROL NO.:	SECTION NO.:
CK:	TR:	12	GALVESTON	0686	02 029 05

County: Galveston

Control: 0686-02-029

Highway: FM 1765

General Notes:

Contractor questions on this project are to be addressed to the following individual(s):

David R Lazaro, P.E. David.Lazaro@txdot.gov Phone: 409-978-2505
 Joel H Clarke, P.E. Joel.Clarke@txdot.gov Phone: 409-978-2502

Submit any questions about this project via the Letting Pre-Bid Q&A web page, located at:

<https://tableau.txdot.gov/views/ProjectInformationDashboard/NoticetoContractors>

The Letting Pre-Bid Q&A web page for each project can be accessed by scrolling or filtering the dashboard using the controls on the left side to navigate to the project. Hover over the blue hyperlink of the project to view the Q&A and click on the link in the window that pops up.

All relevant project documentation, including Contract Time Determinations and cross-sections will continue to be provided on the following FTP site:

[Index of /pub/txdot-info/Pre-Letting Responses/Houston District \(state.tx.us\)](Index of /pub/txdot-info/Pre-Letting Responses/Houston District (state.tx.us) or) or

<https://ftp.dot.state.tx.us/pub/txdot-info/Pre-Letting%20Responses/Houston%20District/>

Unless otherwise shown on the plans, RAP generated by this project will become the property of the Contractor for use in the current construction project or in future projects.

If fixed features require, the governing slopes shown may vary between the limits shown and to the extent determined by the Engineer.

Superelevate the curves to match the existing surface.

Notify the Engineer immediately if discrepancies are discovered in the horizontal control or the benchmark data.

References to manufacturer's trade name or catalog numbers are for the purpose of identification only. Similar materials from other manufacturers are permitted if they are of equal quality, comply with the specifications for this project, and are approved, except for roadway illumination, electrical, and traffic signal items.

The cost for materials, labor, and incidentals to provide for traffic across the roadway and for ingress and egress to private property in accordance with Section 7.2.4 of the standard specifications is subsidiary to the various bid items. Restore access roadways to their original condition upon completing construction.

Grade street intersections and median openings for surface drainage.

County: Galveston

Control: 0686-02-029

Highway: FM 1765

If a foundation is to be placed where a riprap surface or an asphalt concrete surface presently exists, use caution in breaking out the existing surface for placement. Break out no greater area than is required to place the foundation. After placing the foundation, wrap the periphery with 0.5 in. pre-molded mastic expansion joint. Then replace the remaining portion of the broken out surface with Class A or Class C concrete or cold mix asphalt concrete to the exact slope, pattern, and thickness of the existing riprap or asphalt. Payment for breaking out the existing surface, wrapping the foundation, and replacing the surface is subsidiary to the various bid items.

The lengths of the posts for ground mounted signs and the tower legs for the overhead sign supports are approximate. Verify the lengths before ordering these materials to meet the existing field conditions and to conform to the minimum sign mounting heights shown in the plans.

Furnish aluminum Type A signs instead of plywood signs for signs shown on the Summary of Small Signs sheet.

Stencil the National Bridge Inventory (NBI) number on each existing bridge shown on these plans. The NBI number is shown above the title block for each bridge layout.

Clearly mark or highlight on the shop drawings, the items being furnished for this project. Submit required shop drawings in accordance with the shop drawing distribution list shown in the note for Item 5 for review and distribution.

Unless otherwise shown on the plans or otherwise directed, commence work after sunrise and ensure construction equipment is off the road by sunset.

Procure permits and licenses, which are to be issued by the City, County, or Municipal Utility District.

General: Roadway Illumination and Electrical

For roadway illumination and electrical items, use materials from pre-qualified producers as shown on the Construction Division (CST) of the Department's material producers list. Check the latest link on the Department's website for this list. The category/item is "Roadway Illumination and Electrical Supplies." No substitutions will be allowed for materials found on this list.

Perform electrical work in conformance with the National Electrical Code (NEC) and the Department's standard sheets.

General: Traffic Signals

For traffic signal items, use materials from the Pre-Qualified Producers List (located at <http://www.dot.state.tx.us/GSD/purchasing/supps.htm>) and the materials pre-qualified for illumination and electrical items (located at <http://ftp.dot.state.tx.us/pub/txdot-info/cmd/mpl/riaes.pdf>) as shown on the Department's Material Producers List and the Roadway

County: Galveston

Control: 0686-02-029

Highway: FM 1765

Illumination and Electrical Supplies List. Check the latest links on the Department’s website for these lists. No substitutions will be allowed for materials found on these lists.

General: Site Management

Mow the grass and weeds within the project limits a maximum of 3 times a year as directed. This work is subsidiary to the various bid items.

Mark stations every 100 ft. and maintain the markings for the project duration. Remove the station markings at the completion of the project. This work is subsidiary to the various bid items.

Do not mix or store materials, or store or repair equipment, on top of concrete pavement or bridge decks unless authorized by the Engineer. Permission will be granted to store materials on surfaces if no damage or discoloration will result.

Personal vehicles of employees are not permitted to park within the right of way, including sections closed to public traffic. Employees may park on the right of way at the Contractor’s office, equipment, and materials storage yard sites.

Assume ownership of debris and dispose of at an approved location. Do not dispose of debris on private property unless approved in writing by the District Engineer.

Control the dust caused by construction operations. For sweeping the base material in preparation for laying asphalt and for sweeping the finished concrete pavement, use one of the following types of sweepers or approved equal:

Tricycle Type

Wayne Series 900
Elgin White Wing
Elgin Pelican

Truck Type - 4 Wheel

M-B Cruiser II
Wayne Model 945
Mobile TE-3
Mobile TE-4
Murphy 4042

General: Traffic Control and Construction

Schedule construction operations such that preparing individual items of work follows in close sequence to constructing storm drains in order to provide as little inconvenience as practical to the businesses and residents along the project.

Schedule work so that the base placement operations follow the subgrade work as closely as practical to reduce the hazard to the traveling public and to prevent undue delay caused by wet weather.

County: Galveston

Control: 0686-02-029

Highway: FM 1765

This project requires extensive grading operations in an environmentally sensitive area.

If relocating mailboxes, place them with the post firmly in the ground at nearby locations. Upon completing the project, the Engineer will locate the final mailbox placement. Perform this work in accordance with the requirements of the Item, “Mailbox Assemblies,” except for measurement and payment. This work is subsidiary to the various bid items.

If fences cross construction easements shown on the plans and work is required beyond the fences, remove and replace the fences as directed. This work and the materials are subsidiary to the various bid items.

When design details are not shown on the plans, provide signs and arrows conforming to the latest “Standard Highway Sign Designs for Texas” manual.

General: Utilities

Consider the locations of underground utilities depicted in the plans as approximate and employ responsible care to avoid damaging utility facilities. Depending upon scope and magnitude of planned construction activities, advanced field confirmation by the utility owner or operator may be prudent. Where possible, protect and preserve permanent signs, markers, and designations of underground facilities.

If the Contractor damages or causes damage (breaks, leaks, nicks, dents, gouges, etc.) to the utility, contact the utility facility owner or operator immediately.

Be aware that an operational Computerized Transportation Management System (CTMS) exists within the limits of this project and that the system must remain operational throughout construction. If the Contractor damages or causes damage to this system, repair such damage within 8 hours of occurrence at no cost to the Department. In the event of system damage, notify the Director of Traffic Management Systems at 713-881-3283 within one hour of occurrence. Failure of the Contractor to repair damage to the main fiber optic cable and CCTV cable trunk lines, which convey all corridor information to TranStar, will result in the Contractor being billed for the full cost of emergency repairs.

At least 72 hours before starting work, make arrangements for locating existing Department-owned above ground and underground fiber optic, communications, power, illumination, and traffic signal cabling and conduit. Do this by calling the Department’s Houston District Traffic Signal Operations Office at 713-802-5662, or by e-mailing the Department’s Houston District Traffic Signal Operations Office at HOU-LocateRequest@txdot.gov, to schedule marking of underground lines on the ground. Use caution if working in these areas to avoid damaging or interfering with existing facilities.

Notify the Engineer at least 48 hours before constructing junction boxes at storm drain and utility intersections.

County: Galveston

Control: 0686-02-029

Highway: FM 1765

Install or remove poles and luminaires located near overhead or underground electrical lines using established industry and utility safety practices. Consult the appropriate utility company before beginning such work.

If overhead or underground power lines need to be de-energized, contact the electrical service provider to perform this work. Costs associated with de-energizing the power lines or other protective measures required are at no expense to the Department.

If working near power lines, comply with the appropriate sections of Texas State Law and Federal Regulations relating to the type of work involved.

Perform electrical work in conformance with the National Electrical Code (NEC) and Department's standard sheets.

Before beginning any underground work, notify the City of Houston's Chief Inspector, Public Works and Engineering, to establish the locations of any existing electrical systems for lighting facilities within the limits of this project.

A SUE Contract, to identify utilities, will NOT be provided for this project. Contractor to bid accordingly.

HOUSTON PIPELINE COMPANY

If any conflicts arise with Houston Pipeline, please contact Mr. Dennis Hulsey at 832-993-1826 Or email Dennis.husley@energytransfer.com

TEXAS NEW MEXICO POWER (TNMP)

Overhead lines exist on this project. The location of all overhead lines may not be shown on these drawings, but you should locate them prior to beginning any construction. Texas law, Section 752, Health & Safety Code forbids activities that occur in close proximity to high voltage lines, specifically:

- Any activity where person or things may come within six (6) feet of live overhead high voltage lines; and
- Operating a crane, derrick, power shovel, drilling rig, pile driver, hoisting equipment, or similar apparatus within 10 feet of live overhead high voltage lines.

Parties responsible for the work, including contractors are legally responsible for the safety of construction workers under this law. This law carries both criminal and civil liability. To arrange for lines to be turned off or removed contact Sarah Jayasinghe of Texas New Mexico Power at 281-996-0453 ext 4257 or sarah.jayasinghe@tnmp.com.

County: Galveston

Control: 0686-02-029

Highway: FM 1765

COMCAST

If any conflicts arise with Comcast lines, please contact Dana Moreno at 281-253-3962 or dana_moreno@comcast.com.

AT&T

Approximately 4 weeks prior to needing AT&T adjustments, contact Chris Primrose at 281-433-8013 or cp1962@att.com. After forming of the sidewalk, MCI will come out and adjust their utility prior to pouring the concrete for the sidewalk.

1. The location of AT&T Texas/SWBT facilities are shown in an approximate way only. The contractor shall determine the exact location before commencing work. He agrees to be fully responsible for any and all damages which might be occasioned by this failure to exactly locate and preserve these underground utilities.
2. The contractor shall call 1-800-344-8377 (TEXAS 811) a minimum of 48 hours prior to construction to have underground lines field located.
3. When excavating within eighteen (18") of the indicated location of AT&T Texas/SWBT facilities, all excavations must be accomplished using non-mechanized excavation procedures. When boring, the contractor shall expose the AT&T Texas/SWBT facilities.
4. When AT&T Texas/SWBT facilities are exposed, the contractor will provide support to prevent damage to the conduit ducts or cables. When excavating near telephone poles the contractor shall brace the pole for support.
5. The presence or absence of AT&T Texas/SWBT underground conduit facilities or buried cable facilities shown on these plans does not mean that there are no direct buried cables or other cables in conduit in the area.
6. Please contact the AT&T Texas Damage Prevention Manager Roosevelt Lee Jr. at 713-567-4552 or e-mail him at rl7259@att.com if cable locate requests are not completed for our AT&T Texas/SWBT facilities.

CITY OF LA MARQUE

If any conflicts arise or questions on their system, please contact Rick Sailer – Director of Public Works 408-938-9213 or email him at r.sailer@cityoflamarque.org

Item 5: Control of Work

Submit shop drawings electronically for the fabrication of items as documented in Table 1 below. Information and requirements for electronic submittals can be viewed in the "Guide to Electronic Shop Drawing Submittal" which can be accessed through the following web link, ftp://ftp.dot.state.tx.us/pub/txdot-info/library/pubs/bus/bridge/e_submit_guide.pdf. References to

County: Galveston

Control: 0686-02-029

Highway: FM 1765

11 in. x 17 in. sheets in individual specifications for structural items imply electronic CAD sheets.

Table 1

2014 Construction Specification Required Shop/Working Drawing Submittals - TxDOT Generated Plans

Spec Item No.'s	Product	Submittal Required	Approval Required (Y/N)	Contractor/Fabricator P.E. Seal Required	Reviewing Party	Shop or Working Drawing (Note 1)
682	Vehicle and Pedestrian Signal Heads	Y	Y	N	D	SD
684	Traffic Signal Cables	Y	Y	N	D	SD
687	Pedestal Pole Assemblies	Y	Y	N	D	SD
688	Detectors	Y	Y	N	D	SD

Notes:

1. Document flow for Working Drawings differs from Shop Drawings in that Working Drawings must be submitted to the Engineer rather than the Engineer of Record and they are for the information of the Engineer only; an approval stamp and distribution to all project offices is not required.

Key to Reviewing Party

A - Area Office	
Area Office	Email Address
Galveston Area Office	HOU-GALVASHpDrwgs@txdot.gov
C - Construction Office	
Construction	HOU-ConstrShpDrwgs@txdot.gov
Laboratory	HOU-LabShpDrwgs@txdot.gov
T - Traffic Engineer	
Traffic Operations	HOU-TrfShpDrwgs@txdot.gov
TMS – Traffic Management System	

“When a precast or cast-in-place concrete element is included in the plans, a precast concrete alternate may be submitted in accordance with “Standard Operating Procedure for Alternate Precast Proposal Submission” found online at <https://www.txdot.gov/inside-txdot/forms-publications/consultants-contractors/publications/bridge.html#design>. Acceptance or denial of an alternate is at the sole discretion of the Engineer. Impacts to the project schedule and any additional costs resulting from the use of alternates are the sole responsibility of the Contractor.”

Item 6: Control of Materials

To comply with the latest provisions of the Build America, Buy America Act (BABA Act) of the Bipartisan Infrastructure Law, the contractor must submit a notarized original of the TxDOT Construction Material Buy America Certification Form for all items classified as construction materials. This form is not required for materials classified as a manufactured product.

Refer to the Buy America Material Classification Sheet for clarification on material categorization.

County: Galveston

Control: 0686-02-029

Highway: FM 1765

The Buy America Material Classification Sheet is located at the below link.

<https://www.txdot.gov/business/resources/materials/buy-america-material-classification-sheet.html> for clarification on material categorization.

Item 7: Legal Relations and Responsibilities

Do not initiate activities in a Project Specific Location (PSL), associated with a U.S. Army Corps of Engineers (USACE) permit area, that have not been previously evaluated by the USACE as part of the permit review of this project. Such activities include those pertaining to, but are not limited to, haul roads, equipment staging areas, borrow and disposal sites. Associated defined here means materials are delivered to or from the PSL. The permit area includes the waters of the U.S. or associated wetlands affected by activities associated with this project. Special restrictions may be required for such work. Assume responsibility for consultations with the USACE regarding activities, including PSLs that have not been previously evaluated by the USACE. Provide the Department with a copy of consultations or approvals from the USACE before initiating activities.

The Contractor may proceed with activities in PSLs that do not affect a USACE permit area if a self-determination has been made that the PSL is non-jurisdictional or if proper USACE clearances have been obtained in jurisdictional areas or have been previously evaluated by the USACE as part of the permit review of this project. The Contractor is solely responsible for documenting any determinations that their activities do not affect a USACE permit area. Maintain copies of their determinations for review by the Department or any regulatory agency.

Document and coordinate with the USACE, if required, before hauling any excavation from or hauling any embankment to a USACE permit area by either 1 or 2 below:

1. Restricted Use of Materials for the Previously Evaluated Permit Areas.

- Document both the Project Specific Locations (PSL) and their authorization. Maintain copies for review by the Department or any regulatory agency. When an area within the project limits has been evaluated by the USACE as part of the permit process for this project:
- Suitable excavation of required material in the areas shown on the plans and cross sections as specified in the Item, “Excavation” is used for permanent or temporary fill (under the Item, “Embankment”) within a USACE permit area.
 - Suitable embankment (under the Item, “Embankment”) from within the USACE permit area is used as fill within a USACE evaluated area.
 - Unsuitable excavation or excess excavation, “Waste” (under the Item, “Excavation”), that is disposed of at a location approved within a USACE evaluated area.

2. Contractor Materials from Areas Other than Previously Evaluated Areas.

Provide the Department with a copy of USACE coordination or approvals before initiating any activities for an area within the project limits that has not been

County: Galveston

Control: 0686-02-029

Highway: FM 1765

evaluated by the USACE or for any off right of way locations used for the following, but not limited to, haul roads, equipment staging areas, borrow and disposal sites:

- a. The Item, "Embankment" used for temporary or permanent fill within a USACE permit area.
- b. Unsuitable excavation or excess excavation, "Waste" (under the Item, "Excavation"), that is disposed of outside a USACE evaluated area.

The total area disturbed for this project is 1.012 acres. The disturbed area in this project, the project locations in the Contract, and Contractor project specific locations (PSLs) within 1 mile of the project limits for the Contract, will further establish the authorization requirements for storm water discharges. The Department will obtain an authorization to discharge storm water from the Texas Commission on Environmental Quality (TCEQ) for the construction activities shown on the plans. The Contractor is to obtain required authorization from the TCEQ for Contractor PSLs for construction support activities on or off the ROW. When the total area disturbed in the Contract and PSLs within 1 mile of the project limits exceeds 5 acres, provide a copy of the Contractor NOI for PSLs on the ROW to the Engineer (to the appropriate MS4 operator when on an off-state system route) and to the local government that operates a separate storm drain system.

This project does not require a U.S. Army Corps of Engineers (USACE) Section 404 Permit before letting, but if a permit is needed during construction, assume responsibility for preparing the permit application. Submit the permit application to the Department's District Environmental Section for approval. Once the permit application is approved, the Department will submit it to the USACE. Assume responsibility for the requested revisions, in coordination with the Department's District Environmental Section.

Maintain the roadway slope stability. Maintaining slope stability is subsidiary to the various bid items.

The nesting / breeding season for migratory birds is February 15 through September 30.

Conduct any tree removal outside of the migratory bird nesting season. If this is not possible due to scheduling, then exercise caution to remove only those trees with no active nests. Do not destroy nests on structures or in trees within the project limits during the nesting / breeding season.

Take measures to prevent the building of nests on any structures or trees within the project limits throughout the duration of the construction if work / removal will be performed during the nesting / breeding season. This can be accomplished by application of bird repellent gel, netting by hand every 3 to 4 days, or any other non-threatening method approved by the Houston District Environmental Section. Obtain this approval well in advance of the planned use. Contact the Houston District Environmental Section at 713-802-5244. The cost of this work is subsidiary to the various bid items.

No significant traffic generator events have been identified.

County: Galveston

Control: 0686-02-029

Highway: FM 1765

Item 8: Prosecution and Progress

The Department will not adjust the number of days for the project and milestones, if any, due to differences in opinion regarding any assumptions made in the preparation of the schedule or for errors, omissions, or discrepancies found in the time determination schedule.

Working days will be computed and charged based on a standard workweek in accordance with Section 8.3.1.4.

The maximum number of days the time charges on this contract may be suspended due to contractor mobilization, and material fabrication/accumulation or processing delays is 90 days. The Engineer and the Contractor may mutually agree, in writing, to decrease this maximum number of days.

The Lane Closure Assessment Fee is \$ 500. This fee applies to the Contractor for closures or obstructions that overlap into restricted hour traffic for each hour or portion thereof, per lane, regardless of the length of lane closure or obstruction. For Restricted Hours subject to Lane Assessment Fee refer to the Item, "Barricades, Signs, and Traffic Handling." The time increment for the Lane Closure Assessment fee for this project is one hour.

Item 100: Preparing Right of Way

Obtain a City of Houston plumbing permit and a demolishing permit or removing permit before demolishing or removing existing houses or commercial buildings.

Clean existing ditches under fill sections of undesirable materials including grass, muck, and trash. Perform this work in accordance with the Construction section of the Item, "Preparing Right of Way." This work is subsidiary to this bid Item.

The Item, "Preparing Right of Way" will be measured for payment only in those designated areas shown on the plans. Preparing right of way necessary to perform construction that is outside designated areas is subsidiary to this bid Item.

Remove abandoned utilities that are in conflict with the new utilities, at no expense to the Department.

Reestablish and maintain right of way stakes after completing the right of way preparation activities and until the new utilities are in place.

Remove and assume ownership of the existing ground mounted signs within the limits of roadway construction unless otherwise noted or directed. This work is subsidiary to the Item, "Preparing Right of Way."

County: Galveston

Control: 0686-02-029

Highway: FM 1765

Item 104: Removing Concrete

Removing concrete curb is paid as a separate bid item if the existing pavement on which it rests is not removed at the same time.

Item 105: Removing Treated and Untreated Base and Asphalt Pavement

Removing curb on cement-treated and untreated base or on cement treatment being removed at the same time is subsidiary to this bid Item.

Item 104: Removing Concrete**Item 105: Removing Treated and Untreated Base and Asphalt Pavement****Item 305: Salvaging, Hauling, and Stockpiling Reclaimable Asphalt Pavement**

Removing the Asphalt Concrete Pavement (ACP) material is paid for under the Item, "Salvaging, Hauling, and Stockpiling Reclaimable Asphalt Pavement."

Removing the cement or lime treatment is paid under the Item, "Removing Treated and Untreated Base and Asphalt Pavement."

Remove the ACP separately from the cement or lime treatment. Make the removed depth as uniform as possible during each removal pass if the pavement depth being removed is composed of different asphalt layers. Unless otherwise approved, stockpile the RAP of differing types of quality separately by its intended use such as for the asphalt treatment, cement treatment, lime treatment, or asphalt concrete pavement. Break, crush, or mill the stockpiled materials so that 100 percent pass the 2-in. sieve.

Item 110: Excavation

If manipulating the excavated material requires moving the same material more than once to accomplish the desired results, the excavation is measured and paid for only once regardless of the manipulation required.

Transition the ditch grades and channel bottom widths at structure locations. Use only approved channel excavation in the embankment.

Item 132: Embankment

If salvaged base is used for the embankment material, break it into small pieces to achieve the required density and to facilitate placing in the embankment. Obtain approval of the material before placing in the embankment.

Furnish Type C material with a maximum Liquid Limit (LL) of 65, a minimum Plasticity Index (PI) of 5, and composed of suitable earth material such as loam, clay, or other materials that form a suitable embankment.

County: Galveston

Control: 0686-02-029

Highway: FM 1765

The embankment material used on the project which has a Liquid Limit exceeding 45 will be tested for Liquid Limits at the rate of one test per 20,000 cu. yd. or per total quantity less than 20,000 cu. yd., unless otherwise directed. Only use material that passes the above tests.

For unpaved areas, provide a finished grade with the top 4 in. capable of sustaining vegetation. Use fertile soil that is easily cultivated, free from objectionable material and highly resistant to erosion. Topsoil work is paid under the Item, "Topsoil."

Furnish material with a maximum Liquid Limit (LL) of 65.

Item 162: Sodding for Erosion Control**Item 164: Seeding for Erosion Control****Item 166: Fertilizer****Item 168: Vegetative Watering**

Refer to the "Fertilizer, Seed, Sod, Straw, Compost, and Water" plan sheet for material specifications, application rates, and for watering requirements.

Item 305: Salvaging, Hauling, and Stockpiling Reclaimable Asphalt Pavement

Unless otherwise shown on the plans, RAP generated by this project will become the property of the Contractor for use in the current construction project or in future projects.

Item 360: Concrete Pavement

Where the pavement curb is left off for a later tie, provide the dowels or the tie bars as indicated on the paving detail sheets. The dowel bars and tie bars are subsidiary to the various bid items.

Repair portions of the concrete pavement surfaces that are damaged while in a plastic state before that area receives permanent pavement markings and opens to traffic. Perform repairs that are structurally equivalent to and cosmetically uniform with the adjacent undamaged areas. Do not repair by grouting onto the surface.

Equip the batching plants to proportion by weight, aggregates and bulk cement, using approved proportioning devices and approved automatic scales.

For mono curb, the curb height transitions will be paid at the contract unit price of the larger curb height in the transition. The 2.5-in. laydown curbs for driveways will be paid at the unit price bid for the Item, "Conc Curb (Mono) (Ty II)."

High-early strength cement may be used for frontage road and city street intersection construction.

Do not use limestone dust of fracture as fine aggregate.

County: Galveston

Control: 0686-02-029

Highway: FM 1765

If the concrete design requires greater than 5.5 sacks of cementitious material per cubic yard, obtain written approval. If placing concrete pavement mixes from April 1 to October 31, inclusive, use Mix Design Option 1 as specified in Section 421.4.2.6.1.

Unless otherwise directed in writing, provide Class HES concrete with a minimum average flexural strength of 425 psi or a minimum average compressive strength of 3,000 psi in 16 hours.

When directed in writing, open the pavement to traffic before the minimum requirements have been attained.

When needed, place and remove forms in accordance with Section 360.4.5, except do not remove forms until at least 6 hours after concrete has been placed. The time for the form removal may be extended with the direction of the Engineer if weather or other conditions make it advisable.

Sprinkling and rolling, required for the compaction of the rough subgrade in advance of fine-grading are subsidiary to this Item. Maintenance of a moist condition of the subgrade in advance of fine-grading and concrete is subsidiary work, as provided above.

Items 360, 420, and 421: All Concrete Items

For the Department's concrete cylinder split samples, transport the test cylinders to the Houston District Laboratory located at 7600 Washington Avenue in Houston, or to the appropriate Area Laboratory, when applicable. Transporting the test cylinders is subsidiary to the various bid items.

Item 420: Concrete Substructures

Unless otherwise noted, use Class C concrete with an ordinary surface finish for signal, lighting, or sign structure foundations.

Item 421: Hydraulic Cement Concrete

Entrained air is required in all slip formed concrete (bridge rail, concrete traffic barrier, pavement, etc.), but is not required for other structural concrete. Adjust the dosage of air entraining agent for low air content as directed or allowed by the Engineer. If entrained air is provided where not required, do not exceed the manufacturer's recommended dosage.

Item 502: Barricades, Signs, and Traffic Handling

Use a traffic control plan for handling traffic through the various phases of construction. Follow the phasing sequence unless otherwise agreed upon by the Area Engineer and the Project Manager. Ensure this plan conforms to the latest "Texas Manual on Uniform Traffic Control Devices" and the latest Barricade and Construction (BC) Standard Sheets. The latest versions of Work Zone Standard Sheets WZ (BTS-1) and WZ (BTS-2) are the traffic control plan for the signal installations.

County: Galveston

Control: 0686-02-029

Highway: FM 1765

Submit changes to the traffic control plan to the Area Engineer. Provide a layout showing the construction phasing, signs, striping, and signalizations for changes to the original traffic control plan.

Furnish and maintain the barricades and warning signs, including the necessary temporary and portable traffic control devices, during the various phases of construction. Place and construct these barricades and warning signs in accordance with the latest "Texas Manual on Uniform Traffic Control Devices" for typical construction layouts.

Cover work zone signs when work related to the signs is not in progress, or when any hazard related to the signs no longer exists.

Keep the delineation devices, signs, and pavement markings clean. This work is subsidiary to the Item, "Barricades, Signs, and Traffic Handling."

If a section is not complete before the end of the workday, pull back the base material to the existing pavement edge on a 6H: 1V slope. Edge drop-offs during the hours of darkness are not permitted.

Before detouring traffic onto the mainlane shoulders, remove dirt, debris, vegetation, and other deleterious material from the surface of the shoulders. Appropriately sign the detour in an approved manner. This work is subsidiary to the various bid items.

Cover or remove the permanent signs and construction signs that are incorrect or that do not apply to the current situation for a particular phase.

Replace the overhead signs, informational signs, and exit signs to be removed, with temporary signs providing the correct information to the traveling public. Size the replacement signs and include them in the traffic control plan.

Do not mount signs on drums or barricades, except those listed in the latest Barricades and Construction standard sheets.

Use traffic cones for daytime work only. Replace the cones with plastic drums during nighttime hours.

Place positive barriers to protect drop-off conditions greater than 2 ft. within the clear zone that remain overnight.

Do not reduce the existing number of lanes open to traffic except as shown on the following time schedule:

County: Galveston

Control: 0686-02-029

Highway: FM 1765

County: Galveston

Control: 0686-02-029

Highway: FM 1765

One Lane Closure

Day	Daytime Closure Hours	Nighttime Closure Hours	Restricted Hours Subject to Lane Assessment Fee
Monday	09:00 AM - 04:00 PM	NA	06:00 AM - 09:00 AM 04:00 PM - 07:00 PM
Tuesday	09:00 AM - 04:00 PM	NA	06:00 AM - 09:00 AM 04:00 PM - 07:00 PM
Wednesday	09:00 AM - 04:00 PM	NA	06:00 AM - 09:00 AM 04:00 PM - 07:00 PM
Thursday	09:00 AM - 04:00 PM	NA	06:00 AM - 09:00 AM 04:00 PM - 07:00 PM
Friday	09:00 AM - 04:00 PM	NA	06:00 AM - 09:00 AM 04:00 PM - 07:00 PM
Saturday	*09:00 AM - 04:00 PM	NA	06:00 AM - 09:00 AM 04:00 PM - 07:00 PM
Sunday	*09:00 AM - 04:00 PM	NA	06:00 AM - 09:00 AM 04:00 PM - 07:00 PM

*Weekend work requires Engineer approval.

The above times are approved for the traffic control conditions listed. The Area Engineer may approve other closure times if traffic counts warrant. The Area Engineer may reduce the above times for special events.

Law enforcement assistance will be required for this project and is expected to be required for major traffic control changes and lane closures. Coordinate with local law enforcement and arrange for law enforcement as directed or agreed by the Engineer. Before payment will be made, complete the "Daily Report on Law Enforcement Force Account Work" (Form 318), provided by the Department and submit daily invoices that agree with this form for any day during the month in which approved services were provided.

Provide full-time, off-duty, uniformed, certified peace officers, as part of traffic control operations. The peace officers must be able to show proof of certification by the Texas Commission on Law Enforcement Officers Standards. The cost of the officers is paid for on a force account basis.

The Contractor Force Account "Safety Contingency" that has been established for this project is intended to be utilized for work zone enhancements, to improve the effectiveness of the Traffic Control Plan, that could not be foreseen in the project planning and design stage. These enhancements will be mutually agreed upon by the Engineer and the Contractor's Responsible Person based on weekly or more frequent traffic management reviews on the project. The Engineer may choose to use existing bid items if it does not slow the implementation of enhancement.

Item 506: Temporary Erosion, Sedimentation and Environmental Controls

Use appropriate measures to prevent, minimize, and control the spill of hazardous materials in the construction staging area. Remove and dispose of materials in compliance with State and Federal laws.

Before starting construction, review with the Engineer the SWP3 used for temporary erosion control as outlined on the plans. Before construction, place the temporary erosion and sedimentation control features as shown on the SWP3.

Schedule the seeding or sodding work as soon as possible. The project schedule provides for a vegetation management plan.

After completing earthwork operations, restore and reseed the disturbed areas in accordance with the Department's specifications for permanent or temporary erosion control.

Implement temporary and permanent erosion control measures to comply with the National Pollution Discharge Elimination System (NPDES) general permit under the Clean Water Act.

Before starting grading operations and during the project duration, place the temporary or permanent erosion control measures to prevent sediment from leaving the right of way.

Item 529: Concrete Curb, Gutter, and Combined Curb and Gutter

Item 530: Intersections, Driveways, and Turnouts

Item 531: Sidewalks

An air-entraining admixture is not required.

For concrete curbs, use Grade 7 aggregate conforming to Section 421.2.6 of the Item, "Hydraulic Cement Concrete."

For driveways and turnouts, coarse aggregate Grade No. 3 through No. 8 conforming to the gradation requirements specified in the Item, "Hydraulic Cement Concrete" will be permitted.

For reinforcing steel in sidewalks and pedestrian ramps, use No. 4 bars at a maximum 18 in. spacing center-to-center in both directions.

Item 618: Conduit

Item 620: Electrical Conductors

Item 628: Electrical Services

If the specifications for electrical items require UL-listed products, this means UL-listed or CSA-listed.

County: Galveston

Control: 0686-02-029

Highway: FM 1765

Item 618: Conduit

When backfilling bore pits, ensure that the conduit is not damaged during installation or due to settling backfill material. Compact select backfill in 3 equal lifts to the bottom of the conduit; or if using sand, place it 2 in. above the conduit. Ensure backfill density is equal to that of the existing soil. Prevent material from entering the conduit.

Construct bore pits a minimum of 5 ft. from the edge of the base or pavement. Close the bore pit holes overnight.

Unless otherwise shown on the plans, install underground conduit a minimum of 24 in. deep. Install the conduit in accordance with the latest National Electrical Code (NEC) and applicable Department standard sheets. Place conduit under driveways or roadways a minimum of 24 in. below the pavement surface.

If using casing to place bored conduit, the casing is subsidiary to the conduit.

If placing the conduit under existing pavement to reach the service poles, bore the conduit in place and extend it a minimum distance of 5 ft. beyond the edge of shoulder or the back of curb.

Item 620: Electrical Conductors

Test each wire of each cable or conductor after installation. Incomplete circuits or damage to the wire or the cable are cause for immediate rejection of the entire cable being tested. Remove and replace the entire cable at no expense to the Department. Also test the replacement cable after installation.

When pulling cables or conductors through the conduit, do not exceed the manufacturer's recommended pulling tensions. Lubricate the cables or conductors with a lubricant recommended by the cable manufacturer.

For both transformer and shoe-base type illumination poles, provide double-pole breakaway fuse holders as shown on the Department's Construction Division (CST) material producers list. Check the latest link on the Department's website for this list. The category is "Roadway Illumination and Electrical Supplies." The fuse holder is shown on the list under Items 610 and 620. Provide 10 Amp time delay fuses.

Ensure that circuits test clear of faults, grounds, and open circuits.

Split bolt connectors are allowed only for splices on the grounding conductors.

For Roadside Flashing Beacon Assemblies (Item 685) and Pedestal Pole Assemblies (Item 687) within the project, provide single-pole breakaway disconnects as shown on the Construction Division (CST) material producers list. Check the latest link on the Department's website for this list. The category is "Roadway Illumination and Electrical Supplies." The fuse holder is shown on the list under Item 685. For underground (hot) conductors, install a breakaway

County: Galveston

Control: 0686-02-029

Highway: FM 1765

connector with a dummy fuse (slug). Provide dummy fuse (slug). For grounded (neutral) conductors, install a breakaway connector with a white colored marking and a permanently installed dummy fuse (slug).

For electrical licensing and electrical certification requirements for this project, see Item 7 of the Standard Specifications and any applicable special provisions to Item 7.

Item 624: Ground Boxes

The ground box locations are approximate. Alternate ground box locations may be used as directed, to avoid placing in sidewalks or driveways.

Ground metal ground box covers. Bond the ground box cover and ground conductors to a ground rod located in the ground box and to the system ground.

Ground the existing metal ground box covers as shown on the latest standard sheet ED (4)-14.

During construction and until project completion, provide personnel and equipment necessary to remove ground box lids for inspection. Provide this assistance within 24 hours of notification.

Construct concrete aprons in accordance with the latest standard sheet ED (4)-14. Make the depth of the concrete apron the same as the depth of the ground box, except for Type 1 and Type 2 ground boxes. For Type 1 or Type 2 ground boxes, construct the concrete apron in accordance with details shown on the "Ground Box Details Installations" standard.

Item 636: Signs

For design details not shown on the plans, provide signs and arrows conforming to the latest "Standard Highway Sign Designs for Texas" manual.

Item 644: Small Roadside Sign Assemblies

Sign locations shown on the plans are approximate. Before placing them, obtain approval of and then stake the exact locations for these signs.

Use the Texas Universal Triangular Slip Base with the concrete foundation for small ground mounted signs, unless otherwise shown in the plans.

Remove existing street name signs from existing stop signs and re-install them above the new stop signs. Removing and re-installing existing street name signs is subsidiary to the Item, "Small Roadside Sign Assemblies."

When design details are not shown on the plans, provide signs and arrows conforming to the latest "Standard Highway Sign Designs for Texas" manual.

County: Galveston

Control: 0686-02-029

Highway: FM 1765

Use Type E Super High Specific Intensity (Fluorescent Prismatic) yellow green reflective sheeting background to fabricate school signs (S1-1, S3-1, S4-3, S5-1, W16-2, SW16-9p, and SW16-7pL(R)).

Assume ownership of the removed existing signs.

Locations of the relocated signs are approximate. Before placing them, obtain approval of and then stake the exact locations for these signs.

Replace existing signs that become damaged during relocation at no expense to the Department.

Item 656: Foundations for Traffic Control Devices

Using ready mix concrete for sign foundations is optional.

Item 666: Reflectorized Pavement Markings

Use Type III glass beads for thermoplastic and multipolymer pavement markings.

Use a 0.100 in. (100 mil) thickness for thermoplastic pavement markings, measured to the top of the thermoplastic, not including the exposed glass beads.

Use a 0.022 in. (22 mil) thickness for multipolymer pavement markings, measured to the top of the multipolymer, not including the exposed glass beads.

For roadways with asphalt surfaces to be striped with work zone or permanent thermoplastic markings, the Contractor has the option to apply paint and beads markings for a maximum 30-day period until placing the thermoplastic markings, or until starting the succeeding phase of work on the striped area. Maintain the paint and beads markings, at no expense to the Department, until placing the thermoplastic markings or starting the succeeding phase of work on the striped area. The work zone markings, whether paint and beads or thermoplastic, are paid under the Item, "Work Zone Pavement Markings" and the markings are paid for only once for the given phase of construction.

If using paint and bead markings as described above, purchase the traffic paint from the open market.

If the Type II markings become dirty and require cleaning by washing, brushing, compressed air, or other approved methods before applying the Type I thermoplastic markings, this additional cleaning is subsidiary to the Item, "Reflectorized Pavement Markings."

Establish the alignment and layout for work zone striping and permanent striping.

Stripe all roadways before opening them to traffic.

County: Galveston

Control: 0686-02-029

Highway: FM 1765

Place pavement markings under these items in accordance with details shown on the plans, the latest "Texas Manual on Uniform Traffic Control Devices," or as directed.

When design details are not shown on the plans, provide pavement markings for arrows, words, and symbols conforming to the latest "Standard Highway Sign Designs for Texas" manual.

Place the pedestrian crosswalk pavement markings only after the pedestrian signals and push buttons are installed and operating.

Item 677: Eliminating Existing Pavement Markings and Markers

Remove existing pavement markings on concrete or asphalt surfaces by flail milling or as directed.

Item 678: Pavement Surface Preparation for Markings

Do not blast clean asphalt concrete pavement. Clean asphalt concrete pavement as required under the applicable specifications or as directed.

On new concrete pavement or on existing concrete pavement when placing a new stripe on a new location, remove the curing compounds and contamination from the pavement surface by flail milling or as directed. In addition, air-blast the surface with compressed air just before placing the new stripe.

On existing concrete pavement when placing a new stripe on an existing location, after removing the existing stripe under the Item, "Eliminating Existing Pavement Markings and Markers," air-blast the surface with compressed air just before placing the new stripe.

Do not clean concrete pavement by grinding.

Item 682: Vehicle and Pedestrian Signal Heads

Install two set screws on vehicle signal head mounting hardware fittings.

Furnish black housings for vehicle and pedestrian signals. Furnish black vehicle signal head back plates with 2 in. retroreflective yellow borders.

Item 687: Pedestal Pole Assemblies

Item 688: Pedestrian Detectors and Vehicle Loop Detectors

At intersections where a minimum of 10 ft. spacing between adjacent accessible pedestrian signal units is not possible, provide each accessible pedestrian pushbutton with the following features: a pushbutton locator tone, a tactile arrow, a speech walk message for the walking person indication and a speech pushbutton information message.

County: Galveston

Control: 0686-02-029

Highway: FM 1765

Provide pedestrian push buttons a minimum of 2 in. diameter in the smallest dimension.

Install a rubber grommet or bushing between the push button assembly and the signal pole to protect the conductors.

Item 6185: Truck Mounted Attenuator (TMA) and Trailer Attenuator (TA)

A shadow vehicle with Truck Mounted Attenuators (TMAs) or Trailer Attenuators (TAs) is required as shown on the appropriate Traffic Control Plan (TCP) sheets. TMAs/TAs must meet the requirements of the Compliant Work Zone Traffic Control Device List.

Level 3 Compliant TMAs/TAs are required for this project.

A total of one (1) shadow vehicle with a TMA/TA is required for the work with the exception of Pavement Marking Operations. The Contractor is responsible for determining if one or more of these operations will be ongoing at the same time to determine the total number of TMAs/TAs needed on the project.

A total of three (3) shadow vehicles with a TMA/TA are required for Pavement Marking Operations. The Contractor is responsible for determining if one or more of these operations will be ongoing at the same time to determine the total number of TMAs/TAs needed on the project.



CONTROLLING PROJECT ID 0686-02-029

DISTRICT Houston
HIGHWAY FM 1765

COUNTY Galveston

Estimate & Quantity Sheet

CONTROL SECTION JOB				0686-02-029		TOTAL EST.	TOTAL FINAL
PROJECT ID				A00180577			
COUNTY				Galveston			
HIGHWAY				FM 1765			
ALT	BID CODE	DESCRIPTION	UNIT	EST.	FINAL		
	100-6002	PREPARING ROW	STA	44.000		44.000	
	104-6017	REMOVING CONC (DRIVEWAYS)	SY	820.000		820.000	
	104-6021	REMOVING CONC (CURB)	LF	51.000		51.000	
	104-6036	REMOVING CONC (SIDEWALK OR RAMP)	SY	205.000		205.000	
	104-6067	REMOVING CONC (SAWCUT)	LF	750.000		750.000	
	105-6008	REMOVING STAB BASE AND ASPH PAV (6")	SY	491.000		491.000	
	110-6001	EXCAVATION (ROADWAY)	CY	1,438.000		1,438.000	
	132-6005	EMBANKMENT (FINAL)(ORD COMP)(TY C)	CY	229.000		229.000	
	162-6002	BLOCK SODDING	SY	2,164.000		2,164.000	
	164-6009	BROADCAST SEED (TEMP) (WARM)	SY	120.000		120.000	
	166-6001	FERTILIZER	AC	1.000		1.000	
	168-6001	VEGETATIVE WATERING	MG	74.000		74.000	
	305-6003	SALV, HAUL & STKPL RCL APH PV (2 TO 4")	SY	391.000		391.000	
	400-6005	CEM STABIL BKFL	CY	830.000		830.000	
	423-6008	RETAINING WALL (CAST - IN - PLACE)	SF	902.000		902.000	
	442-6007	STR STEEL (MISC NON - BRIDGE)	LB	1,722.000		1,722.000	
	479-6005	ADJUSTING MANHOLES (WATER VALVE BOX)	EA	2.000		2.000	
	479-6008	ADJUSTING MANHOLES (WATER METER)	EA	2.000		2.000	
	479-6010	ADJUSTING MANHOLES (ELECTRIC BOX)	EA	2.000		2.000	
	500-6001	MOBILIZATION	LS	1.000		1.000	
	502-6001	BARRICADES, SIGNS AND TRAFFIC HANDLING	MO	4.000		4.000	
	529-6005	CONC CURB (MONO) (TY II)	LF	51.000		51.000	
	529-6008	CONC CURB & GUTTER (TY II)	LF	25.000		25.000	
	530-6004	DRIVEWAYS (CONC)	SY	496.000		496.000	
	530-6005	DRIVEWAYS (ACP)	SY	313.000		313.000	
	530-6025	DRIVEWAYS (CONC) (FAST TRACK)	SY	75.000		75.000	
	531-6001	CONC SIDEWALKS (4")	SY	3,668.000		3,668.000	
	531-6004	CURB RAMPS (TY 1)	EA	9.000		9.000	
	531-6008	CURB RAMPS (TY 5)	EA	2.000		2.000	
	531-6010	CURB RAMPS (TY 7)	EA	9.000		9.000	
	531-6013	CURB RAMPS (TY 10)	EA	6.000		6.000	
	618-6046	CONDT (PVC) (SCH 80) (2")	LF	85.000		85.000	
	618-6047	CONDT (PVC) (SCH 80) (2") (BORE)	LF	210.000		210.000	
	618-6054	CONDT (PVC) (SCH 80) (3") (BORE)	LF	35.000		35.000	
	620-6007	ELEC CONDR (NO.8) BARE	LF	330.000		330.000	
	624-6009	GROUND BOX TY D (162922)	EA	4.000		4.000	
	644-6068	RELOCATE SM RD SN SUP&AM TY 10BWG	EA	19.000		19.000	

DISTRICT	COUNTY	CCSJ	SHEET
Houston	Galveston	0686-02-029	07



Estimate & Quantity Sheet

CONTROLLING PROJECT ID 0686-02-029

DISTRICT Houston

COUNTY Galveston

HIGHWAY FM 1765


CONTROL SECTION JOB				0686-02-029		TOTAL EST.	TOTAL FINAL
PROJECT ID				A00180577			
COUNTY				Galveston			
HIGHWAY				FM 1765			
ALT	BID CODE	DESCRIPTION	UNIT	EST.	FINAL		
	666-6048	REFL PAV MRK TY I (W)24"(SLD)(100MIL)	LF	1,157.000		1,157.000	
	677-6005	ELIM EXT PAV MRK & MRKS (12")	LF	1,226.000		1,226.000	
	677-6007	ELIM EXT PAV MRK & MRKS (24")	LF	398.000		398.000	
	678-6008	PAV SURF PREP FOR MRK (24")	LF	1,157.000		1,157.000	
	682-6018	PED SIG SEC (LED)(COUNTDOWN)	EA	6.000		6.000	
	684-6007	TRF SIG CBL (TY A)(12 AWG)(2 CONDR)	LF	760.000		760.000	
	684-6009	TRF SIG CBL (TY A)(12 AWG)(4 CONDR)	LF	790.000		790.000	
	687-6001	PED POLE ASSEMBLY	EA	6.000		6.000	
	688-6001	PED DETECT PUSH BUTTON (APS)	EA	6.000		6.000	
	688-6003	PED DETECTOR CONTROLLER UNIT	EA	1.000		1.000	
	1004-6001	TREE PROTECTION	EA	7.000		7.000	
	6185-6002	TMA (STATIONARY)	DAY	90.000		90.000	
	18	SAFETY CONTINGENCY: CONTRACTOR FORCE ACCOUNT WORK (PARTICIPATING)	LS	1.000		1.000	
		EROSION CONTROL MAINTENANCE: CONTRACTOR FORCE ACCOUNT WORK (PART)	LS	1.000		1.000	
		LAW ENFORCEMENT: CONTRACTOR FORCE ACCOUNT WORK (PARTICIPATING)	LS	1.000		1.000	

DISTRICT	COUNTY	CCSJ	SHEET
Houston	Galveston	0686-02-029	08

SUMMARY OF ROADWAY QUANTITIES

FM 1765 SIDEWALK PLAN SHEET	ITEM NO.	ITEM 100	ITEM 110	ITEM 132	ITEM 162	ITEM 164	ITEM 166	ITEM 168	ITEM 400	ITEM 423	ITEM 442	ITEM 479		
	DESC. CODE	6002	6001	6005	6002	6009	6001	6001	6005	6008	6007	6005	6008	6010
	CENTERLINE STATION LIMITS	PREPARING ROW	EXCAVATION (ROADWAY)	EMBANKMENT (FINAL) (ORD) (COMP) (TY C)	BLOCK SODDING	BROADCAST SEED (TEMP) (WARM)	FERTILIZER	VEGETATIVE WATERING	CEM STABIL BKFL	RETAINING WALL (CAST-IN-PLACE)	STR STEEL (MISC NON- BRIDGE)	ADJUSTING MANHOLES (WATER VALVE BOX)	ADJUSTING MANHOLES (WATER METER)	ADJUSTING MANHOLES (ELECTRIC BOX)
		STA	CY	CY	SY	SY	AC	MG	CY	SF	LB	EA	EA	EA
1	BEGIN TO 3+20	2.7	38	5	133				22					
2	3+20 TO 7+40	4.2	143	20	238				82					
3	7+40 TO 11+60	4.2	144	20	270				83					
4	11+60 TO 15+80	4.2	155	22	286				89					
5	15+80 TO 20+00	4.2	157	22	158				90	518				
6	20+00 TO 24+20	4.2	141	20	123				81	384				
7	24+20 TO 28+40	4.2	183	26	243				105		1,435			
8	28+40 TO 32+60	4.2	180	25	243				104		287			
9	32+60 TO 36+80	4.2	147	21	214				85					
10	36+80 TO 41+00	4.2	126	18	121				73					
11	41+00 TO END	3	25	3	135				14					
TOTAL		44	1,438	201	2,164	120	1	74	830	902	1,722	2	2	2

FM 1765 SIDEWALK PLAN SHEET	ITEM NO.	ITEM 500	ITEM 529		ITEM 530			ITEM 531				ITEM 1004	
	DESC. CODE	6001	6005	6008	6004	6005	6025	6001	6004	6008	6010	6013	6001
	CENTERLINE STATION LIMITS	MOBILIZATION	CONC CURB (MONO) (TY II)	CONC CURB AND GUTTER (TY II)	DRIVEWAYS (CONC)	DRIVEWAYS (ACP)	DRIVEWAYS (FAST TRK)	CONC SIDEWALKS (4")	CURB RAMPS (TY 1)	CURB RAMPS (TY 5)	CURB RAMPS (TY 7)	CURB RAMPS (TY 10)	TREE PROTECTION
	LS	LF	LF	SY	SY	SY	SY	EA	EA	EA	EA	EA	
1	BEGIN TO 3+20		51				97.0	1					
2	3+20 TO 7+40						367.0	2			6		
3	7+40 TO 11+60						335.5	3			1		
4	11+60 TO 15+80						407.5				2	1	
5	15+80 TO 20+00						402.0	3	2				
6	20+00 TO 24+20						361.0				1	1	
7	24+20 TO 28+40						469.0						
8	28+40 TO 32+60						463.0					5	
9	32+60 TO 36+80						378.0					4	
10	36+80 TO 41+00						324.0						
11	41+00 TO END						64.0						
TOTAL		1	51	25	496	313	75	3,668	9	2	9	6	7



TEXAS DEPARTMENT OF TRANSPORTATION

FM 1765
SUMMARY OF QUANTITIES

SHEET 1 OF 2


DN:	DRAWING FILE NAME:	STATE:	PROJECT NO.:
CK DN:		6 TX	
DW:	REVISIONS:		
CK DW:		STATE DIST. NO.:	COUNTY:
TR:		12 GALVESTON	CONTROL NO.:
CK TR:			SECTION NO.:
			JOB NO.:
			SHEET NO.:
			09

N. T. S.

SUMMARY OF DEMOLITION QUANTITIES							
FM 1765 SIDEWALK PLAN SHEET	ITEM NO.	ITEM 104				ITEM 105	ITEM 305
	DESC. CODE	6017	6021	6036	6067	6008	6003
	CENTERLINE STATION LIMITS	REMOVING CON (DRIVEWAYS)	REMOVING CONC (CURB)	REMOVING CONC (SIDEWALK OR RAMP)	REMOVING CONC (SAWCUT)	REMOVING STAB BASE AND ASPH PAV (6")	SALV, HAUL & STKPL RCL APH PV (2 TO 4")
		SY	LF	SY	LF	SY	SY
1	BEGIN TO 7+40	131	51	96		70	61
2	7+40 TO 15+80	149		65		210	
3	15+80 TO 24+20	297		44		124	173
4	24+20 TO 32+60	144					144
5	32+60 TO 41+00	99				86	13
6	41+00 TO END						
TOTAL		820	51	205	750	491	391

SUMMARY OF STRIPING QUANTITIES						
FM 1765 SIDEWALK PLAN SHEET	ITEM NO.	ITEM 644	ITEM 666	ITEM 677		ITEM 678
	DESC. CODE	6068	6048	6005	6007	6008
	CENTERLINE STATION LIMITS	RELOCATE SM RD SN SUP&AM TY 10BWG	REF PAV MRK TY I (W) 24" (SLD) (100 MIL)	ELIM EXT PAV MRK & MRKS (12")	ELIM EXT PAV MRK & MRKS (24")	PAV SURF PREP FOR MRK (24")
		EA	LF	LF	LF	LF
1	BEGIN TO 3+20		144	300		144
2	3+20 TO 7+40	4	152		26	152
3	7+40 TO 11+60	5	113		23	113
4	11+60 TO 15+80	1	49		13	49
5	15+80 TO 20+00	2	291	360	135	291
6	20+00 TO 24+20	2	42		17	42
7	24+20 TO 28+40					
8	28+40 TO 32+60	2				
9	32+60 TO 36+80	3	84		37	84
10	36+80 TO 41+00					
11	41+00 TO END		282	566	147	282
TOTAL		19	1,157	1,226	398	1,157

SUMMARY OF TRAFFIC CONTROL		
ITEM NO.	ITEM 502	ITEM 6185
DESC. CODE	6001	6002
ITEM DESCRIPTION	BARRICADES, SIGNS AND TRAFFIC HANDLIN	TMA (STATIONARY)
UNIT	MO	DAY
	4	90
TOTAL	4	90



TEXAS DEPARTMENT OF TRANSPORTATION

© 2023 TxDOT


FM 1765

SUMMARY OF QUANTITIES

N. T. S. SHEET 2 OF 2

DW:	DRAWING FILE NAME:	STATE:	PROJECT NO.:
CK DW:		6 TX	FM 1765
DW:	REVISIONS:	STATE DIST. NO.:	CONTROL NO.:
CK DW:		12 GALVESTON	0686
TR:		SECTION NO.:	JOB NO.:
CK TR:		02	029
		SHEET NO.:	10

MATERIALS FOR HIGHWAY TRAFFIC SIGNAL				
ITEM	DESC CODE	DESCRIPTION	UNIT	TOTAL QUANTITY
618	6046	CONDT (PVC) (SCH 80) (2")	LF	85
618	6047	CONDT (PVC) (SCH 80) (2") (BORE)	LF	210
618	6054	CONDT (PVC) (SCH 80) (3") (BORE)	LF	35
620	6007	ELEC CONDR (NO.8) BARE	LF	330
624	6009	GROUND BOX TY D (162922)	EA	4
682	6018	PED SIG SEC (LED)(COUNTDOWN)	EA	6
684	6007	TRF SIG CBL (TY A)(12 AWG)(2 CONDR)	LF	760
684	6009	TRF SIG CBL (TY A)(12 AWG)(4 CONDR)	LF	790
687	6001	PED POLE ASSEMBLY * SCREW-IN TYPE ANCHOR FOUNDATION	EA	6
688	6001	PED DETECT PUSH BUTTON (APS)	EA	6
688	6003	PED DETECTOR CONTROLLER UNIT	EA	1

© 2023 TxDOT				TEXAS DEPARTMENT OF TRANSPORTATION			
FM 1765							
SUMMARY OF TRAFFIC SIGNAL QUANTITIES							
N. T. S.						SHEET 1 OF 1	
DN:	DRAWING FILE NAME:	FEED NO.	STATE	PROJECT NO.		HIGHWAY NO.	
CK DN:		6	TX			FM 1765	
DW:	REVISIONS:	STATE DIST. NO.	COUNTY	CONTROL NO.	SECTION NO.	JOB NO.	
CK DW:		12	GALVESTON	0686	02	029	
TR:							
CK TR:						11	

CONSTRUCTION SEQUENCE

THE CONTRACTOR SHALL FOLLOW THE STEPS FROM 1 TO 10 AS SEQUENCE OF CONSTRUCTION ACTIVITIES AS DESCRIBED BELOW.

1. INITIAL TRAFFIC CONTROL.
2. PREPARE ROW.
3. REMOVE STAB BASE AND ASPHALT PAVEMENTS/DRIVEWAYS
4. REMOVE CONCRETE DRIVEWAYS
5. INSTALL DRIVEWAYS
6. INSTALL CONC SIDEWALK AND CURB RAMPS
7. TRAFFIC SIGNAL WORK
8. PAVEMENT MARKINGS
9. SEEDING/ SODDING.
10. FINAL CLEANUP


NOTES

ALL WORK AND MATERIAL TO ACHIEVE TRAFFIC CONTROL SHALL BE AS PER TXMUTCD AND INCIDENTAL TO ITEM 502.

ALL WORK DESCRIBED IN CONSTRUCTION SEQUENCE SHALL BE PERFORMED WITHIN THE ALLOCATED LANE CLOSURE TIME AS DESCRIBED UNDER ITEM 502 IN GENERAL NOTES UNLESS OTHERWISE APPROVED BY THE ENGINEER.

IN THE EVENT ONE OR MORE UTILITY LINES HAVE NOT BEEN RELOCATED BY THE CERTIFICATION DATE, THE CONTRACTOR MAY BEGIN CONSTRUCTION ON FOLLOWING LOCATIONS IN LATER PHASE (AFTER STEP 6) AS DESCRIBED ABOVE AND AS DIRECTED BY THE ENGINEER.

- a) S. EAST ROAD FROM C FM 1765 STA. 7+19.00 TO 7+86.00: CURB RAMPS
- b) S. WEST ROAD FROM C FM 1765 STA. 11+70.00 TO 12+47.00: CURB RAMPS
- c) S. AMBURN ST. & NEWMAN RD. INTERSECTION FROM C FM 1765 STA. 16+20.00 TO STA. 17+15.00: TRAFFIC SIGNAL AND CURB RAMPS
- d) S. WEST ROAD FROM C FM 1765 STA. 11+70.00 TO 12+47.00: CURB RAMPS



Sanjay Pokharel P.E.
 SANJAY POKHAREL, P.E.

2/1/2023

© 2023 TxDOT TEXAS DEPARTMENT OF TRANSPORTATION


FM 1765
CONSTRUCTION SEQUENCE

SCALE 1" = 100' SHEET 1 OF 1


DN:	DRAWING FILE NAME:	FED. H.W. DIST. NO.	STATE	PROJECT NO.	HIGHWAY NO.
CK DN:		6	TX		FM 1765
DW:	REVISIONS:				
CK DW:		STATE DIST. NO.	COUNTY	CONTROL NO.	SECTION NO.
TR:		12	GALVESTON	0686	02
CK TR:					JOB NO. SHEET NO.
					029 12A

SUMMARY OF DRIVEWAYS


FM 1765 ROADWAY PLAN VIEW SHEET	WB / EB OR U-TURN	DRVWY NO	APPROX STATION AT DRIVEWAY CENTERLINE	SURF TYPE (CONC/ASPH)	LT RADIUS	RT RADIUS	WIDTH (FT)	LENGTH (FT)	ITEM 530		
									6004	6005	6025
									DRVWY (CONC)	DRVWY (ACP)	DRVWY (CONC) (FAST TRACK)
					(FT)	(FT)	(FT)	(FT)	(SY)	(SY)	(SY)
1 OF 11	EB	1	1+63.54	CONC	4.93	5.66	41	6	25.4		
1 OF 11	WB	2	2+92.61	ASPH	9.84	9.40	30	7		26.9	
2 OF 11	WB	3	3+71.39	ASPH	10.45	8.19	37	8		35.3	
2 OF 11	WB	4	6+67.09	CONC	67.42	13.83	28	11	41.8		
3 OF 11	EB	5	8+47.56	CONC	8.00	7.88	34	8	35.2		
3 OF 11	EB	6	9+42.43	CONC	8.00	8.00	31	8	30.7		
3 OF 11	EB	6A	10+58.37	CONC	8.00	8.00	31	8	48.2		
4 OF 11	EB	7	13+06.39	CONC	27.71	41.38	67	10	90.0		
5 OF 11	EB	8	17+28.91	CONC	6.00	5.32	26	8	23.3		
5 OF 11	EB	9	17+88.74	CONC	8.00	8.00	24	8	22.2		
5 OF 11	EB	10	18+33.53	ASPH	7.59	7.89	14	8		14.2	
5 OF 11	EB	11	19+18.69	CONC	9.04	7.88	12	8	12.7		
6 OF 11	WB	12	20+55.60	CONC	9.38	11.57	53	9	35.0		
6 OF 11	EB	13	20+85.91	ASPH	5.00	5.00	20	8		19.3	
6 OF 11	EB	14	21+42.53	ASPH	10.58	11.34	23	8		21.8	
6 OF 11	EB	15	21+87.40	ASPH	6.67	7.41	32	8		28.4	
6 OF 11	EB	16	22+32.37	ASPH	6.93	6.95	22	8		20.0	
6 OF 11	EB	17	23+13.80	ASPH	7.36	7.34	28	8		26.7	
6 OF 11	EB	18	23+88.53	ASPH	7.94	7.12	31	8		29.6	
6 OF 11	WB	19	23+93.16	ASPH	9.18	9.36	21	8		17.3	
7 OF 11	EB	20	24+46.92	ASPH	7.96	6.82	13	8		14.9	
7 OF 11	EB	21	24+82.28	ASPH	8.99	7.78	13	8		14.3	
7 OF 11	EB	22	26+30.09	ASPH	8.87	8.34	13	8		14.6	
7 OF 11	EB	23	27+44.76	ASPH	8.2	8.27	13	8		14.1	
8 OF 11	WB	24	31+43.77	ASPH	10.53	9.66	13	9		15.8	
8 OF 11	EB	25	31+94.83	CONC	9.12	7.94	21	8	22.4		
8 OF 11	WB	26	32+05.16	CONC	11.05	9.83	13	10	16.2		
8 OF 11	EB	27	32+37.55	CONC	7.86	8.84	20	8	21.3		
9 OF 11	WB	28	35+66.39	CONC	12.75	11.51	23	11	25.3		
9 OF 11	WB	29	36+65.23	CONC	9.71	8.93	21	10	21.3		
10 OF 11	WB	30	37+32.81	CONC	7.96	6.82	28	8	24.8		
TOTAL:									496	313	75



DRIVEWAY DETAIL
NOT TO SCALE



**FM 1765
DRIVEWAYS LOCATIONS**

	FED. RD. DIV. NO.	PROJECT NO.		SHEET NO.
	6			12
	STATE DIST. NO.	STATE DIST. NO.	COUNTY	
	TEXAS	12	GALVESTON	
CONT.	SECT.	JOB	HIGHWAY NO.	
0686	02	029	FM 1765	

DISCLAIMER: This standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

BARRICADE AND CONSTRUCTION (BC) STANDARD SHEETS GENERAL NOTES:

1. The Barricade and Construction Standard Sheets (BC sheets) are intended to show typical examples for placement of temporary traffic control devices, construction pavement markings, and typical work zone signs. The information contained in these sheets meet or exceed the requirements shown in the "Texas Manual on Uniform Traffic Control Devices" (TMUTCD).
2. The development and design of the Traffic Control Plan (TCP) is the responsibility of the Engineer.
3. The Contractor may propose changes to the TCP that are signed and sealed by a licensed professional engineer for approval. The Engineer may develop, sign and seal Contractor proposed changes.
4. The Contractor is responsible for installing and maintaining the traffic control devices as shown in the plans. The Contractor may not move or change the approximate location of any device without the approval of the Engineer.
5. Geometric design of lane shifts and detours should, when possible, meet the applicable design criteria contained in manuals such as the American Association of State Highway and Transportation Officials (AASHTO), "A Policy on Geometric Design of Highways and Streets," the TxDOT "Roadway Design Manual" or engineering judgment.
6. When projects abut, the Engineer(s) may omit the END ROAD WORK, TRAFFIC FINES DOUBLE, and other advance warning signs if the signing would be redundant and the work areas appear continuous to the motorists. If the adjacent project is completed first, the Contractor shall erect the necessary warning signs as shown on these sheets, the TCP sheets or as directed by the Engineer. The BEGIN ROAD WORK NEXT X MILES sign shall be revised to show appropriate work zone distance.
7. The Engineer may require duplicate warning signs on the median side of divided highways where median width will permit and traffic volumes justify the signing.
8. All signs shall be constructed in accordance with the details found in the "Standard Highway Sign Designs for Texas," latest edition. Sign details not shown in this manual shall be shown in the plans or the Engineer shall provide a detail to the Contractor before the sign is manufactured.
9. The temporary traffic control devices shown in the illustrations of the BC sheets are examples. As necessary, the Engineer will determine the most appropriate traffic control devices to be used.
10. Where highway construction or maintenance work is being undertaken, other than mobile operations as defined by the Texas Manual on Uniform Traffic Control Devices, CSJ limit signs are required. CSJ limit signs are shown on BC(2). The OBEY WARNING SIGNS STATE LAW sign, STAY ALERT TALK OR TEXT LATER and the WORK ZONE TRAFFIC FINES DOUBLE sign with plaque shall be erected in advance of the CSJ limits. The BEGIN ROAD WORK NEXT X MILES, CONTRACTOR and END ROAD WORK signs shall be erected at or near the CSJ limits. For mobile operations, CSJ limit signs are not required.
11. Traffic control devices should be in place only while work is actually in progress or a definite need exists.
12. The Engineer has the final decision on the location of all traffic control devices.
13. Inactive equipment and work vehicles, including workers' private vehicles must be parked away from travel lanes. They should be as close to the right-of-way line as possible, or located behind a barrier or guardrail, or as approved by the Engineer.

WORKER SAFETY NOTES:

1. Workers on foot who are exposed to traffic or to construction equipment within the right-of-way shall wear high-visibility safety apparel meeting the requirements of ISEA "American National Standard for High-Visibility Apparel," or equivalent revisions, and labeled as ANSI 107-2004 standard performance for Class 2 or 3 risk exposure. Class 3 garments should be considered for high traffic volume work areas or night time work.
2. Except in emergency situations, flagger stations shall be illuminated when flagging is used at night.

COMPLIANT WORKZONE TRAFFIC CONTROL DEVICES

1. Only pre-qualified products shall be used. The "Compliant Work Zone Traffic Control Devices List" (CWZTCD) describes pre-qualified products and their sources.
2. Work zone traffic control devices shall be compliant with the Manual for Assessing safety Hardware (MASH).

<p>THE DOCUMENTS BELOW CAN BE FOUND ON-LINE AT http://www.txdot.gov</p>
COMPLIANT WORK ZONE TRAFFIC CONTROL DEVICES LIST (CWZTCD)
DEPARTMENTAL MATERIAL SPECIFICATIONS (DMS)
MATERIAL PRODUCER LIST (MPL)
ROADWAY DESIGN MANUAL - SEE "MANUALS (ONLINE MANUALS)"
STANDARD HIGHWAY SIGN DESIGNS FOR TEXAS (SHSD)
TEXAS MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (TMUTCD)
TRAFFIC ENGINEERING STANDARD SHEETS


DATE: \$DATE\$
 FILE: \$FILE\$
 \$TIME\$

SHEET 1 OF 12

Texas Department of Transportation		<i>Traffic Safety Division Standard</i>	
<p>BARRICADE AND CONSTRUCTION GENERAL NOTES AND REQUIREMENTS</p> <p>BC (1) - 21</p>			
FILE:	bc-21.dgn	DN: TxDOT	ck: TxDOT
© TxDOT	November 2002	CONT SECT	JOB HIGHWAY
4-03	7-13	0686 02	029 FM 1765
9-07	8-14	DIST	COUNTY SHEET NO.
5-10	5-21	HOU	GALVESTON 13


DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

TYPICAL LOCATION OF CROSSROAD SIGNS



- ## May be mounted on back of "ROAD WORK AHEAD" (CW20-1D) sign with approval of Engineer. (See note 2 below)
- The typical minimum signing on a crossroad approach should be a "ROAD WORK AHEAD" (CW20-1D) sign and a (G20-2) "END ROAD WORK" sign, unless noted otherwise in plans.
 - The Engineer may use the reduced size 36" x 36" ROAD WORK AHEAD (CW20-1D) sign mounted back to back with the reduced size 36" x 18" "END ROAD WORK" (G20-2) sign on low volume crossroads (see Note 4 under "Typical Construction Warning Sign Size and Spacing"). See the "Standard Highway Sign Designs for Texas" manual for sign details. The Engineer may omit the advance warning signs on low volume crossroads. The Engineer will determine whether a road is low volume as per TMUTCD Part 5. This information shall be shown in the plans.
 - Based on existing field conditions, the Engineer/Inspector may require additional signs such as FLAGGER AHEAD, LOOSE GRAVEL, or other appropriate signs. When additional signs are required, these signs will be considered part of the minimum requirements. The Engineer/Inspector will determine the proper location and spacing of any sign not shown on the BC sheets, Traffic Control Plan sheets or the Work Zone Standard Sheets.
 - The "ROAD WORK NEXT X MILES" (G20-1aT) sign shall be required at high volume crossroads to advise motorists of the length of construction in either direction from the intersection. The Engineer will determine whether a roadway is considered high volume.
 - Additional traffic control devices may be shown elsewhere in the plans for higher volume crossroads.
 - When work occurs in the intersection area, appropriate traffic control devices, as shown elsewhere in the plans or as determined by the Engineer/Inspector, shall be in place.

T-INTERSECTION



CSJ LIMITS AT T-INTERSECTION

- The Engineer will determine the types and location of any additional traffic control devices, such as a flagger and accompanying signs, or other signs, that should be used when work is being performed at or near an intersection.
- If construction closes the road at a T-intersection, the Contractor shall place the "CONTRACTOR NAME" (G20-6T) sign behind the Type 3 Barricades for the road closure (see BC(10) also). The "ROAD WORK NEXT X MILES" left arrow (G20-1bTL) and "ROAD WORK NEXT X MILES" right arrow (G20-1bTR) signs shall be replaced by the detour signing called for in the plans.

TYPICAL CONSTRUCTION WARNING SIGN SIZE AND SPACING^{1,5,6}

Sign Number or Series	SIZE		SPACING	
	Conventional Road	Expressway/Freeway	Posted Speed MPH	Sign Δ Spacing "x" Feet (Apprx.)
CW20 ⁴	48" x 48"	48" x 48"	30	120
CW21			35	160
CW22			40	240
CW23			45	320
CW25			50	400
CW1, CW2, CW7, CW8, CW9, CW11, CW14	36" x 36"	48" x 48"	55	500 ²
CW3, CW4, CW5, CW6, CW8-3, CW10, CW12	48" x 48"	48" x 48"	60	600 ²
			65	700 ²
			70	800 ²
			75	900 ²
			80	1000 ²
			*	* ³


* For typical sign spacings on divided highways, expressways and freeways, see Part 6 of the "Texas Manual on Uniform Traffic Control Devices" (TMUTCD) typical application diagrams or TCP Standard Sheets.

Δ Minimum distance from work area to first Advance Warning sign nearest the work area and/or distance between each additional sign.

GENERAL NOTES


- Special or larger size signs may be used as necessary.
- Distance between signs should be increased as required to have 1500 feet advance warning.
- Distance between signs should be increased as required to have 1/2 mile or more advance warning.
- 36" x 36" "ROAD WORK AHEAD" (CW20-1D) signs may be used on low volume crossroads at the discretion of the Engineer as per TMUTCD Part 5. See Note 2 under "Typical Location of Crossroad Signs".
- Only diamond shaped warning sign sizes are indicated.
- See sign size listing in "TMUTCD", Sign Appendix or the "Standard Highway Sign Designs for Texas" manual for complete list of available sign design sizes.

WORK AREAS IN MULTIPLE LOCATIONS WITHIN CSJ LIMITS



When extended distances occur between minimal work spaces, the Engineer/Inspector should ensure additional "ROAD WORK AHEAD" (CW20-1D) signs are placed in advance of these work areas to remind drivers they are still within the project limits. See the applicable TCP sheets for exact location and spacing of signs and channelizing devices.


SAMPLE LAYOUT OF SIGNING FOR WORK BEGINNING AT THE CSJ LIMITS



NOTES

- The Contractor shall determine the appropriate distance to be placed on the G20-1 series signs and "BEGIN ROAD WORK NEXT X MILES" (G20-5T) sign for each specific project. This distance shall replace the "x" and shall be rounded to the nearest whole mile with the approval of the Engineer. No decimals shall be used.
- The "BEGIN WORK ZONE" (G20-9TP) and "END WORK ZONE" (G20-2bT) shall be used as shown on the sample layout when advance signs are required outside the CSJ Limits. They inform the motorist of entering or leaving a part of the work zone lying outside the CSJ Limits where traffic fines may double if workers are present.
 - CSJ limit signing is required for highway construction and maintenance work, with the exception of mobile operations.
 - Area for placement of "ROAD WORK AHEAD" (CW20-1D) sign and other signs or devices as called for on the Traffic Control Plan.
 - Contractor will install a regulatory speed limit sign at the end of the work zone.

SAMPLE LAYOUT OF SIGNING FOR WORK BEGINNING DOWNSTREAM OF THE CSJ LIMITS



LEGEND

—	Type 3 Barricade
○ ○ ○	Channelizing Devices
■	Sign
X	See Typical Construction Warning Sign Size and Spacing chart or the TMUTCD for sign spacing requirements.

SHEET 2 OF 12



BARRICADE AND CONSTRUCTION PROJECT LIMIT

BC (2) - 21


FILE: bc-21.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
© TxDOT November 2002	CONT	SECT	JOB	HIGHWAY
REVISIONS	0686	02	029	FM 1765
9-07 8-14	DIST	COUNTY	SHEET NO.	
7-13 5-21	HOU	GALVESTON	14	

DATE: \$DATE\$ FILE: \$FILES\$

TYPICAL APPLICATION OF WORK ZONE SPEED LIMIT SIGNS

Work zone speed limits shall be regulatory, established in accordance with the "Procedures for Establishing Speed Zones," and approved by the Texas Transportation Commission, or by City Ordinance when within Incorporated City Limits.

Reduced speeds should only be posted in the vicinity of work activity and not throughout the entire project. Regulatory work zone speed signs (R2-1) shall be removed or covered during periods when they are not needed.



GUIDANCE FOR USE:

LONG/INTERMEDIATE TERM WORK ZONE SPEED LIMITS

This type of work zone speed limit should be included on the design of the traffic control plans when restricted geometrics with a lower design speed are present in the work zone and modification of the geometrics to a higher design speed is not feasible.

Long/Intermediate Term Work Zone Speed Limit signs, when approved as described above, should be posted and visible to the motorist when work activity is present. Work activity may also be defined as a change in the roadway that requires a reduced speed for motorists to safely negotiate the work area, including:

- rough road or damaged pavement surface
- substantial alteration of roadway geometrics (diversions)
- construction detours
- grade
- width
- other conditions readily apparent to the driver

As long as any of these conditions exist, the work zone speed limit signs should remain in place.

SHORT TERM WORK ZONE SPEED LIMITS

This type of work zone speed limit may be included on the design of the traffic control plans when workers or equipment are not behind concrete barrier, when work activity is within 10 feet of the traveled way or actually in the traveled way.

Short Term Work Zone Speed Limit signs should be posted and visible to the motorists only when work activity is present. When work activity is not present, signs shall be removed or covered. (See Removing or Covering on BC(4)).

GENERAL NOTES

- Regulatory work zone speed limits should be used only for sections of construction projects where speed control is of major importance.
- Regulatory work zone speed limit signs shall be placed on supports at a 7 foot minimum mounting height.
- Speed zone signs are illustrated for one direction of travel and are normally posted for each direction of travel.
- Frequency of work zone speed limit signs should be:

40 mph and greater	0.2 to 2 miles
35 mph and less	0.2 to 1 mile
- Regulatory speed limit signs shall have black legend and border on a white reflective background (See "Reflective Sheeting" on BC(4)).
- Fabrication, erection and maintenance of the "ADVANCE SPEED LIMIT" (CW3-5) sign, "WORK ZONE" (G20-5aP) plaque and the "SPEED LIMIT" (R2-1) signs shall not be paid for directly, but shall be considered subsidiary to Item 502.
- Turning signs from view, laying signs over or down will not be allowed, unless as otherwise noted under "REMOVING OR COVERING" on BC(4).
- Techniques that may help reduce traffic speeds include but are not limited to:
 - Law enforcement.
 - Flagger stationed next to sign.
 - Portable changeable message sign (PCMS).
 - Low-power (drone) radar transmitter.
 - Speed monitor trailers or signs.
- Speeds shown on details above are for illustration only. Work Zone Speed Limits should only be posted as approved for each project.
- For more specific guidance concerning the type of work, work zone conditions and factors impacting allowable regulatory construction speed zone reduction see TxDOT form #1204 in the TxDOT e-form system.

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: \$DATE\$
TIME: \$TIME\$
FILE: \$FILE\$

SHEET 3 OF 12




BARRICADE AND CONSTRUCTION WORK ZONE SPEED LIMIT

BC (3) - 21

FILE:	bc-21.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
© TxDOT	November 2002	CONT	SECT	JOB	HIGHWAY
REVISIONS		0686	02	029	FM 1765
9-07	8-14	DIST	COUNTY	SHEET NO.	
7-13	5-21	HOU	GALVESTON	15	


TYPICAL MINIMUM CLEARANCES FOR LONG TERM AND INTERMEDIATE TERM SIGNS



* When placing skid supports on unlevel ground, the leg post lengths must be adjusted so the sign appears straight and plumb. Objects shall NOT be placed under skids as a means of leveling.

** When plaques are placed on dual-leg supports, they should be attached to the upright nearest the travel lane. Supplemental plaques (advisory or distance) should not cover the surface of the parent sign.

ATTACHMENT FOR SIGN SUPPORTS



Splicing embedded perforated square metal tubing in order to extend post height will only be allowed when the splice is made using four bolts, two above and two below the splice point. Splice must be located entirely behind the sign substrate, not near the base of the support. Splice insert lengths should be at least 5 times nominal post size, centered on the splice and of at least the same gauge material.

GENERAL NOTES FOR WORK ZONE SIGNS

- Contractor shall install and maintain signs in a straight and plumb condition and/or as directed by the Engineer.
- Wooden sign posts shall be painted white.
- Barricades shall NOT be used as sign supports.
- All signs shall be installed in accordance with the plans or as directed by the Engineer. Signs shall be used to regulate, warn, and guide the traveling public safely through the work zone.
- The Contractor may furnish either the sign design shown in the plans or in the "Standard Highway Sign Designs for Texas" (SHSD). The Engineer/Inspector may require the Contractor to furnish other work zone signs that are shown in the TMUTCD but may have been omitted from the plans. Any variation in the plans shall be documented by written agreement between the Engineer and the Contractor's Responsible Person. All changes must be documented in writing before being implemented. This can include documenting the changes in the Inspector's TxDOT diary and having both the Inspector and Contractor initial and date the agreed upon changes.
- The Contractor shall furnish sign supports listed in the "Compliant Work Zone Traffic Control Device List" (CWZTCD) for small roadside signs. Supports for temporary large roadside signs shall meet the requirements detailed on the Temporary Large Roadside Signs (TLRS) standard sheets. The Contractor shall install the sign support in accordance with the manufacturer's recommendations. If there is a question regarding installation procedures, the Contractor shall furnish the Engineer a copy of the manufacturer's installation recommendations so the Engineer can verify the correct procedures are being followed.
- The Contractor is responsible for installing signs on approved supports and replacing signs with damaged or cracked substrates and/or damaged or marred reflective sheeting as directed by the Engineer/Inspector.
- Identification markings may be shown only on the back of the sign substrate. The maximum height of letters and/or company logos used for identification shall be 1 inch.
- The Contractor shall replace damaged wood posts. New or damaged wood sign posts shall not be spliced.

DURATION OF WORK (as defined by the "Texas Manual on Uniform Traffic Control Devices" Part 6)

- The types of sign supports, sign mounting height, the size of signs, and the type of sign substrates can vary based on the type of work being performed. The Engineer is responsible for selecting the appropriate size sign for the type of work being performed. The Contractor is responsible for ensuring the sign support, sign mounting height and substrate meets manufacturer's recommendations in regard to crashworthiness and duration of work requirements.
 - Long-term stationary - work that occupies a location more than 3 days.
 - Intermediate-term stationary - work that occupies a location more than one daylight period up to 3 days, or nighttime work lasting more than one hour.
 - Short-term stationary - daytime work that occupies a location for more than 1 hour in a single daylight period.
 - Short, duration - work that occupies a location up to 1 hour.
 - Mobile - work that moves continuously or intermittently (stopping for up to approximately 15 minutes.)

SIGN MOUNTING HEIGHT

- The bottom of Long-term/Intermediate-term signs shall be at least 7 feet, but not more than 9 feet, above the paved surface, except as shown for supplemental plaques mounted below other signs.
- The bottom of Short-term/Short Duration signs shall be a minimum of 1 foot above the pavement surface but no more than 2 feet above the ground.
- Long-term/Intermediate-term Signs may be used in lieu of Short-term/Short Duration signing.
- Short-term/Short Duration signs shall be used only during daylight and shall be removed at the end of the workday or raised to appropriate Long-term/Intermediate sign height.
- Regulatory signs shall be mounted at least 7 feet, but not more than 9 feet, above the paved surface regardless of work duration.

SIZE OF SIGNS

- The Contractor shall furnish the sign sizes shown on BC (2) unless otherwise shown in the plans or as directed by the Engineer.

SIGN SUBSTRATES

- The Contractor shall ensure the sign substrate is installed in accordance with the manufacturer's recommendations for the type of sign support that is being used. The CWZTCD lists each substrate that can be used on the different types and models of sign supports.
- "Mesh" type materials are NOT an approved sign substrate, regardless of the tightness of the weave.
- All wooden individual sign panels fabricated from 2 or more pieces shall have one or more plywood cleat, 1/2" thick by 6" wide, fastened to the back of the sign and extending fully across the sign. The cleat shall be attached to the back of the sign using wood screws that do not penetrate the face of the sign panel. The screws shall be placed on both sides of the splice and spaced at 6" centers. The Engineer may approve other methods of splicing the sign face.

REFLECTIVE SHEETING

- All signs shall be retroreflective and constructed of sheeting meeting the color and retro-reflectivity requirements of DMS-8300 for rigid signs or DMS-8310 for roll-up signs. The web address for DMS specifications is shown on BC(1).
- White sheeting, meeting the requirements of DMS-8300 Type A, shall be used for signs with a white background.
- Orange sheeting, meeting the requirements of DMS-8300 Type B_{FL} or Type C_{FL}, shall be used for rigid signs with orange backgrounds.

SIGN LETTERS

- All sign letters and numbers shall be clear, and open rounded type uppercase alphabet letters as approved by the Federal Highway Administration (FHWA) and as published in the "Standard Highway Sign Design for Texas" manual. Signs, letters and numbers shall be of first class workmanship in accordance with Department Standards and Specifications.

REMOVING OR COVERING

- When sign messages may be confusing or do not apply, the signs shall be removed or completely covered.
- Long-term stationary or intermediate stationary signs installed on square metal tubing may be turned away from traffic 90 degrees when the sign message is not applicable. This technique may not be used for signs installed in the median of divided highways or near any intersections where the sign may be seen from approaching traffic.
- Signs installed on wooden skids shall not be turned at 90 degree angles to the roadway. These signs should be removed or completely covered when not required.
- When signs are covered, the material used shall be opaque, such as heavy mil black plastic, or other materials which will cover the entire sign face and maintain their opaque properties under automobile headlights at night, without damaging the sign sheeting.
- Burlap shall NOT be used to cover signs.
- Duct tape or other adhesive material shall NOT be affixed to a sign face.
- Signs and anchor stubs shall be removed and holes backfilled upon completion of work.

SIGN SUPPORT WEIGHTS


- Where sign supports require the use of weights to keep from turning over, the use of sandbags with dry, cohesionless sand should be used.
- The sandbags will be tied shut to keep the sand from spilling and to maintain a constant weight.
- Rock, concrete, iron, steel or other solid objects shall not be permitted for use as sign support weights.
- Sandbags should weigh a minimum of 35 lbs and a maximum of 50 lbs.
- Sandbags shall be made of a durable material that tears upon vehicular impact. Rubber (such as tire inner tubes) shall NOT be used.
- Rubber ballasts designed for channelizing devices should not be used for ballast on portable sign supports. Sign supports designed and manufactured with rubber bases may be used when shown on the CWZTCD list.
- Sandbags shall only be placed along or laid over the base supports of the traffic control device and shall not be suspended above ground level or hung with rope, wire, chains or other fasteners. Sandbags shall be placed along the length of the skids to weigh down the sign support.
- Sandbags shall NOT be placed under the skid and shall not be used to level sign supports placed on slopes.

FLAGS ON SIGNS

- Flags may be used to draw attention to warning signs. When used, the flag shall be 16 inches square or larger and shall be orange or fluorescent red-orange in color. Flags shall not be allowed to cover any portion of the sign face.

STOP/SLOW PADDLES

- STOP/SLOW paddles are the primary method to control traffic by flaggers. The STOP/SLOW paddle size should be 24" x 24".
- STOP/SLOW paddles shall be retroreflective when used at night.
- STOP/SLOW paddles may be attached to a staff with a minimum length of 6' to the bottom of the sign.
- Any lights incorporated into the STOP or SLOW paddle faces shall only be as specifically described in Section 6E.03 Hand Signaling Devices in the TMUTCD.



SHEETING REQUIREMENTS (WHEN USED AT NIGHT)		
USAGE	COLOR	SIGN FACE MATERIAL
BACKGROUND	RED	TYPE B OR C SHEETING
BACKGROUND	ORANGE	TYPE B _{FL} OR C _{FL} SHEETING
LEGEND & BORDER	WHITE	TYPE B OR C SHEETING
LEGEND & BORDER	BLACK	ACRYLIC NON-REFLECTIVE FILM

CONTRACTOR REQUIREMENTS FOR MAINTAINING PERMANENT SIGNS WITHIN THE PROJECT LIMITS

- Permanent signs are used to give notice of traffic laws or regulations, call attention to conditions that are potentially hazardous to traffic operations, show route designations, destinations, directions, distances, services, points of interest, and other geographical, recreational, specific service (LOGO), or cultural information. Drivers proceeding through a work zone need the same, if not better route guidance as normally installed on a roadway without construction.
- When permanent regulatory or warning signs conflict with work zone conditions, remove or cover the permanent signs until the permanent sign message matches the roadway condition. For details for covering large guide signs see the TS-CD standard.
- When existing permanent signs are moved and relocated due to construction purposes, they shall be visible to motorists at all times.
- If existing signs are to be relocated on their original supports, they shall be installed on crashworthy bases as shown on the SMD Standard sheets. The signs shall meet the required mounting heights shown on the BC Sheets or the SMD Standards. This work should be paid for under the appropriate pay item for relocating existing signs.
- If permanent signs are to be removed and relocated using temporary supports, the Contractor shall use crashworthy supports as shown on the BC standard sheets, TLRS standard sheets or the CWZTCD list. The signs shall meet the required mounting heights shown on the BC, or the SMD standard sheets during construction. This work should be paid for under the appropriate pay item for relocating existing signs.
- Any sign or traffic control device that is struck or damaged by the Contractor or his/her construction equipment shall be replaced as soon as possible by the Contractor to ensure proper guidance for the motorists. This will be subsidiary to Item 502.

SHEET 4 OF 12



BARRICADE AND CONSTRUCTION TEMPORARY SIGN NOTES



BC (4) - 21

FILE: bc-21.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
© TxDOT November 2002	CONT	SECT	JOB	HIGHWAY
REVISIONS	0686	02	029	FM 1765
9-07 8-14	DIST	COUNTY	SHEET NO.	
7-13 5-21	HOU	GALVESTON	16	

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.


DATE: \$DATE\$ \$TIME\$ FILE: \$FILES\$

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.





SKID MOUNTED WOOD SIGN SUPPORTS

* LONG/INTERMEDIATE TERM STATIONARY - PORTABLE SKID MOUNTED SIGN SUPPORTS



GROUND MOUNTED SIGN SUPPORTS

Refer to the CWZTCD and the manufacturer's installation procedure for each type sign support. The maximum sign square footage shall adhere to the manufacturer's recommendation. Two post installations can be used for larger signs.



SKID MOUNTED PERFORATED SQUARE STEEL TUBING SIGN SUPPORTS

* LONG/INTERMEDIATE TERM STATIONARY - PORTABLE SKID MOUNTED SIGN SUPPORTS

WEDGE ANCHORS
Both steel and plastic Wedge Anchor Systems as shown on the SMD Standard Sheets may be used as temporary sign supports for signs up to 10 square feet of sign face. They may be set in concrete or in sturdy soils if approved by the Engineer. (See web address for "Traffic Engineering Standard Sheets" on BC(1)).

OTHER DESIGNS
MORE DETAILS OF APPROVED LONG/INTERMEDIATE AND SHORT TERM SUPPORTS CAN BE FOUND ON THE CWZTCD LIST. SEE BC(1) FOR WEBSITE LOCATION.

- GENERAL NOTES**
- Nails may be used in the assembly of wooden sign supports, but 3/8" bolts with nuts or 3/8" x 3 1/2" lag screws must be used on every joint for final connection.
 - No more than 2 sign posts shall be placed within a 7 ft. circle, except for specific materials noted on the CWZTCD List.
 - When project is completed, all sign supports and foundations shall be removed from the project site. This will be considered subsidiary to Item 502.
- * See BC(4) for definition of "Work Duration."
** Wood sign posts MUST be one piece. Splicing will NOT be allowed. Posts shall be painted white.
□ See the CWZTCD for the type of sign substrate that can be used for each approved sign support.

SHEET 5 OF 12



BARRICADE AND CONSTRUCTION TYPICAL SIGN SUPPORT

BC(5) - 21

FILE: bc-21.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
© TxDOT November 2002	CONT	SECT	JOB	HIGHWAY
REVISIONS	0686	02	029	FM 1765
9-07 8-14	DIST	COUNTY	SHEET NO.	
7-13 5-21	HOU	GALVESTON	17	

DATE: \$DATE\$
FILE: \$FILE\$

WHEN NOT IN USE, REMOVE THE PCMS FROM THE RIGHT-OF-WAY OR PLACE THE PCMS BEHIND BARRIER OR GUARDRAIL WITH SIGN PANEL TURNED PARALLEL TO TRAFFIC

RECOMMENDED PHASES AND FORMATS FOR PCMS MESSAGES DURING ROADWORK ACTIVITIES

(The Engineer may approve other messages not specifically covered here.)

PORTABLE CHANGEABLE MESSAGE SIGNS

- The Engineer/Inspector shall approve all messages used on portable changeable message signs (PCMS).
- Messages on PCMS should contain no more than 8 words (about four to eight characters per word), not including simple words such as "TO," "FOR," "AT," etc.
- Messages should consist of a single phase, or two phases that alternate. Three-phase messages are not allowed. Each phase of the message should convey a single thought, and must be understood by itself.
- Use the word "EXIT" to refer to an exit ramp on a freeway; i.e., "EXIT CLOSED." Do not use the term "RAMP."
- Always use the route or interstate designation (IH, US, SH, FM) along with the number when referring to a roadway.
- When in use, the bottom of a stationary PCMS message panel should be a minimum 7 feet above the roadway, where possible.
- The message term "WEEKEND" should be used only if the work is to start on Saturday morning and end by Sunday evening at midnight. Actual days and hours of work should be displayed on the PCMS if work is to begin on Friday evening and/or continue into Monday morning.
- The Engineer/Inspector may select one of two options which are available for displaying a two-phase message on a PCMS. Each phase may be displayed for either four seconds each or for three seconds each.
- Do not "flash" messages or words included in a message. The message should be steady burn or continuous while displayed.
- Do not present redundant information on a two-phase message; i.e., keeping two lines of the message the same and changing the third line.
- Do not use the word "Danger" in message.
- Do not display the message "LANES SHIFT LEFT" or "LANES SHIFT RIGHT" on a PCMS. Drivers do not understand the message.
- Do not display messages that scroll horizontally or vertically across the face of the sign.
- The following table lists abbreviated words and two-word phrases that are acceptable for use on a PCMS. Both words in a phrase must be displayed together. Words or phrases not on this list should not be abbreviated, unless shown in the TMUTCD.
- PCMS character height should be at least 18 inches for trailer mounted units. They should be visible from at least 1/2 (.5) mile and the text should be legible from at least 600 feet at night and 800 feet in daylight. Truck mounted units must have a character height of 10 inches and must be legible from at least 400 feet.
- Each line of text should be centered on the message board rather than left or right justified.
- If disabled, the PCMS should default to an illegible display that will not alarm motorists and will only be used to alert workers that the PCMS has malfunctioned. A pattern such as a series of horizontal solid bars is appropriate.

Phase 1: Condition Lists

Road/Lane/Ramp Closure List

FREEWAY CLOSED X MILE
ROAD CLOSED AT SH XXX
ROAD CLSD AT FM XXXX
RIGHT X LANES CLOSED
CENTER LANE CLOSED
NIGHT LANE CLOSURES
VARIOUS LANES CLOSED
EXIT CLOSED
MALL DRIVEWAY CLOSED
XXXXXXXX BLVD CLOSED

Other Condition List

FRONTAGE ROAD CLOSED
SHOULDER CLOSED XXX FT
RIGHT LN CLOSED XXX FT
RIGHT X LANES OPEN
DAYTIME LANE CLOSURES
I-XX SOUTH EXIT CLOSED
EXIT XXX CLOSED X MILE
RIGHT LN TO BE CLOSED
X LANES CLOSED TUE - FRI
ROADWORK XXX FT
ROAD REPAIRS XXXX FT
FLAGGER XXXX FT
LANE NARROWS XXXX FT
RIGHT LN NARROWS XXXX FT
TWO-WAY TRAFFIC XX MILE
MERGING TRAFFIC XXXX FT
CONST TRAFFIC XXX FT
LOOSE GRAVEL XXXX FT
UNEVEN LANES XXXX FT
DETOUR X MILE
ROUGH ROAD XXXX FT
ROADWORK PAST SH XXXX
ROADWORK NEXT FRI-SUN
BUMP XXXX FT
US XXX EXIT X MILES
TRAFFIC SIGNAL XXXX FT
LANES SHIFT *

* LANES SHIFT in Phase 1 must be used with STAY IN LANE in Phase 2.

Phase 2: Possible Component Lists

Action to Take/Effect on Travel List

MERGE RIGHT
DETOUR NEXT X EXITS
USE EXIT XXX
STAY ON US XXX SOUTH
TRUCKS USE US XXX N
WATCH FOR TRUCKS
EXPECT DELAYS
REDUCE SPEED XXX FT
USE OTHER ROUTES
STAY IN LANE *

FORM X LINES RIGHT
USE XXXXX RD EXIT
USE EXIT I-XX NORTH
USE I-XX E TO I-XX N
WATCH FOR TRUCKS
EXPECT DELAYS
PREPARE TO STOP
END SHOULDER USE
WATCH FOR WORKERS

Location List

AT FM XXXX
BEFORE RAILROAD CROSSING
NEXT X MILES
PAST US XXX EXIT
XXXXXXXX TO XXXXXXX
US XXX TO FM XXXX

Warning List

SPEED LIMIT XX MPH
MAXIMUM SPEED XX MPH
MINIMUM SPEED XX MPH
ADVISORY SPEED XX MPH
RIGHT LANE EXIT
USE CAUTION
DRIVE SAFELY
DRIVE WITH CARE

** Advance Notice List

TUE-FRI XX AM - X PM
APR XX-XX X PM-X AM
BEGINS MONDAY
BEGINS MAY XX
MAY X-X XX PM - XX AM
NEXT FRI-SUN
XX AM TO XX PM
NEXT TUE AUG XX
TONIGHT XX PM-XX AM

** See Application Guidelines Note 6.

APPLICATION GUIDELINES

- Only 1 or 2 phases are to be used on a PCMS.
- The 1st phase (or both) should be selected from the "Road/Lane/Ramp Closure List" and the "Other Condition List".
- A 2nd phase can be selected from the "Action to Take/Effect on Travel, Location, General Warning, or Advance Notice Phase Lists".
- A Location Phase is necessary only if a distance or location is not included in the first phase selected.
- If two PCMS are used in sequence, they must be separated by a minimum of 1000 ft. Each PCMS shall be limited to two phases, and should be understandable by themselves.
- For advance notice, when the current date is within seven days of the actual work date, calendar days should be replaced with days of the week. Advance notification should typically be for no more than one week prior to the work.

WORDING ALTERNATIVES

- The words RIGHT, LEFT and ALL can be interchanged as appropriate.
- Roadway designations IH, US, SH, FM and LP can be interchanged as appropriate.
- EAST, WEST, NORTH and SOUTH (or abbreviations E, W, N and S) can be interchanged as appropriate.
- Highway names and numbers replaced as appropriate.
- ROAD, HIGHWAY and FREEWAY can be interchanged as needed.
- AHEAD may be used instead of distances if necessary.
- FT and MI, MILE and MILES interchanged as appropriate.
- AT, BEFORE and PAST interchanged as needed.
- Distances or AHEAD can be eliminated from the message if a location phase is used.

PCMS SIGNS WITHIN THE R.O.W. SHALL BE BEHIND GUARDRAIL OR CONCRETE BARRIER OR SHALL HAVE A MINIMUM OF FOUR (4) PLASTIC DRUMS PLACED PERPENDICULAR TO TRAFFIC ON THE UPSTREAM SIDE OF THE PCMS, WHEN EXPOSED TO ONE DIRECTION OF TRAFFIC. WHEN EXPOSED TO TWO WAY TRAFFIC, THE FOUR DRUMS SHOULD BE PLACED WITH ONE DRUM AT EACH OF THE FOUR CORNERS OF THE UNIT.

FULL MATRIX PCMS SIGNS

- When Full Matrix PCMS signs are used, the character height and legibility/visibility requirements shall be maintained as listed in Note 15 under "PORTABLE CHANGEABLE MESSAGE SIGNS" above.
- When symbol signs, such as the "Flagger Symbol" (CW20-7) are represented graphically on the Full Matrix PCMS sign and, with the approval of the Engineer, it shall maintain the legibility/visibility requirement listed above.
- When symbol signs are represented graphically on the Full Matrix PCMS, they shall only supplement the use of the static sign represented, and shall not substitute for, or replace that sign.
- A full matrix PCMS may be used to simulate a flashing arrow board provided it meets the visibility, flash rate and dimming requirements on BC(7), for the same size arrow.

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

WORD OR PHRASE	ABBREVIATION	WORD OR PHRASE	ABBREVIATION
Access Road	ACCS RD	Major	MAJ
Alternate	ALT	Miles	MI
Avenue	AVE	Miles Per Hour	MPH
Best Route	BEST RTE	Minor	MNR
Boulevard	BLVD	Monday	MON
Bridge	BRDG	Normal	NORM
Canal	CANT	North	N
Center	CTR	Northbound	(route) N
Construction Ahead	CONST AHD	Parking	PKING
CROSSING	XING	Road	RD
Detour Route	DETOUR RTE	Right Lane	RT LN
Do Not	DONT	Saturday	SAT
East	E	Service Road	SERV RD
Eastbound	(route) E	Shoulder	SHLDR
Emergency	EMER	Slippery	SLIP
Emergency Vehicle	EMER VEH	South	S
Entrance, Enter	ENT	Southbound	(route) S
Express Lane	EXP LN	Speed	SPD
Expressway	EXPWY	Street	ST
XXXX Feet	XXXX FT	Sunday	SUN
Fog Ahead	FOG AHD	Telephone	PHONE
Freeway	FRWY, FWY	Temporary	TEMP
Freeway Blocked	FWY BLKD	Thursday	THURS
Friday	FRI	To Downtown	TO DWNTN
Hazardous Driving	HAZ DRIVING	Traffic	TRAF
Hazardous Material	HAZMAT	Travelers	TRVLR
High-Occupancy Vehicle	HOV	Tuesday	TUES
Hour(s)	HR, HRS	Time Minutes	TIME MIN
Information	INFO	Upper Level	UPR LEVEL
It Is	ITS	Vehicles (s)	VEH, VEHS
Junction	JCT	Warning	WARN
Left	LFT	Wednesday	WED
Left Lane	LFT LN	Weight Limit	WT LIMIT
Lane Closed	LN CLOSED	West	W
Lower Level	LWR LEVEL	Westbound	(route) W
Maintenance	MAINT	Wet Pavement	WET PVMT
		Will Not	WONT

Roadway designation # IH-number, US-number, SH-number, FM-number

DATE: \$DATE\$ \$TIME\$ FILE: \$FILE\$




BARRICADE AND CONSTRUCTION PORTABLE CHANGEABLE MESSAGE SIGN (PCMS)

BC (6) - 21

FILE: bc-21.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
© TxDOT November 2002	CONT	SECT	JOB	HIGHWAY
REVISIONS	0686	02	029	FM 1765
9-07 8-14	DIST	COUNTY	SHEET NO.	
7-13 5-21	HOU	GALVESTON	18	


DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

- Barrier Reflectors shall be pre-qualified, and conform to the color and reflectivity requirements of DMS-8600. A list of prequalified Barrier Reflectors can be found at the Material Producer List web address shown on BC(1).
- Color of Barrier Reflectors shall be as specified in the TMUTCD. The cost of the reflectors shall be considered subsidiary to Item 512.




CONCRETE TRAFFIC BARRIER (CTB)

- Where traffic is on one side of the CTB, two (2) Barrier Reflectors shall be mounted in approximately the midsection of each section of CTB. An alternate mounting location is uniformly spaced at one end of each CTB. This will allow for attachment of a barrier grapple without damaging the reflector. The Barrier Reflector mounted on the side of the CTB shall be located directly below the reflector mounted on top of the barrier, as shown in the detail above.
- Where CTB separates two-way traffic, three barrier reflectors shall be mounted on each section of CTB. The reflector unit on top shall have two yellow reflective faces (Bi-Directional) while the reflectors on each side of the barrier shall have one yellow reflective face, as shown in the detail above.
- When CTB separates traffic traveling in the same direction, no barrier reflectors will be required on top of the CTB.
- Barrier Reflector units shall be yellow or white in color to match the edgeline being supplemented.
- Maximum spacing of Barrier Reflectors is forty (40) feet.
- Pavement markers or temporary flexible-reflective roadway marker tabs shall NOT be used as CTB delineation.
- Attachment of Barrier Reflectors to CTB shall be per manufacturer's recommendations.
- Missing or damaged Barrier Reflectors shall be replaced as directed by the Engineer.
- Single slope barriers shall be delineated as shown on the above detail.



LOW PROFILE CONCRETE BARRIER (LPCB) USED IN WORK ZONES
 LPCB is approved for use in work zone locations, where the posted speed is 45mph, or less. See Roadway Standard Sheet LPCB.

LOW PROFILE CONCRETE BARRIER (LPCB)



DELINEATION OF END TREATMENTS

END TREATMENTS FOR CTB'S USED IN WORK ZONES
 End treatments used on CTB's in work zones shall meet the appropriate crashworthy standards as defined in the Manual for Assessing Safety Hardware (MASH). Refer to the CWZTCD List for approved end treatments and manufacturers.

BARRIER REFLECTORS FOR CONCRETE TRAFFIC BARRIER AND ATTENUATORS

WARNING LIGHTS


- Warning lights shall meet the requirements of the TMUTCD.
- Warning lights shall NOT be installed on barricades.
- Type A-Low Intensity Flashing Warning Lights are commonly used with drums. They are intended to warn of or mark a potentially hazardous area. Their use shall be as indicated on this sheet and/or other sheets of the plans by the designation "FL". The Type A Warning Lights shall not be used with signs manufactured with Type B_{FL} or C_{FL} Sheeting meeting the requirements of Departmental Material Specification DMS-8300.
- Type-C and Type D 360 degree Steady Burn Lights are intended to be used in a series for delineation to supplement other traffic control devices. Their use shall be as indicated on this sheet and/or other sheets of the plans by the designation "SB".
- The Engineer/Inspector or the plans shall specify the location and type of warning lights to be installed on the traffic control devices.
- When required by the Engineer, the Contractor shall furnish a copy of the warning lights certification. The warning light manufacturer will certify the warning lights meet the requirements of the latest ITE Purchase Specifications for Flashing and Steady-Burn Warning Lights.
- When used to delineate curves, Type-C and Type D Steady Burn Lights should only be placed on the outside of the curve, not the inside.
- The location of warning lights and warning reflectors on drums shall be as shown elsewhere in the plans.

WARNING LIGHTS MOUNTED ON PLASTIC DRUMS


- Type A flashing warning lights are intended to warn drivers that they are approaching or are in a potentially hazardous area.
- Type A random flashing warning lights are not intended for delineation and shall not be used in a series.
- A series of sequential flashing warning lights placed on channelizing devices to form a merging taper may be used for delineation. If used, the successive flashing of the sequential warning lights should occur from the beginning of the taper to the end of the merging taper in order to identify the desired vehicle path. The rate of flashing for each light shall be 65 flashes per minute, plus or minus 10 flashes.
- Type C and D steady-burn warning lights are intended to be used in a series to delineate the edge of the travel lane on detours, on lane changes, on lane closures, and on other similar conditions.
- Type A, Type C and Type D warning lights shall be installed at locations as detailed on other sheets in the plans.
- Warning lights shall not be installed on a drum that has a sign, chevron or vertical panel.
- The maximum spacing for warning lights on drums should be identical to the channelizing device spacing.

WARNING REFLECTORS MOUNTED ON PLASTIC DRUMS AS A SUBSTITUTE FOR TYPE C (STEADY BURN) WARNING LIGHTS

- A warning reflector or approved substitute may be mounted on a plastic drum as a substitute for a Type C, steady burn warning light at the discretion of the Contractor unless otherwise noted in the plans.
- The warning reflector shall be yellow in color and shall be manufactured using a sign substrate approved for use with plastic drums listed on the CWZTCD.
- The warning reflector shall have a minimum retroreflective surface area (one-side) of 30 square inches.
- Round reflectors shall be fully reflectorized, including the area where attached to the drum.
- Square substrates must have a minimum of 30 square inches of reflectorized sheeting. They do not have to be reflectorized where it attaches to the drum.
- The side of the warning reflector facing approaching traffic shall have sheeting meeting the color and retroreflectivity requirements for DMS 8300-Type B or Type C.
- When used near two-way traffic, both sides of the warning reflector shall be reflectorized.
- The warning reflector should be mounted on the side of the handle nearest approaching traffic.
- The maximum spacing for warning reflectors should be identical to the channelizing device spacing requirements.



Type C Warning Light or approved substitute mounted on a drum adjacent to the travel way.




Warning reflector may be round or square. Must have a yellow reflective surface area of at least 30 square inches

DATE: \$DATE\$ \$TIME\$
 FILE: \$FILE\$

Arrow Boards may be located behind channelizing devices in place for a shoulder taper or merging taper, otherwise they shall be delineated with four (4) channelizing devices placed perpendicular to traffic on the upstream side of traffic.

- The Flashing Arrow Board should be used for all lane closures on multi-lane roadways, or slow moving maintenance or construction activities on the travel lanes.
- Flashing Arrow Boards should not be used on two-lane, two-way roadways, detours, diversions or work on shoulders unless the "CAUTION" display (see detail below) is used.
- The Engineer/Inspector shall choose all appropriate signs, barricades and/or other traffic control devices that should be used in conjunction with the Flashing Arrow Board.
- The Flashing Arrow Board should be able to display the following symbols:



- The "CAUTION" display consists of four corner lamps flashing simultaneously, or the Alternating Diamond Caution mode as shown.
- The straight line caution display is NOT ALLOWED.
- The Flashing Arrow Board shall be capable of minimum 50 percent dimming from rated lamp voltage. The flashing rate of the lamps shall not be less than 25 nor more than 40 flashes per minute.
- Minimum lamp "on time" shall be approximately 50 percent for the flashing arrow and equal intervals of 25 percent for each sequential phase of the flashing chevron.
- The sequential arrow display is NOT ALLOWED.
- The flashing arrow display is the TxDOT standard; however, the sequential chevron display may be used during daylight operations.
- The Flashing Arrow Board shall be mounted on a vehicle, trailer or other suitable support.
- A Flashing Arrow Board SHALL NOT BE USED to laterally shift traffic.
- A full matrix PCMS may be used to simulate a Flashing Arrow Board provided it meets visibility, flash rate and dimming requirements on this sheet for the same size arrow.
- Minimum mounting height of trailer mounted Arrow Boards should be 7 feet from roadway to bottom of panel.

REQUIREMENTS			
TYPE	MINIMUM SIZE	MINIMUM NUMBER OF PANEL LAMPS	MINIMUM VISIBILITY DISTANCE
B	30 x 60	13	3/4 mile
C	48 x 96	15	1 mile

ATTENTION
 Flashing Arrow Boards shall be equipped with automatic dimming devices.

WHEN NOT IN USE, REMOVE THE ARROW BOARD FROM THE RIGHT-OF-WAY OR PLACE THE ARROW BOARD BEHIND CONCRETE TRAFFIC BARRIER OR GUARDRAIL.

FLASHING ARROW BOARDS

SHEET 7 OF 12

TRUCK-MOUNTED ATTENUATORS

- Truck-mounted attenuators (TMA) used on TxDOT facilities must meet the requirements outlined in the Manual for Assessing Safety Hardware (MASH).
- Refer to the CWZTCD for the requirements of Level 2 or Level 3 TMAs.
- Refer to the CWZTCD for a list of approved TMAs.
- TMAs are required on freeways unless otherwise noted in the plans.
- A TMA should be used anytime that it can be positioned 30 to 100 feet in advance of the area of crew exposure without adversely affecting the work performance.
- The only reason a TMA should not be required is when a work area is spread down the roadway and the work crew is an extended distance from the TMA.

Texas Department of Transportation
 Traffic Safety Division Standard

BARRICADE AND CONSTRUCTION
 ARROW PANEL, REFLECTORS,
 WARNING LIGHTS & ATTENUATOR

BC (7) - 21

FILE: bc-21.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
© TxDOT November 2002	CONT	SECT	JOB	HIGHWAY
REVISIONS	0686	02	029	FM 1765
9-07 8-14	DIST	COUNTY	SHEET NO.	
7-13 5-21	HOU	GALVESTON	19	

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

GENERAL NOTES

- For long term stationary work zones on freeways, drums shall be used as the primary channelizing device.
- For intermediate term stationary work zones on freeways, drums should be used as the primary channelizing device but may be replaced in tangent sections by vertical panels, or 42" two-piece cones. In tangent sections, one-piece cones may be used with the approval of the Engineer but only if personnel are present on the project at all times to maintain the cones in proper position and location.
- For short term stationary work zones on freeways, drums are the preferred channelizing device but may be replaced in tapers, transitions and tangent sections by vertical panels, two-piece cones or one-piece cones as approved by the Engineer.
- Drums and all related items shall comply with the requirements of the current version of the "Texas Manual on Uniform Traffic Control Devices" (TMUTCD) and the "Compliant Work Zone Traffic Control Devices List" (CWZTCD).
- Drums, bases, and related materials shall exhibit good workmanship and shall be free from objectionable marks or defects that would adversely affect their appearance or serviceability.
- The Contractor shall have a maximum of 24 hours to replace any plastic drums identified for replacement by the Engineer/Inspector. The replacement device must be an approved device.

GENERAL DESIGN REQUIREMENTS

Pre-qualified plastic drums shall meet the following requirements:




- Plastic drums shall be a two-piece design; the "body" of the drum shall be the top portion and the "base" shall be the bottom.
- The body and base shall lock together in such a manner that the body separates from the base when impacted by a vehicle traveling at a speed of 20 MPH or greater but prevents accidental separation due to normal handling and/or air turbulence created by passing vehicles.
- Plastic drums shall be constructed of lightweight flexible, and deformable materials. The Contractor shall NOT use metal drums or single piece plastic drums as channelization devices or sign supports.
- Drums shall present a profile that is a minimum of 18 inches in width at the 36 inch height when viewed from any direction. The height of drum unit (body installed on base) shall be a minimum of 36 inches and a maximum of 42 inches.
- The top of the drum shall have a built-in handle for easy pickup and shall be designed to drain water and not collect debris. The handle shall have a minimum of two widely spaced 9/16 inch diameter holes to allow attachment of a warning light, warning reflector unit or approved compliant sign.
- The exterior of the drum body shall have a minimum of four alternating orange and white retroreflective circumferential stripes not less than 4 inches nor greater than 8 inches in width. Any non-reflectorized space between any two adjacent stripes shall not exceed 2 inches in width.
- Bases shall have a maximum width of 36 inches, a maximum height of 4 inches, and a minimum of two footholds of sufficient size to allow base to be held down while separating the drum body from the base.
- Plastic drums shall be constructed of ultra-violet stabilized, orange, high-density polyethylene (HDPE) or other approved material.
- Drum body shall have a maximum unballasted weight of 11 lbs.
- Drum and base shall be marked with manufacturer's name and model number.

RETROREFLECTIVE SHEETING

- The stripes used on drums shall be constructed of sheeting meeting the color and retroreflectivity requirements of Departmental Materials Specification DMS-8300, "Sign Face Materials." Type A or Type B reflective sheeting shall be supplied unless otherwise specified in the plans.
- The sheeting shall be suitable for use on and shall adhere to the drum surface such that, upon vehicular impact, the sheeting shall remain adhered in-place and exhibit no delaminating, cracking, or loss of retroreflectivity other than that loss due to abrasion of the sheeting surface.


BALLAST

- Unballasted bases shall be large enough to hold up to 50 lbs. of sand. This base, when filled with the ballast material, should weigh between 35 lbs (minimum) and 50 lbs (maximum). The ballast may be sand in one to three sandbags separate from the base, sand in a sand-filled plastic base, or other ballasting devices as approved by the Engineer. Stacking of sandbags will be allowed, however height of sandbags above pavement surface may not exceed 12 inches.
- Bases with built-in ballast shall weigh between 40 lbs. and 50 lbs. Built-in ballast can be constructed of an integral crumb rubber base or a solid rubber base.
- Recycled truck tire sidewalls may be used for ballast on drums approved for this type of ballast on the CWZTCD list.
- The ballast shall not be heavy objects, water, or any material that would become hazardous to motorists, pedestrians, or workers when the drum is struck by a vehicle.
- When used in regions susceptible to freezing, drums shall have drainage holes in the bottoms so that water will not collect and freeze becoming a hazard when struck by a vehicle.
- Ballast shall not be placed on top of drums.
- Adhesives may be used to secure base of drums to pavement.




DETECTABLE PEDESTRIAN BARRICADES

- When existing pedestrian facilities are disrupted, closed, or relocated in a TTC zone, the temporary facilities shall be detectable and include accessibility features consistent with the features present in the existing pedestrian facility. Refer to WZ(BTS-2) for Pedestrian Control requirements for Sidewalk Diversions, Sidewalk Detours and Crosswalk Closures.
- Where pedestrians with visual disabilities normally use the closed sidewalk, a Detectable Pedestrian Barricade shall be placed across the full width of the closed sidewalk instead of a Type 3 Barricade.
- Detectable pedestrian barricades similar to the one pictured above, longitudinal channelizing devices, some concrete barriers, and wood or chain link fencing with a continuous detectable edging can satisfactorily delineate a pedestrian path.
- Tape, rope, or plastic chain strung between devices are not detectable, do not comply with the design standards in the "Americans with Disabilities Act Accessibility Guidelines (ADAAG)" and should not be used as a control for pedestrian movements.
- Warning lights shall not be attached to detectable pedestrian barricades.
- Detectable pedestrian barricades should use 8" nominal barricade rails as shown on BC(10) provided that the top rail provides a smooth continuous rail suitable for hand trailing with no splinters, burrs, or sharp edges.



18" x 24" Sign
(Maximum Sign Dimension)
Chevron CW1-8, Opposing Traffic Lane Divider, Driveway sign D70a, Keep Right R4 series or other signs as approved by Engineer



12" x 24" Vertical Panel
mount with diagonals sloping down towards travel way

Plywood, Aluminum or Metal sign substrates shall NOT be used on plastic drums

SIGNS, CHEVRONS, AND VERTICAL PANELS MOUNTED ON PLASTIC DRUMS

- Signs used on plastic drums shall be manufactured using substrates listed on the CWZTCD.
- Chevrons and other work zone signs with an orange background shall be manufactured with Type B_{FL} or Type C_{FL} Orange sheeting meeting the color and retroreflectivity requirements of DMS-8300, "Sign Face Material," unless otherwise specified in the plans.
- Vertical Panels shall be manufactured with orange and white sheeting meeting the requirements of DMS-8300 Type A or Type B. Diagonal stripes on Vertical Panels shall slope down toward the intended traveled lane.
- Other sign messages (text or symbolic) may be used as approved by the Engineer. Sign dimensions shall not exceed 18 inches in width or 24 inches in height, except for the R9 series signs discussed in note 8 below.
- Signs shall be installed using a 1/2 inch bolt (nominal) and nut, two washers, and one locking washer for each connection.
- Mounting bolts and nuts shall be fully engaged and adequately torqued. Bolts should not extend more than 1/2 inch beyond nuts.
- Chevrons may be placed on drums on the outside of curves, on merging tapers or on shifting tapers. When used in these locations, they may be placed on every drum or spaced not more than on every third drum. A minimum of three (3) should be used at each location called for in the plans.
- R9-9, R9-10, R9-11 and R9-11a Sidewalk Closed signs which are 24 inches wide may be mounted on plastic drums, with approval of the Engineer.

SHEET 8 OF 12




BARRICADE AND CONSTRUCTION CHANNELIZING DEVICES

BC (8) - 21

FILE: bc-21.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
© TxDOT November 2002	CONT	SECT	JOB	HIGHWAY
REVISIONS	0686	02	029	FM 1765
4-03 8-14	DIST	COUNTY	SHEET NO.	
9-07 5-21	HOU	GALVESTON	20	
7-13				


DATE: \$DATE\$ \$TIME\$
FILE: \$FILES\$

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.



FIXED
(Rigid or self-righting)


DRIVEABLE



PORTABLE


VERTICAL PANELS (VPs)

- Vertical Panels (VP's) are normally used to channelize traffic or divide opposing lanes of traffic.
- VP's may be used in daytime or nighttime situations. They may be used at the edge of shoulder drop-offs and other areas such as lane transitions where positive daytime and nighttime delineation is required. The Engineer/Inspector shall refer to the Roadway Design Manual for additional requirements on the use VP's for drop-offs.
- VP's should be mounted back to back if used at the edge of cuts adjacent to two-way two lane roadways. Stripes are to be reflective orange and reflective white and should always slope downward toward the travel lane.
- VP's used on expressways and freeways or other high speed roadways, may have more than 270 square inches of retroreflective area facing traffic.
- Self-righting supports are available with portable base. See "Compliant Work Zone Traffic Control Devices List" (CWZTCD).
- Sheeting for the VP's shall be retroreflective Type A or Type B conforming to Departmental Material Specification DMS-8300, unless noted otherwise.
- Where the height of reflective material on the vertical panel is 36 inches or greater, a panel stripe of 6 inches shall be used.



OPPOSING TRAFFIC LANE DIVIDERS (OTLD)


- Opposing Traffic Lane Dividers (OTLD) are delineation devices designed to convert a normal one-way roadway section to two-way operation. OTLD's are used on temporary centerlines. The upward and downward arrows on the sign's face indicate the direction of traffic on either side of the divider. The base is secured to the pavement with an adhesive or rubber weight to minimize movement caused by a vehicle impact or wind gust.
- The OTLD may be used in combination with 42" cones or VPs.
- Spacing between the OTLD shall not exceed 500 feet. 42" cones or VPs placed between the OTLD's should not exceed 100 foot spacing.
- The OTLD shall be orange with a black non-reflective legend. Sheeting for the OTLD shall be retroreflective Type B_{FL} or Type C_{FL} conforming to Departmental Material Specification DMS-8300, unless noted otherwise. The legend shall meet the requirements of DMS-8300.



Fixed Base w/ Approved Adhesive
(Driveable Base, or Flexible Support can be used)

- The chevron shall be a vertical rectangle with a minimum size of 12 by 18 inches.
- Chevrons are intended to give notice of a sharp change of alignment with the direction of travel and provide additional emphasis and guidance for vehicle operators with regard to changes in horizontal alignment of the roadway.
- Chevrons, when used, shall be erected on the outside of a sharp curve or turn, or on the far side of an intersection. They shall be in line with and at right angles to approaching traffic. Spacing should be such that the motorist always has three in view, until the change in alignment eliminates its need.
- To be effective, the chevron should be visible for at least 500 feet.
- Chevrons shall be orange with a black nonreflective legend. Sheeting for the chevron shall be retroreflective Type B_{FL} or Type C_{FL} conforming to Departmental Material Specification DMS-8300, unless noted otherwise. The legend shall meet the requirements of DMS-8300.
- For Long Term Stationary use on tapers or transitions on freeways and divided highways, self-righting chevrons may be used to supplement plastic drums but not to replace plastic drums.

CHEVRONS



LONGITUDINAL CHANNELIZING DEVICES (LCD)

- LCDs are crashworthy, lightweight, deformable devices that are highly visible, have good target value and can be connected together. They are not designed to contain or redirect a vehicle on impact.
- LCDs may be used instead of a line of cones or drums.
- LCDs shall be placed in accordance to application and installation requirements specific to the device, and used only when shown on the CWZTCD list.
- LCDs should not be used to provide positive protection for obstacles, pedestrians or workers.
- LCDs shall be supplemented with retroreflective delineation as required for temporary barriers on BC(7) when placed roughly parallel to the travel lanes.
- LCDs used as barricades placed perpendicular to traffic should have at least one row of reflective sheeting meeting the requirements for barricade rails as shown on BC(10). Place reflective sheeting near the top of the LCD along the full length of the device.

WATER BALLASTED SYSTEMS USED AS BARRIERS

- Water ballasted systems used as barriers shall not be used solely to channelize road users, but also to protect the work space per the appropriate Manual for Assessing Safety Hardware (MASH) crashworthiness requirements based on roadway speed and barrier application.
- Water ballasted systems used to channelize vehicular traffic shall be supplemented with retroreflective delineation or channelizing devices to improve daytime/nighttime visibility. They may also be supplemented with pavement markings.
- Water ballasted systems used as barriers shall be placed in accordance to application and installation requirements specific to the device, and used only when shown on the CWZTCD list.
- Water ballasted systems used as barriers should not be used for a merging taper except in low speed (less than 45 MPH) urban areas. When used on a taper in a low speed urban area, the taper shall be delineated and the taper length should be designed to optimize road user operations considering the available geometric conditions.
- When water ballasted systems used as barriers have blunt ends exposed to traffic, they should be attenuated as per manufacturer recommendations or flared to a point outside the clear zone.

If used to channelize pedestrians, longitudinal channelizing devices or water ballasted systems must have a continuous detectable bottom for users of long canes and the top of the unit shall not be less than 32 inches in height.

HOLLOW OR WATER BALLASTED SYSTEMS USED AS LONGITUDINAL CHANNELIZING DEVICES OR BARRIERS

GENERAL NOTES

- Work Zone channelizing devices illustrated on this sheet may be installed in close proximity to traffic and are suitable for use on high or low speed roadways. The Engineer/Inspector shall ensure that spacing and placement is uniform and in accordance with the "Texas Manual on Uniform Traffic Control Devices" (TMUTCD).
- Channelizing devices shown on this sheet may have a driveable, fixed or portable base. The requirement for self-righting channelizing devices must be specified in the General Notes or other plan sheets.
- Channelizing devices on self-righting supports should be used in work zone areas where channelizing devices are frequently impacted by errant vehicles or vehicle related wind gusts making alignment of the channelizing devices difficult to maintain. Locations of these devices shall be detailed elsewhere in the plans. These devices shall conform to the TMUTCD and the "Compliant Work Zone Traffic Control Devices List" (CWZTCD).
- The Contractor shall maintain devices in a clean condition and replace damaged, nonreflective, faded, or broken devices and bases as required by the Engineer/Inspector. The Contractor shall be required to maintain proper device spacing and alignment.
- Portable bases shall be fabricated from virgin and/or recycled rubber. The portable bases shall weigh a minimum of 30 lbs.
- Pavement surfaces shall be prepared in a manner that ensures proper bonding between the adhesives, the fixed mount bases and the pavement surface. Adhesives shall be prepared and applied according to the manufacturer's recommendations.
- The installation and removal of channelizing devices shall not cause detrimental effects to the final pavement surfaces, including pavement surface discoloration or surface integrity. Driveable bases shall not be permitted on final pavement surfaces. The Engineer/Inspector shall approve all application and removal procedures of fixed bases.

Posted Speed	Formula	Minimum Desirable Taper Lengths **			Suggested Maximum Spacing of Channelizing Devices	
		10' Offset	11' Offset	12' Offset	On a Taper	On a Tangent
30	L = WS ² / 60	150'	165'	180'	30'	60'
35		205'	225'	245'	35'	70'
40		265'	295'	320'	40'	80'
45	L = WS	450'	495'	540'	45'	90'
50		500'	550'	600'	50'	100'
55		550'	605'	660'	55'	110'
60		600'	660'	720'	60'	120'
65		650'	715'	780'	65'	130'
70		700'	770'	840'	70'	140'
75		750'	825'	900'	75'	150'
80		800'	880'	960'	80'	160'

**Taper lengths have been rounded off.
L=Length of Taper (FT.) W=Width of Offset (FT.)
S=Posted Speed (MPH)

SUGGESTED MAXIMUM SPACING OF CHANNELIZING DEVICES AND MINIMUM DESIRABLE TAPER LENGTHS

SHEET 9 OF 12



BARRICADE AND CONSTRUCTION CHANNELIZING DEVICES

BC (9) - 21

FILE: bc-21.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
© TxDOT November 2002	CONT	SECT	JOB	HIGHWAY
REVISIONS	0686	02	029	FM 1765
9-07 8-14	DIST	COUNTY	SHEET NO.	
7-13 5-21	HOU	GALVESTON	21	


DATE: \$DATE\$
FILE: \$FILE\$

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.


TYPE 3 BARRICADES

1. Refer to the Compliant Work Zone Traffic Control Devices List (CWZTCD) for details of the Type 3 Barricades and a list of all materials used in the construction of Type 3 Barricades.
2. Type 3 Barricades shall be used at each end of construction projects closed to all traffic.
3. Barricades extending across a roadway should have stripes that slope downward in the direction toward which traffic must turn in detouring. When both right and left turns are provided, the chevron striping may slope downward in both directions from the center of the barricade. Where no turns are provided at a closed road, striping should slope downward in both directions toward the center of roadway.
4. Striping of rails, for the right side of the roadway, should slope downward to the left. For the left side of the roadway, striping should slope downward to the right.
5. Identification markings may be shown only on the back of the barricade rails. The maximum height of letters and/or company logos used for identification shall be 1".
6. Barricades shall not be placed parallel to traffic unless an adequate clear zone is provided.
7. Warning lights shall NOT be installed on barricades.
8. Where barricades require the use of weights to keep from turning over, the use of sandbags with dry, cohesionless sand is recommended. The sandbags will be tied shut to keep the sand from spilling and to maintain a constant weight. Sand bags shall not be stacked in a manner that covers any portion of a barricade rails reflective sheeting. Rock, concrete, iron, steel or other solid objects will NOT be permitted. Sandbags should weigh a minimum of 35 lbs and a maximum of 50 lbs. Sandbags shall be made of a durable material that tears upon vehicular impact. Rubber (such as tire inner tubes) shall not be used for sandbags. Sandbags shall only be placed along or upon the base supports of the device and shall not be suspended above ground level or hung with rope, wire, chains or other fasteners.
9. Sheeting for barricades shall be retroreflective Type A or Type B conforming to Departmental Material Specification DMS-8300 unless otherwise noted.

Barricades shall NOT be used as a sign support.




TYPICAL STRIPING DETAIL FOR BARRICADE RAIL



Stiffener may be inside or outside of support, but no more than 2 stiffeners shall be allowed on one barricade.


TYPICAL PANEL DETAIL FOR SKID OR POST TYPE BARRICADES

Each roadway of a divided highway shall be barricaded in the same manner.



PERSPECTIVE VIEW


The three rails on Type 3 barricades shall be reflectorized orange and reflective white stripes on one side facing one-way traffic and both sides for two-way traffic. Barricade striping should slant downward in the direction of detour.



PLAN VIEW


1. Signs should be mounted on independent supports at a 7 foot mounting height in center of roadway. The signs should be a minimum of 10 feet behind Type 3 Barricades.
2. Advance signing shall be as specified elsewhere in the plans.

TYPE 3 BARRICADE (POST AND SKID) TYPICAL APPLICATION



PERSPECTIVE VIEW

These drums are not required on one-way roadway




PLAN VIEW

Increase number of plastic drums on the side of approaching traffic if the crown width makes it necessary. (minimum of 2 and maximum of 4 drums)

LEGEND	
	Plastic drum
	Plastic drum with steady burn light or yellow warning reflector
	Steady burn warning light or yellow warning reflector

1. Where positive redirection capability is provided, drums may be omitted.
2. Plastic construction fencing may be used with drums for safety as required in the plans.
3. Vertical Panels on flexible support may be substituted for drums when the shoulder width is less than 4 feet.
4. When the shoulder width is greater than 12 feet, steady-burn lights may be omitted if drums are used.
5. Drums must extend the length of the culvert widening.

CULVERT WIDENING OR OTHER ISOLATED WORK WITHIN THE PROJECT LIMITS




Two-Piece cones

One-Piece cones

Tubular Marker

28" Cones shall have a minimum weight of 9 1/2 lbs.
42" 2-piece cones shall have a minimum weight of 30 lbs. including base.

1. Traffic cones and tubular markers shall be predominantly orange, and meet the height and weight requirements shown above.
2. One-piece cones have the body and base of the cone molded in one consolidated unit. Two-piece cones have a cone shaped body and a separate rubber base, or ballast, that is added to keep the device upright and in place.
3. Two-piece cones may have a handle or loop extending up to 8" above the minimum height shown, in order to aid in retrieving the device.
4. Cones or tubular markers shall have white or white and orange reflective bands as shown above. The reflective bands shall have a smooth, sealed outer surface and meet the requirements of Departmental Material Specification DMS-8300 Type A or Type B.
5. 28" cones and tubular markers are generally suitable for short duration and short-term stationary work as defined on BC(4). These should not be used for intermediate-term or long-term stationary work unless personnel is on-site to maintain them in their proper upright position.
6. 42" two-piece cones, vertical panels or drums are suitable for all work zone durations.
7. Cones or tubular markers used on each project should be of the same size and shape.



TRAFFIC CONTROL FOR MATERIAL STOCKPILES



BARRICADE AND CONSTRUCTION CHANNELIZING DEVICES

BC (10) - 21

FILE: bc-21.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
© TxDOT November 2002	CONT	SECT	JOB	HIGHWAY
REVISIONS	0686	02	029	FM 1765
9-07 8-14	DIST	COUNTY	SHEET NO.	
7-13 5-21	HOU	GALVESTON	22	

DATE: \$DATE\$
FILE: \$FILE\$

WORK ZONE PAVEMENT MARKINGS

GENERAL

- The Contractor shall be responsible for maintaining work zone and existing pavement markings, in accordance with the standard specifications and special provisions, on all roadways open to traffic within the CSJ limits unless otherwise stated in the plans.
- Color, patterns and dimensions shall be in conformance with the "Texas Manual on Uniform Traffic Control Devices" (TMUTCD).
- Additional supplemental pavement marking details may be found in the plans or specifications.
- Pavement markings shall be installed in accordance with the TMUTCD and as shown on the plans.
- When short term markings are required on the plans, short term markings shall conform with the TMUTCD, the plans and details as shown on the Standard Plan Sheet WZ(STPM).
- When standard pavement markings are not in place and the roadway is opened to traffic, DO NOT PASS signs shall be erected to mark the beginning of the sections where passing is prohibited and PASS WITH CARE signs at the beginning of sections where passing is permitted.
- All work zone pavement markings shall be installed in accordance with Item 662, "Work Zone Pavement Markings."

RAISED PAVEMENT MARKERS

- Raised pavement markers are to be placed according to the patterns on BC(12).
- All raised pavement markers used for work zone markings shall meet the requirements of Item 672, "RAISED PAVEMENT MARKERS" and Departmental Material Specification DMS-4200 or DMS-4300.

PREFABRICATED PAVEMENT MARKINGS

- Removable prefabricated pavement markings shall meet the requirements of DMS-8241.
- Non-removable prefabricated pavement markings (foil back) shall meet the requirements of DMS-8240.


MAINTAINING WORK ZONE PAVEMENT MARKINGS

- The Contractor will be responsible for maintaining work zone pavement markings within the work limits.
- Work zone pavement markings shall be inspected in accordance with the frequency and reporting requirements of work zone traffic control device inspections as required by Form 599.
- The markings should provide a visible reference for a minimum distance of 300 feet during normal daylight hours and 160 feet when illuminated by automobile low-beam headlights at night, unless sight distance is restricted by roadway geometrics.
- Markings failing to meet this criteria within the first 30 days after placement shall be replaced at the expense of the Contractor as per Specification Item 662.

REMOVAL OF PAVEMENT MARKINGS

- Pavement markings that are no longer applicable, could create confusion or direct a motorist toward or into the closed portion of the roadway shall be removed or obliterated before the roadway is opened to traffic.
- The above shall not apply to detours in place for less than three days, where flaggers and/or sufficient channelizing devices are used in lieu of markings to outline the detour route.
- Pavement markings shall be removed to the fullest extent possible, so as not to leave a discernable marking. This shall be by any method approved by TxDOT Specification Item 677 for "Eliminating Existing Pavement Markings and Markers".
- The removal of pavement markings may require resurfacing or seal coating portions of the roadway as described in Item 677.
- Subject to the approval of the Engineer, any method that proves to be successful on a particular type pavement may be used.
- Blast cleaning may be used but will not be required unless specifically shown in the plans.
- Over-painting of the markings SHALL NOT BE permitted.
- Removal of raised pavement markers shall be as directed by the Engineer.
- Removal of existing pavement markings and markers will be paid for directly in accordance with Item 677, "ELIMINATING EXISTING PAVEMENT MARKINGS AND MARKERS," unless otherwise stated in the plans.
- Black-out marking tape may be used to cover conflicting existing markings for periods less than two weeks when approved by the Engineer.

Temporary Flexible-Reflective Roadway Marker Tabs



**STAPLES OR NAILS SHALL NOT BE USED TO SECURE
TEMPORARY FLEXIBLE-REFLECTIVE ROADWAY MARKER
TABS TO THE PAVEMENT SURFACE**

- Temporary flexible-reflective roadway marker tabs used as guidemarks shall meet the requirements of DMS-8242.
- Tabs detailed on this sheet are to be inspected and accepted by the Engineer or designated representative. Sampling and testing is not normally required, however at the option of the Engineer, either "A" or "B" below may be imposed to assure quality before placement on the roadway.
 - Select five (5) or more tabs at random from each lot or shipment and submit to the Construction Division, Materials and Pavement Section to determine specification compliance.
 - Select five (5) tabs and perform the following test. Affix five (5) tabs at 24 inch intervals on an asphaltic pavement in a straight line. Using a medium size passenger vehicle or pickup, run over the markers with the front and rear tires at a speed of 35 to 40 miles per hour, four (4) times in each direction. No more than one (1) out of the five (5) reflective surfaces shall be lost or displaced as a result of this test.
- Small design variances may be noted between tab manufacturers.
- See Standard Sheet WZ(STPM) for tab placement on new pavements. See Standard Sheet TCP(7-1) for tab placement on seal coat work.

RAISED PAVEMENT MARKERS USED AS GUIDEMARKS

- Raised pavement markers used as guidemarks shall be from the approved product list, and meet the requirements of DMS-4200.
- All temporary construction raised pavement markers provided on a project shall be of the same manufacturer.
- Adhesive for guidemarks shall be bituminous material hot applied or butyl rubber pad for all surfaces, or thermoplastic for concrete surfaces.

Guidemarks shall be designated as:
 YELLOW - (two amber reflective surfaces with yellow body).
 WHITE - (one silver reflective surface with white body).

DEPARTMENTAL MATERIAL SPECIFICATIONS	
PAVEMENT MARKERS (REFLECTORIZED)	DMS-4200
TRAFFIC BUTTONS	DMS-4300
EPOXY AND ADHESIVES	DMS-6100
BITUMINOUS ADHESIVE FOR PAVEMENT MARKERS	DMS-6130
PERMANENT PREFABRICATED PAVEMENT MARKINGS	DMS-8240
TEMPORARY REMOVABLE, PREFABRICATED PAVEMENT MARKINGS	DMS-8241
TEMPORARY FLEXIBLE, REFLECTIVE ROADWAY MARKER TABS	DMS-8242

A list of prequalified reflective raised pavement markers, non-reflective traffic buttons, roadway marker tabs and other pavement markings can be found at the Material Producer List web address shown on BC(1).

SHEET 11 OF 12



BARRICADE AND CONSTRUCTION PAVEMENT MARKINGS


BC(11) - 21

FILE: bc-21.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
© TxDOT February 1998	CONT	SECT	JOB	HIGHWAY
REVISIONS	0686	02	029	FM 1765
2-98 9-07 5-21	DIST	COUNTY	SHEET NO.	
1-02 7-13	HOU	GALVESTON	23	
11-02 8-14				


DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: \$DATE\$
FILE: \$FILE\$
\$TIME\$

PAVEMENT MARKING PATTERNS




REFLECTORIZED PAVEMENT MARKINGS - PATTERN A




REFLECTORIZED PAVEMENT MARKINGS - PATTERN B

Pattern A is the TXDOT Standard, however Pattern B may be used if approved by the Engineer. Prefabricated markings may be substituted for reflectorized pavement markings.




RAISED PAVEMENT MARKERS - PATTERN A




RAISED PAVEMENT MARKERS - PATTERN B

CENTER LINE & NO-PASSING ZONE BARRIER LINES FOR TWO-LANE, TWO-WAY HIGHWAYS




REFLECTORIZED PAVEMENT MARKINGS

Prefabricated markings may be substituted for reflectorized pavement markings.




RAISED PAVEMENT MARKERS

EDGE & LANE LINES FOR DIVIDED HIGHWAY




REFLECTORIZED PAVEMENT MARKINGS

Prefabricated markings may be substituted for reflectorized pavement markings.




RAISED PAVEMENT MARKERS

LANE & CENTER LINES FOR MULTILANE UNDIVIDED HIGHWAYS



REFLECTORIZED PAVEMENT MARKINGS


Prefabricated markings may be substituted for reflectorized pavement markings.






RAISED PAVEMENT MARKERS

TWO-WAY LEFT TURN LANE

STANDARD WORK ZONE PAVEMENT MARKINGS DETAILS



SOLID LINES




BROKEN LINES



REMOVABLE MARKINGS WITH RAISED PAVEMENT MARKERS

If raised pavement markers are used to supplement REMOVABLE markings, the markers shall be applied to the top of the tape at the approximate mid length of tape used for broken lines or at 20 foot spacing for solid lines. This allows an easier removal of raised pavement markers and tape.



SHEET 12 OF 12



BARRICADE AND CONSTRUCTION PAVEMENT MARKING PATTERNS


BC(12)-21

FILE: bc-21.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
©TxDOT February 1998	CONT	SECT	JOB	HIGHWAY
REVISIONS	0686	02	029	FM 1765
1-97 9-07 5-21	DIST	COUNTY	SHEET NO.	
2-98 7-13	HOU	GALVESTON	24	
11-02 8-14				


Raised pavement markers used as standard pavement markings shall be from the approved products list and meet the requirements of Item 672 "RAISED PAVEMENT MARKERS."

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TXDOT for any purpose whatsoever. TXDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.


DATE: \$DATE\$ \$TIME\$
FILE: \$FILES\$



- 1) WITH TRAFFIC ON EXISTING BUILD ONE-HALF OF DRIVE.
- 2) BUILD OTHER HALF OF DRIVE




- 2) BUILD OTHER HALF OF DRIVE




- 3) OPEN DRIVE
- 4) AFTER TRAFFIC MOVES TO NEW ROADWAY, BUILD REMAINING CURB.


SINGLE ACCESS DRIVES



- 1) WITH TRAFFIC ON EXISTING, BUILD ONE DRIVE.



- 2) OPEN COMPLETED DRIVE AND BUILD NEXT DRIVE.




- 3) AFTER TRAFFIC MOVES TO NEW ROADWAY BUILD REMAINING CURBS.

MULTIPLE ACCESS DRIVES


**CONSTRUCTION SEQUENCE
FOR MISCELLANEOUS DRIVES**

CSMD TC8010-2020

FILE:	DN:	CK:	DW:	CK:
© TxDOT 2020	DIST	FED REG	PROJECT NO.	SHEET
REVISIONS	HOU	6	0686-02-029	025
	COUNTY	CONTROL	SECT	JOB
	GALVESTON	0686	02	029
				HIGHWAY
				FM 1765



LETTERS: WHITE
 BORDER: WHITE
 BACKGROUND: BLUE




TYPICAL LOCATION OF DRIVEWAY SIGN

**TYPE III PVC BARRICADES
 TYPICAL DESIGN DETAILS**

MAY BE USED AT THE OPTION OF THE CONTRACTOR.

NOTES:

1. ALL PIPE SHALL BE POLYVINYL CHLORIDE (PVC) PRESSURE RATED PIPE SDR 21 OR SDR 26 ASTM D2241.
2. JOINT FITTINGS MAY BE PVC-ASTM D2665 OR ACRYLONITRILE BUTADIENE STYRENE (ABS) ASTM D2661 (DRAINAGE WASTE AND VENT).
3. ALL PIPE AND FITTINGS SHALL BE WHITE.
4. ALL JOINTS SHALL BE FREE TO SEPARATE UPON VEHICLE IMPACT.
5. CROSS HATCHED CONDUIT TO BE TIED TOGETHER WITH ROPE THREADED INTO PIPE INTERIOR. USE 3/16" NO. 6 SOLID BRAIDED NYLON OR EQUIVALENT.
6. A FIXED FRANGIBLE PAVEMENT CONNECTION IS PREFERRED. SAND BAGS MAY BE SUBSTITUTED.



NOTE: ON 2-WAY ROADWAYS, TWO SIGNS MAY BE MOUNTED BACK TO BACK.

CONSTRUCTION SIGN NOTES

MATERIALS

CONSTRUCTION SIGNS SHALL BE MADE FROM APPROVED FIBERGLASS OR HIGH IMPACT PLASTIC AS PRIMARY MATERIALS.

SIGN SHEETING

REFLECTORIZED SIGN SHALL BE CONSTRUCTED OF RETRO REFLECTIVE SHEETING MEETING THE COLOR AND REFLECTIVITY REQUIREMENTS OF MATERIAL SPECIFICATIONS, DMS-8300.

TYPE C SHEETING SHALL BE USED FOR THIS APPLICATION.

SIGN LETTERS

ALL SIGNS LETTERING SHALL BE CLEAR, OPEN ROUNDED TYPE CAPITAL LETTERS AS APPROVED BY AND AS PUBLISHED BY THE FEDERAL HIGHWAY ADMINISTRATION. SIGNS AND LETTERING SHALL BE OF FIRST CLASS WORKMANSHIP EQUIVALENT TO THAT OF THE DEPARTMENT'S STANDARD SIGNS.




DRIVEWAY SIGNING

DS TC8020-04


FILE:	DN:	CK:	DW:	CK:
© TxDOT 2004	DIST	FED REG	PROJECT NO.	SHEET
REVISIONS	HOU	6	0686-02-029	026
	COUNTY	CONTROL	SECT	JOB
	GALVESTON	0686	02	029
				HIGHWAY
				FM 1765

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: FILE:



TCP (1-4a)
ONE LANE CLOSED



TCP (1-4b)
TWO LANES CLOSED

LEGEND			
	Type 3 Barricade		Channelizing Devices
	Heavy Work Vehicle		Truck Mounted Attenuator (TMA)
	Trailer Mounted Flashing Arrow Board		Portable Changeable Message Sign (PCMS)
	Sign		Traffic Flow
	Flag		Flagger

Posted Speed *	Formula	Minimum Desirable Taper Lengths **			Suggested Maximum Spacing of Channelizing Devices		Minimum Sign Spacing "X" Distance	Suggested Longitudinal Buffer Space "B"
		10' Offset	11' Offset	12' Offset	On a Taper	On a Tangent		
30	$L = \frac{WS^2}{60}$	150'	165'	180'	30'	60'	120'	90'
35		205'	225'	245'	35'	70'	160'	120'
40		265'	295'	320'	40'	80'	240'	155'
45	$L = WS$	450'	495'	540'	45'	90'	320'	195'
50		500'	550'	600'	50'	100'	400'	240'
55		550'	605'	660'	55'	110'	500'	295'
60		600'	660'	720'	60'	120'	600'	350'
65		650'	715'	780'	65'	130'	700'	410'
70		700'	770'	840'	70'	140'	800'	475'
75		750'	825'	900'	75'	150'	900'	540'

* Conventional Roads Only
** Taper lengths have been rounded off.
L=Length of Taper (FT) W=Width of Offset (FT) S=Posted Speed (MPH)

TYPICAL USAGE				
MOBILE	SHORT DURATION	SHORT TERM STATIONARY	INTERMEDIATE TERM STATIONARY	LONG TERM STATIONARY
	✓	✓		

- GENERAL NOTES**
- Flags attached to signs where shown are REQUIRED.
 - All traffic control devices illustrated are REQUIRED, except those denoted with the triangle symbol may be omitted when stated elsewhere in the plans, or for routine maintenance work, when approved by the Engineer.
 - The CW20-1D "ROAD WORK AHEAD" sign may be repeated if the visibility of the work zone is less than 1500 feet.
 - A Shadow Vehicle with a TMA should be used anytime it can be positioned 30 to 100 feet in advance of the area of crew exposure without adversely affecting the performance or quality of the work. If workers are no longer present but road or work conditions require the traffic control to remain in place, Type 3 Barricades or other channelizing devices may be substituted for the Shadow Vehicle and TMA.
 - Additional Shadow Vehicles with TMAs may be positioned off the paved surface, next to those shown in order to protect wider work spaces.

TCP (1-4a)

- If this TCP is used for a left lane closure, CW20-5TL "LEFT LANE CLOSED" signs shall be used and channelizing devices shall be placed on the centerline where needed to protect the work space from opposing traffic with the arrow panel placed in the closed lane near the end of the merging taper.

TCP (1-4b)

- Where traffic is directed over a yellow centerline, channelizing devices which separate two-way traffic should be spaced on tapers at 20' or 15' if posted speeds are 35 mph or slower, and for tangent sections, at 1/2S where S is the speed in mph. This tighter device spacing is intended for the areas of conflicting markings, not the entire work zone.

Texas Department of Transportation
Traffic Operations Division Standard



**TRAFFIC CONTROL PLAN
LANE CLOSURES ON MULTILANE
CONVENTIONAL ROADS**

TCP (1-4) - 18

FILE: tcp1-4-18.dgn	DN:	CK:	DW:	CK:
© TxDOT December 1985	CONT	SECT	JOB	HIGHWAY
REVISIONS	0686	02	029	FM 1765
2-94 4-98	DIST	COUNTY	SHEET NO.	
8-95 2-12	HOU	GALVESTON	027	
1-97 2-18				

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: \$DATE\$
 \$TIME\$
 FILE: \$FILES\$



LEGEND			
	Type 3 Barricade		Channelizing Devices
	Heavy Work Vehicle		Truck Mounted Attenuator (TMA)
	Trailer Mounted Flashing Arrow Board		Portable Changeable Message Sign (PCMS)
	Sign		Traffic Flow
	Flag		Flagger

Posted Speed *	Formula	Minimum Desirable Taper Lengths **			Suggested Maximum Spacing of Channelizing Devices		Minimum Sign Spacing "x" Distance	Suggested Longitudinal Buffer Space "B"
		10' Offset	11' Offset	12' Offset	On a Taper	On a Tangent		
30	L = WS ² / 60	150'	165'	180'	30'	60'	120'	90'
35		205'	225'	245'	35'	70'	160'	120'
40		265'	295'	320'	40'	80'	240'	155'
45	L = WS	450'	495'	540'	45'	90'	320'	195'
50		500'	550'	600'	50'	100'	400'	240'
55		550'	605'	660'	55'	110'	500'	295'
60		600'	660'	720'	60'	120'	600'	350'
65		650'	715'	780'	65'	130'	700'	410'
70		700'	770'	840'	70'	140'	800'	475'
75		750'	825'	900'	75'	150'	900'	540'

* Conventional Roads Only
 ** Taper lengths have been rounded off.
 L=Length of Taper (FT) W=Width of Offset (FT) S=Posted Speed (MPH)

TYPICAL USAGE				
MOBILE	SHORT DURATION	SHORT TERM STATIONARY	INTERMEDIATE TERM STATIONARY	LONG TERM STATIONARY
		✓	✓	

GENERAL NOTES

- Flags attached to signs where shown, are REQUIRED.
- All traffic control devices illustrated are REQUIRED, except those denoted with the triangle symbol may be omitted when stated elsewhere in the plans, or for routine maintenance work, when approved by the Engineer.
- The downstream taper is optional. When used, it should be 100 feet minimum length per lane.
- For short term applications, when post mounted signs are not used, the distance legend may be shown on the sign face rather than on a CW16-3aP supplemental plaque.
- A Shadow Vehicle with a TMA should be used anytime it can be positioned 30 to 100 feet in advance of the area of crew exposure without adversely affecting the performance or quality of the work. If workers are no longer present but road or work conditions require the traffic control to remain in place, Type 3 Barricades or other channelizing devices may be substituted for the Shadow Vehicle and TMA.
- Additional Shadow Vehicles with TMAs may be positioned in each closed lane, on the shoulder or off the paved surface, next to those shown in order to protect a wider work space.

TCP (2-4a)

- If this TCP is used for a left lane closure, CW20-5TL "LEFT LANE CLOSED" signs shall be used and channelizing devices shall be placed on the centerline to protect the work space from opposing traffic with the arrow board placed in the closed lane near the end of the merging taper.

TCP (2-4b)

- For shorter durations where traffic is directed over a yellow centerline, channelizing devices which separate two-way traffic should be spaced on tapers at 20' or 15' if posted speeds are 35 mph or slower, and for tangent sections, at 1/2(S) where S is the speed in mph. This tighter devices spacing is intended for the area of conflicting markings, not the entire work zone.


Texas Department of Transportation
 Traffic Operations Division Standard

TRAFFIC CONTROL PLAN
LANE CLOSURES ON MULTILANE CONVENTIONAL ROADS


TCP (2-4) - 18

FILE: tcp2-4-18.dgn	DN:	CK:	DW:	CK:
© TxDOT December 1985	CONT	SECT	JOB	HIGHWAY
REVISIONS	0686	02	029	FM 1765
8-95 3-03	DIST	COUNTY	SHEET NO.	
1-97 2-12	HOU	GALVESTON	28	
4-98 2-18				

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.



TCP (3-1a)
UNDIVIDED MULTILANE ROADWAY




TRAIL/SHADOW VEHICLE A
with RIGHT Directional display Flashing Arrow Board

LEGEND			
*	Trail Vehicle	ARROW BOARD DISPLAY	
**	Shadow Vehicle		
***	Work Vehicle		RIGHT Directional
	Heavy Work Vehicle		LEFT Directional
	Truck Mounted Attenuator (TMA)		Double Arrow
	Traffic Flow		CAUTION (Alternating Diamond or 4 Corner Flash)


TYPICAL USAGE				
MOBILE	SHORT DURATION	SHORT TERM STATIONARY	INTERMEDIATE TERM STATIONARY	LONG TERM STATIONARY
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

GENERAL NOTES


1. TRAIL, SHADOW, and LEAD vehicles shall be equipped with arrow boards as illustrated. When a LEAD vehicle is not used the WORK vehicle must be equipped with an arrow board. The Engineer will determine if the LEAD VEHICLE and/or TRAIL VEHICLE are required based on prevailing roadway conditions, traffic volume, and sight distance restrictions.
2. The use of amber high intensity rotating, flashing, oscillating, or strobe lights on vehicles are required. Blue high intensity rotating, flashing, oscillating or strobe lights when mounted on the driver's side of the vehicle may be operated simultaneously with the amber beacons or strobe lights.
3. The use of truck mounted attenuators (TMA) on the SHADOW VEHICLE and TRAIL VEHICLE are required.
4. Reflective sheeting on the rear of the TMA shall meet or exceed the reflectivity and color requirements of DEPARTMENTAL MATERIAL SPECIFICATION DMS 8300, Type A.
5. Flashing arrow boards shall be Type B or Type C as per the Barricade and Construction (BC) standards. The board shall be controlled from inside the vehicle.
6. Each vehicle shall have two-way radio communication capability.
7. When work convoys must change lanes, the TRAIL VEHICLE should change lanes first to shadow the other convoy vehicles.
8. Vehicle spacing between the TRAIL VEHICLE and the SHADOW VEHICLE will vary depending on sight distance restrictions. Motorists approaching the work convoy should be able to see the TRAIL VEHICLE in time to slow down and/or change lanes as they approach the TRAIL VEHICLE. Vehicle spacing between the WORK VEHICLE and SHADOW VEHICLE and vehicle spacing between WORK VEHICLE and LEAD VEHICLE may vary according to terrain, work activity and other factors.
9. "X VEHICLE CONVOY" (CW21-10cT) or "WORK CONVOY" (CW21-10aT) signs shall be used on TRAIL VEHICLES and SHADOW VEHICLES as shown. As an option 48" X 48" diamond shaped "WORK CONVOY" (CW21-10T) or "X VEHICLE CONVOY" (CW21-10bT) signs may be used where adequate mounting space exists. When used, the X VEHICLE CONVOY sign shall have the number of the convoy vehicles displayed on the sign in the number designation "X" location. The "X VEHICLE CONVOY" sign shall not be used on the SHADOW VEHICLE if a TRAIL VEHICLE is used.
10. On two-lane two-way roadways, the work and protection vehicles should pull over periodically to allow motor vehicle traffic to pass. If motorists are not allowed to pass the work convoy, a "DO NOT PASS" (R4-1) sign should be placed on the back of the rearmost protection vehicle.




TCP (3-1b)
TWO-WAY ROADWAY WITH PAVED SHOULDERS



TCP (3-1c)
TWO-WAY ROADWAY WITHOUT PAVED SHOULDERS



TRAIL/SHADOW VEHICLE B
with Flashing Arrow Board in CAUTION display



STRIPING FOR TMA

**TRAFFIC CONTROL PLAN
MOBILE OPERATIONS
UNDIVIDED HIGHWAYS**


TCP (3-1) - 13

FILE: tcp3-1.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
© TxDOT December 1985	CONT	SECT	JOB	HIGHWAY
REVISIONS	0686	02	029	FM 1765
2-94 4-98	DIST	COUNTY	SHEET NO.	
8-95 7-13	HOU	GALVESTON	29	
1-97				


DATE: \$DATE\$
FILE: \$FILE\$
\$TIME\$

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.


DATE: FILE:



NEAR SIDE LANE CLOSURE
SHORT DURATION OR SHORT TERM STATIONARY



FAR SIDE RIGHT LANE CLOSURE
SHORT DURATION OR SHORT TERM STATIONARY




FAR SIDE LEFT LANE CLOSURE
SHORT DURATION OR SHORT TERM STATIONARY

LEGEND			
	Type 3 Barricade		Channelizing Devices
	Heavy Work Vehicle		Truck Mounted Attenuator (TMA)
	Trailer Mounted Flashing Arrow Board		Portable Changeable Message Sign (PCMS)
	Sign		Traffic Flow
	Flag		Flagger


Posted Speed *	Formula	Minimum Desirable Taper Lengths **			Suggested Maximum Spacing of Channelizing Devices		Minimum Sign Spacing "X" Distance	Suggested Longitudinal Buffer Space "B"
		10' Offset	11' Offset	12' Offset	On a Taper	On a Tangent		
30	$L = \frac{WS^2}{60}$	150'	165'	180'	30'	60'	120'	90'
35		205'	225'	245'	35'	70'	160'	120'
40		265'	295'	320'	40'	80'	240'	155'
45	L = WS	450'	495'	540'	45'	90'	320'	195'
50		500'	550'	600'	50'	100'	400'	240'
55		550'	605'	660'	55'	110'	500'	295'
60		600'	660'	720'	60'	120'	600'	350'
65		650'	715'	780'	65'	130'	700'	410'
70		700'	770'	840'	70'	140'	800'	475'
75		750'	825'	900'	75'	150'	900'	540'

* Conventional Roads Only
 ** Taper lengths have been rounded off.
 L=Length of Taper (FT) W=Width of Offset (FT) S=Posted Speed (MPH)

WORKERS IN BUCKET TRUCKS SHALL NOT WORK ABOVE OPEN LANES OF TRAFFIC.



OPERATIONS IN THE INTERSECTION
SHORT DURATION



GENERAL NOTES

- The minimum size channelizing device is the 28" cone. 42" Two-piece cones, drums, vertical panels or barricades will be required when the device must be left unattended at night.
- Obstructions or hazards at the work area shall be clearly marked and delineated at all times.
- Flaggers and Flagger Symbol (CW20-7) signs may be required according to field conditions.
- Vehicles parked in roadway shall be equipped with at least two high intensity rotating, flashing, oscillating or strobe type lights.
- High level warning devices (flag trees) may be used at corners of the vehicle.
- When work operations are performed on existing signals, the signals may be placed in flashing red mode when approved by the engineer. If existing signals do not have power, All-Way Stop (R1-1 and R1-3P) signs may be implemented when approved by the engineer.
- For Short-Term Stationary work the buffer space "B" from the above table should be used if field conditions permit. For Short Duration (less than 1 hour) any buffer space provided will enhance the safety of the setup.
- The arrow board at this location may be omitted for Short Duration work if the work vehicle has an arrow board in operation. As an option, the arrow board may be placed at the end of the taper in the closed lane if space is not available at the beginning of the taper.
- Signs and devices for the NEAR SIDE LANE CLOSURE may be altered for a left lane closure by using a LEFT LANE CLOSED (CW20-5TL) and adding channelizing devices on the centerline to protect the work space from opposing traffic.


TRAFFIC SIGNAL WORK TYPICAL DETAILS

WZ(BTS-1)-13

FILE: wzbts-13.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
© TxDOT April 1992	CONT	SECT	JOB	HIGHWAY
REVISIONS	0686	02	029	FM 1765
2-98 10-99 7-13	DIST	COUNTY	SHEET NO.	
4-98 3-03	HOU	GALVESTON	030	

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: FILE:



TYPICAL ADVANCE SIGNAL PROJECT SIGNING
FOR LONG TERM and INTERMEDIATE-TERM STATIONARY WORK OPERATIONS

- NOTES**
1. Project signing as shown shall be in place whenever signal contract work is in progress.
 2. For closely adjoining projects, advance signing may not be required in advance of each intersection, but only in advance of the intersections at the project limits. Actual locations will be as directed by the Engineer.
 3. Advance signs shall be removed when signal construction operations are no longer under way, as directed by the Engineer.
 4. Warning sign spacing shown is typical for both directions.
 5. See the Table on sheet 1 of 2 for Typical warning sign spacing.

GENERAL NOTES FOR WORK ZONE SIGNS

1. Signs shall be installed and maintained in a straight and plumb condition.
2. Wooden sign posts shall be painted white.
3. Barricades shall NOT be used as sign supports.
4. Nails shall NOT be used to attach signs to any support.
5. All signs shall be installed in accordance with the plans or as directed by the Engineer.
6. The Contractor shall furnish the sign design shown in the plans or in the "Standard Highway Sign Designs for Texas" (SHSD).
7. The Contractor shall furnish sign supports and substrates listed in the "Compliant Work Zone Traffic Control Device List" (CWZTCD), installed as per the manufacturer's recommendations.
8. Temporary signs that have damaged or cracked substrates and/or damaged or marred reflective sheeting shall be replaced as directed by the Engineer.
9. Identification markings may be shown only on the back of the sign substrate. The maximum height of letters and/or company logos used for identification shall be 1".
10. Damaged wood posts shall be replaced. Splicing wood posts will not be allowed.

DURATION OF WORK

1. Work zone durations are defined in Part 6, Section 66.02 of the Texas Manual on Uniform Traffic Control Devices (TMUTCD).

SIGN MOUNTING HEIGHT

1. Sign height of Long-term/Intermediate-term warning signs shall be as shown on Figure 6F-1 of the TMUTCD.
2. Sign height of Short-term/Short Duration warning signs shall be as shown on Figure 6F-2 of the TMUTCD.
3. Regulatory signs shall be mounted at least 7 feet, but not more than 9 feet, above the paved surface regardless of work duration.

REMOVING OR COVERING

1. When sign messages may be confusing or do not apply, the signs shall be removed or completely covered, unless otherwise approved by the Engineer.
2. When signs are covered, the material used shall be opaque, such as heavy mil black plastic, or other materials which will cover the entire sign face and maintain their opaque properties under automobile headlights at night without damaging the sign sheeting. Burlap, or heavy materials such as plywood or aluminum shall not be used to cover signs.
3. Duct tape or other adhesive material shall NOT be affixed to a sign face.
4. Signs and anchor stubs shall be removed and holes back filled upon completion of the work.

REFLECTIVE SHEETING

1. All signs shall be retroreflective and constructed of sheeting meeting the requirements of the DMS and color usage table shown on this sheet.

SIGN SUPPORT WEIGHTS


1. Weights used to keep signs from turning over should be sandbags filled with dry, cohesionless material.
2. The sandbags will be tied shut to keep the sand from spilling and to maintain a constant weight.
3. Rock, concrete, iron, steel or other solid objects will not be permitted for use as sign support weights.
4. Sandbags should weigh a minimum of 35 lbs and a maximum of 50 lbs.
5. Sandbags shall be made of a durable material that tears upon vehicular impact. Rubber, such as tire inner tubes, shall not be used.
6. Rubber ballasts designed for channelizing devices should not be used for ballast on portable sign supports. Sign supports designed and manufactured with rubber bases may be used when shown on the CWZTCD list.
7. Sandbags shall only be placed along or laid over the base supports of the traffic control device and shall not be suspended above ground level or hung with rope, wire, chains or other fasteners. Sandbags shall be placed along the length of the skids to weigh down the sign support.
8. Sandbags shall NOT be placed under the skid and shall not be used to level sign supports placed on slopes.

LEGEND	
	Sign
	Channelizing Devices
	Type 3 Barricade


DEPARTMENTAL MATERIAL SPECIFICATIONS	
SIGN FACE MATERIALS	DMS-8300
FLEXIBLE ROLL-UP REFLECTIVE SIGNS	DMS-8310

COLOR	USAGE	SHEETING MATERIAL
ORANGE	BACKGROUND	TYPE B _{FL} OR TYPE C _{FL} SHEETING
WHITE	BACKGROUND	TYPE A SHEETING
BLACK	LEGEND & BORDERS	ACRYLIC NON-REFLECTIVE SHEETING


Only pre-qualified products shall be used. A copy of the "Compliant Work Zone Traffic Control Devices List" (CWZTCD) describes pre-qualified products and their sources and may be found at the following web address:
http://www.txdot.gov/txdot_library/publications/construction.htm



SIDEWALK DIVERSION



SIDEWALK DETOUR



CROSSWALK CLOSURES

PEDESTRIAN CONTROL

1. Holes, trenches or other hazards shall be adequately protected by covering, delineating or surrounding the hazard with orange plastic pedestrian fencing or longitudinal channelizing devices, or as directed by the Engineer.
2. "CROSSWALK CLOSURES" as detailed above will require the Engineer's approval prior to installation.
3. R9 series signs shown may be placed on supports detailed on the BC standards or CWZTCD list, or when fabricated from approved lightweight plastic substrates, they may be mounted on top of a plastic drum at or near the location shown.
4. For speeds less than 45 mph longitudinal channelizing devices may be used instead of traffic barriers when approved by the Engineer. Attenuation of blunt ends and installation of water filled devices shall be as per BC(9) and manufacturer's recommendations.
5. Location of devices are for general guidance. Actual device spacing and location must be field adjusted to meet actual conditions.
6. Where pedestrians with visual disabilities normally use the closed sidewalk Detectable Pedestrian Barricades should be used instead of the Type 3 Barricades shown.
7. The width of existing sidewalk should be maintained if practical.
8. Pavement markings for mid-block crosswalks shall be paid for under the appropriate bid items.
9. When crosswalks or other pedestrian facilities are closed or relocated, temporary facilities shall be detectable and shall include accessibility features consistent with the features present in the existing pedestrian facility.

SHEET 2 OF 2

Texas Department of Transportation
 Traffic Operations Division Standard

TRAFFIC SIGNAL WORK BARRICADES AND SIGNS

WZ(BTS-2)-13

FILE: wzbts-13.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
© TxDOT April 1992	CONT	SECT	JOB	HIGHWAY
REVISIONS	0686	02	029	FM 1765
2-98 10-99 7-13	DIST	COUNTY	SHEET NO.	
4-98 3-03	HOU	GALVESTON	031	

Chain FM_1765_CL contains:
 PT2 PT3 CUR CURVE_C1 PT4 PT5 CUR CURVE_C2 PT6 PT7 PT8

Beginning chain FM_1765_CL description

Point PT2 X 3,240,757.9163 Y 13,708,086.8934 Sta 0+00.00

Course from PT2 to PT3 N 40° 44' 49.27" E Dist 486.7179

Point PT3 X 3,241,075.6069 Y 13,708,455.6304 Sta 4+86.72

Curve Data

Curve CURVE_C1
 P.I. Station 6+65.38 X 3,241,192.2279 Y 13,708,590.9813
 Delta 39° 34' 43.54" (RT)
 Degree 11° 32' 20.15"
 Tangent 178.6626
 Length 343.0020
 Radius 496.5432
 External 31.1646
 Long Chord 336.2228
 Mid. Ord. 29.3241
 P.C. Station 4+86.72 X 3,241,075.6069 Y 13,708,455.6304
 P.T. Station 8+29.72 X 3,241,368.3507 Y 13,708,620.9992
 C.C. X 3,241,451.7773 Y 13,708,131.5147
 Back N 40° 44' 55.78" E
 Ahead N 80° 19' 39.32" E
 Chord Bear N 60° 32' 17.55" E

Point PT4 X 3,241,368.3507 Y 13,708,620.9992 Sta 8+29.72

Course from PT4 to PT5 N 80° 20' 05.29" E Dist 319.0499

Point PT5 X 3,241,682.8719 Y 13,708,674.5647 Sta 11+48.77

Curve Data

Curve CURVE_C2
 P.I. Station 13+36.40 X 3,241,867.8384 Y 13,708,706.0660
 Delta 7° 05' 57.03" (RT)
 Degree 1° 53' 39.22"
 Tangent 187.6297
 Length 374.7792
 Radius 3,024.7551
 External 5.8139
 Long Chord 374.5395
 Mid. Ord. 5.8027
 P.C. Station 11+48.77 X 3,241,682.8719 Y 13,708,674.5647
 P.T. Station 15+23.55 X 3,242,055.2799 Y 13,708,714.4663
 C.C. X 3,242,190.7002 Y 13,705,692.7442
 Back N 80° 20' 05.27" E
 Ahead N 87° 26' 02.30" E
 Chord Bear N 83° 53' 03.78" E

Point PT6 X 3,242,055.2799 Y 13,708,714.4663 Sta 15+23.55


Course from PT6 to PT7 N 87° 25' 26.34" E Dist 181.7895

Point PT7 X 3,242,236.8858 Y 13,708,722.6368 Sta 17+05.34

Course from PT7 to PT8 N 87° 16' 11.98" E Dist 3,153.4430

Point PT8 X 3,245,386.7498 Y 13,708,872.8340 Sta 48+58.78

Ending chain FM_1765_CL description











Sanjay Pokharel P.E.

SANJAY POKHAREL, P.E. 1/27/2023

TEXAS DEPARTMENT OF TRANSPORTATION
 © 2023 TxDOT
 FM 1765
 HORIZONTAL ALIGNMENT DATA


SHEET 1 OF 1									
DN:	ORIGINAL DATE OF	FILE NO.	STATE	FEDERAL PROJECT NO.	ROUTE				
CK DN:	DRAWING:	6	TEXAS			FM 1765			
DW:	REVISIONS:								
CK DW:		STATE	COUNTY	CONTROL	SECTION	JOB	SHEET		
TR:		12	GALVESTON	0686	02	029	32		
CK TR:									

LEGEND:


-  TRAFFIC FLOW DIRECTION
-  DRIVEWAY NUMBER
-  SIDEWALK/RAMP CONSTRUCTION
-  DRIVEWAY CONSTRUCTION
-  DETECTABLE WARNING SURFACE
-  CHECKERBOARD PLATE
-  SIGN TO BE RELOCATED
-  REFL PAV MRK TY I (W) 24" (SLD) (100 MIL)

NOTES:

1. SEE "DRIVEWAY LOCATION TABLE" FOR ADDITIONAL INFORMATION.
2. MINOR ADJUSTMENTS TO HORIZONTAL LOCATION OF SIDEWALK & CURB RAMP MAY BE MADE TO AVOID CONFLICTS WITH UTILITIES (POWER POLES, WATER METERS, UTILITY MARKERS, AT&T PEDESTALS & MARKERS), MAILBOXES, LANDSCAPING (TREES, ETC) AS APPROVED BY THE ENGINEER.
3. PROPOSED SIDEWALK SHOULD BE 6'-0" WIDE WHEN CONSTRUCTING AGAINST CURB. PROPOSED SIDEWALK SHOULD BE 5'-0" WIDE WHEN CONSTRUCTING 2 FEET OR MORE FROM FACE OF CURB.
4. PROTECT TREE ACCORDING TO HOUSTON DISTRICT TREE PROTECTION STANDARD. ADJUST SIDEWALK TO AVOID TREE. USE CHECKER BOARD PLATE AS SHOWN ON SIDEWALK DETAILS.
5. IN AREAS WHERE SIDEWALKS ARE TO REMAIN, REMOVE EXISTING DETECTABLE WARNING PAVERS AT ALL DRIVEWAYS AND REPLACE PORTION OF SIDEWALK IF REQUIRED.
6. IN AREAS WHERE SIDEWALKS ARE TO REMAIN AND ONLY DRIVEWAYS ARE REPLACED, SIDEWALK REPLACEMENT ON EACH SIDE OF DRIVEWAY SHALL MATCH THE SURFACE TEXTURE AND COLOR OF THE EXISTING SIDEWALK AS CLOSELY AS POSSIBLE.
7. ALL OFFSETS ARE TO EDGE OF CONCRETE SIDEWALK.
8. FOR C2 CURB SEE DETAIL SHEET 51.
9. ENGINEER TO DETERMINE THE DRIVEWAY LOCATION TO BE FAST TRACKED.
10. THE LOCATIONS OF SIGNS TO BE RELOCATED ARE APPROXIMATE. ENGINEER TO VERIFY THE EXACT LOCATION AND TYPE OF SIGN TO BE RELOCATED IN THE FIELD DURING CONSTRUCTION.
11. THE TOP OF THE EXISTING GROUND BOXES SHOULD BE LEVELLED WITH NON SLIP SURFACE AS PER TXDOT STANDARD.



MATCHLINE STA 3+20



Sanjay Pokharel P.E.
SANJAY POKHAREL, P.E.

2/1/2023









TEXAS DEPARTMENT OF TRANSPORTATION

FM 1765
SIDEWALK PLAN
(BEGIN TO STA 3+20)

SCALE: 1" = 40' SHEET 1 OF 11 SHEETS



DN: MGA	DRAWING FILE NAME:	STATE:	PROJECT NO.:	HWY NO.:
CK: MGA	REVISIONS:	6 TX		FM 1765
TR: MGA	STATE DIST. NO.:	COUNTY:	CONTROL SECTION NO.:	JOB NO.:
CK: MGA	12	GALVESTON	0686 02	029
CK: MGA				33

LEGEND:

-  TRAFFIC FLOW DIRECTION
-  DRIVEWAY NUMBER
-  SIDEWALK/RAMP CONSTRUCTION
-  DRIVEWAY CONSTRUCTION
-  DETECTABLE WARNING SURFACE
-  CHECKERBOARD PLATE
-  SIGN TO BE RELOCATED
-  REFL PAV MRK TY I(W) 24"(SLD) (100 MIL)

NOTES:

1. SEE "DRIVEWAY LOCATION TABLE" FOR ADDITIONAL INFORMATION.
2. MINOR ADJUSTMENTS TO HORIZONTAL LOCATION OF SIDEWALK & CURB RAMP MAY BE MADE TO AVOID CONFLICTS WITH UTILITIES (POWER POLES, WATER METERS, UTILITY MARKERS, AT&T PEDESTALS & MARKERS), MAILBOXES, LANDSCAPING (TREES, ETC) AS APPROVED BY THE ENGINEER.
3. PROPOSED SIDEWALK SHOULD BE 6'-0" WIDE WHEN CONSTRUCTING AGAINST CURB. PROPOSED SIDEWALK SHOULD BE 5'-0" WIDE WHEN CONSTRUCTING 2 FEET OR MORE FROM FACE OF CURB.
4. PROTECT TREE ACCORDING TO HOUSTON DISTRICT TREE PROTECTION STANDARD. ADJUST SIDEWALK TO AVOID TREE. USE CHECKER PLATE DETAIL AS SHOWN ON SIDEWALK DETAILS.
5. IN AREAS WHERE SIDEWALKS ARE TO REMAIN, REMOVE EXISTING DETECTABLE WARNING PAVERS AT ALL DRIVEWAYS AND REPLACE PORTION OF SIDEWALK IF REQUIRED.
6. IN AREAS WHERE SIDEWALKS ARE TO REMAIN AND ONLY DRIVEWAYS ARE REPLACED, SIDEWALK REPLACEMENT ON EACH SIDE OF DRIVEWAY SHALL MATCH THE SURFACE TEXTURE AND COLOR OF THE EXISTING SIDEWALK AS CLOSELY AS POSSIBLE.
7. ALL OFFSETS ARE TO EDGE OF CONCRETE SIDEWALK.
8. FOR C2 CURB SEE DETAIL SHEET 51.
9. ENGINEER TO DETERMINE THE DRIVEWAY LOCATION TO BE FAST TRACKED.
10. THE LOCATIONS OF SIGNS TO BE RELOCATED ARE APPROXIMATE. ENGINEER TO VERIFY THE EXACT LOCATION AND TYPE OF SIGN TO BE RELOCATED IN THE FIELD DURING CONSTRUCTION.
11. THE TOP OF THE EXISTING GROUND BOXES SHOULD BE LEVELLED WITH NON SLIP SURFACE AS PER TXDOT STANDARD.



Sanjay Pokharel, P.E.
 SANJAY POKHAREL, P.E. 2/1/2023

TEXAS DEPARTMENT OF TRANSPORTATION
 © 2023 TXDOT

FM 1765 SIDEWALK PLAN









(STA 3+20 TO 7+40)

SCALE: 1"=40' SHEET 2 OF 11 SHEETS

DN: MGA	DRAWING FILE NAME:	STATE:	PROJECT NO.:	HWY NO.:
CK:	6	TX		FM 1765
DW: MGA	REVISIONS:	STATE DIST. NO.:	COUNTY:	CONTROL SECTION JOB NO. SHEET NO.:
CK:		12	GALVESTON	0686 02 029 34
TR:				
CK:				



H:\CDA\0686-02-029 (FM 1765)\Roadway Details\Sidewalk\SIDEWALK PLAN*2.dgn 2/1/2023

LEGEND:

-  TRAFFIC FLOW DIRECTION
-  DRIVEWAY NUMBER
-  SIDEWALK/RAMP CONSTRUCTION
-  DRIVEWAY CONSTRUCTION
-  DETECTABLE WARNING SURFACE
-  CHECKERBOARD PLATE
-  SIGN TO BE RELOCATED
-  REFL PAV MRK TY I (W) 24" (SLD) (100 MIL)

NOTES:

1. SEE "DRIVEWAY LOCATION TABLE" FOR ADDITIONAL INFORMATION.
2. MINOR ADJUSTMENTS TO HORIZONTAL LOCATION OF SIDEWALK & CURB RAMP MAY BE MADE TO AVOID CONFLICTS WITH UTILITIES (POWER POLES, WATER METERS, UTILITY MARKERS, AT&T PEDESTALS & MARKERS), MAILBOXES, LANDSCAPING (TREES, ETC) AS APPROVED BY THE ENGINEER.
3. PROPOSED SIDEWALK SHOULD BE 6'-0" WIDE WHEN CONSTRUCTING AGAINST CURB. PROPOSED SIDEWALK SHOULD BE 5'-0" WIDE WHEN CONSTRUCTING 2 FEET OR MORE FROM FACE OF CURB.
4. PROTECT TREE ACCORDING TO HOUSTON DISTRICT TREE PROTECTION STANDARD. ADJUST SIDEWALK TO AVOID TREE. USE CHECKER PLATE DETAIL AS SHOWN ON SIDEWALK DETAILS.
5. IN AREAS WHERE SIDEWALKS ARE TO REMAIN, REMOVE EXISTING DETECTABLE WARNING PAVERS AT ALL DRIVEWAYS AND REPLACE PORTION OF SIDEWALK IF REQUIRED.
6. IN AREAS WHERE SIDEWALKS ARE TO REMAIN AND ONLY DRIVEWAYS ARE REPLACED, SIDEWALK REPLACEMENT ON EACH SIDE OF DRIVEWAY SHALL MATCH THE SURFACE TEXTURE AND COLOR OF THE EXISTING SIDEWALK AS CLOSELY AS POSSIBLE.
7. ALL OFFSETS ARE TO EDGE OF CONCRETE SIDEWALK.
8. FOR C2 CURB SEE DETAIL SHEET 51.
9. ENGINEER TO DETERMINE THE DRIVEWAY LOCATION TO BE FAST TRACKED.
10. THE LOCATIONS OF SIGNS TO BE RELOCATED ARE APPROXIMATE. ENGINEER TO VERIFY THE EXACT LOCATION AND TYPE OF SIGN TO BE RELOCATED IN THE FIELD DURING CONSTRUCTION.
11. THE TOP OF THE EXISTING GROUND BOXES SHOULD BE LEVELLED WITH NON SLIP SURFACE AS PER TxDOT STANDARD.



Sanjay Pokharel P.E.

SANJAY POKHAREL, P.E. 2/1/2023

TEXAS DEPARTMENT OF TRANSPORTATION









© 2023 TxDOT

FM 1765
SIDEWALK PLAN
(STA 7+40 TO 11+60)

SCALE: 1"=40' SHEET 3 OF 11 SHEETS



DN: MGA	DRAWING FILE NAME:	STATE:	PROJECT NO.:	HWY NO.:
CK:	6	TX		FM 1765
DW: MGA	REVISIONS:	STATE DIST. NO.:	COUNTY:	CONTROL SECTION JOB NO. SHEET NO.
CK:		12	GALVESTON	0686 02 029 35

LEGEND:

-  TRAFFIC FLOW DIRECTION
-  DRIVEWAY NUMBER
-  SIDEWALK/RAMP CONSTRUCTION
-  DRIVEWAY CONSTRUCTION
-  DETECTABLE WARNING SURFACE
-  CHECKERBOARD PLATE
-  SIGN TO BE RELOCATED
-  REFL PAV MRK TY I(W) 24"(SLD) (100 MIL)

NOTES:

1. SEE "DRIVEWAY LOCATION TABLE" FOR ADDITIONAL INFORMATION.
2. MINOR ADJUSTMENTS TO HORIZONTAL LOCATION OF SIDEWALK & CURB RAMP MAY BE MADE TO AVOID CONFLICTS WITH UTILITIES (POWER POLES, WATER METERS, UTILITY MARKERS, AT&T PEDESTALS & MARKERS), MAILBOXES, LANDSCAPING (TREES, ETC) AS APPROVED BY THE ENGINEER.
3. PROPOSED SIDEWALK SHOULD BE 6'-0" WIDE WHEN CONSTRUCTING AGAINST CURB. PROPOSED SIDEWALK SHOULD BE 5'-0" WIDE WHEN CONSTRUCTING 2 FEET OR MORE FROM FACE OF CURB.
4. PROTECT TREE ACCORDING TO HOUSTON DISTRICT TREE PROTECTION STANDARD. ADJUST SIDEWALK TO AVOID TREE. USE CHECKER PLATE DETAIL AS SHOWN ON SIDEWALK DETAILS.
5. IN AREAS WHERE SIDEWALKS ARE TO REMAIN, REMOVE EXISTING DETECTABLE WARNING PAVERS AT ALL DRIVEWAYS AND REPLACE PORTION OF SIDEWALK IF REQUIRED.
6. IN AREAS WHERE SIDEWALKS ARE TO REMAIN AND ONLY DRIVEWAYS ARE REPLACED, SIDEWALK REPLACEMENT ON EACH SIDE OF DRIVEWAY SHALL MATCH THE SURFACE TEXTURE AND COLOR OF THE EXISTING SIDEWALK AS CLOSELY AS POSSIBLE.
7. ALL OFFSETS ARE TO EDGE OF CONCRETE SIDEWALK.
8. FOR C2 CURB SEE DETAIL SHEET 51.
9. ENGINEER TO DETERMINE THE DRIVEWAY LOCATION TO BE FAST TRACKED.
10. THE LOCATIONS OF SIGNS TO BE RELOCATED ARE APPROXIMATE. ENGINEER TO VERIFY THE EXACT LOCATION AND TYPE OF SIGN TO BE RELOCATED IN THE FIELD DURING CONSTRUCTION.
11. THE TOP OF THE EXISTING GROUND BOXES SHOULD BE LEVELLED WITH NON SLIP SURFACE AS PER TXDOT STANDARD.



Sanjay Pokharel P.E.

SANJAY POKHAREL, P.E. 2/1/2023

TEXAS DEPARTMENT OF TRANSPORTATION

© 2023 TXDOT

FM 1765
SIDEWALK PLAN
(STA 11+60 TO 15+80)

SCALE: 1"=40' SHEET 4 OF 11 SHEETS



DN: MGA	DRAWING FILE NAME:	STATE:	PROJECT NO.:	ROADWAY NO.:
CK:	6	TX		FM 1765
DW: MGA	REVISIONS:	STATE DIST. NO.:	COUNTY:	CONTROL SECTION JOB NO. SHEET NO.
TR:		12	GALVESTON	0686 02 029 36

LEGEND:

- TRAFFIC FLOW DIRECTION
- DRIVEWAY NUMBER
- SIDEWALK/RAMP CONSTRUCTION
- DRIVEWAY CONSTRUCTION
- DETECTABLE WARNING SURFACE
- CHECKERBOARD PLATE
- SIGN TO BE RELOCATED
- REFL PAV MRK TY I(W) 24"(SLD) (100 MIL)

NOTES:

1. SEE "DRIVEWAY LOCATION TABLE" FOR ADDITIONAL INFORMATION.
2. MINOR ADJUSTMENTS TO HORIZONTAL LOCATION OF SIDEWALK & CURB RAMP MAY BE MADE TO AVOID CONFLICTS WITH UTILITIES (POWER POLES, WATER METERS, UTILITY MARKERS, AT&T PEDESTALS & MARKERS), MAILBOXES, LANDSCAPING (TREES, ETC) AS APPROVED BY THE ENGINEER.
3. PROPOSED SIDEWALK SHOULD BE 6'-0" WIDE WHEN CONSTRUCTING AGAINST CURB. PROPOSED SIDEWALK SHOULD BE 5'-0" WIDE WHEN CONSTRUCTING 2 FEET OR MORE FROM FACE OF CURB.
4. PROTECT TREE ACCORDING TO HOUSTON DISTRICT TREE PROTECTION STANDARD. ADJUST SIDEWALK TO AVOID TREE. USE CHECKER BOARD PLATE AS SHOWN ON SIDEWALK DETAILS.
5. IN AREAS WHERE SIDEWALKS ARE TO REMAIN, REMOVE EXISTING DETECTABLE WARNING PAVERS AT ALL DRIVEWAYS AND REPLACE PORTION OF SIDEWALK IF REQUIRED.
6. IN AREAS WHERE SIDEWALKS ARE TO REMAIN AND ONLY DRIVEWAYS ARE REPLACED, SIDEWALK REPLACEMENT ON EACH SIDE OF DRIVEWAY SHALL MATCH THE SURFACE TEXTURE AND COLOR OF THE EXISTING SIDEWALK AS CLOSELY AS POSSIBLE.
7. ALL OFFSETS ARE TO EDGE OF CONCRETE SIDEWALK.
8. FOR C2 CURB SEE DETAIL SHEET 51.
9. ENGINEER TO DETERMINE THE DRIVEWAY LOCATION TO BE FAST TRACKED.
10. THE LOCATIONS OF SIGNS TO BE RELOCATED ARE APPROXIMATE. ENGINEER TO VERIFY THE EXACT LOCATION AND TYPE OF SIGN TO BE RELOCATED IN THE FIELD DURING CONSTRUCTION.
11. THE TOP OF THE EXISTING GROUND BOXES SHOULD BE LEVELLED WITH NON SLIP SURFACE AS PER TxDOT STANDARD.



Sanjay Pokharel P.E.
 SANJAY POKHAREL, P.E. 2/1/2023

TEXAS DEPARTMENT OF TRANSPORTATION **3**

© 2023 TxDOT

FM 1765 SIDEWALK PLAN

(STA 15+80 TO 20+00)

SCALE: 1" = 40' SHEET 5 OF 11 SHEETS

DN: MGA	DRAWING FILE NAME:	STATE:	PROJECT NO.:	HIGHWAY NO.:
CK: MGA	REVISIONS:	6 TX		FM 1765
TR: MGA		STATE DIST. NO.:	COUNTY:	CONTROL SECTION JOB NO. SHEET NO.:
CK: MGA		12 GALVESTON	0686 02	029 37



H:\CDA\0686-02-029 (FM 1765)\Roadway Details\Sidewalk\SIDEWALK PLAN*5.dgn 2/1/2023

LEGEND:

- TRAFFIC FLOW DIRECTION
- DRIVEWAY NUMBER
- SIDEWALK/RAMP CONSTRUCTION
- DRIVEWAY CONSTRUCTION
- DETECTABLE WARNING SURFACE
- CHECKERBOARD PLATE
- SIGN TO BE RELOCATED
- REFL PAV MRK TY I(W) 24" (SLD) (100 MIL)

NOTES:

1. SEE "DRIVEWAY LOCATION TABLE" FOR ADDITIONAL INFORMATION.
2. MINOR ADJUSTMENTS TO HORIZONTAL LOCATION OF SIDEWALK & CURB RAMP MAY BE MADE TO AVOID CONFLICTS WITH UTILITIES (POWER POLES, WATER METERS, UTILITY MARKERS, AT&T PEDESTALS & MARKERS), MAILBOXES, LANDSCAPING (TREES, ETC) AS APPROVED BY THE ENGINEER.
3. PROPOSED SIDEWALK SHOULD BE 6'-0" WIDE WHEN CONSTRUCTING AGAINST CURB. PROPOSED SIDEWALK SHOULD BE 5'-0" WIDE WHEN CONSTRUCTING 2 FEET OR MORE FROM FACE OF CURB.
4. PROTECT TREE ACCORDING TO HOUSTON DISTRICT TREE PROTECTION STANDARD. ADJUST SIDEWALK TO AVOID TREE. USE CHECKER PLATE DETAIL AS SHOWN ON SIDEWALK DETAILS.
5. IN AREAS WHERE SIDEWALKS ARE TO REMAIN, REMOVE EXISTING DETECTABLE WARNING PAVERS AT ALL DRIVEWAYS AND REPLACE PORTION OF SIDEWALK IF REQUIRED.
6. IN AREAS WHERE SIDEWALKS ARE TO REMAIN AND ONLY DRIVEWAYS ARE REPLACED, SIDEWALK REPLACEMENT ON EACH SIDE OF DRIVEWAY SHALL MATCH THE SURFACE TEXTURE AND COLOR OF THE EXISTING SIDEWALK AS CLOSELY AS POSSIBLE.
7. ALL OFFSETS ARE TO EDGE OF CONCRETE SIDEWALK.
8. FOR C2 CURB SEE DETAIL SHEET 51.
9. ENGINEER TO DETERMINE THE DRIVEWAY LOCATION TO BE FAST TRACKED.
10. THE LOCATIONS OF SIGNS TO BE RELOCATED ARE APPROXIMATE. ENGINEER TO VERIFY THE EXACT LOCATION AND TYPE OF SIGN TO BE RELOCATED IN THE FIELD DURING CONSTRUCTION.
11. THE TOP OF THE EXISTING GROUND BOXES SHOULD BE LEVELLED WITH NON SLIP SURFACE AS PER TXDOT STANDARD.



Sanjay Pokharel P.E.
 SANJAY POKHAREL, P.E. 2/1/2023

TEXAS DEPARTMENT OF TRANSPORTATION









© 2023 TXDOT

FM 1765
SIDEWALK PLAN
 (STA 20+00 TO 24+20)

SCALE: 1"=40' SHEET 6 OF 11 SHEETS



DN: MGA	DRAWING FILE NAME:	STATE:	PROJECT NO.:	HWY NO.:
CK:	6	TX		FM 1765
DW: MGA	REVISIONS:	STATE DIST. NO.:	COUNTY:	CONTROL SECTION JOB NO. SHEET NO.:
TR:		12	GALVESTON	0686 02 029 38

LEGEND:

-  TRAFFIC FLOW DIRECTION
-  DRIVEWAY NUMBER
-  SIDEWALK/RAMP CONSTRUCTION
-  DRIVEWAY CONSTRUCTION
-  DETECTABLE WARNING SURFACE
-  CHECKERBOARD PLATE
-  SIGN TO BE RELOCATED
-  REFL PAV MRK TY I(W) 24"(SLD) (100 MIL)

NOTES:

1. SEE "DRIVEWAY LOCATION TABLE" FOR ADDITIONAL INFORMATION.
2. MINOR ADJUSTMENTS TO HORIZONTAL LOCATION OF SIDEWALK & CURB RAMP MAY BE MADE TO AVOID CONFLICTS WITH UTILITIES (POWER POLES, WATER METERS, UTILITY MARKERS, AT&T PEDESTALS & MARKERS), MAILBOXES, LANDSCAPING (TREES, ETC) AS APPROVED BY THE ENGINEER.
3. PROPOSED SIDEWALK SHOULD BE 6'-0" WIDE WHEN CONSTRUCTING AGAINST CURB. PROPOSED SIDEWALK SHOULD BE 5'-0" WIDE WHEN CONSTRUCTING 2 FEET OR MORE FROM FACE OF CURB.
4. PROTECT TREE ACCORDING TO HOUSTON DISTRICT TREE PROTECTION STANDARD. ADJUST SIDEWALK TO AVOID TREE. USE CHECKER BOARD DETAIL AS SHOWN ON SIDEWALK DETAILS.
5. IN AREAS WHERE SIDEWALKS ARE TO REMAIN, REMOVE EXISTING DETECTABLE WARNING PAVERS AT ALL DRIVEWAYS AND REPLACE PORTION OF SIDEWALK IF REQUIRED.
6. IN AREAS WHERE SIDEWALKS ARE TO REMAIN AND ONLY DRIVEWAYS ARE REPLACED, SIDEWALK REPLACEMENT ON EACH SIDE OF DRIVEWAY SHALL MATCH THE SURFACE TEXTURE AND COLOR OF THE EXISTING SIDEWALK AS CLOSELY AS POSSIBLE.
7. ALL OFFSETS ARE TO EDGE OF CONCRETE SIDEWALK.
8. FOR C2 CURB SEE DETAIL SHEET 51.
9. ENGINEER TO DETERMINE THE DRIVEWAY LOCATION TO BE FAST TRACKED.
10. THE LOCATIONS OF SIGNS TO BE RELOCATED ARE APPROXIMATE. ENGINEER TO VERIFY THE EXACT LOCATION AND TYPE OF SIGN TO BE RELOCATED IN THE FIELD DURING CONSTRUCTION.
11. THE TOP OF THE EXISTING GROUND BOXES SHOULD BE LEVELLED WITH NON SLIP SURFACE AS PER TxDOT STANDARD.











Sanjay Pokharel P.E.
 SANJAY POKHAREL, P.E.

2/1/2023

TEXAS DEPARTMENT OF TRANSPORTATION
 © 2023 TxDOT
FM 1765
SIDEWALK PLAN
 (STA 24+20 TO 28+40)
 SCALE: 1"=40' SHEET 7 OF 11 SHEETS



DN: MGA	DRAWING FILE NAME:	STATE:	PROJECT NO.:	HWY NO.:
CK: MGA	REVISIONS:	6 TX		FM 1765
TR: MGA	STATE DIST. NO.:	COUNTY:	CONTROL SECTION NO.:	JOB NO.:
CK: MGA	12	GALVESTON	0686 02	029 39

LEGEND:

-  TRAFFIC FLOW DIRECTION
-  DRIVEWAY NUMBER
-  SIDEWALK/RAMP CONSTRUCTION
-  DRIVEWAY CONSTRUCTION
-  DETECTABLE WARNING SURFACE
-  CHECKERBOARD PLATE
-  SIGN TO BE RELOCATED
-  REFL PAV MRK TY I(W) 24"(SLD) (100 MIL)

NOTES:

1. SEE "DRIVEWAY LOCATION TABLE" FOR ADDITIONAL INFORMATION.
2. MINOR ADJUSTMENTS TO HORIZONTAL LOCATION OF SIDEWALK & CURB RAMP MAY BE MADE TO AVOID CONFLICTS WITH UTILITIES (POWER POLES, WATER METERS, UTILITY MARKERS, AT&T PEDESTALS & MARKERS), MAILBOXES, LANDSCAPING (TREES, ETC) AS APPROVED BY THE ENGINEER.
3. PROPOSED SIDEWALK SHOULD BE 6'-0" WIDE WHEN CONSTRUCTING AGAINST CURB. PROPOSED SIDEWALK SHOULD BE 5'-0" WIDE WHEN CONSTRUCTING 2 FEET OR MORE FROM FACE OF CURB.
4. PROTECT TREE ACCORDING TO HOUSTON DISTRICT TREE PROTECTION STANDARD. ADJUST SIDEWALK TO AVOID TREE. USE CHECKERBOARD PLATE DETAIL AS SHOWN ON SIDEWALK DETAILS.
5. IN AREAS WHERE SIDEWALKS ARE TO REMAIN, REMOVE EXISTING DETECTABLE WARNING PAVERS AT ALL DRIVEWAYS AND REPLACE PORTION OF SIDEWALK IF REQUIRED.
6. IN AREAS WHERE SIDEWALKS ARE TO REMAIN AND ONLY DRIVEWAYS ARE REPLACED, SIDEWALK REPLACEMENT ON EACH SIDE OF DRIVEWAY SHALL MATCH THE SURFACE TEXTURE AND COLOR OF THE EXISTING SIDEWALK AS CLOSELY AS POSSIBLE.
7. ALL OFFSETS ARE TO EDGE OF CONCRETE SIDEWALK.
8. FOR C2 CURB SEE DETAIL SHEET 51.
9. ENGINEER TO DETERMINE THE DRIVEWAY LOCATION TO BE FAST TRACKED.
10. THE LOCATIONS OF SIGNS TO BE RELOCATED ARE APPROXIMATE. ENGINEER TO VERIFY THE EXACT LOCATION AND TYPE OF SIGN TO BE RELOCATED IN THE FIELD DURING CONSTRUCTION.
11. THE TOP OF THE EXISTING GROUND BOXES SHOULD BE LEVELLED WITH NON SLIP SURFACE AS PER TXDOT STANDARD.



Sanjay Pokharel, P.E.

SANJAY POKHAREL, P.E. 2/1/2023

TEXAS DEPARTMENT OF TRANSPORTATION

© 2023 TXDOT









FM 1765 SIDEWALK PLAN

(STA 28+40 TO 32+60)

SCALE: 1" = 40' SHEET 8 OF 11 SHEETS



DN: MGA	DRAWING FILE NAME:	STATE:	PROJECT NO.:	ROADWAY NO.:
CK:		6 TX		FM 1765
DW: MGA	REVISIONS:	STATE DIST. NO.:	COUNTY:	JOB NO.:
TR:		12	GALVESTON	0686 02
CK:				SHEET NO.:
				40

LEGEND:

-  TRAFFIC FLOW DIRECTION
-  DRIVEWAY NUMBER
-  SIDEWALK/RAMP CONSTRUCTION
-  DRIVEWAY CONSTRUCTION
-  DETECTABLE WARNING SURFACE
-  CHECKERBOARD PLATE
-  SIGN TO BE RELOCATED
-  REFL PAV MRK TY I(W) 24"(SLD) (100 MIL)

NOTES:

1. SEE "DRIVEWAY LOCATION TABLE" FOR ADDITIONAL INFORMATION.
2. MINOR ADJUSTMENTS TO HORIZONTAL LOCATION OF SIDEWALK & CURB RAMP MAY BE MADE TO AVOID CONFLICTS WITH UTILITIES (POWER POLES, WATER METERS, UTILITY MARKERS, AT&T PEDESTALS & MARKERS), MAILBOXES, LANDSCAPING (TREES, ETC) AS APPROVED BY THE ENGINEER.
3. PROPOSED SIDEWALK SHOULD BE 6'-0" WIDE WHEN CONSTRUCTING AGAINST CURB. PROPOSED SIDEWALK SHOULD BE 5'-0" WIDE WHEN CONSTRUCTING 2 FEET OR MORE FROM FACE OF CURB.
4. PROTECT TREE ACCORDING TO HOUSTON DISTRICT TREE PROTECTION STANDARD. ADJUST SIDEWALK TO AVOID TREE. USE CHECKER BOARD PLATE AS SHOWN ON SIDEWALK DETAILS.
5. IN AREAS WHERE SIDEWALKS ARE TO REMAIN, REMOVE EXISTING DETECTABLE WARNING PAVERS AT ALL DRIVEWAYS AND REPLACE PORTION OF SIDEWALK IF REQUIRED.
6. IN AREAS WHERE SIDEWALKS ARE TO REMAIN AND ONLY DRIVEWAYS ARE REPLACED, SIDEWALK REPLACEMENT ON EACH SIDE OF DRIVEWAY SHALL MATCH THE SURFACE TEXTURE AND COLOR OF THE EXISTING SIDEWALK AS CLOSELY AS POSSIBLE.
7. ALL OFFSETS ARE TO EDGE OF CONCRETE SIDEWALK.
8. FOR C2 CURB SEE DETAIL SHEET 51.
9. ENGINEER TO DETERMINE THE DRIVEWAY LOCATION TO BE FAST TRACKED.
10. THE LOCATIONS OF SIGNS TO BE RELOCATED ARE APPROXIMATE. ENGINEER TO VERIFY THE EXACT LOCATION AND TYPE OF SIGN TO BE RELOCATED IN THE FIELD DURING CONSTRUCTION.
11. THE TOP OF THE EXISTING GROUND BOXES SHOULD BE LEVELLED WITH NON SLIP SURFACE AS PER TXDOT STANDARD.











Sanjay Pokharel P.E.
 SANJAY POKHAREL, P.E. 2/1/2023

TEXAS DEPARTMENT OF TRANSPORTATION
 © 2023 TXDOT
FM 1765
SIDEWALK PLAN
 (STA 32+60 TO 36+80)
 SCALE: 1"=40' SHEET 9 OF 11 SHEETS



DN: MGA	DRAWING FILE NAME:	STATE:	PROJECT NO.:	ROUTE NO.:
CK:		6 TX		FM 1765
DW: MGA	REVISIONS:	STATE DIST. NO.:	COUNTY:	CONTROL SECTION JOB NO. SHEET NO.:
CK:		12	GALVESTON	0686 02 029 41

LEGEND:

-  TRAFFIC FLOW DIRECTION
-  DRIVEWAY NUMBER
-  SIDEWALK/RAMP CONSTRUCTION
-  DRIVEWAY CONSTRUCTION
-  DETECTABLE WARNING SURFACE
-  CHECKERBOARD PLATE
-  SIGN TO BE RELOCATED
-  REFL PAV MRK TY I (W) 24" (SLD) (100 MIL)

NOTES:

1. SEE "DRIVEWAY LOCATION TABLE" FOR ADDITIONAL INFORMATION.
2. MINOR ADJUSTMENTS TO HORIZONTAL LOCATION OF SIDEWALK & CURB RAMP MAY BE MADE TO AVOID CONFLICTS WITH UTILITIES (POWER POLES, WATER METERS, UTILITY MARKERS, AT&T PEDESTALS & MARKERS), MAILBOXES, LANDSCAPING (TREES, ETC) AS APPROVED BY THE ENGINEER.
3. PROPOSED SIDEWALK SHOULD BE 6'-0" WIDE WHEN CONSTRUCTING AGAINST CURB. PROPOSED SIDEWALK SHOULD BE 5'-0" WIDE WHEN CONSTRUCTING 2 FEET OR MORE FROM FACE OF CURB.
4. PROTECT TREE ACCORDING TO HOUSTON DISTRICT TREE PROTECTION STANDARD. ADJUST SIDEWALK TO AVOID TREE. USE CHECKER BOARD PLATE AS SHOWN ON SIDEWALK DETAILS.
5. IN AREAS WHERE SIDEWALKS ARE TO REMAIN, REMOVE EXISTING DETECTABLE WARNING PAVERS AT ALL DRIVEWAYS AND REPLACE PORTION OF SIDEWALK IF REQUIRED.
6. IN AREAS WHERE SIDEWALKS ARE TO REMAIN AND ONLY DRIVEWAYS ARE REPLACED, SIDEWALK REPLACEMENT ON EACH SIDE OF DRIVEWAY SHALL MATCH THE SURFACE TEXTURE AND COLOR OF THE EXISTING SIDEWALK AS CLOSELY AS POSSIBLE.
7. ALL OFFSETS ARE TO EDGE OF CONCRETE SIDEWALK.
8. FOR C2 CURB SEE DETAIL SHEET 51.
9. ENGINEER TO DETERMINE THE DRIVEWAY LOCATION TO BE FAST TRACKED.
10. THE LOCATIONS OF SIGNS TO BE RELOCATED ARE APPROXIMATE. ENGINEER TO VERIFY THE EXACT LOCATION AND TYPE OF SIGN TO BE RELOCATED IN THE FIELD DURING CONSTRUCTION.
11. THE TOP OF THE EXISTING GROUND BOXES SHOULD BE LEVELLED WITH NON SLIP SURFACE AS PER TXDOT STANDARD.



Sanjay Pokharel P.E.
 SANJAY POKHAREL, P.E.

2/1/2023









TEXAS DEPARTMENT OF TRANSPORTATION

FM 1765
SIDEWALK PLAN
 (STA 36+80 TO 41+00)

SCALE: 1" = 40' SHEET 10 OF 11 SHEETS

DN: MGA	DRAWING FILE NAME:	STATE:	PROJECT NO.:
CK:		6 TX	FM 1765
DW: MGA	REVISIONS:	STATE DIST. NO.	COUNTY
CK:		12	GALVESTON
TR:		CONTROL NO.	SECTION NO.
CK:		0686	02
		JOB NO.	SHEET NO.
		029	42



LEGEND:

-  TRAFFIC FLOW DIRECTION
-  DRIVEWAY NUMBER
-  SIDEWALK/RAMP CONSTRUCTION
-  DRIVEWAY CONSTRUCTION
-  DETECTABLE WARNING SURFACE
-  CHECKERBOARD PLATE
-  SIGN TO BE RELOCATED
-  REFL PAV MRK TY I(W) 24"(SLD) (100 MIL)



NOTES:

1. SEE "DRIVEWAY LOCATION TABLE" FOR ADDITIONAL INFORMATION.
2. MINOR ADJUSTMENTS TO HORIZONTAL LOCATION OF SIDEWALK & CURB RAMP MAY BE MADE TO AVOID CONFLICTS WITH UTILITIES (POWER POLES, WATER METERS, UTILITY MARKERS, AT&T PEDESTALS & MARKERS), MAILBOXES, LANDSCAPING (TREES, ETC) AS APPROVED BY THE ENGINEER.
3. PROPOSED SIDEWALK SHOULD BE 6'-0" WIDE WHEN CONSTRUCTING AGAINST CURB. PROPOSED SIDEWALK SHOULD BE 5'-0" WIDE WHEN CONSTRUCTING 2 FEET OR MORE FROM FACE OF CURB.
4. PROTECT TREE ACCORDING TO HOUSTON DISTRICT TREE PROTECTION STANDARD. ADJUST SIDEWALK TO AVOID TREE. USE CHECKERBOARD PLATE DETAIL AS SHOWN ON SIDEWALK DETAILS.
5. IN AREAS WHERE SIDEWALKS ARE TO REMAIN, REMOVE EXISTING DETECTABLE WARNING PAVERS AT ALL DRIVEWAYS AND REPLACE PORTION OF SIDEWALK IF REQUIRED.
6. IN AREAS WHERE SIDEWALKS ARE TO REMAIN AND ONLY DRIVEWAYS ARE REPLACED, SIDEWALK REPLACEMENT ON EACH SIDE OF DRIVEWAY SHALL MATCH THE SURFACE TEXTURE AND COLOR OF THE EXISTING SIDEWALK AS CLOSELY AS POSSIBLE.
7. ALL OFFSETS ARE TO EDGE OF CONCRETE SIDEWALK.
8. FOR C2 CURB SEE DETAIL SHEET 51.
9. ENGINEER TO DETERMINE THE DRIVEWAY LOCATION TO BE FAST TRACKED.
10. THE LOCATIONS OF SIGNS TO BE RELOCATED ARE APPROXIMATE. ENGINEER TO VERIFY THE EXACT LOCATION AND TYPE OF SIGN TO BE RELOCATED IN THE FIELD DURING CONSTRUCTION.
11. THE TOP OF THE EXISTING GROUND BOXES SHOULD BE LEVELLED WITH NON SLIP SURFACE AS PER TXDOT STANDARD.



Sanjay Pokharel P.E.
 SANJAY POKHAREL, P.E. 2/1/2023


TEXAS DEPARTMENT OF TRANSPORTATION
 © 2023 TXDOT

FM 1765 SIDEWALK PLAN

(STA 41+00 TO 43+00)



SCALE: 1" = 40' SHEET 11 OF 11 SHEETS

DN: MGA	DRAWING FILE NAME:	STATE:	PROJECT NO.:
CK:	6	TX	FM 1765
DW: MGA	REVISIONS:	COUNTY:	CONTROL SECTION JOB NO. SHEET NO.
TR:	12	GALVESTON	0686 02 029 43



- LEGEND:**
- ① REMOVE SIDEWALK/RAMP
 - ② REMOVE DRIVEWAY
 - ③ REMOVING CONC CURB AND GUTTER
 - ④ REMOVE STAB BASE & ASPH PAV (UNDER CONC)
 - ⑤ SALV, HAUL & STKPL RCL APH PV (VAR DEPTH)
 - TRAFFIC FLOW DIRECTION
 - DRIVEWAY NUMBER

- NOTES:**
1. REMOVAL OF EXISTING SIDEWALK SHALL BE TO AN EXISTING JOINT.
 2. SIDEWALK REMOVAL INCLUDES THE REQUIRED REMOVAL OF ANY RAMPS.
 3. SEE "DRIVEWAY LOCATION TABLE" FOR ADDITIONAL DETAILS.










Sanjay Pokharel P.E.
 SANJAY POKHAREL, P.E. 1/29/2023

TEXAS DEPARTMENT OF TRANSPORTATION
 2023 TXDOT
**FM 1765
 DEMOLITION PLANS**

SCALE: 1" = 40' SHEET 1 OF 6 SHEETS




DWG: MGA	DRAWING FILE NAME:	REV. NO.	STATE	PROJECT NO.	HIGHWAY NO.
CK:		6	TX		FM 1765
DWG: MGA	REVISIONS:	STATE DIST. NO.	COUNTY	CONTROL SECTION NO.	JOB NO.
CK:		12	GALVESTON	0686 02	029
TR:					SHEET NO.
CK:					44

LEGEND:

-  ① REMOVE SIDEWALK/RAMP
-  ② REMOVE DRIVEWAY
-  ③ REMOVING CONC CURB AND GUTTER
-  ④ REMOVE STAB BASE & ASPH PAV (UNDER CONC)
-  ⑤ SALV, HAUL & STKPL RCL APH PV (VAR DEPTH)
-  TRAFFIC FLOW DIRECTION
-  DRIVEWAY NUMBER

NOTES:

1. REMOVAL OF EXISTING SIDEWALK SHALL BE TO AN EXISTING JOINT.
2. SIDEWALK REMOVAL INCLUDES THE REQUIRED REMOVAL OF ANY RAMPS.
3. SEE "DRIVEWAY LOCATION TABLE" FOR ADDITIONAL DETAILS.



Sanjay Pokharel P.E.
 SANJAY POKHAREL, P.E.

1/29/2023

TEXAS DEPARTMENT OF TRANSPORTATION
 © 2023 TxDOT
FM 1765
DEMOLITION PLANS

SCALE: 1" = 40' SHEET 2 OF 6 SHEETS



DN: MGA	DRAWING FILE NAME:	STATE:	PROJECT NO.:
CK: MGA	REVISIONS:	6 TX	FM 1765
TR: MGA	STATE DIST. NO.:	COUNTY:	CONTROL SECTION NO.:
CK: MGA	12	GALVESTON	0686 02
			JOB NO.:
			029
			SHEET NO.:
			45

MATCHLINE STA. 15+80.00

MATCHLINE STA. 20+00.00


MATCHLINE STA. 20+00.00

MATCHLINE STA. 24+20.00



- LEGEND:**
- ① REMOVE SIDEWALK/RAMP
 - ② REMOVE DRIVEWAY
 - ③ REMOVING CONC CURB AND GUTTER
 - ④ REMOVE STAB BASE & ASPH PAV (UNDER CONC)
 - ⑤ SALV, HAUL & STKPL RCL APH PV (VAR DEPTH)
 - TRAFFIC FLOW DIRECTION
 - DRIVEWAY NUMBER

- NOTES:**
1. REMOVAL OF EXISTING SIDEWALK SHALL BE TO AN EXISTING JOINT.
 2. SIDEWALK REMOVAL INCLUDES THE REQUIRED REMOVAL OF ANY RAMPS.
 3. SEE "DRIVEWAY LOCATION TABLE" FOR ADDITIONAL DETAILS.




Sanjay Pokharel, P.E.
 SANJAY POKHAREL, P.E. 1/29/2023

TEXAS DEPARTMENT OF TRANSPORTATION
 © 2023 TxDOT
FM 1765 DEMOLITION PLANS
 SCALE: 1" = 40' SHEET 3 OF 6 SHEETS








DW: MGA	DRAWING FILE NAME:	STATE:	PROJECT NO.:	FM 1765
CK:	6	TX		
DW: MGA	REVISIONS:	COUNTY:	CONTROL SECTION NO.:	JOB NO.:
CK:		12	0686 02	029
TR:				46
CK:				

MATCHLINE STA. 24+20.00



MATCHLINE STA. 28+40.00


LEGEND:

-  ① REMOVE SIDEWALK/RAMP
-  ② REMOVE DRIVEWAY
-  ③ REMOVING CONC CURB AND GUTTER)
-  ④ REMOVE STAB BASE & ASPH PAV (UNDER CONC)
-  ⑤ SALV, HAUL & STKPL RCL APH PV (VAR DEPTH)
-  TRAFFIC FLOW DIRECTION
-  DRIVEWAY NUMBER


NOTES:

1. REMOVAL OF EXISTING SIDEWALK SHALL BE TO AN EXISTING JOINT.
2. SIDEWALK REMOVAL INCLUDES THE REQUIRED REMOVAL OF ANY RAMPS.
3. SEE "DRIVEWAY LOCATION TABLE" FOR ADDITIONAL DETAILS.

MATCHLINE STA. 28+40.00



MATCHLINE STA. 32+60.00



Sanjay Pokharel
 SANJAY POKHAREL, P.E.
 1/29/2023

TEXAS DEPARTMENT OF TRANSPORTATION
 © 2023 TxDOT
FM 1765
DEMOLITION PLANS

SCALE: 1" = 40' SHEET 4 OF 6 SHEETS



DN: MGA	DRAWING FILE NAME:	STATE	PROJECT NO.	HIGHWAY NO.
CK:		6 TX		FM 1765
DW: MGA	REVISIONS:	STATE DIST. NO.	COUNTY	CONTROL SECTION NO. NO.
CK:		12	GALVESTON	0686 02
TR:				JOB NO. SHEET NO.
CK:				029 47

MATCHLINE STA. 32+60.00








MATCHLINE STA. 36+80.00

MATCHLINE STA. 36+80.00

MATCHLINE STA. 41+00.00




LEGEND:

-  ① REMOVE SIDEWALK/RAMP
-  ② REMOVE DRIVEWAY
-  ③ REMOVING CONC CURB AND GUTTER)
-  ④ REMOVE STAB BASE & ASPH PAV (UNDER CONC)
-  ⑤ SALV, HAUL & STKPL RCL APH PV (VAR DEPTH)
-  TRAFFIC FLOW DIRECTION
-  DRIVEWAY NUMBER

NOTES:

1. REMOVAL OF EXISTING SIDEWALK SHALL BE TO AN EXISTING JOINT.
2. SIDEWALK REMOVAL INCLUDES THE REQUIRED REMOVAL OF ANY RAMPS.
3. SEE "DRIVEWAY LOCATION TABLE" FOR ADDITIONAL DETAILS.



Sanjay Pokharel
 SANJAY POKHAREL, P.E.
 1/29/2023


TEXAS DEPARTMENT OF TRANSPORTATION
 © 2023 TxDOT








FM 1765 DEMOLITION PLANS

SCALE: 1" = 40' SHEET 5 OF 6 SHEETS


DN: MGA	DRAWING FILE NAME:	STATE:	PROJECT NO.:
CK:		6 TX	FM 1765
DW: MGA	REVISIONS:		
CK:		COUNTY:	CORREL. SECTION NO.:
TR:		12 GALVESTON	0686 02
CK:		JOB NO.:	SHEET NO.:
		029	48

MATCHLINE STA. 41+00.00




- LEGEND:**
-  ① REMOVE SIDEWALK/RAMP
 -  ② REMOVE DRIVEWAY
 -  ③ REMOVING CONC CURB AND GUTTER)
 -  ④ REMOVE STAB BASE & ASPH PAV (UNDER CONC)
 -  ⑤ SALV, HAUL & STKPL RCL APH PV (VAR DEPTH)
 -  TRAFFIC FLOW DIRECTION
 -  DRIVEWAY NUMBER

- NOTES:**
1. REMOVAL OF EXISTING SIDEWALK SHALL BE TO AN EXISTING JOINT.
 2. SIDEWALK REMOVAL INCLUDES THE REQUIRED REMOVAL OF ANY RAMPS.
 3. SEE "DRIVEWAY LOCATION TABLE" FOR ADDITIONAL DETAILS.




Sanjay Pokharel
SANJAY POKHAREL, P.E.

1/29/2023



TEXAS DEPARTMENT OF TRANSPORTATION
FM 1765
DEMOLITION PLANS

SCALE: 1" = 40' SHEET 6 OF 6 SHEETS

DN: MGA	DRAWING FILE NAME:	STATE	PROJECT NO.	HIGHWAY NO.
CK:	6	TX		FM 1765
DW: MGA	REVISIONS:	STATE DIST. NO.	COUNTY	CONTROL SECTION NO. NO.
CK:		12	GALVESTON	0686 02
TR:				JOB NO. SHEET NO.
CK:				029 49




PLAN
CHECKER PLATE
NTS




DETAIL 1
NTS

- NOTES:
- CHECKER PLATE IS PAID UNDER ITEM 442 STR STEEL IN ON BRIDGE. THIS INCLUDES THE 2"x2" ANGLES AND BARS AND ALL WORK FOR THE CHECKER PLATE. ALL STEEL AND CONNECTIONS SHALL BE GALVANIZED.
 - CHECKER PLATE SHALL BE A NON-SLIP MATERIAL.
 - GRAVEL AND THICKENED SIDEWALK AND PLAN CONCRETE CONNECTION IS SUBSIDIARY TO CHECKER PLATE CONSTRUCTION.
 - ALL EXCAVATION AT TREE ROOTS TO BE CHECKER PLATE DONE BY HAND.
 - CHECKER PLATE LOCATIONS TO BE FIELD VERIFIED PER FINAL ROOT LOCATIONS.
 - CONTRACTOR TO SUBMIT SAMPLES OF DETAIL TYPICAL CHECKER PLATE FOR APPROVAL PRIOR TO MULTIPLE CONNECTION

NOTE: 1% "X1%" NOTE: 1% "X1%"




CHECKER PLATE DETAILS
NTS



MULTIPLE CHECKER PLATE DETAILS
NTS


TO BE USED IN AREAS WHERE ROOTS ARE TOO WIDE FOR PLACEMENT OF JUST ONE PLATE




Sanjay Pokharel P.E.
SANJAY POKHAREL, P.E. 1/27/2023

TEXAS DEPARTMENT OF TRANSPORTATION
© 2023 TxDOT
FM 1765
CHECKER PLATE DETAILS
SHEET 1 OF 1


DN:	ORIGINAL DATE OF	FILE NO.	STATE	FEDERAL PROJECT NO.	HIGHWAY NO.
CK DN:	DRAWING:	6	TEXAS		FM 1765
DW:	REVISIONS:				
CK DW:		STATE DIST. NO.	COUNTY	CONTROL NO.	SECTION NO.
TR:		12	GALVESTON	0686	02
CK TR:					50



TRANSITION FOR CONCRETE CURB ENDS




PLAN
NTS




SECTION A-A

SIDEWALK ADJASCENT TO CURB INLET




PLAN


CONCRETE SIDEWALK DETAILS



TYPE C2 CURB



BAR "LC"



CONTROL JOINT


EXPANSION JOINT

NOTES:

1. ALL EDGES SHALL BE ROUNDED WITH 3/8" RADIUS.
2. CONTROL JOINTS SHALL BE SPACED @ 10 FT. INTERVALS FOR SIDEWALK.
3. CONTROL JOINTS SHALL BE 1/2" DEEP AND TROWEL EDGE.
4. 1/2" EXPANSION MATERIAL REQUIRED WHERE SIDEWALKS ABUT BUILDINGS, CURBS, DRIVEWAYS, OR EXISTING SIDEWALKS.
5. EXPANSION JOINTS SHALL BE SPACED @ 20 FT. INTERVALS TYPICALLY.
6. WHERE NEW SIDEWALK IS PLACED AGAINST EXISTING SIDEWALK, SAWCUT EXISTING SIDEWALK FULL DEPTH TO AN EVEN STRAIGHT LINE PRIOR TO INSTALLATION OF THE NEW SIDEWALK.
7. ALL NEW SIDEWALK SHALL BE DOWELED INTO ADJASCENT CONCRETE STRUCTURES.

GENERAL NOTES:

1. ALL CONCRETE SHALL BE CLASS "C".
2. ALL REINFORCING STEEL SHALL BE GRADE 60. TO BE PAID AS ITEM 423-6008.



Sanjay Pokharel P.E.

SANJAY POKHAREL, P.E. 1/27/2023





SCALE: N.T.S.

TEXAS DEPARTMENT OF TRANSPORTATION
 © 2023 TxDOT
FM 1765
SIDEWALK AND
TY C2 CURB DETAILS


DN:	ORIGINAL DATE OF DRAWING:	FEEL. NO.:	STATE:	FEDERAL PROJECT NO.:	HIGHWAY NO.:
CK:	DN:	6	TEXAS		FM 1765
TR:	REVISED:				
CK:	TR:	STATE DIST. NO.:	COUNTY:	CONTROL NO.:	SECTION NO.:
		12	GALVESTON	0686	02
					JOB NO.:
					029
					SHEET NO.:
					51

**Pedestrian Facilities
General Notes**



1. All slopes are maximum allowable. The least possible slope that will still drain properly should be used. Adjust access pad length or grade of approach sidewalks as directed.
2. Detectable Warning Paver shown in Detail "A" will be subsidiary to the Bid Item 531.
3. The minimum sidewalk width is 5'. Where the sidewalk is adjacent to the edge of pavement, a 6' sidewalk width is encouraged. Where a 5' sidewalk can not be provided due to site constraints, a minimum 3' sidewalk with 5' x 5' passing areas at intervals not to exceed 200' is required.
4. Landings shall be 5' x 5' minimum with a maximum 2% slope in any direction.
5. Maneuvering space at the bottom of curb ramps shall be a minimum of 4' x 4' wholly contained within the crosswalk and wholly outside the parallel vehicular travel path.
6. Maximum allowable cross slope on sidewalk and curb ramp surfaces is 2%.
7. Additional information on access pads/sidewalks location, design, light reflective value and texture may be found in the current edition of the Texas Accessibility Standards (TAS) and 16 TAC §68.102.
8. To serve as a pedestrian refuge area, the median should be a minimum of 5' wide. Medians should be designed to provide accessible passage over or through them.
9. Small channelization islands, which do not provide a minimum 5' x 5' landing at the top of curb ramps, shall be cut through level with the surface of the street.
10. Existing features that comply with TAS may remain in place unless otherwise shown on the plans.
11. Access pads/sidewalks and landings shall be constructed and paid for in accordance with Item 531 "Sidewalks".
12. Provide a smooth transition where the access pad/sidewalk connect to the street.



**MODIFIED TYPE 5 RAMP
DIRECTIONAL DETECTABLE WARNING SURFACE**



Install detectable warning surface at each end of cut-through ramp with minimum 2' smooth surface between. If median is less than 6' wide, eliminate detectable warning surfaces.



Sanjay Pokharel P.E. 1/29/2023
SANJAY POKHAREL, P.E. DATE

TEXAS DEPARTMENT OF TRANSPORTATION
HOUSTON DISTRICT


© 2023 TxDOT

ACCESS PAD RAMP DETAILS

ACCRD

SCALE	FED. RD. DIV. NO.	STATE	PROJECT NO.	HIGHWAY
N. T. S.	6	TEXAS		FM 1765
REVISIONS	STATE DISTRICT	COUNTY	CONTROL SECTION	JOB SHEET NO.
	HOU	GALVESTON	0686 02	029 52


DATE: 1/27/2023
 FILE: H:\CDA\0686-02-029 (FM 1765)\Standards\All Standards & Standards & DD.dgn





CONTINUOUS CURB; DOWEL #5 X 1'-3"
 @ 2'-6" SPA. (DRILL & GROUT)
 SLOTTED CURB; DOWEL #5 X 1'-3"
 @ 1'-6" SPA. (DRILL & GROUT)

SHOWN ON EXISTING OR PROPOSED ACP PAVEMENT
 (PAY ITEM 529-6011) - FOR CONTINUOUS


CONCRETE CURB (DOWEL) (6 IN.)




**SHOWN ON EXISTING OR PROPOSED
 CONCRETE PAVEMENT**
 (PAY ITEM 529-6011) - FOR CONTINUOUS




ITEM 536-6001 CONCRETE MEDIAN
 SEE NOTE 2



SHOWN ON EXISTING ACP PAVEMENT
 SEE NOTE 2 - ITEM 536-6003 CONC DIRECTIONAL ISLAND



**SHOWN ON EXISTING OR PROPOSED
 CONCRETE PAVEMENT**
 SEE NOTE 2 - ITEM 536-6003 CONC DIRECTIONAL ISLAND



ITEM 529-6012 CONCRETE CURB (SLOTTED) - ON CONC.
 ITEM 529-6009 CONC CURB (DOWEL) (SLOTTED) - ON ASPH.

NOTES:

1. DRILL AND GROUT BARS SHOWN AS PER ITEM 420.4.7.10, 6" EMBEDMENT, MINIMUM ON CONC.
2. INSTALL A 2 INCH DRAINAGE OPENING AT 10 FT C-C WHEN CURB/ISLAND IS NOT ON TOP OF CROSS SECTION. (LOCATED ON A 2 OR 3 PERCENT TRANSVERSE GRADE, OR SUPERELEVATION.)


CONCRETE DIRECTIONAL ISLAND

CONCRETE CURB AND DIRECTIONAL ISLAND DETAILS
CC & DID


FILE: STDB-9.dgn	DN:	CK:	DW:	CK:
© TxDOT 2014	DIST	FED REG	PROJECT NO.	SHEET
REVISIONS	HOU	6		53
	COUNTY	CONTROL	SECT	JOB
	GALVESTON	0686	02	029 FM 1765

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.


DATE: 1/27/2023
 FILE: H:\CDA\0686-02-029 (FM 1765)\Standards\All_Standards & Gutter_CCCG-22.dgn




TYPE I CURB (MONOLITHIC)
 2" - 4" HEIGHT




TYPE I CURB
 2" - 4" HEIGHT




TYPE I CURB AND GUTTER
 2" - 4" HEIGHT




TYPE II CURB (MONOLITHIC)
 5" - 5 3/4" HEIGHT




TYPE II CURB
 5" - 5 3/4" HEIGHT




TYPE II CURB AND GUTTER
 5" - 5 3/4" HEIGHT




TYPE III CURB (KEYED)
 2" - 4" HEIGHT




TYPE IIa CURB
 5" - 5 3/4" HEIGHT




TYPE IIa CURB AND GUTTER
 5" - 5 3/4" HEIGHT



TYPE IV CURB (KEYED)
 5" - 5 3/4" HEIGHT



EXPANSION JOINT DETAIL




CURB TRANSITION

Note: To be paid for as Highest Curb

GENERAL NOTES

- All materials and construction shall be in accordance with Item 529, "Concrete Curb, Gutter, and Combined Curb and Gutter."
- Concrete shall be Class A.
- When reinforcing bars are used, they shall be No.4 unless otherwise shown. The use of fiber reinforced concrete in lieu of reinforcing steel is acceptable. Use fibers meeting the requirements of DMS 4550, "Fibers for Concrete," and dose fibers in accordance with Material Producers List (MPL) "Fibers for Class A and B Concrete Applications."
- Round exposed sharp edges with a rounding tool, to a minimum radius of 1/4 inch.
- All existing curbs and driveways to be removed shall be sawed or removed at existing joints.
- Where concrete curb is to be placed on existing concrete pavement, Bar B may be drilled and grouted in place, or may be inserted into fresh concrete.
- Expansion and contraction joints shall be constructed to match pavement joints in all curbs and curb and gutter adjacent to jointed concrete pavement. Where placement of curb or curb and gutter is not adjacent to concrete pavement, expansion joints shall be provided at structures, curb returns at streets, and at locations directed by The Engineer.
- Vertical and horizontal dowel bars and transverse reinforcing bars shall be placed at four feet C-C.
- Dimension 'T' shown is the thickness of concrete pavement. When curb is installed adjacent to flexible pavement dimension 'T' is 8" maximum.
- Usual profile grade line. Refer to typical sections and plan-profile sheets for exact locations.
- One-half inch expansion joint material shall be provided where curb or curb and gutter is adjacent to sidewalk or riprap.
- When horizontal permissible construction joints are used, the longitudinal pavement steel shall be placed in accordance with pavement details shown elsewhere in the plans. Reinforcing steel for curb section shall then conform to that required for concrete curb.
- Bar B placement as needed (typically at four ft. C-C) to support curb reinforcing steel during concrete placement.














CURB TRANSITION NOTE:
 Field conditions may require a longer or shorter transition, and shall be shown elsewhere in the plans, or as directed by the Engineer.

		Design Division Standard	
CONCRETE CURB AND GUTTER			
CCCG-22			
FILE: cccg21.dgn	DN: TxDOT	CK: AN	DW: CS
© TxDOT: JUNE 2022	CONT: 0686	SECT: 02	JOB: 029
REVISIONS			FM 1765
	DIST: HOU	COUNTY: GALVESTON	SHEET NO.: 54

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 1/27/2023
 FILE: H:\CDA\0686-02-029 (FM 1765)\Standards\11_Standards & Standards\ped18.dgn



NOTES / LEGEND:

SEE GENERAL NOTES ON SHEET 2 OF 4 FOR MORE INFORMATION.

DENOTES PLANTING OR NON-WALKING SURFACE NOT PART OF PEDESTRIAN CIRCULATION PATH.

DENOTES PREFERRED LOCATION OF PEDESTRIAN PUSH BUTTON IF APPLICABLE.

Detectable Warning Surface: [Symbol]

Grade Break: [Symbol]

Ramp Limits of Payment: [Symbol]

Gutter Line: [Symbol]

SHEET 1 OF 4

Design Division Standard

PEDESTRIAN FACILITIES CURB RAMPS

PED-18

FILE: ped18	DN: TxDOT	DW: VP	CK: KM	CK: PK & JG
© TxDOT: MARCH, 2002	CONT	SECT	JOB	HIGHWAY
REVISIONS	0686	02	029	FM 1765
REVISED 08, 2005	DIST	COUNTY	SHEET NO.	
REVISED 06, 2012	HOU	GALVESTON		55
REVISED 01, 2018				

DATE: 1/27/2023
 FILE: H:\CDA\0686-02-029 (FM 1765)\Standards\All_Standards & dgnse\ped18.dgn
 DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

GENERAL NOTES

CURB RAMP

1. Install a curb ramp or blended transition at each pedestrian street crossing.
2. All slopes shown are maximum allowable. Cross slopes of 1.5% and lesser running should be used. Adjust curb ramp length or grade of approach sidewalks as directed.
3. Maximum allowable cross slope on sidewalk and curb ramp surfaces is 2%.
4. The minimum sidewalk width is 5'. Where the sidewalk is adjacent to the back of curb, a 6' sidewalk width is desirable. Where a 5' sidewalk cannot be provided due to site constraints, sidewalk width may be reduced to 4' for short distances. 5' x 5' passing areas at intervals not to exceed 200' are required.
5. Turning Spaces shall be 5' x 5' minimum. Cross slope shall be maximum 2%.
6. Clear space at the bottom of curb ramps shall be a minimum of 4' x 4' wholly contained within the crosswalk and wholly outside the parallel vehicular travel path.
7. Provide flared sides where the pedestrian circulation path crosses the curb ramp. Flared sides shall be sloped at 10% maximum, measured parallel to the curb. Returned curbs may be used only where pedestrians would not normally walk across the ramp, either because the adjacent surface is planted, substantially obstructed, or otherwise protected.
8. Additional information on curb ramp location, design, light reflective value and texture may be found in the latest draft of the Proposed Guidelines for Pedestrian Facilities in the Public Right of Way (PROWAG) as published by the U.S. Architectural and Transportation Barriers Compliance Board (Access Board).
9. To serve as a pedestrian refuge area, the median should be a minimum of 6' wide, measured from back of curbs. Medians should be designed to provide accessible passage over or through them.
10. Small channelization islands, which do not provide a minimum 5' x 5' landing at the top of curb ramps, shall be cut through level with the surface of the street.
11. Crosswalk dimensions, crosswalk markings and stop bar locations shall be as shown elsewhere in the plans. At intersections where crosswalk markings are not required, curb ramps shall align with theoretical crosswalks unless otherwise directed.
12. Provide curb ramps to connect the pedestrian access route at each pedestrian street crossing. Handrails are not required on curb ramps.
13. Curb ramps and landings shall be constructed and paid for in accordance with Item 531 "Sidewalks".
14. Place concrete at a minimum depth of 5" for ramps, flares and landings, unless otherwise directed.
15. Furnish and install No. 3 reinforcing steel bars at 18" o.c. both ways, unless otherwise directed.
16. Provide a smooth transition where the curb ramps connect to the street.
17. Curbs shown on sheet 1 within the limits of payment are considered part of the curb ramp for payment, whether it is concrete curb, gutter, or combined curb and gutter.
18. Existing features that comply with applicable standards may remain in place unless otherwise shown on the plans.

DETECTABLE WARNING MATERIAL


19. Curb ramps must contain a detectable warning surface that consists of raised truncated domes complying with PROWAG. The surface must contrast visually with adjoining surfaces, including side flares. Furnish and install an approved cast-in-place dark brown or dark red detectable warning surface material adjacent to uncolored concrete, unless specified elsewhere in the plans.
20. Detectable Warning Materials must meet TxDOT Departmental Materials Specification DMS 4350 and be listed on the Material Producer List. Install products in accordance with manufacturer's specifications.
21. Detectable warning surfaces must be firm, stable and slip resistant.
22. Detectable warning surfaces shall be a minimum of 24 inches in depth in the direction of pedestrian travel, and extend the full width of the curb ramp or landing where the pedestrian access route enters the street.
23. Detectable warning surfaces shall be located so that the edge nearest the curb line is at the back of curb and neither end of that edge is greater than 5 feet from the back of curb. Detectable warning surfaces may be curved along the corner radius.
24. Shaded areas on Sheet 1 of 4 indicate the approximate location for the detectable warning surface for each curb ramp type.

DETECTABLE WARNING PAVERS (IF USED)

25. Furnish detectable warning paver units meeting all requirements of ASTM C-936, C-33. Lay in a two by two unit basket weave pattern or as directed.
26. Lay full-size units first followed by closure units consisting of at least 25 percent (25%) of a full unit. Cut detectable warning paver units using a power saw.


SIDEWALKS

27. Provide clear ground space at operable parts, including pedestrian push buttons. Operable parts shall be placed within unobstructed reach range specified in PROWAG section R406.
28. Place traffic signal or illumination poles, ground boxes, controller boxes, signs, drainage facilities and other items so as not to obstruct the pedestrian access route or clear ground space.
29. Street grades and cross slopes shall be as shown elsewhere in the plans.
30. Changes in level greater than 1/4 inch are not permitted.
31. The least possible grade should be used to maximize accessibility. The running slope of sidewalks and crosswalks within the public right of way may follow the grade of the parallel roadway. Where a continuous grade greater than five percent (5%) must be provided, handrails may be desirable to improve accessibility. Handrails may also be needed to protect pedestrians from potentially hazardous conditions. If provided, handrails shall comply with PROWAG R409.
32. Handrail extensions shall not protrude into the usable landing area or into intersecting pedestrian routes.
33. Driveways and turnouts shall be constructed and paid for in accordance with Item "Intersections, Driveways and Turnouts". Sidewalks shall be constructed and paid for in accordance with Item, "Sidewalks".
34. Sidewalk details are shown elsewhere in the plans.




SECTION VIEW DETAIL
CURB RAMP AT DETECTIBLE WARNINGS


DETECTABLE WARNING SURFACE DETAILS



PARALLEL CURB RAMP
TYPICAL PLACEMENT OF DETECTABLE WARNING SURFACE ON LANDING AT STREET EDGE.



PERPENDICULAR CURB RAMP
TYPICAL PLACEMENT OF DETECTABLE WARNING SURFACE ON SLOPING RAMP RUN.



* NOTE:
BOTH ENDS OF THE
DETECTABLE WARNING SURFACE
SHALL BE 5' OR LESS
FROM BACK OF CURB.


DIRECTIONAL CURB RAMP

TYPICAL PLACEMENT OF DETECTABLE WARNING SURFACE ON SLOPING RAMP RUN.


SHEET 2 OF 4

Texas Department of Transportation		Design Division Standard	
PEDESTRIAN FACILITIES CURB RAMP			
PED-18			
FILE: ped18	DN: TxDOT	DW: VP	CK: KM
© TxDOT: MARCH, 2002	CONT	SECT	JOB
REVISIONS	0686	02	029
REVISED 08, 2005	DIST	COUNTY	HIGHWAY
REVISED 06, 2012	HOU	GALVESTON	FM 1765
REVISED 01, 2018			SHEET NO.
			56


TYPICAL CROSSING LAYOUTS
SEE SHEET 1 OF 4 FOR DETAILS AND DIMENSIONS




SKewed INTERSECTION WITH "LARGE" RADIUS





AT INTERSECTION
W/FREE RIGHT TURN & ISLAND



SKewed INTERSECTION WITH "SMALL" RADIUS



MID-BLOCK PLACEMENT
PERPENDICULAR RAMPS



NORMAL INTERSECTION WITH "SMALL" RADIUS

LEGEND:

SHOWS DOWNWARD SLOPE. →

DENOTES PREFERRED LOCATION OF PEDESTRIAN PUSH BUTTON (IF APPLICABLE). ☒

DENOTES PLANTING OR NON-WALKING SURFACE NOT PART OF PEDESTRIAN CIRCULATION PATH. ↙ ↘ ↙ ↘ ↙ ↘

SHEET 4 OF 4



Design
Division
Standard

PEDESTRIAN FACILITIES
CURB RAMPS

PED-18

FILE: ped18	DN: TxDOT	DW: VP	CK: KM	CK: PK & JG
© TxDOT: MARCH, 2002	CONT	SECT	JOB	HIGHWAY
REVISIONS	0686	02	029	FM 1765
REVISED 08, 2005	DIST	COUNTY	SHEET NO.	
REVISED 06, 2012	HOU	GALVESTON	58	
REVISED 01, 2018				

DATE: 1/27/2023
 FILE: H:\CDA\0686-02-029 (FM 1765)\Standards\All_Standards & Standards\ped18.dgn
 DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

TYPE OF WORK

ITEMS AND REQUIREMENTS FOR EACH TYPE OF WORK

SODDING	PERMANENT SEEDING	TEMPORARY SEEDING	Reference Item 161, 162, 164, 166, 168 of the Texas Standard Specifications for Construction and Maintenance of Highways, Streets and Bridges 2014 for specifications, dimensions, volumes and measurements that are not shown. Use latest Houston District, Special Provisions for those items indicated.		
	✓		161-6017 COMPOST MANUF TOPSOIL (BIP) (4") SY	APPLICATION RATE Item 161.2.1. Compost Manufactured Topsoil (CMT)	Item 161.2. Materials. Submit quality control (QC) documentation to the Engineer. Compost producer's STA certification must be dated to meet STA requirements (certification must be within 30 or 90 days per STA requirements). Lab analysis performed by an STA-certified lab must be dated within 30 days before delivery of the compost.
✓			162-6002 BLOCK SODDING SY	GRASS SPECIES Item 162.2. Materials. Common Bermuda (Cynodon Dactylon)	Item 162.2.1. Block Sod. Use block palletized or roll type sod. REMOVE PLASTIC BACKING FROM ROLL TYPE SOD. Place sod within 48 hours of delivery to site. No exceptions. Place sod with joints alternating on each row to prevent continuous joint lines. Peg sod as needed with wood pegs to hold sod in place. Pegging sod is subsidiary to Item 162.
	✓		164-6066 DRILL SEEDING (PERM) (WARM OR COOL) SY Item 164.1. Description Provide and install seeding as shown on District Standard	PLANTING MONTH SEED MIX March, April, Hulled - Bermudagrass (Cynodon dactylon) - 40.0 lbs PLS/acre May, June, Foxtail Millet (Setaria italica) - 34.0 lbs PLS/acre July, August, Green Sprangletop (Leptochloa dubia) - 4.0 lbs PLS/acre September, Sideoats Grama (Bouteloua curtipendula) - 3.2 lbs PLS/acre October, Little Bluestem (Schizachyrium scoparium) - 1.4 lbs PLS/acre	PLS (Pure Live Seed) Provide documentation of PLS requirements per Item 164.2.1. CONSTRUCTION. Cultivate the area to a depth of 4 inches before placing the seed unless otherwise directed. When performing permanent seeding after an established temporary seeding, cultivate the seedbed to a depth of 4 inches or mow the area before placement of the permanent seed. Plant the seed and place the straw or hay mulch after the area has been completed to lines and grades as shown on the plans.
	✓		164-6052 BROADCAST SEED (PERM) (SPECIAL MIX) SY Item 164.1. Description Provide and install seeding as shown on District Standard	PLANTING MONTH SEED MIX November, Unhulled - Bermudagrass (Cynodon dactylon) - 40.0 lbs PLS/acre December, Oats (Avena sativa) - 72.0 lbs PLS/acre January, Green Sprangletop (Leptochloa dubia) - 4.0 lbs PLS/acre February, Sideoats Grama (Bouteloua curtipendula) - 3.2 lbs PLS/acre Little Bluestem (Schizachyrium scoparium) - 1.4 lbs PLS/acre	Drill Seeding. Plant seed or seed mixture uniformly over the area shown on the plans at a depth of 1/4 to 1/3 inch using a cultipacker (turfgrass) type seeder. Plant seed along the contour of the slopes.
		✓	164-6051 DRILL SEED (TEMP) (WARM OR COOL) SY Item 164.1. Description Provide and install seeding as shown on District Standard	PLANTING MONTH SEED MIX March, April, Foxtail Millet (Setaria italica) - 34.0 lbs PLS/acre May, June, July, August, September, October, November, Oats (Avena sativa) - 72.0 lbs PLS/acre December, January, February,	Use broadcast seeding method where site conditions prevent drill seeding method. Broadcast Seeding. Distribute the dry seed or dry seed mixture uniformly over the areas shown on the plans using hand or mechanical distribution on top of soil.
		✓	164-6009 BROADCAST SEED (TEMP) (WARM) SY Item 164.1. Description Provide and install seeding as shown on District Standard	PLANTING MONTH SEED MIX November, Oats (Avena sativa) - 72.0 lbs PLS/acre December, January, February,	
	✓	✓	162-6003 STRAW OR HAY MULCH SY	APPLICATION RATE Immediately after planting the seed or seed mixture, apply straw or hay mulch uniformly over the seeded area. Apply straw or hay mulch at 2 tons per acre. Use tacking agent with straw or hay mulch as described on this sheet.	Use straw or hay mulch in conformance with Article 162.2.5, "Mulch." Use biodegradable tacking agents only applied at a rate in accordance with manufacturer's recommendations. Use the following products or an approved equal (see note this sheet): Conweb/Contac Guar Gum, Profile Products Corporation, (307) 655-9565, Ramtec/Procol/Viscol Guar Gum, Ramtec Corporation, (800) 366-1180
✓	✓	✓	166-6001 FERTILIZER AC Item 166.2. Materials Use fertilizer as shown on District Standard	APPLICATION RATE Deliver and evenly distribute fertilizer at a rate of 4000 lbs/acre.	Use a NON-CHEMICAL fertilizer which meets all the following criteria: (1) BRAND NAME must be registered with the Texas State Chemist as a commercial fertilizer. (2) Meets USEPA guidelines for unrestricted use. (3) Derived from biological sources such as, but not limited to: sewage sludge, manures, vegetation, etc. (4) In granular form and essentially dust free. Submit proof of registration and nutrient source to Engineer. Use the following products or an approved equal (see note this sheet): Sigma, SIGMA AgriScience, 281-851-6749 Sustanite-standard grade, Automation Nation, Inc., 713-675-4999 Milorganite, MMSD, 800-287-9645 Agricultural Organic P/L, Ag Org, INC., 713-523-4396
✓	✓	✓	168-6001 VEGETATIVE WATERING MG	APPLICATION RATE Item 168.3 Construction. 6000 gallons/acre x 20 consecutive working days = 120,000 gallons total/acre	Begin watering immediately after installation of seed or sod. Replace, fertilize, and water any seed or sod in poor condition due to the failure to apply the specified amount of water within the time allowed at no expense to the Department.

SEQUENCE OF WORK

BLOCK SOD	PERMANENT SEEDING	TEMPORARY SEEDING
1. FERTILIZER 2. CULTIVATE SOIL (ITEM 162.3) 3. SOD 4. VEGETATIVE WATERING	1. FERTILIZER 2. COMPOST MANUFACTURED TOPSOIL 3. CULTIVATE SOIL (ITEMS 164.3 AND 161.3.1) 4. PERMANENT SEEDING 5. STRAW OR HAY MULCH 6. VEGETATIVE WATERING	1. FERTILIZER 2. CULTIVATE SOIL (PER ITEM 164.3) 3. TEMPORARY SEEDING 4. STRAW OR HAY MULCH 5. VEGETATIVE WATERING




FERTILIZER, SEED, SOD, STRAW, COMPOST, AND WATER


SHEET 1 OF 1

REVISIONS		FED DIV	STATE	PROJECT NUMBER			SHEET
10/2014 UPDATED TO 2014 SPECS	FILE: OCT 2014	6	TEXAS				59
3/2015 MINOR CORRECTIONS				DIST	COUNTY	CONTROL SECT JOB	HIGHWAY
				12	GALVESTON	0686 02 029	FM 1765


DATE: 1/27/2023
 FILE: H:\CDA\0686-02-029 (FM 1765)\Standards\All Standards & Details\Driveway Details - DD.dgn




**PROPOSED DRIVEWAY DETAIL
 REINFORCED CONCRETE AT CONCRETE
 CURB AND GUTTER ROADWAY**



**PROPOSED DRIVEWAY DETAIL
 ASPHALT W/ PCTB AT ASPHALT ROADWAY**



**PROPOSED DRIVEWAY DETAIL
 REINFORCED CONCRETE AT CONCRETE ROADWAY**



**PROPOSED DRIVEWAY DETAIL
 ASPHALT W/ FLEX BASE AT ASPHALT ROADWAY**

NOTES:

1. ALSO SEE SHEET 2 OF 2 FOR DRIVEWAY SLOPES WITH PROPOSED SIDEWALKS.
2. FOR INTERSECTIONS BUILT WITH CRCP PAVEMENT SEE CRCP DETAIL.
3. FAST TRACK CONCRETE IS PAID AS DRVWY (CONC) (FAST TRACK).
4. THICKNESS OF DRIVEWAY IS 6 INCHES FOR REGULAR AND FAST TRACK CONCRETE.
5. MAXIMUM SLOPE IS: 12% RESIDENTIAL 8% OTHERS

LEGEND:

- PCTB- PORTLAND CEMENT TREATED BASE
- JRCP- JOINTED REINFORCED CONCRETE PAVEMENT
- CRCP- CONTINUOUSLY REINFORCED CONCRETE PAVEMENT
- ACP- ASPHALTIC CONCRETE PAVEMENT

* FOR STREET INTERSECTIONS REFER TO PAVING DETAILS AND INTERSECTION DETAILS FOR REINFORCING STEEL AND SECTION REQUIREMENTS.


** PROPOSED LIMIT OF ROADWAY BASE AND/OR SUBGRADE

Texas Department of Transportation
Houston District


DRIVEWAY DETAILS

DD


FILE: STDB-8a.dgn	DN:	CK:	DW:	CK:
© TxDOT SEPT. 2004	DIST	FED REG	PROJECT NO.	SHEET
REVISIONS	HOU	6		60
11/15 ADDED NOTE FOR PCTB	COUNTY	CONTROL	SECT	JOB
3/17 MODIFIED PAVEMENT SLOPES	GALVESTON	0686	02	029 FM 1765




TIE BAR PLACEMENT WITH JRCP




SIDEWALK OFFSET FROM CURB DETAILS




SLOPES W/ SIDEWALKS OFFSET FROM CURB (SECTION A-A)



SIDEWALK ADJACENT TO CURB DETAILS



DRIVEWAY SLOPES W/ SIDEWALKS ADJACENT TO CURB (SECTION B-B)



DRIVEWAY PLAN W/ STEEP TERRAIN

* FOR STREET INTERSECTIONS REFER TO PAVING DETAILS AND INTERSECTION DETAILS FOR REINFORCING STEEL AND SECTION REQUIREMENTS.

DATE: 1/27/2023
 FILE: H:\CDA\0686-02-029 (FM 1765)\Standards\All Standards & Details\Driveway Details - DD.dgn

Texas Department of Transportation
 Houston District


DRIVEWAY DETAILS

DD


FILE: STDB-8b.dgn	DN:	CK:	DW:	CK:
© TXDOT SEPT. 2004	DIST	FED REG	PROJECT NO.	SHEET
REVISIONS	HOU	6		61
9/09 ADDED NOTE FOR ITEM 360.	COUNTY	CONTROL	SECT	JOB
11/15 ADDED NOTE FOR PCTB	GALVESTON	0686	02	029 FM 1765

STDB88

DATE: 1/27/2023
 FILE: H:\CDA\0686-02-029 (FM 1765)\Standards\All Standards &.dgn\Driveway Details - DD.dgn



PROPOSED DRIVEWAY SLOPES WITH SIDEWALKS OFFSET



PROPOSED DRIVEWAY SLOPES WITH SIDEWALKS ADJACENT

NOTES:

1. ALSO SEE SHEET 2 OF 3 FOR DRIVEWAY SLOPES WITH PROPOSED SIDEWALKS.
2. FOR INTERSECTIONS BUILT WITH CRCP PAVEMENT SEE CRCP DETAIL.
3. MAXIMUM SLOPE IS: 12% RESIDENTIAL 8% OTHERS

LEGEND:

PCTB- PORTLAND CEMENT TREATED BASE
 ACP- ASPHALTIC CONCRETE PAVEMENT

* FOR STREET INTERSECTIONS REFER TO PAVING DETAILS AND INTERSECTION DETAILS.

** PROPOSED LIMIT OF ROADWAY BASE AND/OR SUBGRADE

SHEET 3 OF 3



DRIVEWAY DETAILS

DD

FILE: STDB-8c.dgn	DN:	CK:	DW:	CK:
© TxDOT SEPT. 2004	DIST	FED REG	PROJECT NO.	
REVISIONS	HOU	6	62	
11/15 ADDED NOTE FOR PCTB	COUNTY	CONTROL	SECT	JOB
3/17 MODIFIED PAVEMENT SLOPES	GALVESTON	0686	02	029 FM 1765

STDB8C

GENERAL TREE PROTECTION NOTES:

1. Protect and ensure the continued good health of existing trees identified on the plans or directed by the Engineer. Protective measures include providing, installing, maintaining and removing protective fences, bound wood planking, compost, berm pruning, boring, and watering.
2. Install tree protection before any heavy equipment arrives on the site and remains in place for the duration of the project.

PROTECTIVE FENCE

1. Critical Root Zone (CRZ) = 1 foot radius per 1 caliper inch of trunk diameter.
2. Place protective fence at the edge of the critical root zone of trees to be protected. Use 4 feet high orange plastic mesh or approved equivalent supported on steel T-posts. Use steel T-posts minimum of 6 feet long, spaced at intervals sufficient to keep fence pulled tight. Stretch smooth galvanized wire from post to post across the top of fence and draw tight. Attach plastic mesh to posts and top wire with aluminum tie wire or nylon ties.
3. No excavation, grading, filling, soil compaction, parking, or equipment storage is allowed within the fenced area.
4. When a construction zone overlaps the root zone due to lack of space, place fence within 2 feet of construction zone.
5. Install protective compost filter berm at base of protective fence as shown in detail and described in these notes under "Root Zone Protection". Compost filter berm functions as a protective filter from runoff associated with construction activities such as: concrete wash, erosion, fill, chemicals, cement and lime work and other activities.

VEGETATIVE WATERING FOR TREE PROTECTION

1. Water trees at a rate of 30 gallons per week for every week during construction activities. Watering is paid for separately under Item 168-6001 Vegetative Watering.

TRUNK PROTECTION

1. Where protective fence is located closer than 6 feet from a tree trunk from any direction, protect the tree trunk with bound wood planking. Wood planks may be construction grade lumber a minimum of 1 inch by 6 inch nominal. Band planks together with rope, band, or strap of sufficient gauge and quality to keep protective planking in place around tree trunk for the duration of the project. Install wood planks of sufficient length to protect the trunk to a height of 10 feet, or the height of the lowest major branching, whichever is less. Do not use nails, screws or other damaging attachment methods.

ROOT ZONE PROTECTION

1. Cover entire area of critical root zone with 4" depth of erosion control compost. Erosion control compost is paid for separately under Item 161-6009 Erosion Control Compost. See standard specification for compost requirements.
2. Install protective compost filter berm at base of protective fence along entire edge of critical root zone as shown on detail this sheet. Dimensions of compost filter berm are 1 foot tall, and 2 feet wide at base. Use erosion control compost for berm paid for under Item 161-6009 Erosion Control Compost. Maintain berm throughout project.
3. Vehicular traffic, stockpiling or storage of materials, parking of equipment and refueling equipment is prohibited in protected areas.

BORING, TRENCHING, GRADING, AND PRUNING


1. Where shown in plans, underground utilities crossing under protected areas will be bored beneath critical root zones. Avoid boring directly beneath root flare. Bore depth is 4 feet below existing grade.
2. No trenching, excavating, filling, or compaction is allowed within the critical root zone except as specifically identified in the plans and approved by the Engineer.
3. When existing grade must be cut within the critical root zone, contact the Engineer prior to beginning work. Before grading or excavation work, saw cut roots to the depth of the proposed disturbance along the edge of the proposed disturbance before excavation is begun.
4. Prune flush with soil any roots exposed by construction. Backfill root areas with good quality topsoil as soon as possible. If exposed root areas are not to be backfilled within two days, then cover with a minimum of six inches of erosion control compost. Erosion compost is paid for separately under Item 161-6009 Erosion Control Compost.
5. When grading within the critical root zone, use hand or small equipment and alter grade no more than two inches. No soil disturbance is allowed on the root flare under any circumstances.
6. Perform any pruning to provide clearance for structures, vehicular traffic, and construction equipment before construction damage might occur. Prune any limb damage within two hours of occurrence and according with ANSI A300-1995 standard.

MAINTENANCE OF TREE PROTECTION MATERIALS

1. Maintain all tree protection materials throughout entire length of project. Repair damaged or affected tree protection materials. Additional erosion control compost may be required during the project and will be paid for separately.


REMOVAL OF TREE PROTECTION MATERIALS

1. Remove and dispose of all protective fencing and trunk protection at end of project.



PLAN VIEW OF INDIVIDUAL TREE AND PROTECTIVE FENCE

PLAN VIEW OF TREE GROUP AND PROTECTIVE FENCE



TYPICAL TREE PROTECTION

REQUIRED ITEMS:

- Item 1004-6001 Tree Protection EA
- Item 1004-6002 Tree Protection AC
- Item 161-6009 Erosion Control Compost CY
- Item 168-6001 Vegetative Watering MG

DATE: 1/27/2013 FILE: H:\CADD\0686-02-029 (FM 1765)\Standards\Standards & Specs\Tree Protection.dgn


Texas Department of Transportation
 HOUSTON DISTRICT

TREE PROTECTION
 SHEET 1 OF 1


Details not to scale

FILE:	6	STATE:	PROJECT NUMBER			SHEET
	6	TEXAS				63
REVISED:	DIST	COUNTY	CONTROL	SECT	JOB	HIGHWAY
FEB 2015 FOR 2014 SPECS	12	GALVESTON	0686	02	029	FM 1765


DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.
 DATE: 2/1/2023 12:46:16 PM
 FILE: H:\CDA\0686-02-029 (FM 1765)\Signs and Pavement Markings\pm1-22.dgn





**EDGE LINE AND LANE LINES
ONE-WAY ROADWAY
WITH OR WITHOUT SHOULDERS**




**TYPICAL TWO-LANE, TWO-WAY PAVEMENT
MARKINGS THROUGH INTERSECTIONS**






**CENTERLINE AND LANE LINES
FOUR LANE TWO-WAY ROADWAY
WITH OR WITHOUT SHOULDERS**



**TYPICAL MULTI-LANE, TWO-WAY PAVEMENT
MARKINGS THROUGH INTERSECTIONS**



**TWO LANE TWO-WAY ROADWAY
WITH OR WITHOUT SHOULDERS**



FOUR LANE DIVIDED ROADWAY CROSSOVERS

NOTES


- Where divided highways are separated by median widths at the median opening itself of 30 feet or more, median openings shall be signed as two separate intersections. Each median opening has two width measurements, with one measurement for each approach. The narrow median width will be the controlling width to determine if signs are required. Yield signs are the typical intersection control. Stop signs and stop bars are optional as determined by the Engineer.
- Install median striping (double yellow centerlines and stop lines/yield lines) when a 50' or greater median centerline can be placed. Stop lines shall only be used with stop signs. Yield lines shall only be used with yield signs.
- Length of turn bays, including taper, deceleration, and storage lengths shall be as shown on the plans or as directed by the Engineer.

GENERAL NOTES

- Edge line striping shall be as shown in the plans or as directed by the Engineer. The edge line should not be placed less than 6 inches from the edge of pavement. This distance may vary due to pavement raveling or other conditions. Edge lines are not required in curb and gutter sections of roadways.
- The traveled way includes only that portion of the roadway used for vehicular travel. It does not include the parking lanes, sidewalks, berms and shoulders. The traveled ways shall be measured from the center of edge line to the center of edge line of a two lane roadway.

MATERIAL SPECIFICATIONS	
PAVEMENT MARKERS (REFLECTORIZED)	DMS-4200
EPOXY AND ADHESIVES	DMS-6100
BITUMINOUS ADHESIVE FOR PAVEMENT MARKERS	DMS-6130
TRAFFIC PAINT	DMS-8200
HOT APPLIED THERMOPLASTIC	DMS-8220
PERMANENT PREFABRICATED PAVEMENT MARKINGS	DMS-8240

All pavement marking materials shall meet the required Departmental Material Specifications as specified by the plans.



NOTE: Traveled way is exclusive of shoulder widths. Refer to General Note 2 for additional details.

**GUIDE FOR PLACEMENT OF STOP LINES,
EDGE LINE & CENTERLINE**
 Based on Traveled Way and Pavement Widths for Undivided Roadways

Texas Department of Transportation
 Traffic Safety Division Standard

**TYPICAL STANDARD
PAVEMENT MARKINGS**


PM(1) - 22

FILE: pm1-22.dgn	DN:	CK:	DW:	CK:
© TxDOT December 2022	CONT	SECT	JOB	HIGHWAY
REVISIONS	0686	02	029	FM 1765
11-78 8-00 6-20	DIST	COUNTY	SHEET NO.	
8-95 3-03 12-22	HOU	GALVESTON	64	
5-00 2-12				

22A

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 2/1/2023 12:49:57 PM
 FILE: H:\CDA\0686-02-029 (FM 1765)\Signs and Pavement Markings\pm4-22 (1).dgn




HIGH-VISIBILITY LONGITUDINAL CROSSWALK AT CONTROLLED APPROACH

GENERAL NOTES

1. Longitudinal crosswalk lines should not be placed in the wheel path of vehicles. Center the crosswalk lines on travel lanes, lane lines, and shoulder lines (if present).
2. A minimum 6" clear distance shall be provided to the curb face. If the last crosswalk line falls into this distance it must be omitted.
3. For divided roadways, adjustments in spacing of the crosswalk lines should be made in the median so that the crosswalk lines are maintained in their proper location across the travel portion of the roadway.
4. At skewed crosswalks, the crosswalk lines are to remain parallel to the lane lines.
5. Each crosswalk shall be a minimum of 6' wide.
6. The High-Visibility Longitudinal Crosswalk is the preferred crosswalk pattern on State Highways. Other crosswalk patterns as shown in the "Texas Manual on Uniform Traffic Control Devices" may be used. All crosswalk designs and dimension shall comply with the "Texas Manual on Uniform Traffic Control Devices."
7. Final placement of Stop Bar and Crosswalk shall be approved by the Engineer in the field.

MATERIAL SPECIFICATIONS	
PAVEMENT MARKERS (REFLECTORIZED)	DMS-4200
EPOXY AND ADHESIVES	DMS-6100
BITUMINOUS ADHESIVE FOR PAVEMENT MARKERS	DMS-6130
TRAFFIC PAINT	DMS-8200
HOT APPLIED THERMOPLASTIC	DMS-8220
PERMANENT PREFABRICATED PAVEMENT MARKINGS	DMS-8240

All pavement marking materials shall meet the required Departmental Material Specifications as specified by the plans.



UNSIGNALIZED MID BLOCK HIGH-VISIBILITY LONGITUDINAL CROSSWALK

NOTES:

1. Use stop bars with "Stop Here for Pedestrians" signs at unsignalized mid block crosswalks.
2. Use stop bars with "Stop Here on Red" signs at mid block crosswalks controlled by traffic signals or pedestrian hybrid beacons.

<p>CROSSWALK PAVEMENT MARKINGS</p> <p>PM(4) - 22</p>				
FILE: pm4-22.dgn	DN:	CK:	DW:	CK:
© TxDOT June 2020	CONT	SECT	JOB	HIGHWAY
3-22 REVISIONS	0686	02	029	FM 1765
	DIST	COUNTY	SHEET NO.	
	HOU	GALVESTON	65	

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for incorrect results or damages resulting from its use.

DATE: 2/1/2023 1:06:28 PM
 FILE: H:\CDA\0686-02-029 (FM 1765)\Signs and Pavement Markings\smngen.dgn

SIGN SUPPORT DESCRIPTIVE CODES

(Descriptive Codes correspond to project estimate and quantities sheets)

SM RD SGN ASSM TY XXXXX(X)XX(X-XXXX)


Post Type
 FRP = Fiberglass Reinforced Plastic Pipe (see SMD(FRP))
 TWT = Thin-Walled Tubing (see SMD(TWT))
 10BWG = 10 BWG Tubing (see SMD(SLIP-1) to (SLIP-3))
 S80 = Schedule 80 Pipe (see SMD(SLIP-1) to (SLIP-3))

Number of Posts (1 or 2)

Anchor Type
 UA = Universal Anchor - Concreted (see SMD(FRP) and (TWT))
 UB = Universal Anchor - Bolted down (see SMD(FRP) and (TWT))
 WS = Wedge Anchor Steel - (see SMD(TWT))
 WP = Wedge Anchor Plastic (see SMD(TWT))
 SA = Slipbase - Concreted (see SMD(SLIP-1) to (SLIP-3))
 SB = Slipbase - Bolted Down (see SMD(SLIP-1) to (SLIP-3))

Sign Mounting Designation
 P = Prefab. "Plain" (see SMD(SLIP-1) to (SLIP-3), (TWT), (FRP))
 T = Prefab. "T" (see SMD(SLIP-1) to (SLIP-3), (TWT))
 U = Prefab. "U" (see SMD(SLIP-1) to (SLIP-3))
 IF REQUIRED
 1EXT or 2EXT = Number of Extensions (see SMD(SLIP-1) to (SLIP-3), (TWT))
 BM = Extruded Wind Beam (see SMD(SLIP-1) to (SLIP-3))
 WC = 1.12 #/ft Wing Channel (see SMD(SLIP-1) to (SLIP-3))
 EXAL = Extruded Aluminum Sign Panels (see SMD(SLIP-3))


REQUIRED CLEARANCE FOR BREAKAWAY SUPPORT



To avoid vehicle undercarriage snagging, any substantial remains of a breakaway support, when it is broken away, should not project more than 4 inches above a 60-inch chord (i.e., typical space between wheel paths).


SIGN LOCATION

PAVED SHOULDERS



LESS THAN 6 FT. WIDE


When the shoulder is 6 ft. or less in width, the sign must be placed at least 12 ft. from the edge of the travel lane.



GREATER THAN 6 FT. WIDE


When the shoulder is greater than 6 ft in width, the sign must be placed at least 6 ft. from the edge of the shoulder.

T-INTERSECTION




When this sign is needed at the end of a two-lane, two way roadway, the right edge of the sign should be in line with the centerline of the roadway. Place as close to ROW as practical.

No more than 2 sign posts should be located within a 7 ft. circle.




BEHIND BARRIER




BEHIND GUARDRAIL

**Sign clearance based on distance required for proper guard rail or concrete barrier performance.



BEHIND CONCRETE BARRIER



* Signs shall be mounted using the following condition that results in the greatest sign elevation:


- (1) a minimum of 7 to a maximum of 7.5 feet above the edge of the travel lane or
- (2) a minimum of 7 to a maximum of 7.5 feet above the grade at the base of the support when sign is installed on the backslope.

The maximum values may be increased when directed by the Engineer.

See the Traffic Operations Division website for detailed drawings of sign clamps, Triangular Slipbase System components and Wedge Anchor System components.

The website address is:
<http://www.txdot.gov/publications/traffic.htm>

TYPICAL SIGN ATTACHMENT DETAIL




Bolts used to mount sign panels to the clamp are 5/16-18 UNC galvanized square head with nut, nylon washer, flat washer and lock washer. The bolt length is 1 inch for aluminum.

When two sign clamps are used to mount signs back-to-back, use a 5/16-18 UNC galvanized hex head per ASTM A307 with nut and helical-spring lock washer. The approximate bolt lengths for various post sizes and sign clamp types are given in the table at right. The bolt length may need to be adjusted depending upon field conditions.

Sign clamps may be either the specific size clamp or the universal clamp.


Pipe Diameter	Approximate Bolt Length	
	Specific Clamp	Universal Clamp
2" nominal	3"	3 or 3 1/2"
2 1/2" nominal	3 or 3 1/2"	3 1/2 or 4"
3" nominal	3 1/2 or 4"	4 1/2"

SIGNS WITH PLAQUES




When a supplemental plaque or secondary sign is used, the 7 ft sign height is measured to the bottom of the supplemental plaque or secondary sign.

CURB & GUTTER OR RAISED ISLAND



RESTRICTED RIGHT-OF-WAY (When 6 ft min. is not possible.)



Right-of-way restrictions may be created by rocks, water, vegetation, forest, buildings, a narrow island, or other factors.

In situations where a lateral restriction prevents the minimum horizontal clearance from the edge of the travel lane, signs should be placed as far from the travel lane as practical.

*** Post may be shorter if protected by guardrail or if Engineer determines the post could not be hit due to extreme slope.

Texas Department of Transportation
 Traffic Operations Division

SIGN MOUNTING DETAILS SMALL ROADSIDE SIGNS GENERAL NOTES & DETAILS


SMD (GEN) - 08

© TxDOT July 2002		DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
9-08	REVISIONS	CONT	SECT	JOB	HIGHWAY
		0686	02	029	FM 1765
		DIST	COUNTY		SHEET NO.
		HOU	GALVESTON		66

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 2/1/2023 1:00:56 PM
FILE: H:\CDA\0686-02-029 (FM 1765)\Signs and Pavement Markings\smds1.dgn

TRIANGULAR SLIPBASE INSTALLATION GENERAL REQUIREMENTS



SM RD SGN ASSM TY XXXXX(X)SA(X-XXXX)

NOTE

There are various devices approved for the Triangular Slipbase System. Please reference the Material Producer List for approved slip base systems. http://www.txdot.gov/business/producer_list.htm The devices shall be installed per manufacturers' recommendations. Installation procedures shall be provided to the Engineer by Contractor.

GENERAL NOTES:

- Slip base shall be permanently marked to indicate manufacturer. Method, design, and location of marking are subject to approval of the TxDOT Traffic Standards Engineer.
- Material used as post with this system shall conform to the following specifications:
 - 10 BWG Tubing (2.875" outside diameter)
 - 0.134" nominal wall thickness
 - Seamless or electric-resistance welded steel tubing or pipe
 - Steel shall be HSLAS Gr 55 per ASTM A1011 or ASTM A1008
 - Other steels may be used if they meet the following:
 - 55,000 PSI minimum yield strength
 - 70,000 PSI minimum tensile strength
 - 20% minimum elongation in 2"
 - Wall thickness (uncoated) shall be within the range of 0.122" to 0.138"
 - Outside diameter (uncoated) shall be within the range of 2.867" to 2.883"
 - Galvanization per ASTM A123 or ASTM A653 G210. For precoated steel tubing (ASTM A653), recoat tube outside diameter weld seam by metallizing with zinc wire per ASTM B833.
 - Schedule 80 Pipe (2.875" outside diameter)
 - 0.276" nominal wall thickness
 - Steel tubing per ASTM A500 Gr C
 - Other seamless or electric-resistance welded steel tubing or pipe with equivalent outside diameter and wall thickness may be used if they meet the following:
 - 46,000 PSI minimum yield strength
 - 62,000 PSI minimum tensile strength
 - 21% minimum elongation in 2"
 - Wall thickness (uncoated) shall be within the range of 0.248" to 0.304"
 - Outside diameter (uncoated) shall be within the range of 2.855" to 2.895"
 - Galvanization per ASTM A123
- See the Traffic Operations Division website for detailed drawings of sign clamps and Texas Universal Triangular Slipbase System components. The website address is: <http://www.txdot.gov/publications/traffic.htm>
- Sign supports shall not be spliced except where shown. Sign support posts shall not be spliced.

ASSEMBLY PROCEDURE


Foundation

- Prepare 12-inch diameter by 42-inch deep hole. If solid rock is encountered, the depth of the foundation may be reduced such that it is embedded a minimum of 18 inches into the solid rock.
- The Engineer may permit batches of concrete less than 2 cubic yards to be mixed with a portable, motor-driven concrete mixer. For small placements less than 0.5 cubic yards, hand mixing in a suitable container may be allowed by Engineer. Concrete shall be Class A.
- Push the pipe end of the slip base stub into the center of the concrete. Rotate the stub back and forth while pushing it down into the concrete to assure good contact between the concrete and stub. Continue to work the stub into the concrete until it is between 2 to 4 inches above the ground.
- Plumb the stub. Allow a minimum of 4 days to set, unless otherwise directed by the Engineer.
- The triangular slipbase system is multidirectional and is designed to release when struck from any direction.

Support

- Cut support so that the bottom of the sign will be 7 to 7.5 feet above the edge of the travelway (i.e., edge of the closest lane) when slip plate is below the edge of pavement or 7 to 7.5 feet above slip plate when the slip plate is above the edge of the travelway. The cut shall be plumb and straight.
- Attach sign to support using connections shown. When multiple signs are installed on the same support, ensure the minimum clearance between each sign is maintained. See SMD(SLIP-2) for clearances based on sign types.

CONCRETE ANCHOR



SM RD SGN ASSM TY XXXXX(X)SB(X-XXXX)

Concrete anchor consists of 5/8" diameter stud bolt with UNC series bolt threads on the upper end. Heavy hex nut per ASTM A563, and hardened washer per ASTM F436. The stud bolt shall have a minimum yield and ultimate tensile strength of 50 and 75 KSI, respectively. Nuts, bolts and washers shall be galvanized per Item 445, "Galvanizing." Adhesive type anchors shall have stud bolts installed with Type III epoxy per DMS-6100, "Epoxyes and Adhesives." Adhesive anchors may be loaded after adequate epoxy cure time per the manufacturer's recommendations. Top of bolt shall extend at least flush with top of the nut when installed. The anchor, when installed in 4000 psi normal-weight concrete with a 5 1/2" minimum embedment, shall have a minimum allowable tension and shear of 3900 and 3100 psi, respectively.
















SIGN MOUNTING DETAILS SMALL ROADSIDE SIGNS TRIANGULAR SLIPBASE SYSTEM

SMD(SLIP-1)-08

© TxDOT July 2002		DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
9-08	REVISIONS	CONT	SECT	JOB	HIGHWAY
		0686	02	029	FM 1765
		DIST	COUNTY		SHEET NO.
		HOU	GALVESTON		67

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 2/1/2023 12:55:24 PM
 FILE: H:\CDA\0686-02-029 (FM 1765)\Signs and Pavement Markings\smds2.dgn



- GENERAL NOTES:**
1. SIGN SUPPORT # OF POSTS MAX. SIGN AREA

10 BWG	1	16 SF
10 BWG	2	32 SF
Sch 80	1	32 SF
Sch 80	2	64 SF
 2. The Engineer may require that a Schedule 80 post be used in place of a 10 BWG where a sign height is abnormally high due to a fill slope.
 3. Sign supports shall not be spliced except where shown. Sign support posts shall not be spliced.
 4. Aluminum sign blanks shall conform to Departmental Material Specifications DMS-7110 and shall have the following minimum thicknesses: 0.080 for signs less than 7.5 sq. ft., 0.100 for signs 7.5 to 15 sq. ft., and 0.125 for signs greater than 15 sq. ft.
 5. Signs that require specific supports due to reasons in addition to windloading are indicated on the "REQUIRED SUPPORT" table on this sheet.
 6. For horizontal rectangular signs fabricated from flat aluminum, T-brackets are used for signs 24 inches or less in height. U-brackets are used for signs of greater height.
 7. When two triangular slipbase supports are used to support a single sign, they shall not be "rigidly" connected to each other except through the sign panel. This will allow each support to act independently when impacted by an errant vehicle.
 8. Wing channel shall meet ASTM A 1011 SS Gr 50 and be galvanized per ASTM A 123.
 9. Excess pipe, wing channel, or windbeam shall be cut off so that it does not extend beyond the sign panel (i.e., excess support shall not be visible when the sign is viewed from the front.) Repair galvanized coating at cut support ends per Item 445, "Galvanizing."
 10. Additional route markers may be added vertically, provided the total sign area does not exceed the maximum allowable amount per Note 1.
 11. Additional sign clamp required on the "T-bracket" post for 24 inch height signs. Place the clamp 3 inches above bottom of sign when possible.
 12. Post open ends shall be fitted with Friction Caps.
 13. Sign blanks shall be the sizes and shapes shown on the plans.

REQUIRED SUPPORT		
SIGN DESCRIPTION	SUPPORT	
Regulatory	48-inch STOP sign (R1-1)	TY 10BWG(1)XX(T) TY 10BWG(1)XX(P-BM)
	60-inch YIELD sign (R1-2)	TY 10BWG(1)XX(T) TY 10BWG(1)XX(P-BM)
	48x16-inch ONE-WAY sign (R6-1)	TY 10BWG(1)XX(T) TY 10BWG(1)XX(P-BM)
Warning	36x48, 48x36, and 48x48-inch signs	TY 10BWG(1)XX(T)
	48x60-inch signs	TY S80(1)XX(T)
	48x48-inch signs (diamond or square)	TY 10BWG(1)XX(T)
	48x60-inch signs	TY S80(1)XX(T)
	48-inch Advance School X-ing sign (S1-1)	TY 10BWG(1)XX(T)
48-inch School X-ing sign (S2-1)	TY 10BWG(1)XX(T)	
Large Arrow sign (W1-6 & W1-7)	TY 10BWG(1)XX(T)	

Texas Department of Transportation
 Traffic Operations Division

SIGN MOUNTING DETAILS
SMALL ROADSIDE SIGNS
TRIANGULAR SLIPBASE SYSTEM
SMD(SLIP-2)-08










© TxDOT July 2002	DN: TXDOT	CK: TXDOT	DW: TXDOT	CK: TXDOT
9-08	REVISIONS	CON: 0686	SECT: 02	JOB: 029
		DIST: HOU	COUNTY: GALVESTON	HIGHWAY: FM 1765
				SHEET NO.: 68

All dimensions are in english unless detailed otherwise.

SM RD SGN ASSM TY XXXXX(1)XX(T)
 (* - See Note 12)

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 2/1/2023 12:56:23 PM
 FILE: H:\CDA\0686-02-029 (FM 1765)\Signs and Pavement Markings\smds3.dgn



GENERAL NOTES:

- | SIGN SUPPORT | # OF POSTS | MAX. SIGN AREA |
|--------------|------------|----------------|
| 10 BWG | 1 | 16 SF |
| 10 BWG | 2 | 32 SF |
| Sch 80 | 1 | 32 SF |
| Sch 80 | 2 | 64 SF |
- The Engineer may require that a Schedule 80 post be used in place of a 10 BWG where a sign height is abnormally high due to a fill slope.
- Sign supports shall not be spliced except where shown. Sign support posts shall not be spliced.
- Aluminum sign blanks shall conform to Departmental Material Specifications DMS-7110 and shall have the following minimum thicknesses: 0.080 for signs less than 7.5 sq. ft., 0.100 for signs 7.5 to 15 sq. ft., and 0.125 for signs greater than 15 sq. ft.
- Signs that require specific supports due to reasons in addition to windloading are indicated on the "REQUIRED SUPPORT" table on this sheet.
- For horizontal rectangular signs fabricated from flat aluminum, T-brackets are used for signs 24 inches or less in height. U-brackets are used for signs of greater height.
- When two triangular slipbase supports are used to support a single sign, they shall not be "rigidly" connected to each other except through the sign panel. This will allow each support to act independently when impacted by an errant vehicle.
- Wing channel shall meet ASTM A 1011 SS Gr 50 and be galvanized per ASTM A 123.
- Excess pipe, wing channel, or windbeam shall be cut off so that it does not extend beyond the sign panel (i.e., excess support shall not be visible when the sign is viewed from the front.) Repair galvanized coating at cut support ends per Item 445, "Galvanizing."
- Sign blanks shall be the sizes and shapes shown on the plans.
- Additional sign clamp required on the "T-bracket" post for 24 inch high signs. Place the clamp 3 inches above bottom of sign when possible.
- Post open ends shall be fitted with Friction Caps.

REQUIRED SUPPORT		
	SIGN DESCRIPTION	SUPPORT
Regulatory	48-inch STOP sign (R1-1)	TY 10BWG(1)XX(T) TY 10BWG(1)XX(P-BM)
	60-inch YIELD sign (R1-2)	TY 10BWG(1)XX(T) TY 10BWG(1)XX(P-BM)
	48x16-inch ONE-WAY sign (R6-1)	TY 10BWG(1)XX(T) TY 10BWG(1)XX(P-BM)
	36x48, 48x36, and 48x48-inch signs	TY 10BWG(1)XX(T)
Warning	48x60-inch signs	TY S80(1)XX(T)
	48x48-inch signs (diamond or square)	TY 10BWG(1)XX(T)
	48x60-inch signs	TY S80(1)XX(T)
	48-inch Advance School X-ing sign (S1-1)	TY 10BWG(1)XX(T)
	48-inch School X-ing sign (S2-1)	TY 10BWG(1)XX(T)
	Large Arrow sign (W1-6 & W1-7)	TY 10BWG(1)XX(T)



**SIGN MOUNTING DETAILS
 SMALL ROADSIDE SIGNS
 TRIANGULAR SLIPBASE SYSTEM
 SMD(SLIP-3)-08**

© TxDOT July 2002		DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
9-08	REVISIONS	CONT	SECT	JOB	HIGHWAY
		0686	02	029	FM 1765
		DIST	COUNTY		SHEET NO.
		HOU	GALVESTON		69

NOTES:

1. FURNISH BLACK HOUSING FOR VEHICLE AND PEDESTRIAN SIGNALS. FURNISH BLACK VEHICLE SIGNAL HEAD BACK PLATES WITH TWO INCH RETROREFLECTIVE YELLOW BORDER.
2. FURNISH VEHICLE AND PEDESTRIAN SIGNALS WITH LIGHT EMITTING DIODE (LED) SIGNAL LAMP UNITS.
3. FURNISH SYMBOL TYPE PEDESTRIAN COUNTDOWN SIGNALS. INSTALL USING MOUNTING HEIGHT IN ACCORDANCE WITH THE LATEST TEXAS MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES.
4. FURNISH MATERIALS NECESSARY TO INSTALL ACCESSIBLE PEDESTRIAN SIGNAL UNITS AND SIGNS AS SHOWN IN THE PLANS. INSTALL AT 3 FT. - 6 IN. TO 4 FT. - 0 IN. ABOVE THE SIDEWALK OR CONCRETE WALKWAY.
5. REPAIR OR REPLACE PAVEMENT AND SIDEWALKS DAMAGED BY THE CONTRACTOR'S FORCES DURING CONSTRUCTION AT NO COST TO THE DEPARTMENT.
6. ASSUME OWNERSHIP OF THE REMOVED EXISTING SIGNS.
7. SEAL ENDS OF ALL CONDUITS WITH DUCT SEAL, EXPANDABLE FOAM, OR BY OTHER METHODS APPROVED BY THE ENGINEER. SEAL CONDUIT IMMEDIATELY AFTER COMPLETION OF CONDUCTOR INSTALLATION AND PULL TESTS. DO NOT USE DUCT TAPE AS A PERMANENT CONDUIT SEALANT. DO NOT USE SILICONE CAULK AS A CONDUIT SEALANT.
8. REFER TO TXDOT'S WEBSITE FOR PREQUALIFIED PRODUCTS LIST REGARDING RADAR DETECTORS, VIVDS CAMERAS, WIRELESS MAGNETOMETERS, VEHICLE LED TRAFFIC SIGNAL LAMP UNIT, SYMBOLIC PEDESTRIAN SIGNAL HEAD, SYMBOLIC PEDESTRIAN SIGNAL LAMP, ACCESSIBLE PEDESTRIAN SIGNALS, SIGNAL CONTROLLERS, CONDUIT, CONDUCTORS, SIGNAL CABINETS, BUS INTERFACE UNITS, BATTERY PACKUP UNITS. CHECK WEBSITE PERIODICALLY FOR CURRENT UPDATES.
9. DURING CONSTRUCTION OF THE PROPOSED SIGNAL WORK, IF THE EXISTING TRAFFIC SIGNAL EQUIPMENT REQUIRES REPLACEMENT DUE TO WEAR, DETERIORATION, OR ANY CIRCUMSTANCE OVER WHICH THE CONTRACTOR HAS NO CONTROL, THE EQUIPMENT WILL BE FURNISHED BY THE DEPARTMENT AT NO COST TO THE CONTRACTOR. INSTALL THIS EQUIPMENT AT NO COST TO THE DEPARTMENT. SUCH MATERIALS WILL BE PROVIDED AT THE DEPARTMENT'S SIGNAL SHOP LOCATED AT 6810 KATY ROAD, HOUSTON, TEXAS. CONTACT MR. MICHAEL AWA, P.E., AT TELEPHONE NUMBER (713) 802-5661.
10. MAINTAIN THE INTEGRITY AND FUNCTION OF EACH EXISTING SIGNALIZED INTERSECTION. ONCE THE INTEGRITY OR FUNCTION OF THE SIGNAL HAS BEEN ALTERED, PURSUE THE WORK AT THAT LOCATION WITHOUT DELAY OR INTERRUPTION TO RESTORE OPERATION TO ITS ORIGINAL OR FINAL OPERATIONAL DESIGN.

DATE: 1/25/2023
FILE: H:\TrfSignal\Norr\is\PROJECTS\CSJ 0686-02-029 FM 1765\CAD\FM 1765 Pro.dgn



NOTES FOR PERMANENT TRAFFIC SIGNAL

CONT	SECT	JOB	HIGHWAY
0686	02	029	FM 1765
DIST	COUNTY		SHEET NO.
HOU	GALVESTON		70

01/25/2023




LEGEND:


- TRAFFIC DIRECTION
- POWER POLE
- POWER POLE W/TRANSFORMER
- OVERHEAD POWER LINE
- EXIST. SIGNAL HEAD
- EXIST. LUMINAIRE
- EXIST. SIGNAL CONTROLLER
- EXIST. GROUND BOX
- EXIST. PEDESTRIAN SIGNAL HEAD
- EXIST. VIDEO CAMERA
- EXIST. STEEL STRAIN SIGNAL POLE

CALLOUTS:


- (A) EXISTING STEEL STRAIN SIGNAL POLE WITH VIVDS CAMERA
- (B) EXISTING STEEL STRAIN SIGNAL POLE WITH VIVDS CAMERA AND SERVICE TY D WITH METER
- (C) EXISTING STEEL STRAIN SIGNAL POLE WITH VIVDS CAMERA
- (D) EXISTING STEEL STRAIN SIGNAL POLE WITH VIVDS CAMERA
- (E) EXISTING SIGNAL CONTROLLER
- (F) EXISTING PEDESTAL POLE WITH POLE WITH PEDESTRIAN SIGNAL HEAD ,SIGN ,PUSH BUTTON- TO BE REMOVED
- (G) EXISTING PEDESTAL POLE WITH POLE WITH PEDESTRIAN SIGNAL HEADS (2 EA),SIGNS (2 EA),PUSH BUTTONS (2 EA)- TO BE REMOVED
- (H) EXISTING PEDESTAL POLE WITH POLE WITH PEDESTRIAN SIGNAL HEADS (2 EA),SIGNS (2 EA),PUSH BUTTONS (2 EA)- TO BE REMOVED
- (I) EXISTING PEDESTAL POLE WITH POLE WITH PEDESTRIAN SIGNAL HEAD ,SIGN ,PUSH BUTTON- TO BE REMOVED



EXISTING TRAFFIC SIGNAL HEADS




A, B, D, G, E, F, K, J



C, H

DATE: 1/24/2023
FILE: H:\TrSignal\Norr\Projects\CSJ_0686-02-029 FM 1765\CAD\FM 1765 Existing.dgn

FM 1765
AT S AMBURN ST
TRAFFIC SIGNAL
EXISTING CONDITION



01/25/2023

© 2023			
CONT	SECT	JOB	HIGHWAY
0686	02	029	FM 1765
DIST	COUNTY		SHEET NO.
HOU	GALVESTON		71




LEGEND:

- TRAFFIC DIRECTION
- POWER POLE
- POWER POLE W/TRANSFORMER
- OVERHEAD POWER LINE
- EXIST. SIGNAL HEAD
- EXIST. LUMINAIRE
- EXIST. SIGNAL CONTROLLER
- EXIST. GROUND BOX
- EXIST. VIDEO CAMERA
- EXIST. STEEL STRAIN SIGNAL POLE
- PROP. GROUND BOX
- PROP. PED POLE W/PUSH BUTTON & PED HEAD
- PROP. CONDUIT (BORED)
- PROP. CONDUIT (TRENCH)

CALLOUTS:

- (A) EXISTING STEEL STRAIN SIGNAL POLE WITH VIVDS CAMERA
- (B) EXISTING STEEL STRAIN SIGNAL POLE WITH VIVDS CAMERA AND SERVICE TY D WITH METER
- (C) EXISTING STEEL STRAIN SIGNAL POLE WITH VIVDS CAMERA
- (D) EXISTING STEEL STRAIN SIGNAL POLE WITH VIVDS CAMERA
- (E) EXISTING SIGNAL CONTROLLER
- (F) PRO. PEDESTAL POLE WITH POLE WITH PEDESTRIAN SIGNAL HEAD ,SIGN ,PUSH BUTTON
- (G) PRO. PEDESTAL POLE WITH POLE WITH PEDESTRIAN SIGNAL HEAD ,SIGN ,PUSH BUTTON
- (H) PRO. PEDESTAL POLE WITH POLE WITH PEDESTRIAN SIGNAL HEAD ,SIGN ,PUSH BUTTON
- (J) PRO. PEDESTAL POLE WITH POLE WITH PEDESTRIAN SIGNAL HEAD ,SIGN ,PUSH BUTTON
- (K) PRO. PEDESTAL POLE WITH POLE WITH PEDESTRIAN SIGNAL HEAD ,SIGN ,PUSH BUTTON
- (L) PRO. PEDESTAL POLE WITH POLE WITH PEDESTRIAN SIGNAL HEAD ,SIGN ,PUSH BUTTON



EXISTING TRAFFIC SIGNAL HEADS



A, B, D, G, E, F, K, J




C, H

NOTES

- THE CONTRACTOR SHALL LOCATE ALL UNDERGROUND AND ABOVE GROUND UTILITIES PRIOR TO COMMENCING WORK. THE CONTRACTOR SHALL CONTACT PUBLIC AND PRIVATE UTILITIES AT LEAST 72 HOURS PRIOR TO ANY WORK. TXDOT IS NOT A MEMBER OF 811. THE CONTRACTOR SHALL CONTACT TXDOT FIVE (5) BUSINESS DAYS TO LOCATE TXDOT OWNED EXISTING TXDOT COMMUNICATIONS, ILLUMINATION, AND TRAFFIC SIGNAL CABLING (OR WE CAN JUST SAY EXISTING TXDOT UNDER AND ABOVE GROUND UTILITIES). TXDOT HOUSTON DISTRICT TRAFFIC OPERATIONS OFFICE CAN BE REACHED AT: HOU-LOCATEREQUEST@TXDOT.GOV

- THE CONTRACTOR SHALL BE FULLY RESPONSIBLE FOR ANY DAMAGES CAUSED BY CONTRACTOR'S FAILURE TO LOCATE AND PRESERVE THESE UTILITIES WHETHER UNDERGROUND OR ABOVE GROUND. UTILITIES ON THE PLANS ARE SHOWN IN APPROXIMATE LOCATIONS.

**FM 1765
AT S AMBURN ST
TRAFFIC SIGNAL
PROPOSED PLANS**



SCALE: 1" = 40'

SHEET 1 OF 2




01/25/2023

© 2023			
CONT	SECT	JOB	HIGHWAY
0686	02	029	FM 1765
DIST	COUNTY	SHEET NO.	
HOU	GALVESTON	72	


DATE: 1/25/2023
 FILE: H:\TrSignal\Norris\PROJECTS\CSJ 0686-02-029 FM 1765\CAD\FM 1765 Pro.dgn

PROPOSED PEDESTRIAN SIGNAL HEADS
AND
PUSH BUTTONS ORIENTATION




- PROP. PEDESTAL POLE
- ↑ PROP. PEDESTRIAN SIGNAL HEAD
- ▶ PROP. PEDESTRIAN PUSH BUTTON


PROPOSED PEDESTRIAN SIGNAL HEADS
AND
PUSH BUTTONS (APS UNITS) WITH SIGNS



PB1, PB3, PB5



P1 - P6



PB2, PB4, PB6

CONDUIT AND CONDUCTOR RUNS

RUN NO.	CONDUIT (618)				CONDUCTORS (620)		CABLES (684)					
	PVC				GROUND		PEDESTRIAN					
	2" (SCHD 80)		3" (SCHD 80)		#8 BARE		#12/2C		#12/4C			
	(6046)		(6047)		(6053)		(6007)		(6007)		(6009)	
	NO.	TRENCH	NO.	BORE	NO.	TRENCH	NO.	LENGTH	NO.	LENGTH	NO.	LENGTH
EA	LF	EA	LF	EA	LF	EA	LF	EA	LF	EA	LF	
1				1	30	1	30	6	30	6	30	
2	1	10				1	10	1	10	1	10	
3	1	5				1	5	1	5	1	5	
4	1	15	1	40			1	55	1	55	1	55
5	1	5				1	5	1	5	1	5	
6	1	10	1	105			1	115	3	115	3	115
7	1	15				1	15	1	15	1	15	
8	1	5				1	5	1	5	1	5	
9	1	10	1	55			1	65	1	65	1	65
10	1	5				1	5	1	5	1	5	
F								1	5	1	10	
G								1	5	1	10	
H								1	5	1	10	
J								1	5	1	10	
K								1	5	1	10	
L								1	5	1	10	
TOTAL (LF)		80		200		30		310		720		750
EST. TOTAL		85		210		35		330		760		790

DATE: 1/25/2023
FILE: H:\TrSignal\Norr\is\PROJECTS\CSJ_0686-02-029 FM 1765\CAD\FM 1765 Pro.dgn

FM 1765
AT S AMBURN ST
TRAFFIC SIGNAL
PROPOSED PLANS






M. A. Olivo P.E.

01/25/2023

SHEET 2 OF 2

© 2023		Texas Department of Transportation	
CONT	SECT	JOB	HIGHWAY
0686	02	029	FM 1765
DIST	COUNTY	SHEET NO.	
HOU	GALVESTON	73	



**NON-FUSED BREAKAWAY ELECTRICAL CONNECTORS
EXPLODED VIEW- TYPICAL**

NOTE:

Provide single pole non-fused watertight breakaway electrical connectors for frangible pedestal pole bases, as shown on TxDOT's MPL in the file "Roadway Illumination and Electrical Supplies." Approved models are listed under Item 685. For ungrounded (hot) conductors, install a breakaway connector with a dummy fuse slug. For grounded (neutral) conductors, install a breakaway connector with a white colored marking and a permanently installed dummy fuse (slug).



01/25/2023

Texas Department of Transportation
Houston District

**SIGNAL DETAILS/STANDARDS
CONSTRUCTION DETAILS
FOR POLE MOUNTED
(APS) PEDESTRIAN SIGNALS
CD/PM (APS) PS**

FILE#	DN#	CK#	DW#	CK#
© TxDOT 2012	DIST	FED REG	PROJECT NO.	SHEET
07-14 REVISIONS	HOU	6		74
02-15	COUNTY	CONTROL	SECT	JOB
	GALVESTON	0686	02	029 FM 1765

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: FILE:

GENERAL NOTES FOR ALL ELECTRICAL WORK

- The location of all conduits, junction boxes, ground boxes, and electrical services is diagrammatic and may be shifted to accommodate field conditions.
- Provide new and unused materials. Ensure that all materials and installations comply with the applicable articles of the National Electrical Code (NEC), TxDOT standards and specifications, National Electrical Manufacturers Association (NEMA), and are listed by Underwriters Laboratories (UL) or a Nationally Recognized Testing Lab (NRTL). NRTLs such as Canadian Standard Association (CSA), Intertek Testing Services NA Inc., or FM Approvals LLC can be considered equivalent to UL. Where reference is made to NEMA listed devices, International Electrotechnical Commission (IEC) listed devices will not be considered an acceptable equal to a NEMA listed device. Acceptable devices may have both a NEMA and IEC listing. Faulty fabrication or poor workmanship in any material, equipment, or installation is justification for rejection. Replace or reinstall rejected material or equipment at no additional cost to the Department.
- Miscellaneous nuts, bolts and hardware, except for high strength bolts, may be stainless steel when plans specify galvanized, provided the bolt size is 1/2 in. or less in diameter.
- Provide the following test equipment as required by the Engineer to confirm compliance with the contract and the NEC: voltmeter, ammeter, megohm meter (1000 volt DC), ground resistance tester, torque wrenches, and torque screwdrivers. Ensure all equipment has been properly calibrated within the last year. Provide calibration certification to the Engineer upon request. Operate test equipment during inspection as requested by the Engineer.
- Install grounding as shown on the plans and in accordance with the NEC. Ensure all metallic conduits; metal poles; luminaires; and metal enclosures are bonded to the equipment grounding conductor. Provide stranded bare copper or green insulated grounding conductors. Ground rods, connectors, and bonding jumpers are subsidiary to the various bid items.
- When required by the Engineer, notify the Department in writing of materials from the Material Producers List (MPL) intended for use on each project. Prequalified materials are listed on the MPL on TxDOT's website under "Roadway Illumination and Electrical Supplies." No substitutions will be allowed for materials on this list.

CONDUIT

A. MATERIALS

- Provide conduit, junction boxes, fittings, and hardware as per TxDOT Departmental Material Specification (DMS) 11030 "Conduit" and Item 618 "Conduit" of TxDOT's "Standard Specifications For Construction And Maintenance Of Highways, Streets, And Bridges," latest edition. Provide conduits listed under Item 618 on the MPL under "Roadway Illumination and Electrical Supplies." Provide conduit types according to the descriptive code or as shown on the plans. Do not substitute other types of conduits for those shown. Provide liquidtight flexible metal conduit (LFMC) when flexible conduit is called for on galvanized steel rigid metallic conduit (RMC) systems. Provide liquidtight flexible nonmetallic conduit (LFNC) when flexible conduit is called for on polyvinyl chloride (PVC) systems.
- Provide galvanized steel RMC for all exposed conduits, unless otherwise shown on the plans. Properly bond all metal conduits.
- Unless otherwise shown on the plans, provide junction boxes with a minimum size as shown in the following table, which applies to the greatest number of conductors entering the box through one conduit with no more than four conduits per box. When a mixture of conductor sizes is present, count the conductors as if all are of the larger size. For situations not applicable to the table, size junction boxes in accordance with NEC.


AWG	3 CONDUCTORS	5 CONDUCTORS	7 CONDUCTORS
#1	10" x 10" x 4"	12" x 12" x 4"	16" x 16" x 4"
#2	8" x 8" x 4"	10" x 10" x 4"	12" x 12" x 4"
#4	8" x 8" x 4"	10" x 10" x 4"	10" x 10" x 4"
#6	8" x 8" x 4"	8" x 8" x 4"	10" x 10" x 4"
#8	8" x 8" x 4"	8" x 8" x 4"	8" x 8" x 4"

- Junction boxes with an internal volume of less than 100 cu. in. and supported by entering raceways must have threaded entries or hubs identified for the intended purpose and supported by connection of two or more rigid metal conduits. Secure conduit within 3 ft. of the enclosure or within 18 in. of the enclosure if all conduit entries are on the same side. Mechanically secure all junction boxes with an internal volume greater than 100 cu. inches.
- Provide hot dipped galvanized cast iron or sand cast aluminum outlet boxes for junction boxes containing only 10 AWG or 12 AWG conductors. Do not use die cast aluminum boxes. Size outlet boxes according to the NEC.
- Do not use intermediate metal conduit (IMC) or electrical metallic tubing (EMT) unless specifically required by the plan sheets. When EMT is called for, provide junction boxes made from galvanized steel sheeting, listed and approved for outdoor use, unless otherwise noted on the plans. Size all galvanized steel junction boxes in accordance with the NEC. Provide junction boxes for IMC conduit systems that meet the same requirements for junction boxes used with RMC systems.
- Provide PVC junction boxes intended for outdoor use on PVC conduit systems, unless otherwise noted on the plans.

- Provide PVC elbows in PVC conduit systems, unless otherwise shown on the plans. Use only a flat, high tensile strength polyester fiber pull tape for pulling conductors through the PVC conduit system. When galvanized steel RMC elbows are specifically called for in the plans and any portion of the RMC elbow is buried less than 18 in., ground the RMC elbow by means of a grounding bushing on a rigid metal extension. Grounding of the rigid metal elbow is not required if the entire RMC elbow is encased in a minimum of 2 in. of concrete. PVC extensions are allowed on these concrete encased rigid metal elbows. RMC or PVC elbows are subsidiary to various bid items.
- When required, provide High-Density Polyethylene (HDPE) conduit with factory installed internal conductors according to Item 622 "Duct Cable." At the Contractor's request and with approval by the Engineer, substitute HDPE conduit with no conductors for bored schedule 40 or schedule 80 PVC conduit bid under Item 618. Ensure bored HDPE substituted for PVC is schedule 40 and of the same size PVC called for in the plans. Ensure the substituted HDPE meets the requirements of Item 622, except that the conduit is supplied without factory-installed conductors. Make the transition of the HDPE conduit to PVC (or RMC elbow when required) at the bore pit. Provide conduit of the size and schedule as shown on the plans. Do not extend substituted conduit into ground boxes or foundations. Provide PVC or galvanized steel RMC elbows as called for at all ground boxes and foundations.
- Use two-hole straps when supporting 2 in. and larger conduits. On electrical service poles, properly sized stainless steel or hot dipped galvanized one-hole standoff straps are allowed on the service riser conduit.

B. CONSTRUCTION METHODS

- Provide and install expansion joint conduit fittings on all structure-mounted conduits at the structure's expansion joints to allow for movement of the conduit. In addition, provide and install expansion joint fittings on all continuous runs of galvanized steel RMC conduit externally exposed on structures such as bridges at maximum intervals of 150 ft. When requested by the project Engineer, supply manufacturer's specification sheet for expansion joint conduit fittings. Repair or replace expansion joint fittings that do not allow for movement at no additional cost to the Department. Provide the method of determining the amount of expansion to the Engineer upon request. Do not use LFMC or LFNC as a substitute for the required expansion conduit fittings.
- Space all conduit supports at maximum intervals of 5 ft. Install conduit spacers when attaching metal conduit to surface of concrete structures. See "Conduit Mounting Options" on ED(2). Install conduit support within 3 ft. of all enclosures and conduit terminations.
- Do not attach conduit supports directly to pre-stressed concrete beams except as shown specifically in the plans or as approved by the Engineer.
- Unless otherwise shown on the plans, jack or bore conduit placed beneath existing roadways, driveways, sidewalks, or after the base or surfacing operation has begun. Backfill and compact the bore pits below the conduit per Item 476 "Jacking, Boring, or Tunneling Pipe or Box" prior to installing conduit or duct cable to prevent bending of the connections.
- When placing conduit in the sub-grade of new roadways, backfill all trenches with excavated material unless otherwise noted on the plans. When placing conduit in the sub-base of new roadways, backfill all trenches with cement-stabilized base as per requirements of Items 110 "Excavation", 400 "Excavation and Backfill for Structures", 401 "Flowable Backfill", 402 "Trench Excavation Protection", and 403 "Temporary Special Shoring."
- Provide and place warning tape approximately 10 in. above all trenched conduit as per Item 618.
- During construction, temporarily cap or plug open ends of all conduit and raceways immediately after installation to prevent entry of dirt, debris and animals. Temporary caps constructed of durable duct tape are allowed. Tightly fix the tape to the conduit opening. Clean out the conduit and prove it clear in accordance with Item 618 prior to installing any conductors.
- Ensure conduit entry into the top of any enclosure is waterproof by installing conduit sealing hubs or using boxes with threaded bosses. This includes surface mounted safety switches, meter cans, service enclosures, auxiliary enclosures and junction boxes. Grounding bushings on water tight sealing hubs are not required.
- Fit the ends of all PVC conduit terminations with bushings or bell end fittings. Provide and install a grounding type bushing on all metal conduit terminations.
- Install a bonding jumper from each grounding bushing to the nearest ground rod, grounding lug, or equipment grounding conductor. Ensure all bonding jumpers are the same size as the equipment grounding conductor. Bonding of conduit used as a casing under roadways for duct cable is not required, if the duct extends the full length through the casing.
- At all electrical services, install a 6 AWG solid copper grounding electrode conductor.
- Place conduits entering ground boxes so that the conduit openings are between 3 in. and 6 in. from the bottom of the box. See the ground box detail on sheet ED(4).
- Seal ends of all conduits with duct seal, expandable foam, or by other methods approved by the Engineer. Seal conduit immediately after completion of conductor installation and pull tests. Do not use duct tape as a permanent conduit sealant. Do not use silicone caulk as a conduit sealant.
- File smooth the cut ends of all mounting strut and conduit. Before installing, paint the field cut ends of all mounting strut and RMC (threaded or non-threaded) with zinc rich paint (94% or more zinc content) to alleviate overspray. Use zinc rich paint to touch up galvanized material as allowed under Item 445 "Galvanizing." Do not paint non-galvanized material with a zinc rich paint as an alternative for materials required to be galvanized.

 Texas Department of Transportation				Traffic Operations Division Standard	
<h1>ELECTRICAL DETAILS CONDUITS & NOTES</h1>					
<h2>ED(1) - 14</h2>					
FILE:	ed1-14.dgn	DN:	CK:	DW:	CK:
© TxDOT	October 2014	CONT	SECT	JOB	HIGHWAY
REVISIONS		0686	02	029	FM 1765
		DIST	COUNTY		SHEET NO.
		HOU	GALVESTON		75

ELECTRICAL CONDUCTORS

A. MATERIAL INFORMATION

1. Provide Type XHHW insulated conductors in accordance with Departmental Material Specification (DMS) 11040 "Conductors" and Item 620 "Electrical Conductors." Provide conductors as listed on the Material Producers List (MPL) on the Department web site under "Roadway Illumination and Electrical Supplies" Item 620. Color code insulated conductors in conformance with the NEC. Identify grounded (neutral) conductors with white insulation. Identify grounding conductors (ground wires) with green insulation or bare conductors. Identify ungrounded (hot) conductors with any color insulation except green, white, or gray. Keep color scheme consistent throughout the wiring system. Identify conductors 6 American Wire Gauge (AWG) and smaller by continuous color jacket. Identify electrical conductors 4 AWG and larger by continuous color jacket or by colored tape. When identifying conductors with colored tape, mark at least 6 in. of the conductor's insulation with half laps of tape.
2. Provide a solid copper 6 AWG grounding electrode conductor to bond the electrical service equipment to the concrete encased grounding electrode or the ground rod at the service location. Connect the grounding electrode conductor to the ground rod with a UL listed connector in accordance with DMS 11040. Connect the grounding electrode conductor to the concrete encased grounding electrode as shown in the plans.
3. Where two or more circuits are present in one conduit or enclosure, permanently identify the conductors of each branch circuit by attaching a non-metallic tag around both circuit conductors at each accessible location. Provide tags with two straps, large enough to indicate circuit number, letter, or other identification as shown in the plans. Print circuit identification on the tag with a permanent marker.
4. Use listed compression or screw type pressure connectors, terminal blocks, or split bolt connectors for splicing as specified in DMS 11040. Use hot melt adhesive tape to fill the gap and seal the ends of heat shrink tubing. Provide UL listed gel-filled insulating splice covers. Splicing materials, insulating materials, breakaway disconnects, splice covers, and fuse holders are subsidiary to various bid items.


B. CONSTRUCTION METHODS

1. Use only a flat, high tensile strength polyester fiber pull tape for pulling conductors through the conduit system. After installing conductors in conduit, perform conductor pull test. If a conductor cannot be freely pulled, make any needed alterations or repairs at no additional cost to the department. Perform insulation resistance tests in accordance with Item 620. Coordinate with the Engineer to witness the tests.
2. Leave 2 ft. minimum, 3 ft. maximum length for each conductor up to the splice in ground boxes. Leave 3 ft. minimum, 4 ft. maximum length of conductor in ground boxes when pulled through with no splice. Leave 1 ft. minimum, 1.5 ft. maximum length of conductor at enclosures, weatherheads and pole bases.
3. Make splices only in junction boxes, ground boxes, pole bases, or electrical enclosures and use only listed compression or screw type pressure connectors, terminal blocks, or split bolt connectors. Insulate splices with heavy wall heat shrink tubing or gel-filled insulating splice covers to provide a watertight splice. Overlap conductor insulation with heat shrink tubing a minimum of 2 in. past both sides of the splice. Where heat shrink tubing may not shrink sufficiently to provide a watertight seal around the individual conductors, prior to heating the tubing, increase the diameter of the conductor insulation using hot melt adhesive tape to provide a watertight seal between the individual conductors and the heat shrink tubing. Ensure the tape extends past the heat shrink tubing. Use hot melt adhesive tape to fill the gap and seal the ends of heat shrink tubing. Heat shrink tubing that appears to have been burned, or overheated, is considered defective and must be replaced.
4. Size and install gel-filled insulating splice covers according to manufacturer's specifications when used in place of heat shrink tubing.
5. Wire nuts with factory applied waterproof sealant may be used for 8 AWG or smaller conductors in above ground junction boxes, but not in pole bases or ground boxes. Install wire nuts in an upright position to prevent the accumulation of water.
6. Support conductors in illumination poles with a J-hook at the top of the pole.
7. When terminating conductors, remove the insulation and jacketing material without nicking the individual strands of the conductor. Conductors with nicked individual conductor strands or removed strands will be considered damaged.
8. Replace conductors and cables that are damaged beyond repair or that fail an insulation resistance test at no additional cost to the department.
9. Do not repair damaged conductors with duct tape, electrical tape, or wire nuts. Use only approved splicing methods.
10. Do not terminate more than one conductor under a single connector, unless the connector is rated for multiple conductors. Do not exceed the pressure connector's listing for maximum number and size of conductors allowed.
11. Install breakaway connectors on conductors bid under Item 620 whenever those conductors pass through a breakaway support device. Follow manufacturer's instructions when terminating conductors to breakaway connectors. Properly torque threaded connections. Proper terminations are critical to the safe operation of breakaway devices. Trim waterproofing boots on breakaway connectors to fit snugly around the conductor to ensure waterproof connection. Only one conductor may enter a single opening in a boot. Provide waterproof boots with the correct number of openings. Leave unused openings factory sealed. Use prequalified breakaway connectors as shown on the MPL.

12. Provide and install a separate stranded equipment grounding conductor (EGC) in all conduits that contain circuit wiring of 50 volts or more. Unless shown elsewhere, size the EGC to be the same size as the largest current carrying conductor contained in the conduit. Ensure all EGCs are bonded together at every accessible location. For traffic signal installations, provide a minimum size 8 AWG EGC. The EGC is paid for under Item 620.

C. TEMPORARY WIRING

1. Install temporary conductors and electrical equipment in accordance with the NEC article "Temporary Installations" and Department standard sheets.
2. Provide a ground fault circuit interrupter (GFCI) for power outlets for portable electrical equipment, power tools, ice machines, ice storage bins and refrigerators located outdoors at grade. GFCI may be any one of the following: molded cord and plug set, receptacle, or circuit breaker type.
3. Use listed wire nuts with factory applied sealant for temporary wiring where approved.
4. Enclose conductor splices within a listed enclosure or ground box, or ensure the splices are more than 10 ft. above grade vertically and more than 5 ft. horizontally from any metal structure. Where installing temporary conductors in areas subject to vehicle traffic or mobile construction equipment, ensure the vertical clearance to ground is at least 18 ft. when measured at the lowest point. Ground messenger wires that support power conductors in conformance with the NEC.
5. Protect and when necessary repair any existing electrical conduits uncovered during the construction process in a timely manner and in conformance with the NEC.



**SPLICE OPTION 1
Compression Type**


GROUND RODS & GROUNDING ELECTRODES

A. MATERIAL INFORMATION


1. Provide and install a grounding electrode at electrical services. Provide ground rods according to DMS 11040 and the plans. Larger diameter or longer length rods may be called for in some specific locations, see the individual plans sheets. Concrete encased grounding electrodes may be called for in specific locations including electrical service, see individual plan sheets.

B. CONSTRUCTION METHODS

1. Furnish auxiliary ground rods for lightning protection and install in soil, concrete, or both, as called for in the plans. For ground rods installed in concrete, ensure the connection of the conductor to the ground rod is readily accessible for inspection or repairs. For ground rods installed in soil, ensure that the upper end is between 2 to 4 in. below finished grade.
2. Do not place ground rods in the same drilled hole as a timber pole.
3. Install ground rods so the imprinted part number is at the upper end of the rod.
4. Remove all non-conductive coatings such as concrete splatter from the rod at the clamp location.
5. Route all conductors as short and straight as possible for connection to lightning protection ground rods. When a bend is required, ensure a minimum radius bend of four inches for these conductors.
6. Unless otherwise called for in the plans, protect grounding electrode conductors with non-metallic conduit. When protecting grounding electrode conductors with metal conduit, provide and install a grounding type bushing and properly sized bonding jumper on each end of the metal conduit.
7. Written authorization is required before installing a ground rod in a horizontal trench for rocky soil or a solid rock bottom.



**SPLICE OPTION 2
Split Bolt Type**



**SPLICE OPTION 3
Listed Screw Type**


DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: FILE:

<h1>ELECTRICAL DETAILS CONDUCTORS</h1>			
<h2>ED(3) - 14</h2>			
FILE: ed3-14.dgn	DW: TxDOT	CK: TxDOT	DR: TxDOT
© TxDOT October 2014	CON: 0686	SECT: 02	JOB: 029
REVISIONS			HIGHWAY: FM 1765
	DIST: HOU	COUNTY: GALVESTON	SHEET NO.: 76

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: FILE:




APRON FOR GROUND BOX

- (1) Uniformly space ends of conduits within the ground box. Position ends of conduits so that ground box walls do not interfere with the installation of grounding bushings or bell end fittings.
- (2) Maintain sufficient space between conduits to allow for proper installation of bushing.
- (3) Place aggregate under the box, not in the box. Aggregate should not encroach on the interior volume of the box.
- (4) Install a grounding bushing on the upper end of all RMC terminating in a ground box. Ground RMC elbows when any part of the elbow is less than 18 in. below the bottom of the ground box. Install a PVC bushing or bell end fitting on the upper end of all PVC conduits terminating in a ground box.

GROUND BOX DIMENSIONS	
TYPE	OUTSIDE DIMENSIONS (INCHES) (Width x Length X Depth)
A	12 X 23 X 11
B	12 X 23 X 22
C	16 X 29 X 11
D	16 X 29 X 22
E	12 X 23 X 17

GROUND BOX COVER DIMENSIONS								
TYPE	DIMENSIONS (INCHES)							
	H	I	J	K	L	M	N	P
A, B & E	23 1/4	23	13 3/4	13 1/2	9 7/8	5 1/8	1 3/8	2
C & D	30 1/2	30 1/4	17 1/2	17 1/4	13 1/4	6 3/4	1 3/8	2



GROUND BOX COVER

GROUND BOXES

A. MATERIALS

1. Provide polymer concrete ground boxes measuring 16x30x24 in. (WxLxD) or smaller in accordance with Departmental Material Specification (DMS) 11070 "Ground Boxes" and Item 624 "Ground Boxes."
2. Provide Type A, B, C, D, and E ground boxes as shown in the plans, and as listed on the Material Producers List (MPL) on the Department web site under "Roadway Illumination and Electrical Supplies," Item 624.
3. Ensure ground box cover is correctly labeled in accordance with DMS 11070.
4. Provide larger ground boxes in accordance with Item 624 and as shown in the plans.

B. CONSTRUCTION METHODS

1. Remove all gravel and dirt from conduit. Cap all conduits prior to placing aggregate and setting ground box. Provide Grade 3 or 4 coarse aggregate as shown on Table 2 of Item 302 "Aggregates for Surface Treatments." Ensure aggregate bed is in place and at least 9 inches deep, prior to setting the ground box. Install ground box on top of aggregate.
2. Cast ground box aprons in place. Reinforcing steel may be field bent. Ensure the depth of concrete for the apron extends from finished grade to the top of the aggregate bed under the box. Ground box aprons, including concrete and reinforcing steel, are subsidiary to ground boxes when called for by descriptive code.
3. Keep bolt holes in the box clear of dirt. Bolt covers down when not working in ground boxes.
4. Install all conduits and ells in a neat and workmanlike manner. Uniformly space conduits so grounding bushings and bell end fittings can easily be installed.
5. Temporarily seal all conduits in the ground box until conductors are installed.
6. Permanently seal conduits immediately after the completion of conductor installation and pull tests. Permanently seal the ends of all conduits with duct seal, expandable foam, or other method as approved. Do not use duct tape as a permanent conduit sealant. Do not use silicone caulk as a sealant.
7. When a ground rod is present in a ground box, bond all equipment grounding conductors together and to the ground rod with listed connectors.
8. When a type B or D ground box is stacked to meet volume requirements, it is allowable to cut an appropriately sized hole for conduit entry in the side wall at least 18 inches below grade.
9. If an existing ground box in the contract has a metal cover, bond the cover to the equipment grounding conductor with a 3 ft. long stranded bonding jumper the same size as the grounding conductor. The bonding jumper is subsidiary to various bid items. Verify existing ground boxes with metal covers are shown on the plans, with notes fully describing the work required.
10. If other ground boxes with metal covers are within the project limits but are not part of the contract, the Engineer may direct the Contractor to bond the metal covers, identifying the specific boxes in writing. This work will be paid for separately.
11. Bond metal ground box covers to the grounding conductor with a tank ground type lug.

				Traffic Operations Division Standard	
<h2>ELECTRICAL DETAILS</h2> <h3>GROUND BOXES</h3> <h4>ED(4) - 14</h4>					
FILE:	ed4-14.dgn	DN:	TxDOT	CK:	TxDOT
© TxDOT	October 2014	CONT:	0686	SECT:	02
REVISIONS		JOB:	029	HIGHWAY:	FM 1765
DIST:	HOU	COUNTY:	GALVESTON	SHEET NO.:	77

I. STORMWATER POLLUTION PREVENTION

Texas Pollutant Discharge Elimination System (TPDES) TXR 150000: Stormwater Discharge Permit or Construction General Permit is required for projects with 1 or more acres disturbed soil. Projects with any disturbed soil must protect for erosion and sedimentation in accordance with Item 506. Refer to Storm Water Pollution Prevention Plan (SWP3) Houston District standard plan.

No Additional Comments

II. WORK IN OR NEAR STREAMS, WATERBODIES AND WETLANDS

United States Army Corps of Engineers (USACE) Permit is required for filling, dredging, excavating or other work in water bodies, rivers, creeks, streams, wetlands or wet areas. The Contractor must adhere to all of the terms and general conditions associated with the following permit(s). If additional work not represented in the plans is required, contact the Engineer immediately.

No United States Army Corps (USACE) Permit Required

Work is authorized by the United States Army Corps of Engineers (USACE) under a Nationwide Permit (NWP) without a Pre-Construction Notification (PCN). Project specific permit was not issued by USACE, therefore is not in the plan set. The USACE general conditions are in the "General Notes."

Work is authorized by the United States Army Corps of Engineers (USACE) under a Nationwide Permit (NWP) with a Pre-Construction Notification (PCN). The project specific permit issued by the United States Army Corps of Engineers (USACE) is included in the plan set. The USACE general conditions are in the "General Notes."

Work is authorized by the United States Army Corps of Engineers (USACE) under a Individual Permit (IP). The project specific permit issued by the United States Army Corps of Engineers (USACE) is included in the plan set.

Work would be authorized by the United States Army Corps of Engineers (USACE) permit. The project specific permit issued by the USACE will be provided to the contractor.

United States Coast Guard (USCG) Permit is required for projects that involve the construction or modification (including changes to lighting) of a bridge or causeway across a water body determined to be navigable by the United States Coast Guard (USCG) under Section 9 of the Rivers and Harbors Act. If additional work not represented in the plans is required, contact the Engineer immediately.

No United States Coast Guard (USCG) Coordination Required

United States Coast Guard (USCG) Permit

United States Coast Guard (USCG) Exemption

No Additional Comments

III. CULTURAL RESOURCES

Refer to TxDOT Standard Specifications in the event historical issues or archeological artifacts are found during construction. Upon discovery of archeological artifacts (bones, burnt rock, flint, pottery, etc.) cease work in the area and contact the Engineer immediately.

No Additional Comments

IV. VEGETATION RESOURCES

Preserve native vegetation to the extent practical. Refer to TxDOT Standard Specifications in order to comply with requirements for invasive species, beneficial landscaping and tree/brush removal.

No Additional Comments

V. FEDERAL LISTED, PROPOSED THREATENED, ENDANGERED SPECIES, CRITICAL HABITAT, STATE LISTED SPECIES, CANDIDATE SPECIES AND MIGRATORY BIRDS

If any of the listed species below are observed, cease work in the area, do not disturb species or habitat and contact the Engineer immediately.

The work may not remove active nests (from bridges, structures, or vegetation adjacent to the roadway, etc.) during nesting season (February 15 to October 1). If removal of structures or vegetation is necessary during the nesting season, the Contractor shall conduct a bird survey no more than 3 days in advance of the clearing/demolish start date. All bird surveys shall be conducted by a Field Biologist and adhere to the guidance document "Avoiding Migratory Birds and Handling Potential Violations" found in the TxDOT Environmental Compliance Toolkits at the time of the survey. (See below for Field Biologist and Ornithologist qualifications)

No Additional Comments

Field Biologist, Ornithologist – a field biologist is defined as an individual qualified to perform field investigations, presence/absence surveys and habitat surveys for protected avian species or species of concern. A mandatory bachelor's degree in biology or a related science is required. At a minimum, the Field Biologist, Ornithologist, shall have completed and reported a minimum of three presence/absence and habitat surveys for protected avian species in the past five years. A minimum of three projects must have been conducted in Texas. Surveys shall have been performed for documentation of species in accordance with a protocol approved by USFWS or TPWD, or following generally accepted methodologies.

VI. HAZARDOUS MATERIALS OR CONTAMINATION ISSUES

Refer to TxDOT Standard Specifications in the event potentially contaminated materials are observed, such as dead or distressed vegetation, trash disposal areas, drums, canisters, barrels, leaching or seepage of substances, unusual smells or odors, or stained soil, cease work in the area and contact the Engineer immediately.

No Additional Comments

VII. OTHER ENVIRONMENTAL ISSUES

Comments:



TxDOT
Houston
District

ENVIRONMENTAL PERMITS,
ISSUES AND COMMITMENTS

EPIC

FILE: EPIC Sheet.dgn	DN:	CK:	DW:	CK:
© TxDOT: March 2017	CONT	SECT	JOB	HIGHWAY
REVISIONS	0686	02	029	FM 1765
UPDATED section V, text and added definition (10/17)	DIST	COUNTY	SHEET NO.	
ADDED USCG and USACE notes in Section VII (04/18)	12	GALVESTON	78	

SITE DESCRIPTION

PROJECT LIMITS: From IH 45 to Vauthlier Road

PROJECT DESCRIPTION: For the construction consisting of 5' -6' sidewalks along north and south side of FM 1765, ADA curbramps, and reconstruction of driveways.

MAJOR SOIL DISTURBING ACTIVITIES: Soil disturbing activities includes preparation of ROW, excavation & embankment for sidewalk and driveways.

TOTAL PROJECT AREA: XXXX SF=X, X AC

TOTAL AREA TO BE DISTURBED: 44,082 SF=1.012 AC

WEIGHTED RUNOFF COEFFICIENT: SAME AS EXISTING
(AFTER CONSTRUCTION):

EXISTING CONDITION OF SOIL & VEGETATIVE COVER AND % OF EXISTING VEGETATIVE COVER: N/A
N/A

NAME OF RECEIVING WATERS: N/A

EROSION AND SEDIMENT CONTROLS

SOIL STABILIZATION PRACTICES:

- TEMPORARY SEEDING
 - PERMANENT PLANTING, SODDING, OR SEEDING
 - MULCHING
 - SOIL RETENTION BLANKET
 - BUFFER ZONES
 - PRESERVATION OF NATURAL RESOURCES
- OTHER: _____

STRUCTURAL PRACTICES:

- SILT FENCES
 - HAY BALES
 - ROCK BERMS
 - DIVERSION, INTERCEPTOR, OR PERIMETER DIKES
 - DIVERSION, INTERCEPTOR, OR PERIMETER SWALES
 - DIVERSION DIKE AND SWALE COMBINATIONS
 - PIPE SLOPE DRAINS
 - PAVED FLUMES
 - ROCK BEDDING AT CONSTRUCTION EXIT
 - TIMBER MATTING AT CONSTRUCTION EXIT
 - CHANNEL LINERS
 - SEDIMENT TRAPS
 - SEDIMENT BASINS
 - STORM INLET SEDIMENT TRAP
 - STONE OUTLET STRUCTURES
 - CURBS AND GUTTERS
 - STORM SEWERS
 - VELOCITY CONTROL DEVICES
 - EROSION CONTROL LOGS
- OTHER: _____

NARRATIVE - SEQUENCE OF CONSTRUCTION (STORM WATER MANAGEMENT) ACTIVITIES:

All work to be performed by the Contractor. The order of activity is as follows:

1. Install erosion control before disturbing existing condition.
2. Excavate the soil for installing sidewalks and driveways.
3. When all construction activity is complete and site is back to existing condition as approved by the Engineer, remove all temporary erosion controls.

STORM WATER MANAGEMENT: Stormwater will be managed by storm drains. During construction, the storm water runoff intercepted by SW3P controls in accordance with TPDES best management practice guidelines as directed by the Engineer.

OTHER EROSION AND SEDIMENT CONTROLS:

MAINTENANCE: _____
All erosion and sediment controls will be maintained in good working order. If a repair is necessary it will be done at the earliest date possible, but no later than 7 calendar days after the surrounding exposed ground has dried sufficiently to prevent further damage from heavy equipment. The area adjacent to creeks and drainageways shall have priority followed by devices protecting storm sewer inlets.

INSPECTION: All inspections will be performed by a TxDOT inspector per one of the options below as directed by the Area Engineer

1. At least every 7 calendar days
2. At least every 14 days or after 0.5 inches or more of rainfall

An inspection and maintenance report should be made for each inspection. Based on the inspection results, the controls shall be revised according to the inspection report.

WASTE MATERIALS: The dumpster used to store all waste material will meet all state and local city solid waste management regulations. All trash and construction debris will be deposited in the dumpster. The dumpster will be emptied as necessary or as required by local regulation and the trash will be hauled to a local dump. No construction waste material will be buried on site.

HAZARDOUS WASTE (INCLUDING SPILL REPORTING): In the event of a spill which may be considered hazardous, the Houston District Safety Office shall be contacted immediately at 713-802-5962.

SANITARY WASTE: All Sanitary Waste will be collected from the portable units as necessary or as required by local regulations by a licensed sanitary waste management contractor.

OFFSITE VEHICLE TRACKING:

- HAUL ROADS DAMPENED FOR DUST CONTROL
- LOADED HAUL TRUCKS TO BE COVERED WITH TARPULIN
- EXCESS DIRT ON ROAD REMOVED DAILY
- STABILIZED CONSTRUCTION ENTRANCE

OTHER: _____

REMARKS: Disposal areas, stockpiles, and haul roads shall be constructed in a manner that will minimize and control the sediment that may enter receiving waterways. Disposal areas shall not be located in any waterway, waterbody or streambed. Construction staging areas and vehicle maintenance areas shall be constructed by the contractor in a manner which minimizes the runoff of all pollutants. All waterways shall be cleared as soon as practical of temporary embankments, temporary bridges, matting, falsework, piling, debris, and other obstructions placed during construction operations that are not part of the finished work.

Sanjay Pokharel P.E.
SANJAY POKHAREL, P.E. 1/29/2023

Texas Department of Transportation
Houston District


TxDOT STORM WATER POLLUTION PREVENTION PLAN

SWP3

FILE: STDG1.DGN	DN: TxDot	CK: TxDot	DW: TxDot	CK: TxDot
© TxDOT JANUARY 2007	DIST	FED REG	PROJECT NO.	SHEET
REVISIONS	HOU	6		79
9/2010 INSPECTION NOTE	COUNTY	CONTROL	SECT	JOB
11/2013 INSPECTION NOTE	GALVESTON	0686	02	029 FM 1765
03/2015 SW3P TO SWP3				
03/2015 2014 SPECS				


DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for incorrect results or damages resulting from its use.

10/27/2023
 H:\116BA\0686-02-029 (FM 1765)\Standards\All Standards\dgnse\EC(1)16.dgn



TEMPORARY SEDIMENT CONTROL FENCE

SCF



HINGE JOINT KNOT WOVEN MESH (OPTION) DETAIL

Galvanized hinge joint knot woven mesh (12.5 GA. SWG Min.) requires a minimum of five horizontal wires spaced at a maximum of 12 inches apart and all vertical wires spaced at a maximum of 12 inches apart.

SEDIMENT CONTROL FENCE USAGE GUIDELINES

A sediment control fence may be constructed near the downstream perimeter of a disturbed area along a contour to intercept sediment from overland runoff. A 2 year storm frequency may be used to calculate the flow rate to be filtered.

Sediment control fence should be sized to filter a maximum flow through rate of 100 GPM/FT². Sediment control fence is not recommended to control erosion from a drainage area larger than 2 acres.


LEGEND

Sediment Control Fence

SCF

GENERAL NOTES

1. Vertical tracking is required on projects where soil distributing activities have occurred unless otherwise approved.
2. Perform vertical tracking on slopes to temporarily stabilize soil.
3. Provide equipment with a track undercarriage capable of producing linear soil impressions measuring a minimum of 12" in length by 2" to 4" in width by 1/2" to 2" in depth.
4. Do not exceed 12" between track impressions.
5. Install continuous linear track impressions where the minimum 12" length impressions are perpendicular to the slope or direction of water flow.




VERTICAL TRACKING


				Design Division Standard	
TEMPORARY EROSION, SEDIMENT AND WATER POLLUTION CONTROL MEASURES FENCE & VERTICAL TRACKING EC(1)-16					
FILE: ec116	DN: TxDOT	CK: KM	DW: VP	DN/CK: LS	
© TxDOT: JULY 2016	CONT	SECT	JOB	HIGHWAY	
REVISIONS	0686	02	029	FM 1765	
	DIST	COUNTY		SHEET NO.	
	HOU	GALVESTON		80	

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.


DATE: 1/27/2023
 FILE: H:\CDA\0686-02-029 (FM 1765)\Standards\A11 Standards &.dgn




PLAN VIEW



PLAN VIEW




PLAN VIEW




SECTION A-A
 EROSION CONTROL LOG DAM

CL-D




SECTION B-B
 EROSION CONTROL LOG AT BACK OF CURB

CL-BOC




SECTION C-C
 EROSION CONTROL LOG AT EDGE OF RIGHT-OF-WAY

CL-ROW



DIAMETER MEASUREMENTS OF EROSION CONTROL LOGS SPECIFIED IN PLANS

- LEGEND**
- CL-D EROSION CONTROL LOG DAM
 - CL-BOC EROSION CONTROL LOG AT BACK OF CURB
 - CL-ROW EROSION CONTROL LOG AT EDGE OF RIGHT-OF-WAY
 - CL-SST EROSION CONTROL LOGS ON SLOPES STAKE AND TRENCHING ANCHORING
 - CL-SSL EROSION CONTROL LOGS ON SLOPES STAKE AND LASHING ANCHORING
 - CL-DI EROSION CONTROL LOG AT DROP INLET
 - CL-CI EROSION CONTROL LOG AT CURB INLET
 - CL-GI EROSION CONTROL LOG AT CURB & GRATE INLET



REBAR STAKE DETAIL

SEDIMENT BASIN & TRAP USAGE GUIDELINES

An erosion control log sediment trap may be used to filter sediment out of runoff draining from an unstabilized area.

Log Traps: The drainage area for a sediment trap should not exceed 5 acres. The trap capacity should be 1800 CF/Acre (0.5" over the drainage area).

Control logs should be placed in the following locations:

1. Within drainage ditches spaced as needed or min. 500' on center
2. Immediately preceding ditch inlets or drain inlets
3. Just before the drainage enters a water course
4. Just before the drainage leaves the right of way
5. Just before the drainage leaves the construction limits where drainage flows away from the project.

The logs should be cleaned when the sediment has accumulated to a depth of 1/2 the log diameter.

Cleaning and removal of accumulated sediment deposits is incidental and will not be paid for separately.

SHEET 1 OF 3

Texas Department of Transportation
 Design Division Standard

TEMPORARY EROSION, SEDIMENT AND WATER POLLUTION CONTROL MEASURES


EROSION CONTROL LOG

EC (9) - 16

FILE: ec916	DN: TxDOT	CK: KM	DW: LS/PT	CK: LS
© TxDOT: JULY 2016	CONT	SECT	JOB	HIGHWAY
REVISIONS	0686	02	029	FM 1765
	DIST	COUNTY	SHEET NO.	
	HOU	GALVESTON	81	


DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 1/27/2023
 FILE: H:\CDA\0686-02-029 (FM 1765)\Standards\11 Standards & EC(9)16.dgn



**EROSION CONTROL LOGS ON SLOPES
 STAKE AND TRENCHING ANCHORING**


CL-SST



END SECTION RAP DETAIL


SLOPE	LOG DIAMETER			
	6"	8"	12"	18"
1:1 OR STEEPER	5'	10'	15'	20'
2:1	10'	20'	30'	40'
3:1	15'	30'	45'	60'
4:1 OR FLATTER	20'	40'	60'	80'

* ADJUSTMENTS CAN BE MADE FOR SOIL TYPE:
 SOFT, LOAMY SOILS-ADJUST ROWS CLOSER TOGETHER;
 HARD, ROCKY SOILS- ADJUST ROWS FARTHER APART





**EROSION CONTROL LOGS ON SLOPES
 STAKE AND LASHING ANCHORING**

CL-SSL




STAKE AND TRENCHING ANCHORING DETAIL

CL-SST




STAKE AND LASHING ANCHORING DETAIL

CL-SSL



LOG DIAMETER	DEPTH
6"	2"
8"	3"
12"	4"
18"	5"

TRENCH DEPTH TABLE




STAKE NOTCH DETAIL

SHEET 2 OF 3


		Design Division Standard	
TEMPORARY EROSION, SEDIMENT AND WATER POLLUTION CONTROL MEASURES EROSION CONTROL LOG EC(9) - 16			
FILE: ec116	DN: TxDOT	CK: KM	DW: LS/PT
© TxDOT: JULY 2016	CONT	SECT	JOB
REVISIONS	0686	02	029
DIST	COUNTY		SHEET NO.
HOU	GALVESTON		82

DATE: 1/27/2023
 FILE: H:\CDA\0686-02-029 (FM 1765)\Standards\All Standards &.dgn
 DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.




EROSION CONTROL LOG AT DROP INLET

CL-DI



EROSION CONTROL LOG AT CURB INLET


CL-CI



EROSION CONTROL LOG AT CURB INLET


CL-CI

NOTE:
 EROSION CONTROL LOGS USED AT CURB INLETS SHOULD ONLY BE USED IF THEY WILL NOT IMPEDE TRAFFIC OR FLOOD THE ROADWAY OR WHEN THE STORM SEWER SYSTEM IS NOT FULLY FUNCTIONAL.



EROSION CONTROL LOG AT CURB & GRADE INLET

CL-GI



SHEET 3 OF 3

		<i>Design Division Standard</i>	
TEMPORARY EROSION, SEDIMENT AND WATER POLLUTION CONTROL MEASURES EROSION CONTROL LOG EC (9) - 16			
FILE: ec916	DN: TxDOT	CK: KM	DW: LS/PT
© TxDOT: JULY 2016	CONT	SECT	JOB
REVISIONS	0686	02	029
DIST	COUNTY		SHEET NO.
HOU	GALVESTON		83