

INDEX OF SHEETS

<u>SHEET NO.</u>	<u>DESCRIPTION</u>
1	TITLE SHEET
2	INDEX OF SHEETS

STATE OF TEXAS
DEPARTMENT OF TRANSPORTATION

VOL. II OF II

FED. RD. DIV. NO.	FEDERAL PROJECT NO.	SHEET NO.
6	F 2024(460)	1
STATE	STATE DIST.	COUNTY
TEXAS	AMA	RANDALL
CONT.	SECT.	JOB HIGHWAY NO.
0067	01	084 US 87

DESIGN SPEED = N/A
2021 ADT = 16,076
2041 ADT = 24,114
URBAN ARTERIAL

PLANS OF PROPOSED
STATE HIGHWAY IMPROVEMENT
FEDERAL PROJECT: F 2024(460)
HIGHWAY - US 87
RANDALL COUNTY

CONTROL: 0067- 01 - 084

FOR THE CONSTRUCTION OF CURB RAMP AND SIDEWALK IMPROVEMENTS.
CONSISTING OF CONSTRUCTION OF CURB RAMPS, SIDEWALKS, AND MISCELLANEOUS PEDESTRIAN ELEMENTS

PROJECT LIMITS FROM: RUSSELL LONG BLVD
TO: SOUTH OF CANYON CITY LIMITS


FINAL PLANS

LETTING DATE: _____
DATE CONTRACTOR BEGAN WORK: _____
DATE WORK WAS COMPLETED & ACCEPTED: _____
FINAL CONTRACT COST: \$ _____
CONTRACTOR : _____
AE SIGNATURE: _____ DATE: _____

PLANS PREPARED BY:

Kimley»Horn F-928

REGISTERED ACCESSIBILITY SPECIALIST (RAS) INSPECTION
REQUIRED, TDLR TABS NO.: TABS2023025059



BEGIN PROJECT
CSJ: 0067-01-084
LOCATION: RUSSELL LONG BLVD

END PROJECT
CSJ: 0067-01-084
LOCATION: SOUTH OF CANYON CITY LIMITS

EXCEPTIONS:
NONE

RAILROADS:
NONE

EQUATIONS:
NONE



RECOMMENDED FOR LETTING: DATE: 10/2/2023

DocuSigned by:
Joe Crappell
2A500C249D094BA...
AREA ENGINEER

DATE: 10/4/2023

DocuSigned by:
Kit Black
9B5A6EAE8B46E...
DISTRICT DIRECTOR OF TRANSPORTATION
PLANNING AND DEVELOPMENT

DATE: 10/5/2023

APPROVED FOR LETTING: DATE: 10/5/2023
DocuSigned by:
Blair Johnson
8B80E3AEB2BC43A...
DISTRICT ENGINEER

SPECIFICATIONS ADOPTED BY THE TEXAS DEPARTMENT OF TRANSPORTATION, NOVEMBER 1, 2014 AND SPECIFICATION ITEMS LISTED AND DATED AS FOLLOWS, SHALL GOVERN ON THIS PROJECT: REQUIRED CONTRACT PROVISIONS FOR ALL FEDERAL-AID CONSTRUCTION CONTRACTS (FORM FHWA 1273, OCTOBER 23, 2023).

FILENAME: pw:\kh-pw-bentley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\DesignData\4 - Design\Plan Set\1 - General\Canyon\AMA_CNY_INDEX.dgn
 PLOTTED: 9/8/2023 9:31:24 AM

I. GENERAL

- 1 TITLE SHEET
- 2 INDEX OF SHEETS
- 3 PROJECT LOCATION MAP
- GENERAL NOTES (SEE VOL. I OF II)
- ESTIMATE & QUANTITY (SEE VOL. I OF II)
- 6 PROJECT SUMMARY

II. TRAFFIC CONTROL PLAN

- 7-18 * BC (1)-21 THRU BC (12)-21
- 19-22 * TCP (1-1)-18 THRU TCP (1-4)-18
- 23 * TCP (2-1)-18
- 24-25 * WZ (BTS-1)-13 & WZ (BTS-2)-13
- 26 * WZ (RS)-22

III. ROADWAY DETAILS

- 27 US 87 AT SOUTH OF CANYON CITY LIMITS TO 17TH AVE
- 28 US 87 AT SOUTH OF CANYON CITY LIMITS TO 17TH AVE
- 29 US 87 AT 17TH AVE
- 30 US 87 BETWEEN 17TH AVE AND 14TH AVE
- 31 US 87 BETWEEN 17TH AVE AND 14TH AVE
- 32 US 87 BETWEEN 17TH AVE AND 14TH AVE
- 33 US 87 AT 14TH AVE
- 34 US 87 AT FUTURE 17TH AVE EXTENSION
- 35 US 87 BETWEEN 17TH AVE AND 14TH AVE
- 36 US 87 BETWEEN 17TH AVE AND 14TH AVE
- 37 US 87 BETWEEN 17TH AVE AND 14TH AVE
- 38 US 87 BETWEEN 17TH AVE AND 14TH AVE
- 39 US 87 AT 13TH AVE
- 40 US 87 BETWEEN 13TH AVE AND 12TH AVE
- 41 US 87 AT 12TH AVE
- 42 US 87 BETWEEN 12TH AVE AND 10TH AVE
- 43 US 87 BETWEEN 12TH AVE AND 10TH AVE
- 44 US 87 AT 10TH AVE
- 45 US 87 BETWEEN 10TH AVE AND 9TH AVE
- 46 US 87 AT 9TH AVE
- 47 US 87 BETWEEN 9TH AVE AND 8TH AVE
- 48 US 87 AT 8TH AVE
- 49 US 87 BETWEEN 8TH AVE AND 7TH AVE
- 50 US 87 AT 7TH AVE
- 51 US 87 BETWEEN 7TH AVE AND 6TH AVE
- 52 US 87 AT 6TH AVE
- 53 US 87 BETWEEN 6TH AVE AND 5TH AVE
- 54 US 87 AT 5TH AVE
- 55 US 87 BETWEEN 5TH AVE AND 4TH AVE
- 56 US 87 AT 4TH AVE
- 57 US 87 BETWEEN 4TH AVE AND 3RD AVE
- 58 US 87 AT 3RD AVE
- 59 US 87 BETWEEN 3RD AVE AND 2ND AVE
- 60 US 87 AT 2ND AVE
- 61 US 87 BETWEEN 2ND AVE AND 1ST AVE
- 62 US 87 AT 1ST AVE
- 63 US 87 BETWEEN 1ST AVE AND N 2ND AVE
- 64 US 87 AT N 2ND AVE
- 65 US 87 AT RUSSELL LONG BLVD
- 66-75 MISCELLANEOUS DETAILS

IV. ROADWAY AND TRAFFIC STANDARDS

- 76-79 * PED-18
- 80 * CCCG-22
- 81 * ED (1)-14
- 82 * ED (3)-14
- 83 * ED (4)-14
- 84 * TS-FD-12
- 85-88 * PM (1)-22 THRU PM (4)-22A
- 89 * SMD (GEN)-08
- 90-92 * SMD (SLIP-1)-08 THRU SMD (SLIP-3)-08

V. ENVIRONMENTAL

- 93 (SW3P) SIDEWALK GENERAL LAYOUT
- 94 * (EPIC) ENVIRONMENTAL PERMITS, ISSUES, AND COMMITMENTS
- 95-96 * (SW3P) TXDOT STORM WATER POLLUTION PREVENTION PLAN
- 97 * EC (1)-16
- 98-100 * EC (9)-16

THE STANDARD SHEETS SPECIFICALLY IDENTIFIED ABOVE WITH AN * HAVE BEEN ISSUED BY ME OR UNDER MY RESPONSIBLE SUPERVISION AS BEING APPLICABLE TO THIS PROJECT.

Samuel J. Lundquist
 SAM J. LUNDQUIST P. E. 9/8/2023
 DATE

Samuel J. Lundquist
 9/8/2023



Kimley»Horn F-928

Texas Department of Transportation


CURB RAMP PROGRAM

INDEX OF SHEETS

SHEET 1 OF 1

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.	
6	SEE TITLE SHEET	US 87	
STATE	DIST.	COUNTY	SHEET NO.
TEXAS	AMA	RANDALL	2
CONT.	SECT.	JOB	
0067	01	084	

FILENAME: p:\kh-pw-bentley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\DesignData\4 - Design\Plan Set\1 - General\Canyon\AMA_GEN_LAYOUT_CNY.dgn
 PLOTTED: 9/8/2023 9:31:29 AM



HIGHWAY	CSJ	FROM	TO
US 87	0067-01-084	RUSSELL LONG BLVD	SOUTH OF CANYON CITY LIMITS



Al J. Kimley
 9/8/2023

Kimley»Horn F-928

Texas Department of Transportation
CURB RAMP PROGRAM

PROJECT LOCATION MAP

CANYON, TEXAS

SHEET 1 OF 1

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.
6	SEE TITLE SHEET	US 87

STATE	DIST.	COUNTY	SHEET NO.
TEXAS	AMA	RANDALL	3
CONT.	SECT.	JOB	
0067	01	084	

FILENAME: p:\k\k\k\pw\ben\kimley.com\k\k\pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\DesignData\4 - Design\Plan Set\1 - General\Canyon\AMA_CNY_SUMM_01.dgn
 PLOTTED: 9/8/2023 10:00:45 AM

SPEC ITEM #	0104 6017 REMOVING CONC (DRIVEWAYS)	0104 6029 REMOVING CONC (CURB OR CURB & GUTTER)	0104 6036 REMOVING CONC (SIDEWALK OR RAMP)	0105 6043 REMOVING STAB BASE AND ASPH PAV (0-6")	0160 6003 FURNISHING AND PLACING TOPSOIL (4")	0162 6002 BLOCK SODDING	0168 6001 VEGETATIVE WATERING	0400 6008 CUT & RESTORE ASPH PAVING	0471 6003 GRATE & FRAME	0528 6001 COLORED TEXTURED CONC (4")	0528 6006 REMOVE AND RELAY PAVERS	0529 6002 CONC CURB (TY II)	0529 6008 CONC CURB & GUTTER (TY II)	0530 6004 DRIVEWAYS (CONC)	0531 6001 CONC SIDEWALKS (4")	0531 6018 CURB RAMPS (TY 1)
INTERSECTION																
UNITS	SY	LF	SY	SY	SY	SY	MG	SY	EA	SY	SY	LF	LF	SY	SY	SY
CSJ 0067-01-084	2332	330	288	1095	2951	2951	52	898	18	1090	191	1167	1001	3636	4952	170
PROJECT TOTAL	2332	330	288	1095	2951	2951	52	898	18	1090	191	1167	1001	3636	4952	170

SPEC ITEM #	0531 6019 CURB RAMPS (TY 2)	0531 6020 CURB RAMPS (TY 3)	0531 6022 CURB RAMPS (TY 5)	0531 6023 CURB RAMPS (TY 6)	0531 6024 CURB RAMPS (TY 7)	0531 6027 CURB RAMPS (TY 10)	0666 6048 REFL PAV MRK TY I (W) 24" (SLD) (100MIL)	0666 6230 PAVEMENT SEALER 24"	0677 6005 ELIM EXT PAV MRK & MRKS (12")	0677 6007 ELIM EXT PAV MRK & MRKS (24")	0678 6008 PAV SURF PREP FOR MRK (24")	0680 6011 INSTALL HWY TRF SIG (UPGRADE)	0682 6018 PED SIG SEC (LED) (COUNTDOWN)	0684 6028 TRF SIG CBL (TY A) (14 AWG) (2 CONDR)	0684 6031 TRF SIG CBL (TY A) (14 AWG) (5 CONDR)	0687 6001 PED POLE ASSEMBLY	0687 6003 RELOCATE PED POLE ASSEMBLY
INTERSECTION																	
UNITS	SY	SY	SY	SY	SY	SY	LF	LF	LF	LF	LF	EA	EA	LF	LF	EA	EA
CSJ 0067-01-084	59	13	36	178	416	118	2626	2626	1852	737	135	4	30	6250	6250	1	2
PROJECT TOTAL	59	13	36	178	416	118	2626	2626	1852	737	135	4	30	6250	6250	1	2

SPEC ITEM #	0688 6001 PED DETECT PUSH BUTTON (APS)	0688 6003 PED DETECTOR CONTROLLER UNIT	0690 6007 REPLACE OF GROUND BOXES	0690 6024 REMOVAL OF SIGNAL HEAD ASSM	0690 6030 REMOVAL OF PEDESTRIAN PUSH BUTTONS
INTERSECTION					
UNITS	EA	EA	EA	EA	EA
CSJ 0067-01-084	30	4	19	28	28
PROJECT TOTAL	30	4	19	28	28


SUMMARY OF INDEFINITE QUANTITIES*


SPEC ITEM #	0110 6003 EXCAVATION (SPECIAL)	0132 6003 EMBANKMENT (FINAL) (ORD COMP) (TY B)	0315 6004 FOG SEAL (CSS-1H)	0354 6002 PLAN & TEXT CONC PAV (0" TO 2")	0420 6002 CL A CONC (MISC)	0506 6035 SANDBAGS FOR EROSION CONTROL	0506 6038 TEMP SDMT CONT FENCE (INSTALL)	0506 6039 TEMP SDMT CONT FENCE (REMOVE)	0506 6041 BIODEG EROSN CONT LOGS (INSTL) (12")	0506 6043 BIODEG EROSN CONT LOGS (REMOVE)	0531 6002 CONC SIDEWALKS (5")	0618 6023 CONDT (PVC) (SCH 40) (2")
INTERSECTION												
UNITS	CY	CY	GAL	SY	CY	EA	LF	LF	LF	LF	SY	LF
CSJ 0067-01-084	50	25	472	405	10	600	600	600	600	600	100	100
PROJECT TOTAL	50	25	472	405	10	600	600	600	600	600	100	100

* INDEFINITE QUANTITIES ARE NOT SPECIFICALLY SHOWN IN THE PLANS AND SHALL ONLY BE USED AS APPROVED BY THE ENGINEER.

SPEC ITEM #	0620 6007 ELEC CONDR (NO. 8) BARE	0666 6170 REFL PAV MRK TY II (W) 4" (SLD)	0666 6207 REFL PAV MRK TY II (Y) 4" (SLD)	3076 6043 D-GR HMA TY-C PG76-22 (LEVEL-UP)	3076 6066 TACK COAT (0.13 GAL/SY)	5057 6002 MOVE AND RESET PRECAST CONC WHEEL STOPS
INTERSECTION						
UNITS	LF	LF	LF	TON	GAL	EA
CSJ 0067-01-084	100	1435	735	30	4.2	59
PROJECT TOTAL	100	1435	735	30	5	59

* INDEFINITE QUANTITIES ARE NOT SPECIFICALLY SHOWN IN THE PLANS AND SHALL ONLY BE USED AS APPROVED BY THE ENGINEER.


 9/8/2023



Kimley & Horn

Texas Department of Transportation
CURB RAMP PROGRAM

PROJECT SUMMARY

SHEET 1 OF 1

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.
6	SEE TITLE SHEET	US 87
STATE	DIST.	COUNTY
TEXAS	AMA	RANDALL
CONT.	SECT.	JOB
0067	01	084

BARRICADE AND CONSTRUCTION (BC) STANDARD SHEETS GENERAL NOTES:

1. The Barricade and Construction Standard Sheets (BC sheets) are intended to show typical examples for placement of temporary traffic control devices, construction pavement markings, and typical work zone signs. The information contained in these sheets meet or exceed the requirements shown in the "Texas Manual on Uniform Traffic Control Devices" (TMUTCD).
2. The development and design of the Traffic Control Plan (TCP) is the responsibility of the Engineer.
3. The Contractor may propose changes to the TCP that are signed and sealed by a licensed professional engineer for approval. The Engineer may develop, sign and seal Contractor proposed changes.
4. The Contractor is responsible for installing and maintaining the traffic control devices as shown in the plans. The Contractor may not move or change the approximate location of any device without the approval of the Engineer.
5. Geometric design of lane shifts and detours should, when possible, meet the applicable design criteria contained in manuals such as the American Association of State Highway and Transportation Officials (AASHTO), "A Policy on Geometric Design of Highways and Streets," the TxDOT "Roadway Design Manual" or engineering judgment.
6. When projects abut, the Engineer(s) may omit the END ROAD WORK, TRAFFIC FINES DOUBLE, and other advance warning signs if the signing would be redundant and the work areas appear continuous to the motorists. If the adjacent project is completed first, the Contractor shall erect the necessary warning signs as shown on these sheets, the TCP sheets or as directed by the Engineer. The BEGIN ROAD WORK NEXT X MILES sign shall be revised to show appropriate work zone distance.
7. The Engineer may require duplicate warning signs on the median side of divided highways where median width will permit and traffic volumes justify the signing.
8. All signs shall be constructed in accordance with the details found in the "Standard Highway Sign Designs for Texas," latest edition. Sign details not shown in this manual shall be shown in the plans or the Engineer shall provide a detail to the Contractor before the sign is manufactured.
9. The temporary traffic control devices shown in the illustrations of the BC sheets are examples. As necessary, the Engineer will determine the most appropriate traffic control devices to be used.
10. Where highway construction or maintenance work is being undertaken, other than mobile operations as defined by the Texas Manual on Uniform Traffic Control Devices, CSJ limit signs are required. CSJ limit signs are shown on BC(2). The OBEY WARNING SIGNS STATE LAW sign, STAY ALERT TALK OR TEXT LATER and the WORK ZONE TRAFFIC FINES DOUBLE sign with plaque shall be erected in advance of the CSJ limits. The BEGIN ROAD WORK NEXT X MILES, CONTRACTOR and END ROAD WORK signs shall be erected at or near the CSJ limits. For mobile operations, CSJ limit signs are not required.
11. Traffic control devices should be in place only while work is actually in progress or a definite need exists.
12. The Engineer has the final decision on the location of all traffic control devices.
13. Inactive equipment and work vehicles, including workers' private vehicles must be parked away from travel lanes. They should be as close to the right-of-way line as possible, or located behind a barrier or guardrail, or as approved by the Engineer.

WORKER SAFETY NOTES:

1. Workers on foot who are exposed to traffic or to construction equipment within the right-of-way shall wear high-visibility safety apparel meeting the requirements of ISEA "American National Standard for High-Visibility Apparel," or equivalent revisions, and labeled as ANSI 107-2004 standard performance for Class 2 or 3 risk exposure. Class 3 garments should be considered for high traffic volume work areas or night time work.
2. Except in emergency situations, flagger stations shall be illuminated when flagging is used at night.

COMPLIANT WORKZONE TRAFFIC CONTROL DEVICES

1. Only pre-qualified products shall be used. The "Compliant Work Zone Traffic Control Devices List" (CWZTCD) describes pre-qualified products and their sources.
2. Work zone traffic control devices shall be compliant with the Manual for Assessing safety Hardware (MASH).

THE DOCUMENTS BELOW CAN BE FOUND ON-LINE AT http://www.txdot.gov
COMPLIANT WORK ZONE TRAFFIC CONTROL DEVICES LIST (CWZTCD)
DEPARTMENTAL MATERIAL SPECIFICATIONS (DMS)
MATERIAL PRODUCER LIST (MPL)
ROADWAY DESIGN MANUAL - SEE "MANUALS (ONLINE MANUALS)"
STANDARD HIGHWAY SIGN DESIGNS FOR TEXAS (SHSD)
TEXAS MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (TMUTCD)
TRAFFIC ENGINEERING STANDARD SHEETS

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 9/8/2023 9:31:36 AM
FILE: c:\pwworkh\c0225853\bc-21 (1).dgn

SHEET 1 OF 12




**BARRICADE AND CONSTRUCTION
GENERAL NOTES
AND REQUIREMENTS**

BC(1)-21

FILE:	bc-21.dgn	DN:	TxDOT	CK:	TxDOT	DW:	TxDOT	CK:	TxDOT
© TxDOT	November 2002	CONT	SECT	JOB	HIGHWAY				
REVISIONS		0067	01	084	US 87				
4-03	7-13	DIST	COUNTY		SHEET NO.				
9-07	8-14	AMA	RANDALL		7				
5-10	5-21								


DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

TYPICAL LOCATION OF CROSSROAD SIGNS



- ## May be mounted on back of "ROAD WORK AHEAD"(CW20-1D) sign with approval of Engineer. (See note 2 below)
- The typical minimum signing on a crossroad approach should be a "ROAD WORK AHEAD" (CW20-1D) sign and a (G20-2) "END ROAD WORK" sign, unless noted otherwise in plans.
 - The Engineer may use the reduced size 36" x 36" ROAD WORK AHEAD (CW20-1D) sign mounted back to back with the reduced size 36" x 18" "END ROAD WORK"(G20-2) sign on low volume crossroads (see Note 4 under "Typical Construction Warning Sign Size and Spacing"). See the "Standard Highway Sign Designs for Texas" manual for sign details. The Engineer may omit the advance warning signs on low volume crossroads. The Engineer will determine whether a road is low volume as per TMUTCD Part 5. This information shall be shown in the plans.
 - Based on existing field conditions, the Engineer/Inspector may require additional signs such as FLAGGER AHEAD, LOOSE GRAVEL, or other appropriate signs. When additional signs are required, these signs will be considered part of the minimum requirements. The Engineer/Inspector will determine the proper location and spacing of any sign not shown on the BC sheets, Traffic Control Plan sheets or the Work Zone Standard Sheets.
 - The "ROAD WORK NEXT X MILES"(G20-1aT) sign shall be required at high volume crossroads to advise motorists of the length of construction in either direction from the intersection. The Engineer will determine whether a roadway is considered high volume.
 - Additional traffic control devices may be shown elsewhere in the plans for higher volume crossroads.
 - When work occurs in the intersection area, appropriate traffic control devices, as shown elsewhere in the plans or as determined by the Engineer/Inspector, shall be in place.

T-INTERSECTION



CSJ LIMITS AT T-INTERSECTION

- The Engineer will determine the types and location of any additional traffic control devices, such as a flagger and accompanying signs, or other signs, that should be used when work is being performed at or near an intersection.
- If construction closes the road at a T-intersection, the Contractor shall place the "CONTRACTOR NAME"(G20-6T) sign behind the Type 3 Barricades for the road closure (see BC(10) also). The "ROAD WORK NEXT X MILES" left arrow(G20-1bTL) and "ROAD WORK NEXT X MILES" right arrow (G20-1bTR)" signs shall be replaced by the detour signing called for in the plans.

TYPICAL CONSTRUCTION WARNING SIGN SIZE AND SPACING

Sign Number or Series	SIZE		SPACING	
	Conventional Road	Expressway/ Freeway	Posted Speed MPH	Sign Spacing "X" Feet (Apprx.)
CW20 ⁴	48" x 48"	48" x 48"	30	120
CW21			35	160
CW23			40	240
CW25			45	320
CW1, CW2, CW7, CW8, CW9, CW11, CW14	36" x 36"	48" x 48"	50	400
			55	500 ²
			60	600 ²
			65	700 ²
CW3, CW4, CW5, CW6, CW8-3, CW10, CW12	48" x 48"	48" x 48"	70	800 ²
			75	900 ²
			80	1000 ²
			*	*


* For typical sign spacings on divided highways, expressways and freeways, see Part 6 of the "Texas Manual on Uniform Traffic Control Devices" (TMUTCD) typical application diagrams or TCP Standard Sheets.

△ Minimum distance from work area to first Advance Warning sign nearest the work area and/or distance between each additional sign.

GENERAL NOTES


- Special or larger size signs may be used as necessary.
- Distance between signs should be increased as required to have 1500 feet advance warning.
- Distance between signs should be increased as required to have 1/2 mile or more advance warning.
- 36" x 36" "ROAD WORK AHEAD" (CW20-1D) signs may be used on low volume crossroads at the discretion of the Engineer as per TMUTCD Part 5. See Note 2 under "Typical Location of Crossroad Signs".
- Only diamond shaped warning sign sizes are indicated.
- See sign size listing in "TMUTCD", Sign Appendix or the "Standard Highway Sign Designs for Texas" manual for complete list of available sign design sizes.

WORK AREAS IN MULTIPLE LOCATIONS WITHIN CSJ LIMITS




When extended distances occur between minimal work spaces, the Engineer/Inspector should ensure additional "ROAD WORK AHEAD"(CW20-1D) signs are placed in advance of these work areas to remind drivers they are still within the project limits. See the applicable TCP sheets for exact location and spacing of signs and channelizing devices.

SAMPLE LAYOUT OF SIGNING FOR WORK BEGINNING DOWNSTREAM OF THE CSJ LIMITS



SAMPLE LAYOUT OF SIGNING FOR WORK BEGINNING AT THE CSJ LIMITS



NOTES

- The Contractor shall determine the appropriate distance to be placed on the G20-1 series signs and "BEGIN ROAD WORK NEXT X MILES"(G20-5T) sign for each specific project. This distance shall replace the "X" and shall be rounded to the nearest whole mile with the approval of the Engineer. No decimals shall be used.
- The "BEGIN WORK ZONE"(G20-9TP) and "END WORK ZONE" (G20-2bT) shall be used as shown on the sample layout when advance signs are required outside the CSJ Limits. They inform the motorist of entering or leaving a part of the work zone lying outside the CSJ Limits where traffic fines may double if workers are present.
 - ** CSJ limit signing is required for highway construction and maintenance work, with the exception of mobile operations.
 - ◇ Area for placement of "ROAD WORK AHEAD" (CW20-1D) sign and other signs or devices as called for on the Traffic Control Plan.
 - ◇◇ Contractor will install a regulatory speed limit sign at the end of the work zone.

LEGEND	
—	Type 3 Barricade
○ ○ ○	Channelizing Devices
■	Sign
X	See Typical Construction Warning Sign Size and Spacing chart or the TMUTCD for sign spacing requirements.

SHEET 2 OF 12



BARRICADE AND CONSTRUCTION PROJECT LIMIT

BC(2)-21


FILE: bc-21.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
© TxDOT November 2002	CONT	SECT	JOB	HIGHWAY
REVISIONS	0067	01	084	US 87
9-07 8-14	DIST	COUNTY	SHEET NO.	
7-13 5-21	AMA	RANDALL	8	

DATE: 9/8/2023 9:31:36 AM
FILE: c:\pwworking\0225853\bc-21 (1).dgn

TYPICAL APPLICATION OF WORK ZONE SPEED LIMIT SIGNS

Work zone speed limits shall be regulatory, established in accordance with the "Procedures for Establishing Speed Zones," and approved by the Texas Transportation Commission, or by City Ordinance when within Incorporated City Limits.

Reduced speeds should only be posted in the vicinity of work activity and not throughout the entire project. Regulatory work zone speed signs (R2-1) shall be removed or covered during periods when they are not needed.



GUIDANCE FOR USE:

LONG/INTERMEDIATE TERM WORK ZONE SPEED LIMITS

This type of work zone speed limit should be included on the design of the traffic control plans when restricted geometrics with a lower design speed are present in the work zone and modification of the geometrics to a higher design speed is not feasible.

Long/Intermediate Term Work Zone Speed Limit signs, when approved as described above, should be posted and visible to the motorist when work activity is present.

Work activity may also be defined as a change in the roadway that requires a reduced speed for motorists to safely negotiate the work area, including:

- rough road or damaged pavement surface
- substantial alteration of roadway geometrics (diversions)
- construction detours
- grade
- width
- other conditions readily apparent to the driver

As long as any of these conditions exist, the work zone speed limit signs should remain in place.

SHORT TERM WORK ZONE SPEED LIMITS

This type of work zone speed limit may be included on the design of the traffic control plans when workers or equipment are not behind concrete barrier, when work activity is within 10 feet of the traveled way or actually in the traveled way.

Short Term Work Zone Speed Limit signs should be posted and visible to the motorists only when work activity is present. When work activity is not present, signs shall be removed or covered. (See Removing or Covering on BC(4)).

GENERAL NOTES

- Regulatory work zone speed limits should be used only for sections of construction projects where speed control is of major importance.
- Regulatory work zone speed limit signs shall be placed on supports at a 7 foot minimum mounting height.
- Speed zone signs are illustrated for one direction of travel and are normally posted for each direction of travel.
- Frequency of work zone speed limit signs should be:
 - 40 mph and greater 0.2 to 2 miles
 - 35 mph and less 0.2 to 1 mile
- Regulatory speed limit signs shall have black legend and border on a white reflective background (See "Reflective Sheeting" on BC(4)).
- Fabrication, erection and maintenance of the "ADVANCE SPEED LIMIT" (CW3-5) sign, "WORK ZONE" (G20-5aP) plaque and the "SPEED LIMIT" (R2-1) signs shall not be paid for directly, but shall be considered subsidiary to Item 502.
- Turning signs from view, laying signs over or down will not be allowed, unless as otherwise noted under "REMOVING OR COVERING" on BC(4).
- Techniques that may help reduce traffic speeds include but are not limited to:
 - Law enforcement.
 - Flagger stationed next to sign.
 - Portable changeable message sign (PCMS).
 - Low-power (drone) radar transmitter.
 - Speed monitor trailers or signs.
- Speeds shown on details above are for illustration only. Work Zone Speed Limits should only be posted as approved for each project.
- For more specific guidance concerning the type of work, work zone conditions and factors impacting allowable regulatory construction speed zone reduction see TxDOT form *1204 in the TxDOT e-form system.

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 9/8/2023 9:31:37 AM
FILE: c:\pwworkh\0225853\bc-21 (1).dgn

SHEET 3 OF 12




BARRICADE AND CONSTRUCTION WORK ZONE SPEED LIMIT

BC(3)-21

FILE:	bc-21.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
© TxDOT	November 2002	CONT	SECT	JOB	HIGHWAY
9-07	8-14	0067	01	084	US 87
7-13	5-21	DIST	COUNTY	SHEET NO.	
		AMA	RANDALL	9	

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.


TYPICAL MINIMUM CLEARANCES FOR LONG TERM AND INTERMEDIATE TERM SIGNS



* When placing skid supports on unlevel ground, the leg post lengths must be adjusted so the sign appears straight and plumb. Objects shall NOT be placed under skids as a means of leveling.

* * When plaques are placed on dual-leg supports, they should be attached to the upright nearest the travel lane. Supplemental plaques (advisory or distance) should not cover the surface of the parent sign.

ATTACHMENT FOR SIGN SUPPORTS



Splicing embedded perforated square metal tubing in order to extend post height will only be allowed when the splice is made using four bolts, two above and two below the splice point. Splice must be located entirely behind the sign substrate, not near the base of the support. Splice insert lengths should be at least 5 times nominal post size, centered on the splice and of at least the same gauge material.

GENERAL NOTES FOR WORK ZONE SIGNS

- Contractor shall install and maintain signs in a straight and plumb condition and/or as directed by the Engineer.
- Wooden sign posts shall be painted white.
- Barricades shall NOT be used as sign supports.
- All signs shall be installed in accordance with the plans or as directed by the Engineer. Signs shall be used to regulate, warn, and guide the traveling public safely through the work zone.
- The Contractor may furnish either the sign design shown in the plans or in the "Standard Highway Sign Designs for Texas" (SHSD). The Engineer/Inspector may require the Contractor to furnish other work zone signs that are shown in the TMUTCD but may have been omitted from the plans. Any variation in the plans shall be documented by written agreement between the Engineer and the Contractor's Responsible Person. All changes must be documented in writing before being implemented. This can include documenting the changes in the Inspector's TxDOT diary and having both the Inspector and Contractor initial and date the agreed upon changes.
- The Contractor shall furnish sign supports listed in the "Compliant Work Zone Traffic Control Device List" (CWZTCD) for small roadside signs. Supports for temporary large roadside signs shall meet the requirements detailed on the Temporary Large Roadside Signs (TLRS) standard sheets. The Contractor shall install the sign support in accordance with the manufacturer's recommendations. If there is a question regarding installation procedures, the Contractor shall furnish the Engineer a copy of the manufacturer's installation recommendations so the Engineer can verify the correct procedures are being followed.
- The Contractor is responsible for installing signs on approved supports and replacing signs with damaged or cracked substrates and/or damaged or marred reflective sheeting as directed by the Engineer/Inspector.
- Identification markings may be shown only on the back of the sign substrate. The maximum height of letters and/or company logos used for identification shall be 1 inch.
- The Contractor shall replace damaged wood posts. New or damaged wood sign posts shall not be spliced.

DURATION OF WORK (as defined by the "Texas Manual on Uniform Traffic Control Devices" Part 6)

- The types of sign supports, sign mounting height, the size of signs, and the type of sign substrates can vary based on the type of work being performed. The Engineer is responsible for selecting the appropriate size sign for the type of work being performed. The Contractor is responsible for ensuring the sign support, sign mounting height and substrate meets manufacturer's recommendations in regard to crashworthiness and duration of work requirements.
 - Long-term stationary - work that occupies a location more than 3 days.
 - Intermediate-term stationary - work that occupies a location more than one daylight period up to 3 days, or nighttime work lasting more than one hour.
 - Short-term stationary - daytime work that occupies a location for more than 1 hour in a single daylight period.
 - Short, duration - work that occupies a location up to 1 hour.
 - Mobile - work that moves continuously or intermittently (stopping for up to approximately 15 minutes.)

SIGN MOUNTING HEIGHT

- The bottom of Long-term/Intermediate-term signs shall be at least 7 feet, but not more than 9 feet, above the paved surface, except as shown for supplemental plaques mounted below other signs.
- The bottom of Short-term/Short Duration signs shall be a minimum of 1 foot above the pavement surface but no more than 2 feet above the ground.
- Long-term/Intermediate-term Signs may be used in lieu of Short-term/Short Duration signing.
- Short-term/Short Duration signs shall be used only during daylight and shall be removed at the end of the workday or raised to appropriate Long-term/Intermediate sign height.
- Regulatory signs shall be mounted at least 7 feet, but not more than 9 feet, above the paved surface regardless of work duration.

SIZE OF SIGNS

- The Contractor shall furnish the sign sizes shown on BC (2) unless otherwise shown in the plans or as directed by the Engineer.

SIGN SUBSTRATES

- The Contractor shall ensure the sign substrate is installed in accordance with the manufacturer's recommendations for the type of sign support that is being used. The CWZTCD lists each substrate that can be used on the different types and models of sign supports.
- "Mesh" type materials are NOT an approved sign substrate, regardless of the tightness of the weave.
- All wooden individual sign panels fabricated from 2 or more pieces shall have one or more plywood cleats, 1/2" thick by 6" wide, fastened to the back of the sign and extending fully across the sign. The cleat shall be attached to the back of the sign using wood screws that do not penetrate the face of the sign panel. The screws shall be placed on both sides of the splice and spaced at 6" centers. The Engineer may approve other methods of splicing the sign face.

REFLECTIVE SHEETING

- All signs shall be retroreflective and constructed of sheeting meeting the color and retro-reflectivity requirements of DMS-8300 for rigid signs or DMS-8310 for roll-up signs. The web address for DMS specifications is shown on BC(1).
- White sheeting, meeting the requirements of DMS-8300 Type A, shall be used for signs with a white background.
- Orange sheeting, meeting the requirements of DMS-8300 Type B or Type C, shall be used for rigid signs with orange backgrounds.

SIGN LETTERS

- All sign letters and numbers shall be clear, and open rounded type uppercase alphabet letters as approved by the Federal Highway Administration (FHWA) and as published in the "Standard Highway Sign Design for Texas" manual. Signs, letters and numbers shall be of first class workmanship in accordance with Department Standards and Specifications.

REMOVING OR COVERING

- When sign messages may be confusing or do not apply, the signs shall be removed or completely covered.
- Long-term stationary or intermediate stationary signs installed on square metal tubing may be turned away from traffic 90 degrees when the sign message is not applicable. This technique may not be used for signs installed in the median of divided highways or near any intersections where the sign may be seen from approaching traffic.
- Signs installed on wooden skids shall not be turned at 90 degree angles to the roadway. These signs should be removed or completely covered when not required.
- When signs are covered, the material used shall be opaque, such as heavy mil black plastic, or other materials which will cover the entire sign face and maintain their opaque properties under automobile headlights at night, without damaging the sign sheeting.
- Burlap shall NOT be used to cover signs.
- Duct tape or other adhesive material shall NOT be affixed to a sign face.
- Signs and anchor stubs shall be removed and holes backfilled upon completion of work.

SIGN SUPPORT WEIGHTS


- Where sign supports require the use of weights to keep from turning over, the use of sandbags with dry, cohesionless sand should be used.
- The sandbags will be tied shut to keep the sand from spilling and to maintain a constant weight.
- Rock, concrete, iron, steel or other solid objects shall not be permitted for use as sign support weights.
- Sandbags should weigh a minimum of 35 lbs and a maximum of 50 lbs.
- Sandbags shall be made of a durable material that tears upon vehicular impact. Rubber (such as tire inner tubes) shall NOT be used.
- Rubber ballasts designed for channelizing devices should not be used for ballast on portable sign supports. Sign supports designed and manufactured with rubber bases may be used when shown on the CWZTCD list.
- Sandbags shall only be placed along or laid over the base supports of the traffic control device and shall not be suspended above ground level or hung with rope, wire, chains or other fasteners. Sandbags shall be placed along the length of the skids to weigh down the sign support.
- Sandbags shall NOT be placed under the skid and shall not be used to level sign supports placed on slopes.

FLAGS ON SIGNS

- Flags may be used to draw attention to warning signs. When used, the flag shall be 16 inches square or larger and shall be orange or fluorescent red-orange in color. Flags shall not be allowed to cover any portion of the sign face.

STOP/SLOW PADDLES

- STOP/SLOW paddles are the primary method to control traffic by flaggers. The STOP/SLOW paddle size should be 24" x 24".
- STOP/SLOW paddles shall be retroreflectized when used at night.
- STOP/SLOW paddles may be attached to a staff with a minimum length of 6' to the bottom of the sign.
- Any lights incorporated into the STOP or SLOW paddle faces shall only be as specifically described in Section 6E.03 Hand Signaling Devices in the TMUTCD.



SHEETING REQUIREMENTS (WHEN USED AT NIGHT)		
USAGE	COLOR	SIGN FACE MATERIAL
BACKGROUND	RED	TYPE B OR C SHEETING
BACKGROUND	ORANGE	TYPE B _{FL} OR C _{FL} SHEETING
LEGEND & BORDER	WHITE	TYPE B OR C SHEETING
LEGEND & BORDER	BLACK	ACRYLIC NON-REFLECTIVE FILM

CONTRACTOR REQUIREMENTS FOR MAINTAINING PERMANENT SIGNS WITHIN THE PROJECT LIMITS

- Permanent signs are used to give notice of traffic laws or regulations, call attention to conditions that are potentially hazardous to traffic operations, show route designations, destinations, directions, distances, services, points of interest, and other geographical, recreational, specific service (LOGO), or cultural information. Drivers proceeding through a work zone need the same, if not better route guidance as normally installed on a roadway without construction.
- When permanent regulatory or warning signs conflict with work zone conditions, remove or cover the permanent signs until the permanent sign message matches the roadway condition. For details for covering large guide signs see the TS-CD standard.
- When existing permanent signs are moved and relocated due to construction purposes, they shall be visible to motorists at all times.
- If existing signs are to be relocated on their original supports, they shall be installed on crashworthy bases as shown on the SMD Standard sheets. The signs shall meet the required mounting heights shown on the BC Sheets or the SMD Standards. This work should be paid for under the appropriate pay item for relocating existing signs.
- If permanent signs are to be removed and relocated using temporary supports, the Contractor shall use crashworthy supports as shown on the BC standard sheets, TLRS standard sheets or the CWZTCD list. The signs shall meet the required mounting heights shown on the BC, or the SMD standard sheets during construction. This work should be paid for under the appropriate pay item for relocating existing signs.
- Any sign or traffic control device that is struck or damaged by the Contractor or his/her construction equipment shall be replaced as soon as possible by the Contractor to ensure proper guidance for the motorists. This will be subsidiary to Item 502.

SHEET 4 OF 12

Texas Department of Transportation
Traffic Safety Division Standard



BARRICADE AND CONSTRUCTION TEMPORARY SIGN NOTES

BC(4)-21

FILE: bc-21.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
© TxDOT November 2002	CONT	SECT	JOB	HIGHWAY
REVISIONS	0067	01	084	US 87
9-07 8-14	DIST	COUNTY	SHEET NO.	
7-13 5-21	AMA	RANDALL	10	


DATE: 9/8/2023 9:31:37 AM
FILE: c:\pwworkh\1\0225853\bc-21 (1).dgn

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT or any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.




SKID MOUNTED WOOD SIGN SUPPORTS

* LONG/INTERMEDIATE TERM STATIONARY - PORTABLE SKID MOUNTED SIGN SUPPORTS





GROUND MOUNTED SIGN SUPPORTS

Refer to the CWZTCD and the manufacturer's installation procedure for each type sign support. The maximum sign square footage shall adhere to the manufacturer's recommendation. Two post installations can be used for larger signs.



SKID MOUNTED PERFORATED SQUARE STEEL TUBING SIGN SUPPORTS

* LONG/INTERMEDIATE TERM STATIONARY - PORTABLE SKID MOUNTED SIGN SUPPORTS



WEDGE ANCHORS

Both steel and plastic Wedge Anchor Systems as shown on the SMD Standard Sheets may be used as temporary sign supports for signs up to 10 square feet of sign face. They may be set in concrete or in sturdy soils if approved by the Engineer. (See web address for "Traffic Engineering Standard Sheets" on BC(1)).

OTHER DESIGNS

MORE DETAILS OF APPROVED LONG/INTERMEDIATE AND SHORT TERM SUPPORTS CAN BE FOUND ON THE CWZTCD LIST. SEE BC(1) FOR WEBSITE LOCATION.

GENERAL NOTES

- Nails may be used in the assembly of wooden sign supports, but 3/8" bolts with nuts or 3/8" x 3 1/2" lag screws must be used on every joint for final connection.
- No more than 2 sign posts shall be placed within a 7 ft. circle, except for specific materials noted on the CWZTCD List.
- When project is completed, all sign supports and foundations shall be removed from the project site. This will be considered subsidiary to Item 502.

- * See BC(4) for definition of "Work Duration."
- ** Wood sign posts MUST be one piece. Splicing will NOT be allowed. Posts shall be painted white.
- See the CWZTCD for the type of sign substrate that can be used for each approved sign support.

SHEET 5 OF 12



BARRICADE AND CONSTRUCTION TYPICAL SIGN SUPPORT

BC(5)-21

FILE: bc-21.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
© TxDOT November 2002	CONT	SECT	JOB	HIGHWAY
REVISIONS	0067	01	084	US 87
9-07 8-14	DIST	COUNTY	SHEET NO.	
7-13 5-21	AMA	RANDALL	11	

DATE: 9/8/2023 9:31:38 AM
FILE: c:\pwworking\dot25853\bc-21 (1).dgn

WHEN NOT IN USE, REMOVE THE PCMS FROM THE RIGHT-OF-WAY OR PLACE THE PCMS BEHIND BARRIER OR GUARDRAIL WITH SIGN PANEL TURNED PARALLEL TO TRAFFIC

PORTABLE CHANGEABLE MESSAGE SIGNS

- The Engineer/Inspector shall approve all messages used on portable changeable message signs (PCMS).
- Messages on PCMS should contain no more than 8 words (about four to eight characters per word), not including simple words such as "TO," "FOR," "AT," etc.
- Messages should consist of a single phase, or two phases that alternate. Three-phase messages are not allowed. Each phase of the message should convey a single thought, and must be understood by itself.
- Use the word "EXIT" to refer to an exit ramp on a freeway; i.e., "EXIT CLOSED." Do not use the term "RAMP."
- Always use the route or interstate designation (IH, US, SH, FM) along with the number when referring to a roadway.
- When in use, the bottom of a stationary PCMS message panel should be a minimum 7 feet above the roadway, where possible.
- The message term "WEEKEND" should be used only if the work is to start on Saturday morning and end by Sunday evening at midnight. Actual days and hours of work should be displayed on the PCMS if work is to begin on Friday evening and/or continue into Monday morning.
- The Engineer/Inspector may select one of two options which are available for displaying a two-phase message on a PCMS. Each phase may be displayed for either four seconds each or for three seconds each.
- Do not "flash" messages or words included in a message. The message should be steady burn or continuous while displayed.
- Do not present redundant information on a two-phase message; i.e., keeping two lines of the message the same and changing the third line.
- Do not use the word "Danger" in message.
- Do not display the message "LANES SHIFT LEFT" or "LANES SHIFT RIGHT" on a PCMS. Drivers do not understand the message.
- Do not display messages that scroll horizontally or vertically across the face of the sign.
- The following table lists abbreviated words and two-word phrases that are acceptable for use on a PCMS. Both words in a phrase must be displayed together. Words or phrases not on this list should not be abbreviated, unless shown in the TMUTCD.
- PCMS character height should be at least 18 inches for trailer mounted units. They should be visible from at least 1/2 (.5) mile and the text should be legible from at least 600 feet at night and 800 feet in daylight. Truck mounted units must have a character height of 10 inches and must be legible from at least 400 feet.
- Each line of text should be centered on the message board rather than left or right justified.
- If disabled, the PCMS should default to an illegible display that will not alarm motorists and will only be used to alert workers that the PCMS has malfunctioned. A pattern such as a series of horizontal solid bars is appropriate.

RECOMMENDED PHASES AND FORMATS FOR PCMS MESSAGES DURING ROADWORK ACTIVITIES

(The Engineer may approve other messages not specifically covered here.)

Phase 1: Condition Lists

Road/Lane/Ramp Closure List

FREEWAY CLOSED X MILE
ROAD CLOSED AT SH XXX
ROAD CLSD AT FM XXXX
RIGHT X LANES CLOSED
CENTER LANE CLOSED
NIGHT LANE CLOSURES
VARIOUS LANES CLOSED
EXIT CLOSED
MALL DRIVEWAY CLOSED
XXXXXXXX BLVD CLOSED

Other Condition List

FRONTAGE ROAD CLOSED	ROADWORK XXX FT	ROAD REPAIRS XXXX FT
SHOULDER CLOSED XXX FT	FLAGGER XXXX FT	LANE NARROWS XXXX FT
RIGHT LN CLOSED XXX FT	RIGHT LN NARROWS XXXX FT	TWO-WAY TRAFFIC XX MILE
RIGHT X LANES OPEN	MERGING TRAFFIC XXXX FT	CONST TRAFFIC XXX FT
DAYTIME LANE CLOSURES	LOOSE GRAVEL XXXX FT	UNEVEN LANES XXXX FT
I-XX SOUTH EXIT CLOSED	DETOUR X MILE	ROUGH ROAD XXXX FT
EXIT XXX CLOSED X MILE	ROADWORK PAST SH XXXX	ROADWORK NEXT FRI-SUN
RIGHT LN TO BE CLOSED	BUMP XXXX FT	US XXX EXIT X MILES
X LANES CLOSED TUE - FRI	TRAFFIC SIGNAL XXXX FT	LANES SHIFT

* LANES SHIFT in Phase 1 must be used with STAY IN LANE in Phase 2.

Phase 2: Possible Component Lists

Action to Take/Effect on Travel List

MERGE RIGHT	FORM X LINES RIGHT
DETOUR NEXT X EXITS	USE XXXXX RD EXIT
USE EXIT XXX	USE EXIT I-XX NORTH
STAY ON US XXX SOUTH	USE I-XX E TO I-XX N
TRUCKS USE US XXX N	WATCH FOR TRUCKS
WATCH FOR TRUCKS	EXPECT DELAYS
EXPECT DELAYS	PREPARE TO STOP
REDUCE SPEED XXX FT	END SHOULDER USE
USE OTHER ROUTES	WATCH FOR WORKERS
STAY IN LANE	

Location List

AT FM XXXX
BEFORE RAILROAD CROSSING
NEXT X MILES
PAST US XXX EXIT
XXXXXXXX TO XXXXXXX
US XXX TO FM XXXX

Warning List

SPEED LIMIT XX MPH
MAXIMUM SPEED XX MPH
MINIMUM SPEED XX MPH
ADVISORY SPEED XX MPH
RIGHT LANE EXIT
USE CAUTION
DRIVE SAFELY
DRIVE WITH CARE

x x Advance Notice List

TUE-FRI XX AM-X PM
APR XX-XX X PM-X AM
BEGINS MONDAY
BEGINS MAY XX
MAY X-X XX PM - XX AM
NEXT FRI-SUN
XX AM TO XX PM
NEXT TUE AUG XX
TONIGHT XX PM-XX AM

x x See Application Guidelines Note 6.

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

WORD OR PHRASE	ABBREVIATION	WORD OR PHRASE	ABBREVIATION
Access Road	ACCS RD	Major	MAJ
Alternate	ALT	Miles	MI
Avenue	AVE	Miles Per Hour	MPH
Best Route	BEST RTE	Minor	MNR
Boulevard	BLVD	Monday	MON
Bridge	BRDG	Normal	NORM
Cannot	CANT	North	N
Center	CTR	Northbound	(route) N
Construction Ahead	CONST AHD	Parking	PKING
CROSSING	XING	Road	RD
Detour Route	DETOUR RTE	Right Lane	RT LN
Do Not	DONT	Saturday	SAT
East	E	Service Road	SERV RD
Eastbound	(route) E	Shoulder	SHLDR
Emergency	EMER	Slippery	SLIP
Emergency Vehicle	EMER VEH	South	S
Entrance, Enter	ENT	Southbound	(route) S
Express Lane	EXP LN	Speed	SPD
Expressway	EXPWY	Street	ST
XXXX Feet	XXXX FT	Sunday	SUN
Fog Ahead	FOG AHD	Telephone	PHONE
Freeway	FRWY, FWY	Temporary	TEMP
Freeway Blocked	FWY BLKD	Thursday	THURS
Friday	FRI	To Downtown	TO DWNTN
Hazardous Driving	HAZ DRIVING	Traffic	TRAF
Hazardous Material	HAZMAT	Travelers	TRVLR
High-Occupancy Vehicle	HOV	Tuesday	TUES
Highway	Hwy	Time Minutes	TIME MIN
Hour(s)	HR, HRS	Upper Level	UPR LEVEL
Information	INFO	Vehicles (s)	VEH, VEHS
It Is	ITS	Warning	WARN
Junction	JCT	Wednesday	WED
Left	LFT	Weight Limit	WT LIMIT
Left Lane	LFT LN	West	W
Lane Closed	LN CLOSED	Westbound	(route) W
Lower Level	LWR LEVEL	Wet Pavement	WET PVMT
Maintenance	MAINT	Will Not	WONT

Roadway designation • IH-number, US-number, SH-number, FM-number

APPLICATION GUIDELINES

- Only 1 or 2 phases are to be used on a PCMS.
- The 1st phase (or both) should be selected from the "Road/Lane/Ramp Closure List" and the "Other Condition List".
- A 2nd phase can be selected from the "Action to Take/Effect on Travel, Location, General Warning, or Advance Notice Phase Lists".
- A Location Phase is necessary only if a distance or location is not included in the first phase selected.
- If two PCMS are used in sequence, they must be separated by a minimum of 1000 ft. Each PCMS shall be limited to two phases, and should be understandable by themselves.
- For advance notice, when the current date is within seven days of the actual work date, calendar days should be replaced with days of the week. Advance notification should typically be for no more than one week prior to the work.

WORDING ALTERNATIVES

- The words RIGHT, LEFT and ALL can be interchanged as appropriate.
- Roadway designations IH, US, SH, FM and LP can be interchanged as appropriate.
- EAST, WEST, NORTH and SOUTH (or abbreviations E, W, N and S) can be interchanged as appropriate.
- Highway names and numbers replaced as appropriate.
- ROAD, HIGHWAY and FREEWAY can be interchanged as needed.
- AHEAD may be used instead of distances if necessary.
- FT and MI, MILE and MILES interchanged as appropriate.
- AT, BEFORE and PAST interchanged as needed.
- Distances or AHEAD can be eliminated from the message if a location phase is used.

PCMS SIGNS WITHIN THE R.O.W. SHALL BE BEHIND GUARDRAIL OR CONCRETE BARRIER OR SHALL HAVE A MINIMUM OF FOUR (4) PLASTIC DRUMS PLACED PERPENDICULAR TO TRAFFIC ON THE UPSTREAM SIDE OF THE PCMS, WHEN EXPOSED TO ONE DIRECTION OF TRAFFIC. WHEN EXPOSED TO TWO WAY TRAFFIC, THE FOUR DRUMS SHOULD BE PLACED WITH ONE DRUM AT EACH OF THE FOUR CORNERS OF THE UNIT.


FULL MATRIX PCMS SIGNS

- When Full Matrix PCMS signs are used, the character height and legibility/visibility requirements shall be maintained as listed in Note 15 under "PORTABLE CHANGEABLE MESSAGE SIGNS" above.
- When symbols/signs, such as the "Flagger Symbol"(CW20-7) are represented graphically on the Full Matrix PCMS sign and, with the approval of the Engineer, it shall maintain the legibility/visibility requirement listed above.
- When symbols/signs are represented graphically on the Full Matrix PCMS, they shall only supplement the use of the static sign represented, and shall not substitute for, or replace that sign.
- A full matrix PCMS may be used to simulate a flashing arrow board provided it meets the visibility, flash rate and dimming requirements on BC(7), for the same size arrow.

<p>BARRICADE AND CONSTRUCTION PORTABLE CHANGEABLE MESSAGE SIGN (PCMS)</p> <p>BC(6)-21</p>			
FILE: bc-21.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT
© TxDOT November 2002	CONT: 0067	SECT: 01	JOB: 084
REVISIONS	US 87		HIGHWAY
9-07 8-14	DIST: AMA	COUNTY: RANDALL	SHEET NO. 12
7-13 5-21			


DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

- Barrier Reflectors shall be pre-qualified, and conform to the color and reflectivity requirements of DMS-8600. A list of prequalified Barrier Reflectors can be found at the Material Producer List web address shown on BC(1).
- Color of Barrier Reflectors shall be as specified in the TMUTCD. The cost of the reflectors shall be considered subsidiary to Item 512.



CONCRETE TRAFFIC BARRIER (CTB)

- Where traffic is on one side of the CTB, two (2) Barrier Reflectors shall be mounted in approximately the midsection of each section of CTB. An alternate mounting location is uniformly spaced at one end of each CTB. This will allow for attachment of a barrier grapple without damaging the reflector. The Barrier Reflector mounted on the side of the CTB shall be located directly below the reflector mounted on top of the barrier, as shown in the detail above.
- Where CTB separates two-way traffic, three barrier reflectors shall be mounted on each section of CTB. The reflector unit on top shall have two yellow reflective faces (Bi-Directional) while the reflectors on each side of the barrier shall have one yellow reflective face, as shown in the detail above.
- When CTB separates traffic traveling in the same direction, no barrier reflectors will be required on top of the CTB.
- Barrier Reflector units shall be yellow or white in color to match the edgeline being supplemented.
- Maximum spacing of Barrier Reflectors is forty (40) feet.
- Pavement markers or temporary flexible-reflective roadway marker tabs shall NOT be used as CTB delineation.
- Attachment of Barrier Reflectors to CTB shall be per manufacturer's recommendations.
- Missing or damaged Barrier Reflectors shall be replaced as directed by the Engineer.
- Single slope barriers shall be delineated as shown on the above detail.




LOW PROFILE CONCRETE BARRIER (LPCB)

LOW PROFILE CONCRETE BARRIER (LPCB) USED IN WORK ZONES

LPCB is approved for use in work zone locations, where the posted speed is 45mph, or less. See Roadway Standard Sheet LPCB.

Max. spacing of barrier reflectors is 20 feet. Attach the delineators as per manufacturer's recommendations.



DELINEATION OF END TREATMENTS

END TREATMENTS FOR CTB'S USED IN WORK ZONES

End treatments used on CTB's in work zones shall meet the appropriate crashworthy standards as defined in the Manual for Assessing Safety Hardware (MASH). Refer to the CWZTCD List for approved end treatments and manufacturers.

BARRIER REFLECTORS FOR CONCRETE TRAFFIC BARRIER AND ATTENUATORS

WARNING LIGHTS


- Warning lights shall meet the requirements of the TMUTCD.
- Warning lights shall NOT be installed on barricades.
- Type A-Low Intensity Flashing Warning Lights are commonly used with drums. They are intended to warn of or mark a potentially hazardous area. Their use shall be as indicated on this sheet and/or other sheets of the plans by the designation "FL". The Type A Warning Lights shall not be used with signs manufactured with Type B or C sheeting meeting the requirements of Departmental Material Specification DMS-8300.
- Type-C and Type D degree Steady Burn Lights are intended to be used in a series for delineation to supplement other traffic control devices. Their use shall be as indicated on this sheet and/or other sheets of the plans by the designation "SB".
- The Engineer/Inspector or the plans shall specify the location and type of warning lights to be installed on the traffic control devices.
- When required by the Engineer, the Contractor shall furnish a copy of the warning lights certification. The warning light manufacturer will certify the warning lights meet the requirements of the latest ITE Purchase Specifications for Flashing and Steady-Burn Warning Lights.
- When used to delineate curves, Type-C and Type D Steady Burn Lights should only be placed on the outside of the curve, not the inside.
- The location of warning lights and warning reflectors on drums shall be as shown elsewhere in the plans.

WARNING LIGHTS MOUNTED ON PLASTIC DRUMS


- Type A flashing warning lights are intended to warn drivers that they are approaching or are in a potentially hazardous area.
- Type A random flashing warning lights are not intended for delineation and shall not be used in a series.
- A series of sequential flashing warning lights placed on channelizing devices to form a merging taper may be used for delineation. If used, the successive flashing of the sequential warning lights should occur from the beginning of the taper to the end of the merging taper in order to identify the desired vehicle path. The rate of flashing for each light shall be 65 flashes per minute, plus or minus 10 flashes.
- Type C and D steady-burn warning lights are intended to be used in a series to delineate the edge of the travel lane on detours, on lane changes, on lane closures, and on other similar conditions.
- Type A, Type C and Type D warning lights shall be installed at locations as detailed on other sheets in the plans.
- Warning lights shall not be installed on a drum that has a sign, chevron or vertical panel.
- The maximum spacing for warning lights on drums should be identical to the channelizing device spacing.

WARNING REFLECTORS MOUNTED ON PLASTIC DRUMS AS A SUBSTITUTE FOR TYPE C (STEADY BURN) WARNING LIGHTS

- A warning reflector or approved substitute may be mounted on a plastic drum as a substitute for a Type C, steady burn warning light at the discretion of the Contractor unless otherwise noted in the plans.
- The warning reflector shall be yellow in color and shall be manufactured using a sign substrate approved for use with plastic drums listed on the CWZTCD.
- The warning reflector shall have a minimum retroreflective surface area (one-side) of 30 square inches.
- Round reflectors shall be fully reflectorized, including the area where attached to the drum.
- Square substrates must have a minimum of 30 square inches of reflectorized sheeting. They do not have to be reflectorized where it attaches to the drum.
- The side of the warning reflector facing approaching traffic shall have sheeting meeting the color and retroreflectivity requirements for DMS 8300-Type B or Type C.
- When used near two-way traffic, both sides of the warning reflector shall be reflectorized.
- The warning reflector should be mounted on the side of the handle nearest approaching traffic.
- The maximum spacing for warning reflectors should be identical to the channelizing device spacing requirements.




Type C Warning Light or approved substitute mounted on a drum adjacent to the travel way.



Warning reflector may be round or square. Must have a yellow reflective surface area of at least 30 square inches

Arrow Boards may be located behind channelizing devices in place for a shoulder taper or merging taper, otherwise they shall be delineated with four (4) channelizing devices placed perpendicular to traffic on the upstream side of traffic.

- The Flashing Arrow Board should be used for all lane closures on multi-lane roadways, or slow moving maintenance or construction activities on the travel lanes.
- Flashing Arrow Boards should not be used on two-lane, two-way roadways, detours, diversions or work on shoulders unless the "CAUTION" display (see detail below) is used.
- The Engineer/Inspector shall choose all appropriate signs, barricades and/or other traffic control devices that should be used in conjunction with the Flashing Arrow Board.
- The Flashing Arrow Board should be able to display the following symbols:



- The "CAUTION" display consists of four corner lamps flashing simultaneously, or the Alternating Diamond Caution mode as shown.
- The straight line caution display is NOT ALLOWED.
- The Flashing Arrow Board shall be capable of minimum 50 percent dimming from rated lamp voltage. The flashing rate of the lamps shall not be less than 25 nor more than 40 flashes per minute.
- Minimum lamp "on time" shall be approximately 50 percent for the flashing arrow and equal intervals of 25 percent for each sequential phase of the flashing chevron.
- The sequential arrow display is NOT ALLOWED.
- The flashing arrow display is the TxDOT standard; however, the sequential chevron display may be used during daylight operations.
- The Flashing Arrow Board shall be mounted on a vehicle, trailer or other suitable support.
- A Flashing Arrow Board SHALL NOT BE USED to laterally shift traffic.
- A full matrix PCMS may be used to simulate a Flashing Arrow Board provided it meets visibility, flash rate and dimming requirements on this sheet for the same size arrow.
- Minimum mounting height of trailer mounted Arrow Boards should be 7 feet from roadway to bottom of panel.

REQUIREMENTS			
TYPE	MINIMUM SIZE	MINIMUM NUMBER OF PANEL LAMPS	MINIMUM VISIBILITY DISTANCE
B	30 x 60	13	3/4 mile
C	48 x 96	15	1 mile

ATTENTION
Flashing Arrow Boards shall be equipped with automatic dimming devices.

WHEN NOT IN USE, REMOVE THE ARROW BOARD FROM THE RIGHT-OF-WAY OR PLACE THE ARROW BOARD BEHIND CONCRETE TRAFFIC BARRIER OR GUARDRAIL.

FLASHING ARROW BOARDS

SHEET 7 OF 12

TRUCK-MOUNTED ATTENUATORS

- Truck-mounted attenuators (TMA) used on TxDOT facilities must meet the requirements outlined in the Manual for Assessing Safety Hardware (MASH).
- Refer to the CWZTCD for the requirements of Level 2 or Level 3 TMAs.
- Refer to the CWZTCD for a list of approved TMAs.
- TMAs are required on freeways unless otherwise noted in the plans.
- A TMA should be used anytime that it can be positioned 30 to 100 feet in advance of the area of crew exposure without adversely affecting the work performance.
- The only reason a TMA should not be required is when a work area is spread down the roadway and the work crew is an extended distance from the TMA.

Texas Department of Transportation
Traffic Safety Division Standard

**BARRICADE AND CONSTRUCTION
 ARROW PANEL, REFLECTORS,
 WARNING LIGHTS & ATTENUATOR**

BC(7)-21

FILE: bc-21.dgn	DW: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
© TxDOT November 2002	CONT	SECT	JOB	HIGHWAY
REVISIONS	0067	01	084	US 87
9-07 8-14	DIST	COUNTY	SHEET NO.	
7-13 5-21	AMA	RANDALL	13	

DATE: 9/8/2023 9:31:39 AM
 FILE: c:\pwworking\1\0225853\bc-21 (1).dgn

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 9/8/2023 9:31:39 AM
 FILE: C:\pwworking\1\0225853\bc-21 (1).dgn

GENERAL NOTES

- For long term stationary work zones on freeways, drums shall be used as the primary channelizing device.
- For intermediate term stationary work zones on freeways, drums should be used as the primary channelizing device but may be replaced in tangent sections by vertical panels, or 42" two-piece cones. In tangent sections, one-piece cones may be used with the approval of the Engineer but only if personnel are present on the project at all times to maintain the cones in proper position and location.
- For short term stationary work zones on freeways, drums are the preferred channelizing device but may be replaced in tapers, transitions and tangent sections by vertical panels, two-piece cones or one-piece cones as approved by the Engineer.
- Drums and all related items shall comply with the requirements of the current version of the "Texas Manual on Uniform Traffic Control Devices" (TMUTCD) and the "Compliant Work Zone Traffic Control Devices List" (CWZTCD).
- Drums, bases, and related materials shall exhibit good workmanship and shall be free from objectionable marks or defects that would adversely affect their appearance or serviceability.
- The Contractor shall have a maximum of 24 hours to replace any plastic drums identified for replacement by the Engineer/Inspector. The replacement device must be an approved device.

GENERAL DESIGN REQUIREMENTS

Pre-qualified plastic drums shall meet the following requirements:




- Plastic drums shall be a two-piece design; the "body" of the drum shall be the top portion and the "base" shall be the bottom.
- The body and base shall lock together in such a manner that the body separates from the base when impacted by a vehicle traveling at a speed of 20 MPH or greater but prevents accidental separation due to normal handling and/or air turbulence created by passing vehicles.
- Plastic drums shall be constructed of lightweight flexible, and deformable materials. The Contractor shall NOT use metal drums or single piece plastic drums as channelization devices or sign supports.
- Drums shall present a profile that is a minimum of 18 inches in width at the 36 inch height when viewed from any direction. The height of drum unit (body installed on base) shall be a minimum of 36 inches and a maximum of 42 inches.
- The top of the drum shall have a built-in handle for easy pickup and shall be designed to drain water and not collect debris. The handle shall have a minimum of two widely spaced 9/16 inch diameter holes to allow attachment of a warning light, warning reflector unit or approved compliant sign.
- The exterior of the drum body shall have a minimum of four alternating orange and white retroreflective circumferential stripes not less than 4 inches nor greater than 8 inches in width. Any non-reflectORIZED space between any two adjacent stripes shall not exceed 2 inches in width.
- Bases shall have a maximum width of 36 inches, a maximum height of 4 inches, and a minimum of two footholds of sufficient size to allow base to be held down while separating the drum body from the base.
- Plastic drums shall be constructed of ultra-violet stabilized, orange, high-density polyethylene (HDPE) or other approved material.
- Drum body shall have a maximum unballasted weight of 11 lbs.
- Drum and base shall be marked with manufacturer's name and model number.

RETROREFLECTIVE SHEETING

- The stripes used on drums shall be constructed of sheeting meeting the color and retroreflectivity requirements of Departmental Materials Specification DMS-8300, "Sign Face Materials." Type A or Type B reflective sheeting shall be supplied unless otherwise specified in the plans.
- The sheeting shall be suitable for use on and shall adhere to the drum surface such that, upon vehicular impact, the sheeting shall remain adhered in-place and exhibit no delaminating, cracking, or loss of retroreflectivity other than that loss due to abrasion of the sheeting surface.


BALLAST

- Unballasted bases shall be large enough to hold up to 50 lbs. of sand. This base, when filled with the ballast material, should weigh between 35 lbs (minimum) and 50 lbs (maximum). The ballast may be sand in one to three sandbags separate from the base, sand in a sand-filled plastic base, or other ballasting devices as approved by the Engineer. Stacking of sandbags will be allowed, however height of sandbags above pavement surface may not exceed 12 inches.
- Bases with built-in ballast shall weigh between 40 lbs. and 50 lbs. Built-in ballast can be constructed of an integral crumb rubber base or a solid rubber base.
- Recycled truck tire sidewalls may be used for ballast on drums approved for this type of ballast on the CWZTCD list.
- The ballast shall not be heavy objects, water, or any material that would become hazardous to motorists, pedestrians, or workers when the drum is struck by a vehicle.
- When used in regions susceptible to freezing, drums shall have drainage holes in the bottoms so that water will not collect and freeze becoming a hazard when struck by a vehicle.
- Ballast shall not be placed on top of drums.
- Adhesives may be used to secure base of drums to pavement.




DETECTABLE PEDESTRIAN BARRICADES

- When existing pedestrian facilities are disrupted, closed, or relocated in a TTC zone, the temporary facilities shall be detectable and include accessibility features consistent with the features present in the existing pedestrian facility. Refer to WZ(BTS-2) for Pedestrian Control requirements for Sidewalk Diversions, Sidewalk Detours and Crosswalk Closures.
- Where pedestrians with visual disabilities normally use the closed sidewalk, a Detectable Pedestrian Barricade shall be placed across the full width of the closed sidewalk instead of a Type 3 Barricade.
- Detectable pedestrian barricades similar to the one pictured above, longitudinal channelizing devices, some concrete barriers, and wood or chain link fencing with a continuous detectable edging can satisfactorily delineate a pedestrian path.
- Tape, rope, or plastic chain strung between devices are not detectable, do not comply with the design standards in the "Americans with Disabilities Act Accessibility Guidelines (ADAAG)" and should not be used as a control for pedestrian movements.
- Warning lights shall not be attached to detectable pedestrian barricades.
- Detectable pedestrian barricades should use 8" nominal barricade rails as shown on BC(10) provided that the top rail provides a smooth continuous rail suitable for hand trailing with no splinters, burrs, or sharp edges.



18" x 24" Sign
(Maximum Sign Dimension)
Chevron CW1-8, Opposing Traffic Lane Divider, Driveway sign D70a, Keep Right R4 series or other signs as approved by Engineer



12" x 24" Vertical Panel
mount with diagonals sloping down towards travel way

Plywood, Aluminum or Metal sign substrates shall NOT be used on plastic drums

SIGNS, CHEVRONS, AND VERTICAL PANELS MOUNTED ON PLASTIC DRUMS

- Signs used on plastic drums shall be manufactured using substrates listed on the CWZTCD.
- Chevrons and other work zone signs with an orange background shall be manufactured with Type B or Type C Orange sheeting meeting the color and retroreflectivity requirements of DMS-8300, "Sign Face Material," unless otherwise specified in the plans.
- Vertical Panels shall be manufactured with orange and white sheeting meeting the requirements of DMS-8300 Type A or Type B. Diagonal stripes on Vertical Panels shall slope down toward the intended traveled lane.
- Other sign messages (text or symbolic) may be used as approved by the Engineer. Sign dimensions shall not exceed 18 inches in width or 24 inches in height, except for the R9 series signs discussed in note 8 below.
- Signs shall be installed using a 1/2 inch bolt (nominal) and nut, two washers, and one locking washer for each connection.
- Mounting bolts and nuts shall be fully engaged and adequately torqued. Bolts should not extend more than 1/2 inch beyond nuts.
- Chevrons may be placed on drums on the outside of curves, on merging tapers or on shifting tapers. When used in these locations, they may be placed on every drum or spaced not more than an every third drum. A minimum of three (3) should be used at each location called for in the plans.
- R9-9, R9-10, R9-11 and R9-11a Sidewalk Closed signs which are 24 inches wide may be mounted on plastic drums, with approval of the Engineer.

SHEET 8 OF 12




BARRICADE AND CONSTRUCTION CHANNELIZING DEVICES

BC(8)-21

FILE:	bc-21.dgn	DN:	TxDOT	CK:	TxDOT	DW:	TxDOT	CK:	TxDOT
© TxDOT	November 2002	CONT:		SECT:		JOB:		HIGHWAY:	
REVISIONS		0067	01	084	US 87				
4-03	8-14	DIST:		COUNTY:		SHEET NO.			
9-07	5-21	AMA		RANDALL		14			
7-13									


DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 9/8/2023 9:31:39 AM
 FILE: c:\pwworking\dot25853\bc-21 (1).dgn



FIXED
(Rigid or self-righting)


DRIVEABLE



PORTABLE


VERTICAL PANELS (VPs)

- Vertical Panels (VP's) are normally used to channelize traffic or divide opposing lanes of traffic.
- VP's may be used in daytime or nighttime situations. They may be used at the edge of shoulder drop-offs and other areas such as lane transitions where positive daytime and nighttime delineation is required. The Engineer/Inspector shall refer to the Roadway Design Manual for additional requirements on the use VP's for drop-offs.
- VP's should be mounted back to back if used at the edge of cuts adjacent to two-way two lane roadways. Stripes are to be reflective orange and reflective white and should always slope downward toward the travel lane.
- VP's used on expressways and freeways or other high speed roadways, may have more than 270 square inches of retroreflective area facing traffic.
- Self-righting supports are available with portable base. See "Compliant Work Zone Traffic Control Devices List" (CWZTCD).
- Sheeting for the VP's shall be retroreflective Type A or Type B conforming to Departmental Material Specification DMS-8300, unless noted otherwise.
- Where the height of reflective material on the vertical panel is 36 inches or greater, a panel stripe of 6 inches shall be used.




OPPOSING TRAFFIC LANE DIVIDERS (OTLD)

- Opposing Traffic Lane Dividers (OTLD) are delineation devices designed to convert a normal one-way roadway section to two-way operation. OTLD's are used on temporary centerlines. The upward and downward arrows on the sign's face indicate the direction of traffic on either side of the divider. The base is secured to the pavement with an adhesive or rubber weight to minimize movement caused by a vehicle impact or wind gust.
- The OTLD may be used in combination with 42" cones or VPs.
- Spacing between the OTLD shall not exceed 500 feet. 42" cones or VPs placed between the OTLD's should not exceed 100 foot spacing.
- The OTLD shall be orange with a black non-reflective legend. Sheeting for the OTLD shall be retroreflective Type B or Type C conforming to Departmental Material Specification DMS-8300, unless noted otherwise. The legend shall meet the requirements of DMS-8300.



- The chevron shall be a vertical rectangle with a minimum size of 12 by 18 inches.
- Chevrons are intended to give notice of a sharp change of alignment with the direction of travel and provide additional emphasis and guidance for vehicle operators with regard to changes in horizontal alignment of the roadway.
- Chevrons, when used, shall be erected on the outside of a sharp curve or turn, or on the far side of an intersection. They shall be in line with and at right angles to approaching traffic. Spacing should be such that the motorist always has three in view, until the change in alignment eliminates its need.
- To be effective, the chevron should be visible for at least 500 feet.
- Chevrons shall be orange with a black nonreflective legend. Sheeting for the chevron shall be retroreflective Type B or Type C conforming to Departmental Material Specification DMS-8300, unless noted otherwise. The legend shall meet the requirements of DMS-8300.
- For Long Term Stationary use on tapers or transitions on freeways and divided highways, self-righting chevrons may be used to supplement plastic drums but not to replace plastic drums.

CHEVRONS



LONGITUDINAL CHANNELIZING DEVICES (LCD)

- LCDs are crashworthy, lightweight, deformable devices that are highly visible, have good target value and can be connected together. They are not designed to contain or redirect a vehicle on impact.
- LCDs may be used instead of a line of cones or drums.
- LCDs shall be placed in accordance to application and installation requirements specific to the device, and used only when shown on the CWZTCD list.
- LCDs should not be used to provide positive protection for obstacles, pedestrians or workers.
- LCDs shall be supplemented with retroreflective delineation as required for temporary barriers on BC(7) when placed roughly parallel to the travel lanes.
- LCDs used as barricades placed perpendicular to traffic should have at least one row of reflective sheeting meeting the requirements for barricade rails as shown on BC(10). Place reflective sheeting near the top of the LCD along the full length of the device.

WATER BALLASTED SYSTEMS USED AS BARRIERS

- Water ballasted systems used as barriers shall not be used solely to channelize road users, but also to protect the work space per the appropriate Manual for Assessing Safety Hardware (MASH) crashworthiness requirements based on roadway speed and barrier application.
- Water ballasted systems used to channelize vehicular traffic shall be supplemented with retroreflective delineation or channelizing devices to improve daytime/nighttime visibility. They may also be supplemented with pavement markings.
- Water ballasted systems used as barriers shall be placed in accordance to application and installation requirements specific to the device, and used only when shown on the CWZTCD list.
- Water ballasted systems used as barriers should not be used for a merging taper except in low speed (less than 45 MPH) urban areas. When used on a taper in a low speed urban area, the taper shall be delineated and the taper length should be designed to optimize road user operations considering the available geometric conditions.
- When water ballasted systems used as barriers have blunt ends exposed to traffic, they should be attenuated as per manufacturer recommendations or flared to a point outside the clear zone.

If used to channelize pedestrians, longitudinal channelizing devices or water ballasted systems must have a continuous detectable bottom for users of long canes and the top of the unit shall not be less than 32 inches in height.

HOLLOW OR WATER BALLASTED SYSTEMS USED AS LONGITUDINAL CHANNELIZING DEVICES OR BARRIERS

GENERAL NOTES

- Work Zone channelizing devices illustrated on this sheet may be installed in close proximity to traffic and are suitable for use on high or low speed roadways. The Engineer/Inspector shall ensure that spacing and placement is uniform and in accordance with the "Texas Manual on Uniform Traffic Control Devices" (TMUTCD).
- Channelizing devices shown on this sheet may have a driveable, fixed or portable base. The requirement for self-righting channelizing devices must be specified in the General Notes or other plan sheets.
- Channelizing devices on self-righting supports should be used in work zone areas where channelizing devices are frequently impacted by errant vehicles or vehicle related wind gusts making alignment of the channelizing devices difficult to maintain. Locations of these devices shall be detailed elsewhere in the plans. These devices shall conform to the TMUTCD and the "Compliant Work Zone Traffic Control Devices List" (CWZTCD).
- The Contractor shall maintain devices in a clean condition and replace damaged, nonreflective, faded, or broken devices and bases as required by the Engineer/Inspector. The Contractor shall be required to maintain proper device spacing and alignment.
- Portable bases shall be fabricated from virgin and/or recycled rubber. The portable bases shall weigh a minimum of 30 lbs.
- Pavement surfaces shall be prepared in a manner that ensures proper bonding between the adhesives, the fixed mount bases and the pavement surface. Adhesives shall be prepared and applied according to the manufacturer's recommendations.
- The installation and removal of channelizing devices shall not cause detrimental effects to the final pavement surfaces, including pavement surface discoloration or surface integrity. Driveable bases shall not be permitted on final pavement surfaces. The Engineer/Inspector shall approve all application and removal procedures of fixed bases.

Posted Speed	Formula	Minimum Desirable Taper Lengths x x			Suggested Maximum Spacing of Channelizing Devices	
		10' Offset	11' Offset	12' Offset	On a Taper	On a Tangent
30	L = WS ² / 60	150'	165'	180'	30'	60'
35		205'	225'	245'	35'	70'
40		265'	295'	320'	40'	80'
45	L = WS	450'	495'	540'	45'	90'
50		500'	550'	600'	50'	100'
55		550'	605'	660'	55'	110'
60		600'	660'	720'	60'	120'
65		650'	715'	780'	65'	130'
70		700'	770'	840'	70'	140'
75		750'	825'	900'	75'	150'
80		800'	880'	960'	80'	160'

x x Taper lengths have been rounded off.
 L=Length of Taper (FT.) W=Width of Offset (FT.)
 S=Posted Speed (MPH)

SUGGESTED MAXIMUM SPACING OF CHANNELIZING DEVICES AND MINIMUM DESIRABLE TAPER LENGTHS

SHEET 9 OF 12



BARRICADE AND CONSTRUCTION CHANNELIZING DEVICES

BC(9)-21

FILE: bc-21.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
© TxDOT November 2002	CONT	SECT	JOB	HIGHWAY
REVISIONS	0067	01	084	US 87
9-07 8-14	DIST	COUNTY	SHEET NO.	
7-13 5-21	AMA	RANDALL	15	


DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 9/8/2023 9:31:40 AM
 FILE: c:\pwworking\dot25853\bc-21 (1).dgn


TYPE 3 BARRICADES

1. Refer to the Compliant Work Zone Traffic Control Devices List (CWZTCD) for details of the Type 3 Barricades and a list of all materials used in the construction of Type 3 Barricades.
2. Type 3 Barricades shall be used at each end of construction projects closed to all traffic.
3. Barricades extending across a roadway should have stripes that slope downward in the direction toward which traffic must turn in detouring. When both right and left turns are provided, the chevron striping may slope downward in both directions from the center of the barricade. Where no turns are provided at a closed road, striping should slope downward in both directions toward the center of roadway.
4. Striping of rails, for the right side of the roadway, should slope downward to the left. For the left side of the roadway, striping should slope downward to the right.
5. Identification markings may be shown only on the back of the barricade rails. The maximum height of letters and/or company logos used for identification shall be 1".
6. Barricades shall not be placed parallel to traffic unless an adequate clear zone is provided.
7. Warning lights shall NOT be installed on barricades.
8. Where barricades require the use of weights to keep from turning over, the use of sandbags with dry, cohesionless sand is recommended. The sandbags will be tied shut to keep the sand from spilling and to maintain a constant weight. Sand bags shall not be stacked in a manner that covers any portion of a barricade rails reflective sheeting. Rock, concrete, iron, steel or other solid objects will NOT be permitted. Sandbags should weigh a minimum of 35 lbs and a maximum of 50 lbs. Sandbags shall be made of a durable material that tears upon vehicular impact. Rubber (such as tire inner tubes) shall not be used for sandbags. Sandbags shall only be placed along or upon the base supports of the device and shall not be suspended above ground level or hung with rope, wire, chains or other fasteners.
9. Sheeting for barricades shall be retroreflective Type A or Type B conforming to Departmental Material Specification DMS-8300 unless otherwise noted.

Barricades shall NOT be used as a sign support.




TYPICAL STRIPING DETAIL FOR BARRICADE RAIL



TYPICAL PANEL DETAIL FOR SKID OR POST TYPE BARRICADES


Each roadway of a divided highway shall be barricaded in the same manner.



PERSPECTIVE VIEW


The three rails on Type 3 barricades shall be reflectorized orange and reflective white stripes on one side facing one-way traffic and both sides for two-way traffic. Barricade striping should slant downward in the direction of detour.

1. Signs should be mounted on independent supports at a 7 foot mounting height in center of roadway. The signs should be a minimum of 10 feet behind Type 3 Barricades.
2. Advance signing shall be as specified elsewhere in the plans.




PLAN VIEW

TYPICAL TYPE 3 BARRICADE (POST AND SKID) APPLICATION



PERSPECTIVE VIEW

These drums are not required on one-way roadway




PLAN VIEW

CULVERT WIDENING OR OTHER ISOLATED WORK WITHIN THE PROJECT LIMITS

1. Where positive redirection capability is provided, drums may be omitted.
2. Plastic construction fencing may be substituted for drums for safety as required in the plans.
3. Vertical Panels on flexible support may be substituted for drums when the shoulder width is less than 4 feet.
4. When the shoulder width is greater than 12 feet, steady-burn lights may be omitted if drums are used.
5. Drums must extend the length of the culvert widening.

LEGEND	
	Plastic drum
	Plastic drum with steady burn light or yellow warning reflector
	Steady burn warning light or yellow warning reflector




Two-Piece cones

One-Piece cones

Tubular Marker

28" Cones shall have a minimum weight of 9 1/2 lbs.
 42" 2-piece cones shall have a minimum weight of 30 lbs. including base.

1. Traffic cones and tubular markers shall be predominantly orange, and meet the height and weight requirements shown above.
2. One-piece cones have the body and base of the cone molded in one consolidated unit. Two-piece cones have a cone shaped body and a separate rubber base, or ballast, that is added to keep the device upright and in place.
3. Two-piece cones may have a handle or loop extending up to 8" above the minimum height shown, in order to aid in retrieving the device.
4. Cones or tubular markers shall have white or white and orange reflective bands as shown above. The reflective bands shall have a smooth, sealed outer surface and meet the requirements of Departmental Material Specification DMS-8300 Type A or Type B.
5. 28" cones and tubular markers are generally suitable for short duration and short-term stationary work as defined on BC(4). These should not be used for intermediate-term or long-term stationary work unless personnel is on-site to maintain them in their proper upright position.
6. 42" two-piece cones, vertical panels or drums are suitable for all work zone durations.
7. Cones or tubular markers used on each project should be of the same size and shape.



TRAFFIC CONTROL FOR MATERIAL STOCKPILES



BARRICADE AND CONSTRUCTION CHANNELIZING DEVICES

BC(10)-21

FILE: bc-21.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
© TxDOT November 2002	CONT	SECT	JOB	HIGHWAY
REVISIONS	0067	01	084	US 87
9-07 8-14	DIST	COUNTY	SHEET NO.	
7-13 5-21	AMA	RANDALL	16	

WORK ZONE PAVEMENT MARKINGS

GENERAL

- The Contractor shall be responsible for maintaining work zone and existing pavement markings, in accordance with the standard specifications and special provisions, on all roadways open to traffic within the CSJ limits unless otherwise stated in the plans.
- Color, patterns and dimensions shall be in conformance with the "Texas Manual on Uniform Traffic Control Devices" (TMUTCD).
- Additional supplemental pavement marking details may be found in the plans or specifications.
- Pavement markings shall be installed in accordance with the TMUTCD and as shown on the plans.
- When short term markings are required on the plans, short term markings shall conform with the TMUTCD, the plans and details as shown on the Standard Plan Sheet WZ(STPM).
- When standard pavement markings are not in place and the roadway is opened to traffic, DO NOT PASS signs shall be erected to mark the beginning of the sections where passing is prohibited and PASS WITH CARE signs at the beginning of sections where passing is permitted.
- All work zone pavement markings shall be installed in accordance with Item 662, "Work Zone Pavement Markings."

RAISED PAVEMENT MARKERS

- Raised pavement markers are to be placed according to the patterns on BC(12).
- All raised pavement markers used for work zone markings shall meet the requirements of Item 672, "RAISED PAVEMENT MARKERS" and Departmental Material Specification DMS-4200 or DMS-4300.

PREFABRICATED PAVEMENT MARKINGS

- Removable prefabricated pavement markings shall meet the requirements of DMS-8241.
- Non-removable prefabricated pavement markings (foil back) shall meet the requirements of DMS-8240.


MAINTAINING WORK ZONE PAVEMENT MARKINGS

- The Contractor will be responsible for maintaining work zone pavement markings within the work limits.
- Work zone pavement markings shall be inspected in accordance with the frequency and reporting requirements of work zone traffic control device inspections as required by Form 599.
- The markings should provide a visible reference for a minimum distance of 300 feet during normal daylight hours and 160 feet when illuminated by automobile low-beam headlights at night, unless sight distance is restricted by roadway geometrics.
- Markings failing to meet this criteria within the first 30 days after placement shall be replaced at the expense of the Contractor as per Specification Item 662.

REMOVAL OF PAVEMENT MARKINGS

- Pavement markings that are no longer applicable, could create confusion or direct a motorist toward or into the closed portion of the roadway shall be removed or obliterated before the roadway is opened to traffic.
- The above shall not apply to detours in place for less than three days, where flaggers and/or sufficient channelizing devices are used in lieu of markings to outline the detour route.
- Pavement markings shall be removed to the fullest extent possible, so as not to leave a discernable marking. This shall be by any method approved by TxDOT Specification Item 677 for "Eliminating Existing Pavement Markings and Markers".
- The removal of pavement markings may require resurfacing or seal coating portions of the roadway as described in Item 677.
- Subject to the approval of the Engineer, any method that proves to be successful on a particular type pavement may be used.
- Blast cleaning may be used but will not be required unless specifically shown in the plans.
- Over-painting of the markings SHALL NOT BE permitted.
- Removal of raised pavement markers shall be as directed by the Engineer.
- Removal of existing pavement markings and markers will be paid for directly in accordance with Item 677, "ELIMINATING EXISTING PAVEMENT MARKINGS AND MARKERS," unless otherwise stated in the plans.
- Black-out marking tape may be used to cover conflicting existing markings for periods less than two weeks when approved by the Engineer.

Temporary Flexible-Reflective Roadway Marker Tabs



STAPLES OR NAILS SHALL NOT BE USED TO SECURE TEMPORARY FLEXIBLE-REFLECTIVE ROADWAY MARKER TABS TO THE PAVEMENT SURFACE

- Temporary flexible-reflective roadway marker tabs used as guidemarks shall meet the requirements of DMS-8242.
- Tabs detailed on this sheet are to be inspected and accepted by the Engineer or designated representative. Sampling and testing is not normally required, however at the option of the Engineer, either "A" or "B" below may be imposed to assure quality before placement on the roadway.
 - Select five (5) or more tabs at random from each lot or shipment and submit to the Construction Division, Materials and Pavement Section to determine specification compliance.
 - Select five (5) tabs and perform the following test. Affix five (5) tabs at 24 inch intervals on an asphaltic pavement in a straight line. Using a medium size passenger vehicle or pickup, run over the markers with the front and rear tires at a speed of 35 to 40 miles per hour, four (4) times in each direction. No more than one (1) out of the five (5) reflective surfaces shall be lost or displaced as a result of this test.
- Small design variances may be noted between tab manufacturers.
- See Standard Sheet WZ(STPM) for tab placement on new pavements. See Standard Sheet TCP(7-1) for tab placement on seal coat work.

RAISED PAVEMENT MARKERS USED AS GUIDEMARKS

- Raised pavement markers used as guidemarks shall be from the approved product list, and meet the requirements of DMS-4200.
- All temporary construction raised pavement markers provided on a project shall be of the same manufacturer.
- Adhesive for guidemarks shall be bituminous material hot applied or butyl rubber pad for all surfaces, or thermoplastic for concrete surfaces.

Guidemarks shall be designated as:
 YELLOW - (two amber reflective surfaces with yellow body).
 WHITE - (one silver reflective surface with white body).

DEPARTMENTAL MATERIAL SPECIFICATIONS	
PAVEMENT MARKERS (REFLECTORIZED)	DMS-4200
TRAFFIC BUTTONS	DMS-4300
EPOXY AND ADHESIVES	DMS-6100
BITUMINOUS ADHESIVE FOR PAVEMENT MARKERS	DMS-6130
PERMANENT PREFABRICATED PAVEMENT MARKINGS	DMS-8240
TEMPORARY REMOVABLE, PREFABRICATED PAVEMENT MARKINGS	DMS-8241
TEMPORARY FLEXIBLE, REFLECTIVE ROADWAY MARKER TABS	DMS-8242

A list of prequalified reflective raised pavement markers, non-reflective traffic buttons, roadway marker tabs and other pavement markings can be found at the Material Producer List web address shown on BC(1).

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 9/8/2023 9:31:40 AM
 FILE: c:\pwworking\1\0225853\bc-21 (1).dgn

SHEET 11 OF 12







BARRICADE AND CONSTRUCTION PAVEMENT MARKINGS

BC(11)-21



FILE: bc-21.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
© TxDOT February 1998	CONT	SECT	JOB	HIGHWAY
REVISIONS	0067	01	084	US 87
2-98 9-07 5-21	DIST	COUNTY	SHEET NO.	
1-02 7-13	AMA	RANDALL	17	
11-02 8-14				

PAVEMENT MARKING PATTERNS





Pattern A is the TXDOT Standard, however Pattern B may be used if approved by the Engineer. Prefabricated markings may be substituted for reflectORIZED pavement markings.

CENTER LINE & NO-PASSING ZONE BARRIER LINES FOR TWO-LANE, TWO-WAY HIGHWAYS





Prefabricated markings may be substituted for reflectORIZED pavement markings.

EDGE & LANE LINES FOR DIVIDED HIGHWAY



Prefabricated markings may be substituted for reflectORIZED pavement markings.


LANE & CENTER LINES FOR MULTILANE UNDIVIDED HIGHWAYS





Prefabricated markings may be substituted for reflectORIZED pavement markings.

TWO-WAY LEFT TURN LANE


STANDARD WORK ZONE PAVEMENT MARKINGS DETAILS




SOLID LINES



(FOR LEFT TURN CHANNELIZING LINE OR CHANNELIZING LINE USED TO DISCOURAGE LANE CHANGING.)




BROKEN LINES



REMOVABLE MARKINGS WITH RAISED PAVEMENT MARKERS

If raised pavement markers are used to supplement REMOVABLE markings, the markers shall be applied to the top of the tape at the approximate mid length of tape used for broken lines or at 20 foot spacing for solid lines. This allows an easier removal of raised pavement markers and tape.



Centerline only - not to be used on edge lines

SHEET 12 OF 12



BARRICADE AND CONSTRUCTION PAVEMENT MARKING PATTERNS

BC(12)-21

Raised pavement markers used as standard pavement markings shall be from the approved products list and meet the requirements of Item 672 "RAISED PAVEMENT MARKERS."


FILE: bc-21.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
©TxDOT February 1998	CONT	SECT	JOB	HIGHWAY
REVISIONS	0067	01	084	US 87
1-97 9-07 5-21	DIST	COUNTY	SHEET NO.	
2-98 7-13	AMA	RANDALL	18	
11-02 8-14				

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 9/8/2023 9:31:41 AM
FILE: C:\pwworking\10225853\bc-21 (1).dgn


DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 9/8/2023 9:31:44 AM
 FILE: c:\pwworking\dot25853\tcp1-1-18.dgn




TCP (1-1a)

WORK SPACE NEAR SHOULDER
 Conventional Roads



TCP (1-1b)

WORK SPACE ON SHOULDER
 Conventional Roads



TCP (1-1c)

WORK VEHICLES ON SHOULDER
 Conventional Roads

LEGEND			
	Type 3 Barricade		Channelizing Devices
	Heavy Work Vehicle		Truck Mounted Attenuator (TMA)
	Trailer Mounted Flashing Arrow Board		Portable Changeable Message Sign (PCMS)
	Sign		Traffic Flow
	Flag		Flagger

Posted Speed x	Formula	Minimum Desirable Taper Lengths x x			Suggested Maximum Spacing of Channelizing Devices		Minimum Sign Spacing "X" Distance	Suggested Longitudinal Buffer Space "B"
		10' Offset	11' Offset	12' Offset	On a Taper	On a Tangent		
30	L = WS ² / 60	150'	165'	180'	30'	60'	120'	90'
35		205'	225'	245'	35'	70'	160'	120'
40		265'	295'	320'	40'	80'	240'	155'
45	L = WS	450'	495'	540'	45'	90'	320'	195'
50		500'	550'	600'	50'	100'	400'	240'
55		550'	605'	660'	55'	110'	500'	295'
60		600'	660'	720'	60'	120'	600'	350'
65		650'	715'	780'	65'	130'	700'	410'
70		700'	770'	840'	70'	140'	800'	475'
75		750'	825'	900'	75'	150'	900'	540'

x Conventional Roads Only
 xx Taper lengths have been rounded off.
 L=Length of Taper(FT) W=Width of Offset(FT) S=Posted Speed(MPH)

TYPICAL USAGE				
MOBILE	SHORT DURATION	SHORT TERM STATIONARY	INTERMEDIATE TERM STATIONARY	LONG TERM STATIONARY
	✓	✓		


GENERAL NOTES

- Flags attached to signs where shown are REQUIRED.
- All traffic control devices illustrated are REQUIRED, except those denoted with the triangle symbol may be omitted when stated elsewhere in the plans, or for routine maintenance work, when approved by the Engineer.
- Inactive work vehicles or other equipment should be parked near the right-of-way line and not parked on the paved shoulder.
- A Shadow Vehicle with a TMA should be used anytime it can be positioned 30 to 100 feet in advance of the area of crew exposure without adversely affecting the performance or quality of the work. If workers are no longer present but road or work conditions require the traffic control to remain in place, Type 3 Barricades or other channelizing devices may be substituted for the Shadow Vehicle and TMA.
- Additional Shadow Vehicles with TMAs may be positioned off the paved surface, next to those shown in order to protect wider work spaces.
- See TCP(5-1) for shoulder work on divided highways, expressways and freeways.
- CW21-5 "SHOULDER WORK" signs may be used in place of CW20-1D "ROAD WORK AHEAD" signs for shoulder work on conventional roadways.


				Traffic Operations Division Standard	
TRAFFIC CONTROL PLAN CONVENTIONAL ROAD SHOULDER WORK					
TCP(1-1)-18					
FILE:	tcp1-1-18.dgn	DN:		CK:	
© TxDOT	REVISIONS	CONT	SECT	JOB	HIGHWAY
		0067	01	084	US 87
2-94	4-98	DIST		COUNTY	SHEET NO.
8-95	2-12	AMA		RANDALL	19
1-97	2-18				

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 9/8/2023 9:31:47 AM
 FILE: c:\pwworking\0225853\tcp1-2-18.dgn



TCP (1-2a)
 ONE LANE TWO-WAY
 CONTROL WITH YIELD SIGNS
 (Less than 2000 ADT - See note 7)



TCP (1-2b)
 ONE LANE TWO-WAY
 CONTROL WITH FLAGGERS

LEGEND			
	Type 3 Barricade		Channelizing Devices
	Heavy Work Vehicle		Truck Mounted Attenuator (TMA)
	Trailer Mounted Flashing Arrow Board		Portable Changeable Message Sign (PCMS)
	Sign		Traffic Flow
	Flag		Flagger

Posted Speed x	Formula	Minimum Desirable Taper Lengths x x			Suggested Maximum Spacing of Channelizing Devices		Minimum Sign Spacing "x" Distance	Suggested Longitudinal Buffer Space "B"	Stopping Sight Distance
		10' Offset	11' Offset	12' Offset	On a Taper	On a Tangent			
30	$L = \frac{WS^2}{60}$	150'	165'	180'	30'	60'	120'	90'	200'
35		205'	225'	245'	35'	70'	160'	120'	250'
40		265'	295'	320'	40'	80'	240'	155'	305'
45	L = WS	450'	495'	540'	45'	90'	320'	195'	360'
50		500'	550'	600'	50'	100'	400'	240'	425'
55		550'	605'	660'	55'	110'	500'	295'	495'
60		600'	660'	720'	60'	120'	600'	350'	570'
65		650'	715'	780'	65'	130'	700'	410'	645'
70		700'	770'	840'	70'	140'	800'	475'	730'
75		750'	825'	900'	75'	150'	900'	540'	820'

* Conventional Roads Only
 ** Taper lengths have been rounded off.
 L=Length of Taper(F) W=Width of Offset(F) S=Posted Speed(MPH)

TYPICAL USAGE				
MOBILE	SHORT DURATION	SHORT TERM STATIONARY	INTERMEDIATE TERM STATIONARY	LONG TERM STATIONARY
	✓	✓		


GENERAL NOTES

- Flags attached to signs where shown are REQUIRED.
 - All traffic control devices illustrated are REQUIRED, except those denoted with the triangle symbol may be omitted when stated elsewhere in the plans, or for routine maintenance work, when approved by the Engineer.
 - The CW3-4 "BE PREPARED TO STOP" sign may be installed after the CW20-4D "ONE LANE ROAD AHEAD" sign, but proper sign spacing shall be maintained.
 - Sign spacing may be increased or an additional CW20-1D "ROAD WORK AHEAD" sign may be used if advance warning ahead of the flagger or R1-2 "YIELD" sign is less than 1500 feet.
 - A Shadow Vehicle with a TMA should be used anytime it can be positioned 30 to 100 feet in advance of the area of crew exposure without adversely affecting the performance or quality of the work. If workers are no longer present but road or work conditions require the traffic control to remain in place, Type 3 Barricades or other channelizing devices may be substituted for the Shadow Vehicle and TMA.
 - Additional Shadow Vehicles with TMAs may be positioned off the paved surface, next to those shown in order to protect wider work spaces.
- TCP (1-2a)
- R1-2 "YIELD" sign traffic control may be used on projects with approaches that have adequate sight distance. For projects in urban areas, work spaces should be no longer than one half city block. In rural areas on roadways with less than 2000 ADT, work spaces should be no longer than 400 feet.
 - R1-2 "YIELD" sign with R1-2aP "TO ONCOMING TRAFFIC" plaque shall be placed on a support at a 7 foot minimum mounting height.
- TCP (1-2b)
- Flaggers should use two-way radios or other methods of communication to control traffic.
 - Length of work space should be based on the ability of flaggers to communicate.
 - If the work space is located near a horizontal or vertical curve, the buffer distances should be increased in order to maintain adequate stopping sight distance to the flagger and a queue of stopped vehicles (see table above).
 - Channelizing devices on the center-line may be omitted when a pilot car is leading traffic and approved by the Engineer.
 - Flaggers should use 24" STOP/SLOW paddles to control traffic. Flags should be limited to emergency situations.


		Traffic Operations Division Standard	
TRAFFIC CONTROL PLAN ONE-LANE TWO-WAY TRAFFIC CONTROL			
TCP(1-2)-18			
FILE:	tcp1-2-18.dgn	DN:	CK:
© TxDOT	December 1985	CONT:	SECT:
REVISIONS	0067	01	084
4-90	4-98	JOB	HIGHWAY
2-94	2-12	DIST	COUNTY
1-97	2-18	AMA	RANDALL
			SHEET NO.
			20

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 9/8/2023 9:31:50 AM
 FILE: c:\pwworking\dot25853\tcp1-3-18.dgn



BE PREPARED TO STOP
 CW3-4 48" X 48" ▲ CW20-7 48" X 48" ▲
 For either TCP(1-3a) or TCP(1-3b)
USE ONLY WHEN FLAGGERS CONTROL TRAFFIC
 (See Notes 2 & 3)



LEGEND			
	Type 3 Barricade		Channelizing Devices
	Heavy Work Vehicle		Truck Mounted Attenuator (TMA)
	Trailer Mounted Flashing Arrow Board		Portable Changeable Message Sign (PCMS)
	Sign		Traffic Flow
	Flag		Flagger

Posted Speed *	Formula	Minimum Desirable Taper Lengths x x			Suggested Maximum Spacing of Channelizing Devices		Minimum Sign Spacing "x" Distance	Suggested Longitudinal Buffer Space "B"
		10' Offset	11' Offset	12' Offset	On a Taper	On a Tangent		
30	L = WS / 60	150'	165'	180'	30'	60'	120'	90'
35		205'	225'	245'	35'	70'	160'	120'
40		265'	295'	320'	40'	80'	240'	155'
45	L = WS	450'	495'	540'	45'	90'	320'	195'
50		500'	550'	600'	50'	100'	400'	240'
55		550'	605'	660'	55'	110'	500'	295'
60		600'	660'	720'	60'	120'	600'	350'
65		650'	715'	780'	65'	130'	700'	410'
70	700'	770'	840'	70'	140'	800'	475'	
75	750'	825'	900'	75'	150'	900'	540'	

* Conventional Roads Only
 ** Taper lengths have been rounded off.
 L=Length of Taper(FT) W=Width of Offset(FT) S=Posted Speed(MPH)

TYPICAL USAGE				
MOBILE	SHORT DURATION	SHORT TERM STATIONARY	INTERMEDIATE TERM STATIONARY	LONG TERM STATIONARY
	✓	✓		

- GENERAL NOTES**
- Flags attached to signs where shown are REQUIRED.
 - All traffic control devices illustrated are REQUIRED, except those denoted with the triangle symbol may be omitted when stated elsewhere in the plans, or for routine maintenance work, when approved by the Engineer.
 - Flagger control should NOT be used unless roadway conditions or heavy traffic volume require additional emphasis to safely control traffic. Additional flaggers may be positioned in advance of traffic queues to alert traffic to reduce speed.
 - DO NOT PASS, PASS WITH CARE and construction regulatory speed zone signs may be installed downstream of the ROAD WORK AHEAD signs.
 - When the work zone is made up of several work spaces, channelizing devices should be placed laterally across the closed lane to re-emphasize closure. Laterally placed channelizing devices should be repeated every 500 to 1000 feet in urban areas and every 1/4 to 1/2 mile in rural areas.
 - A Shadow Vehicle with a TMA should be used anytime it can be positioned 30 to 100 feet in advance of the area of crew exposure without adversely affecting the performance or quality of the work. If workers are no longer present but road or work conditions require the traffic control to remain in place, Type 3 Barricades or other channelizing devices may be substituted for the Shadow Vehicle and TMA.
 - Additional Shadow Vehicles with TMAs may be positioned off the paved surface, next to those shown in order to protect wider work spaces.
 - Where traffic is directed over a yellow centerline, channelizing devices which separate two-way traffic should be spaced on tapers at 20', or 15' if posted speed are 35 mph or slower, and for tangent sections, at 1/2S where S is the speed in mph. This tighter device spacing is intended for the area of conflicting markings not the entire work zone.


Texas Department of Transportation
 Traffic Operations Division Standard

TRAFFIC CONTROL PLAN
 TRAFFIC SHIFTS ON
 TWO LANE ROADS
TCP(1-3)-18


FILE: tcp1-3-18.dgn	DN:	CK:	DW:	CK:
© TxDOT December 1985	CONT:	SECT:	JOB:	HIGHWAY:
REVISIONS	0067	01	084	US 87
2-94 4-98	DIST:	COUNTY:	SHEET NO.:	
8-95 2-12	AMA	RANDALL	21	
1-97 2-18				

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 9/8/2023 9:31:53 AM
 FILE: c:\pwworking\dot225853\tcp1-4-18.dgn



TCP (1-4a)
 ONE LANE CLOSED



TCP (1-4b)
 TWO LANES CLOSED

LEGEND			
	Type 3 Barricade		Channelizing Devices
	Heavy Work Vehicle		Truck Mounted Attenuator (TMA)
	Trailer Mounted Flashing Arrow Board		Portable Changeable Message Sign (PCMS)
	Sign		Traffic Flow
	Flag		Flagger

Posted Speed *	Formula	Minimum Desirable Taper Lengths x x			Suggested Maximum Spacing of Channelizing Devices		Minimum Sign Spacing "x" Distance	Suggested Longitudinal Buffer Space "B"
		10' Offset	11' Offset	12' Offset	On a Taper	On a Tangent		
30	$L = \frac{WS^2}{60}$	150'	165'	180'	30'	60'	120'	90'
35		205'	225'	245'	35'	70'	160'	120'
40		265'	295'	320'	40'	80'	240'	155'
45	L = WS	450'	495'	540'	45'	90'	320'	195'
50		500'	550'	600'	50'	100'	400'	240'
55		550'	605'	660'	55'	110'	500'	295'
60		600'	660'	720'	60'	120'	600'	350'
65		650'	715'	780'	65'	130'	700'	410'
70		700'	770'	840'	70'	140'	800'	475'
75		750'	825'	900'	75'	150'	900'	540'

* Conventional Roads Only
 ** Taper lengths have been rounded off.
 L=Length of Taper(FT) W=Width of Offset(FT) S=Posted Speed(MPH)

TYPICAL USAGE				
MOBILE	SHORT DURATION	SHORT TERM STATIONARY	INTERMEDIATE TERM STATIONARY	LONG TERM STATIONARY
	✓	✓		

GENERAL NOTES

- Flags attached to signs where shown are REQUIRED.
- All traffic control devices illustrated are REQUIRED, except those denoted with the triangle symbol may be omitted when stated elsewhere in the plans, or for routine maintenance work, when approved by the Engineer.
- The CW20-1D "ROAD WORK AHEAD" sign may be repeated if the visibility of the work zone is less than 1500 feet.
- A Shadow Vehicle with a TMA should be used anytime it can be positioned 30 to 100 feet in advance of the area of crew exposure without adversely affecting the performance or quality of the work. If workers are no longer present but road or work conditions require the traffic control to remain in place, Type 3 Barricades or other channelizing devices may be substituted for the Shadow Vehicle and TMA.
- Additional Shadow Vehicles with TMAs may be positioned off the paved surface, next to those shown in order to protect wider work spaces.

TCP (1-4a)

- If this TCP is used for a left lane closure, CW20-5TL "LEFT LANE CLOSED" signs shall be used and channelizing devices shall be placed on the centerline where needed to protect the work space from opposing traffic with the arrow panel placed in the closed lane near the end of the merging taper.


TCP (1-4b)

- Where traffic is directed over a yellow centerline, channelizing devices which separate two-way traffic should be spaced on tapers at 20' or 15' if posted speeds are 35 mph or slower, and for tangent sections, at 1/2S where S is the speed in mph. This tighter device spacing is intended for the areas of conflicting markings, not the entire work zone.

		Traffic Operations Division Standard	
TRAFFIC CONTROL PLAN LANE CLOSURES ON MULTILANE CONVENTIONAL ROADS			
TCP(1-4)-18			
FILE:	tcp1-4-18.dgn	DN:	CK:
© TxDOT	December 1985	CONT	SECT
REVISIONS		0067	01
2-94	4-98	JOB	084
8-95	2-12	COUNTY	US 87
1-97	2-18	DIST	AMA
		COUNTY	RANDALL
		SHEET NO.	22


DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 9/8/2023 9:31:57 AM
 FILE: c:\pwworkh\0225853\tcp2-1-18 (1).dgn




TCP (2-1a)

WORK SPACE NEAR SHOULDER
 Conventional Roads



TCP (2-1b)

WORK SPACE ON SHOULDER
 Conventional Roads



TCP (2-1c)

WORK VEHICLES ON SHOULDER
 Conventional Roads

LEGEND			
	Type 3 Barricade		Channelizing Devices
	Heavy Work Vehicle		Truck Mounted Attenuator (TMA)
	Trailer Mounted Flashing Arrow Board		Portable Changeable Message Sign (PCMS)
	Sign		Traffic Flow
	Flag		Flagger

Posted Speed x	Formula	Minimum Desirable Taper Lengths x x			Suggested Maximum Spacing of Channelizing Devices		Minimum Sign Spacing "X" Distance	Suggested Longitudinal Buffer Space "B"
		10' Offset	11' Offset	12' Offset	On a Taper	On a Tangent		
30	$L = \frac{W \cdot V^2}{60}$	150'	165'	180'	30'	60'	120'	90'
35		205'	225'	245'	35'	70'	160'	120'
40		265'	295'	320'	40'	80'	240'	155'
45	L = WS	450'	495'	540'	45'	90'	320'	195'
50		500'	550'	600'	50'	100'	400'	240'
55		550'	605'	660'	55'	110'	500'	295'
60		600'	660'	720'	60'	120'	600'	350'
65		650'	715'	780'	65'	130'	700'	410'
70		700'	770'	840'	70'	140'	800'	475'
75		750'	825'	900'	75'	150'	900'	540'

* Conventional Roads Only
 * * Taper lengths have been rounded off.
 L=Length of Taper(FT) W=Width of Offset(FT) S=Posted Speed(MPH)

TYPICAL USAGE				
MOBILE	SHORT DURATION	SHORT TERM STATIONARY	INTERMEDIATE TERM STATIONARY	LONG TERM STATIONARY
	✓	✓	✓	✓


GENERAL NOTES

- Flags attached to signs where shown, are REQUIRED.
- All traffic control devices illustrated are REQUIRED, except those denoted with the triangle symbol may be omitted when stated in the plans, or for routine maintenance work, when approved by the Engineer.
- Stockpiled material should be placed a minimum of 30 feet from nearest traveled way.
- Shadow Vehicle with TMA and high intensity rotating, flashing, oscillating or strobe lights. A Shadow Vehicle with a TMA should be used anytime it can be positioned 30 to 100 feet in advance of the area of crew exposure without adversely affecting the performance or quality of the work. If workers are no longer present but road or work conditions require the traffic control to remain in place, Type 3 Barricades or other channelizing devices may be substituted for the Shadow Vehicle and TMA.
- Additional Shadow Vehicles with TMAs may be positioned off the paved surface, next to those shown in order to protect a wider work space.
- See TCP(5-1) for shoulder work on divided highways, expressways and freeways.
- Inactive work vehicles or other equipment should be parked near the right-of-way line and not parked on the paved shoulder.
- CW21-5 "SHOULDER WORK" signs may be used in place of CW20-1D "ROAD WORK AHEAD" signs for shoulder work on conventional roadways.


		Traffic Operations Division Standard	
TRAFFIC CONTROL PLAN CONVENTIONAL ROAD SHOULDER WORK			
TCP(2-1)-18			
FILE: tcp2-1-18.dgn	DN: December 1985	CK: 0067	DW: 01
© TxDOT		CON: 0067	SECT: 01
REVISIONS		JOB: 084	HIGHWAY: US 87
2-94 4-98		DIST: AMA	COUNTY: RANDALL
8-95 2-12			SHEET NO. 23
1-97 2-18			

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.


DATE: 9/8/2023 9:32:00 AM
 FILE: c:\pwworking\dot225853\wzbt-13 (2).dgn



NEAR SIDE LANE CLOSURE
 SHORT DURATION OR SHORT TERM STATIONARY



FAR SIDE RIGHT LANE CLOSURE
 SHORT DURATION OR SHORT TERM STATIONARY




FAR SIDE LEFT LANE CLOSURE
 SHORT DURATION OR SHORT TERM STATIONARY

LEGEND			
	Type 3 Barricade		Channelizing Devices
	Heavy Work Vehicle		Truck Mounted Attenuator (TMA)
	Trailer Mounted Flashing Arrow Board		Portable Changeable Message Sign (PCMS)
	Sign		Traffic Flow
	Flag		Flagger


Posted Speed x	Formula	Minimum Desirable Taper Lengths x x			Suggested Maximum Spacing of Channelizing Devices		Minimum Sign Spacing "x" Distance	Suggested Longitudinal Buffer Space "B"
		10' Offset	11' Offset	12' Offset	On a Taper	On a Tangent		
30	$L = \frac{WS^2}{60}$	150'	165'	180'	30'	60'	120'	90'
35		205'	225'	245'	35'	70'	160'	120'
40		265'	295'	320'	40'	80'	240'	155'
45	L = WS	450'	495'	540'	45'	90'	320'	195'
50		500'	550'	600'	50'	100'	400'	240'
55		550'	605'	660'	55'	110'	500'	295'
60		600'	660'	720'	60'	120'	600'	350'
65		650'	715'	780'	65'	130'	700'	410'
70		700'	770'	840'	70'	140'	800'	475'
75		750'	825'	900'	75'	150'	900'	540'

x Conventional Roads Only
 x x Taper lengths have been rounded off.
 L=Length of Taper(FT) W=Width of Offset(FT) S=Posted Speed(MPH)

WORKERS IN BUCKET TRUCKS SHALL NOT WORK ABOVE OPEN LANES OF TRAFFIC.



OPERATIONS IN THE INTERSECTION
 SHORT DURATION



GENERAL NOTES

- The minimum size channelizing device is the 28" cone. 42" Two-piece cones, drums, vertical panels or barricades will be required when the device must be left unattended at night.
- Obstructions or hazards at the work area shall be clearly marked and delineated at all times.
- Flaggers and Flagger Symbol (CW20-7) signs may be required according to field conditions.
- Vehicles parked in roadway shall be equipped with at least two high intensity rotating, flashing, oscillating or strobe type lights.
- High level warning devices (flag trees) may be used at corners of the vehicle.
- When work operations are performed on existing signals, the signals may be placed in flashing red mode when approved by the engineer. If existing signals do not have power, All-Way Stop (R1-1 and R1-3P) signs may be implemented when approved by the engineer.
- For Short-Term Stationary work the buffer space "B" from the above table should be used if field conditions permit. For Short Duration (less than 1 hour) any buffer space provided will enhance the safety of the setup.
- The arrow board at this location may be omitted for Short Duration work if the work vehicle has an arrow board in operation. As an option, the arrow board may be placed at the end of the taper in the closed lane if space is not available at the beginning of the taper.
- Signs and devices for the NEAR SIDE LANE CLOSURE may be altered for a left lane closure by using a LEFT LANE CLOSED (CW20-5TL) and adding channelizing devices on the centerline to protect the work space from opposing traffic.




TRAFFIC SIGNAL WORK
 TYPICAL DETAILS

WZ(BTS-1)-13

FILE: wzbt-13.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
© TxDOT April 1992	CONT	SECT	JOB	HIGHWAY
REVISIONS	0067	01	084	US 87
2-98 10-99 7-13	DIST	COUNTY	SHEET NO.	
4-98 3-03	AMA	RANDALL	24	

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 9/8/2023 9:32:01 AM
 FILE: c:\pwworking\0225853\wzbt-13 (2).dgn



GENERAL NOTES FOR WORK ZONE SIGNS

- Signs shall be installed and maintained in a straight and plumb condition.
- Wooden sign posts shall be painted white.
- Barricades shall NOT be used as sign supports.
- Nails shall NOT be used to attach signs to any support.
- All signs shall be installed in accordance with the plans or as directed by the Engineer.
- The Contractor shall furnish the sign design shown in the plans in the "Standard Highway Sign Designs for Texas" (SHSD).
- The Contractor shall furnish sign supports and substrates listed in the "Compliant Work Zone Traffic Control Device List" (CWZTCD), installed as per the manufacturer's recommendations.
- Temporary signs that have damaged or cracked substrates and/or damaged or marred reflective sheeting shall be replaced as directed by the Engineer.
- Identification markings may be shown only on the back of the sign substrate. The maximum height of letters and/or company logos used for identification shall be 1".
- Damaged wood posts shall be replaced. Splicing wood posts will not be allowed.

DURATION OF WORK

- Work zone durations are defined in Part 6, Section 6G.02 of the Texas Manual on Uniform Traffic Control Devices (TMUTCD).

SIGN MOUNTING HEIGHT

- Sign height of Long-term/Intermediate-term warning signs shall be as shown on Figure 6F-1 of the TMUTCD.
- Sign height of Short-term/Short Duration warning signs shall be as shown on Figure 6F-2 of the TMUTCD.
- Regulatory signs shall be mounted at least 7 feet, but not more than 9 feet, above the paved surface regardless of work duration.

REMOVING OR COVERING

- When sign messages may be confusing or do not apply, the signs shall be removed or completely covered, unless otherwise approved by the Engineer.
- When signs are covered, the material used shall be opaque, such as heavy mil black plastic, or other materials which will cover the entire sign face and maintain their opaque properties under automobile headlights at night without damaging the sign sheeting. Burlap, or heavy materials such as plywood or aluminum shall not be used to cover signs.
- Duct tape or other adhesive material shall NOT be affixed to a sign face.
- Signs and anchor stubs shall be removed and holes back filled upon completion of the work.

REFLECTIVE SHEETING

- All signs shall be retroreflective and constructed of sheeting meeting the requirements of the DMS and color usage table shown on this sheet.

SIGN SUPPORT WEIGHTS




- Weights used to keep signs from turning over should be sandbags filled with dry, cohesionless material.
- The sandbags will be tied shut to keep the sand from spilling and to maintain a constant weight.
- Rock, concrete, iron, steel or other solid objects will not be permitted for use as sign support weights.
- Sandbags should weigh a minimum of 35 lbs and a maximum of 50 lbs.
- Sandbags shall be made of a durable material that tears upon vehicular impact. Rubber, such as tire inner tubes, shall not be used.
- Rubber ballasts designed for channelizing devices should not be used for ballast on portable sign supports. Sign supports designed and manufactured with rubber bases may be used when shown on the CWZTCD list.
- Sandbags shall only be placed along or laid over the base supports of the traffic control device and shall not be suspended above ground level or hung with rope, wire, chains or other fasteners. Sandbags shall be placed along the length of the skids to weigh down the sign support.
- Sandbags shall NOT be placed under the skid and shall not be used to level sign supports placed on slopes.

LEGEND	
	Sign
	Channelizing Devices
	Type 3 Barricade

DEPARTMENTAL MATERIAL SPECIFICATIONS	
SIGN FACE MATERIALS	DMS-8300
FLEXIBLE ROLL-UP REFLECTIVE SIGNS	DMS-8310

COLOR	USAGE	SHEETING MATERIAL
ORANGE	BACKGROUND	TYPE B _{FL} OR TYPE C _{FL} SHEETING
WHITE	BACKGROUND	TYPE A SHEETING
BLACK	LEGEND & BORDERS	ACRYLIC NON-REFLECTIVE SHEETING

Only pre-qualified products shall be used. A copy of the "Compliant Work Zone Traffic Control Devices List" (CWZTCD) describes pre-qualified products and their sources and may be found at the following web address:
http://www.txdot.gov/txdot_library/publications/construction.htm



PEDESTRIAN CONTROL

- Holes, trenches or other hazards shall be adequately protected by covering, delineating or surrounding the hazard with orange plastic pedestrian fencing or longitudinal channelizing devices, or as directed by the Engineer.
- "CROSSWALK CLOSURES" as detailed above will require the Engineer's approval prior to installation.
- R9 series signs shown may be placed on supports detailed on the BC standards or CWZTCD list, or when fabricated from approved lightweight plastic substrates, they may be mounted on top of a plastic drum at or near the location shown.
- For speeds less than 45 mph longitudinal channelizing devices may be used instead of traffic barriers when approved by the Engineer. Attenuation of blunt ends and installation of water filled devices shall be as per BC(9) and manufacturer's recommendations.
- Location of devices are for general guidance. Actual device spacing and location must be field adjusted to meet actual conditions.
- Where pedestrians with visual disabilities normally use the closed sidewalk Detectable Pedestrian Barricades should be used instead of the Type 3 Barricades shown.
- The width of existing sidewalk should be maintained if practical.
- Pavement markings for mid-block crosswalks shall be paid for under the appropriate bid items.
- When crosswalks or other pedestrian facilities are closed or relocated, temporary facilities shall be detectable and shall include accessibility features consistent with the features present in the existing pedestrian facility.

SHEET 2 OF 2


		Traffic Operations Division Standard	
<h2>TRAFFIC SIGNAL WORK BARRICADES AND SIGNS</h2>			
<h3>WZ(BTS-2)-13</h3>			
FILE:	wzbt-13.dgn	DN:	TxDOT
© TxDOT	April 1992	CK:	TxDOT
REVISIONS	0067	DW:	TxDOT
	01	CON:	084
		SECT:	US 87
2-98	10-99	JOB:	
4-98	3-03	DIST:	COUNTY
		AMA:	RANDALL
		SHEET NO.:	25

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.


DATE: 9/8/2023 9:32:04 AM
 FILE: c:\pwworking\dot225853\wzrs22.dgn

Warning sign and rumble strip sequence in opposite direction is same as below.

Flagger to Flagger (Length of Work Area)	ADT	• of Rumble Strip Arrays
1/8 Mile	< 4,500	1
	≥ 4,500	2
1/4 Mile	< 3,500	1
	≥ 3,500	2
1/2 Mile	< 2,600	1
	≥ 2,600	2
1 Mile	< 1,600	1
	≥ 1,600	2
> 1 Mile	N/A	2



RUMBLE STRIPS ON ONE-LANE TWO-WAY APPLICATION



RUMBLE STRIPS FOR LANE CLOSURE ON CONVENTIONAL ROADWAY

GENERAL NOTES

- Each Rumble Strip Array should consist of three rumble strips spaced center to center at the spacing shown in Table 2, placed transverse across the lane at locations shown.
- The CW17-2T "RUMBLE STRIPS AHEAD" sign should be located after the CW20-1D "ROAD WORK AHEAD" sign and spaced as shown. If traffic is observed to be queuing, or is expected to queue beyond the Rumble Strips, the CW17-2T sign and the first Rumble Strip Array may be located upstream of the CW20-1D sign as necessary to provide needed warning.
- Temporary Rumble Strips will be considered subsidiary to Item 502, and shall be a product listed on the Compliant Work Zone Traffic Control Devices.
- Remove Temporary Rumble Strips before removing the advanced warning signs.
- Temporary Rumble Strips should not be used on horizontal curves, loose gravel, soft or bleeding asphalt, heavily rutted pavements or unpaved surfaces.
- Temporary Rumble Strips shall be installed and maintained as per manufacturer's recommendations.
- This standard sheet shall be used in conjunction with other appropriate TCP standard, TMUTCD typical application or project specific detail for the project.
- The one-lane two-way application may utilize a flagger, an Automated Flagger Assistance Device (AFAD) or a Portable Traffic Signal (PTS).
- Replace defective Temporary Rumble Strips as directed by the Engineer.
- Temporary Rumble Strips may be used on freeways or expressways based on engineering judgment and written direction from the Engineer.

Speed	Approximate distance between strips in an array
≤ 40 MPH	10'
> 40 MPH & ≤ 55 MPH	15'
= 60 MPH	20'
≥ 65 MPH	* 35' +

	Type 3 Barricade		Channelizing Devices
	Heavy Work Vehicle		Truck Mounted Attenuator (TMA)
	Trailer Mounted Flashing Arrow Panel		Portable Changeable Message Sign (PCMS)
	Sign		Traffic Flow
	Flag		Flagger

Posted Speed x	Formula	Minimum Desirable Taper Lengths x x			Suggested Maximum Spacing of Channelizing Devices		Minimum Sign Spacing "X" Distance	Suggested Longitudinal Buffer Space "B"
		10' Offset	11' Offset	12' Offset	On a Taper	On a Tangent		
30	L = WS ² /60	150'	165'	180'	30'	60'	120'	90'
35		205'	225'	245'	35'	70'	160'	120'
40	L = WS	265'	295'	320'	40'	80'	240'	155'
45		450'	495'	540'	45'	90'	320'	195'
50		500'	550'	600'	50'	100'	400'	240'
55		550'	605'	660'	55'	110'	500'	295'
60		600'	660'	720'	60'	120'	600'	350'
65		650'	715'	780'	65'	130'	700'	410'
70		700'	770'	840'	70'	140'	800'	475'
75	750'	825'	900'	75'	150'	900'	540'	

* Conventional Roads Only
 * * Taper lengths have been rounded off.
 L=Length of Taper(FT) W=Width of Offset(FT)
 S=Posted Speed(MPH)

MOBILE	SHORT DURATION	SHORT TERM STATIONARY	INTERMEDIATE TERM STATIONARY	LONG TERM STATIONARY
	✓	✓		

◆ Signs are for illustrative purposes only. Signs required may vary depending on the TCP, TMUTCD Typical Application, or project specific details for the project.
 * For posted speeds in excess of 65 MPH, it is recommended that spacing is increased as speed limits increase. Increasing space between rumble strips will improve effectiveness.


Texas Department of Transportation Traffic Safety Division Standard

TEMPORARY RUMBLE STRIPS

WZ(RS)-22

FILE: wzrs22.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
© TxDOT November 2012	CONT	SECT	JOB	HIGHWAY
REVISIONS	0067	01	084	US 87
2-14 1-22	DIST	COUNTY	SHEET NO.	
4-16	AMA	RANDALL	26	

FILENAME: p:\kh-pw\ben\kimley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\DesignData\4 - Design\Plan Set\3. Roadway\US 87\AMA_CNY_RDW_01.dgn
 PLOTTED: 9/8/2023 9:32:51 AM



ITEM	DESCRIPTION	UNIT	QTY
0160 6003	FURNISHING AND PLACING TOPSOIL (4")	SY	76
0162 6002	BLOCK SODDING	SY	76
0168 6001	VEGETATIVE WATERING	MG	1
0531 6001	CONC SIDEWALKS (4")	SY	76

MATCH LINE
 SEE SHEET 28

NOTES:

- * FOR CONTRACTOR INFORMATION ONLY
- 1. THE EXISTENCE AND LOCATION OF ALL UTILITIES AND DRAINAGE STRUCTURES INDICATED IN THE PLANS ARE TAKEN FROM THE BEST RECORDS AVAILABLE AND ARE NOT GUARANTEED TO BE ACCURATE. CONTRACTOR SHALL COORDINATE WITH ALL UTILITY COMPANIES TO FIELD VERIFY UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
- 2. UNLESS OTHERWISE SHOWN, PROPOSED SIGNAL CONDUCTOR SHALL RUN TO CONTROLLER IN EXISTING SIGNAL CONDUIT.
- 3. AREAS OF SODDING AND TOPSOIL ARE CALCULATED AT 3' WIDE STRIPS USUAL.

Al J. Ljung

9/8/2023



Kimley»Horn F-928

Texas Department of Transportation

CURB RAMP PROGRAM

**US 87
AT SOUTH OF CANYON
CITY LIMITS
TO 17TH AVE**

CANYON, TEXAS

SHEET 1 OF 39


FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.
6	SEE TITLE SHEET	US 87
STATE	DIST.	COUNTY
TEXAS	AMA	RANDALL
CONT.	SECT.	JOB
0067	01	084

SPECIAL NOTES & DETAILS

LEGEND		
--- APPARENT ROW	⊙ LIGHT POLE	SL LONGITUDINAL SLOPES MAY NOT EXCEED 5.0%, CROSS SLOPES MAY NOT EXCEED 1.5%
— TCL	□ MAIL BOX	→ TRAFFIC FLOW
~ DRAINAGE FLOW ARROW	○ MANHOLE	☐ TRAFFIC SIGNAL BOX
-X- FENCE	⊙ PEDESTAL SIGNAL POLE	☐ TRAFFIC SIGNAL CONTROLLER
F FLARE	● POWER/UTILITY POLE	⊙ TRAFFIC SIGNAL POLE
⊕ FIRE HYDRANT	R RAMP	○ TREE/BUSHES
⊗ GAS METER/VALVE	RR RIPRAP (CONC)	⊗ WATER METER/VALVE
▣ GROUND BOX	— SIGN	⊕ GUTTER LINE PROJECTION
L LANDING	☐ SODDING	⊕ GRATE INLET
LSLEVEL SIDEWALK (1.5% MAX)	T TRANSITION	⊕ PROPOSED PEDESTAL POLE
← GUY WIRE	□ MISCELLANEOUS STRUC	— PROPOSED CONDUIT
— GUARD FENCE/RAIL	○ IRRIGATION CONTROLS	— EXISTING CONDUIT
— PROPOSED CONDUIT (BORE)	○ UTILITY WITNESS	☐ STAMPED CONCRETE

FILENAME: p:\kh-pw\ben\kimley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\DesignData\4 - Design\Plan Set\3. Roadway\US 87\AMA_CNY_RDW_02.dgn
 PLOTTED: 9/8/2023 9:33:14 AM

MATCH LINE
SEE SHEET 27



ITEM	DESCRIPTION	UNIT	QTY
0160 6003	FURNISHING AND PLACING TOPSOIL (4")	SY	156
0162 6002	BLOCK SODDING	SY	156
0168 6001	VEGETATIVE WATERING	MG	3
0531 6001	CONC SIDEWALKS (4")	SY	167

MATCH LINE
SEE SHEET 29

- NOTES:
- * FOR CONTRACTOR INFORMATION ONLY
 - 1. THE EXISTENCE AND LOCATION OF ALL UTILITIES AND DRAINAGE STRUCTURES INDICATED IN THE PLANS ARE TAKEN FROM THE BEST RECORDS AVAILABLE AND ARE NOT GUARANTEED TO BE ACCURATE. CONTRACTOR SHALL COORDINATE WITH ALL UTILITY COMPANIES TO FIELD VERIFY UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
 - 2. UNLESS OTHERWISE SHOWN, PROPOSED SIGNAL CONDUCTOR SHALL RUN TO CONTROLLER IN EXISTING SIGNAL CONDUIT.
 - 3. AREAS OF SODDING AND TOPSOIL ARE CALCULATED AT 3' WIDE STRIPS USUAL.

Al J. Ljung
 9/8/2023

Kimley»Horn F-928

Texas Department of Transportation

CURB RAMP PROGRAM

**US 87
 AT SOUTH OF CANYON
 CITY LIMITS TO
 17TH AVE**

CANYON, TEXAS


SHEET 2 OF 39

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.
6	SEE TITLE SHEET	US 87
STATE	DIST.	COUNTY
TEXAS	AMA	RANDALL
CONT.	SECT.	JOB
0067	01	084
		SHEET NO. 28

SPECIAL NOTES & DETAILS

LEGEND		
--- APPARENT ROW	☆ LIGHT POLE	SL LONGITUDINAL SLOPES MAY NOT EXCEED 5.0%, CROSS SLOPES MAY NOT EXCEED 1.5%
— TCL	□ MAIL BOX	→ TRAFFIC FLOW
~ DRAINAGE FLOW ARROW	○ MANHOLE	☐ TRAFFIC SIGNAL BOX
-X- FENCE	● PEDESTAL SIGNAL POLE	☑ TRAFFIC SIGNAL CONTROLLER
F FLARE	● POWER/UTILITY POLE	⊗ TRAFFIC SIGNAL POLE
⊕ FIRE HYDRANT	R RAMP	○ TREE/BUSHES
⊗ GAS METER/VALVE	RR RIPRAP (CONC)	⊕ WATER METER/VALVE
▣ GROUND BOX	- SIGN	⊕ GUTTER LINE PROJECTION
L LANDING	☐ SODDING	▣ GRATE INLET
LS LEVEL SIDEWALK (1.5% MAX)	T TRANSITION	● PROPOSED PEDESTAL POLE
← GUY WIRE	□ MISCELLANEOUS STRUC	- PROPOSED CONDUIT
— GUARD FENCE/RAIL	○ IRRIGATION CONTROLS	- EXISTING CONDUIT
▬ PROPOSED CONDUIT (BORE)	○ UTILITY WITNESS	▬ STAMPED CONCRETE

FILENAME: pw:\kh-pw-bentley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\Design\Plan Set\3. Roadway\US 87\AMA_CNY_RDW_03.dgn
 PLOTTED: 9/8/2023 9:33:29 AM



ITEM	DESCRIPTION	UNIT	QTY
0160 6003	FURNISHING AND PLACING TOPSOIL (4")	SY	153
0162 6002	BLOCK SODDING	SY	153
0168 6001	VEGETATIVE WATERING	MG	3
0400 6008	CUT & RESTORE ASPH PAVING	SY	5
0531 6001	CONC SIDEWALKS (4")	SY	161
0531 6019	CURB RAMPS (TY 2)	SY	25
0666 6048	REFL PAV MRK TY 1 (W)24" (SLD) (100MIL)	LF	92
0666 6230	PAVEMENT SEALER 24"	LF	92
0677 6005	ELIM EXT PAV MRK & MRKS (12")	LF	125



- NOTES:
- * FOR CONTRACTOR INFORMATION ONLY
 - 1. THE EXISTENCE AND LOCATION OF ALL UTILITIES AND DRAINAGE STRUCTURES INDICATED IN THE PLANS ARE TAKEN FROM THE BEST RECORDS AVAILABLE AND ARE NOT GUARANTEED TO BE ACCURATE. CONTRACTOR SHALL COORDINATE WITH ALL UTILITY COMPANIES TO FIELD VERIFY UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
 - 2. UNLESS OTHERWISE SHOWN, PROPOSED SIGNAL CONDUCTOR SHALL RUN TO CONTROLLER IN EXISTING SIGNAL CONDUIT.
 - 3. AREAS OF SODDING AND TOPSOIL ARE CALCULATED AT 3' WIDE STRIPS USUAL.

Samuel J. Lundquist

9/8/2023



Kimley»Horn F-928

Texas Department of Transportation

CURB RAMP PROGRAM

US 87 AT 17TH AVE

CANYON, TEXAS


SHEET 3 OF 39

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.	SHEET NO.
6	SEE TITLE SHEET	US 87	29
STATE	DIST.	COUNTY	
TEXAS	AMA	RANDALL	
CONT.	SECT.	JOB	
0067	01	084	

SPECIAL NOTES & DETAILS


LEGEND	
--- APPARENT ROW	☆ LIGHT POLE
— TCL	□ MAIL BOX
~ DRAINAGE FLOW ARROW	○ MANHOLE
- X - FENCE	● PEDESTAL SIGNAL POLE
F FLARE	● POWER/UTILITY POLE
⊕ FIRE HYDRANT	R RAMP
⊕ GAS METER/VALVE	RR RIPRAP (CONC)
■ GROUND BOX	- SIGN
L LANDING	☒ SODDING
LS LEVEL SIDEWALK (1.5% MAX)	T TRANSITION
← GUY WIRE	□ MISCELLANEOUS STRUC
— GUARD FENCE/RAIL	○ IRRIGATION CONTROLS
— PROPOSED CONDUIT (BORE)	○ UTILITY WITNESS
	SL LONGITUDINAL SLOPES MAY NOT EXCEED 5.0%, CROSS SLOPES MAY NOT EXCEED 1.5%
	→ TRAFFIC FLOW
	☒ TRAFFIC SIGNAL BOX
	☒ TRAFFIC SIGNAL CONTROLLER
	⊗ TRAFFIC SIGNAL POLE
	○ TREE/BUSHES
	⊕ WATER METER/VALVE
	⊕ GUTTER LINE PROJECTION
	☒ GRATE INLET
	● PROPOSED PEDESTAL POLE
	- - PROPOSED CONDUIT
	- - EXISTING CONDUIT
	☒ STAMPED CONCRETE

FILENAME: pw\kh-pw.bentley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\Design\Drawings - Design\Plan Set\3. Roadway\US 87\AMA_CNY_RDW_04.dgn
 PLOTTED: 9/8/2023 9:33:41 AM



MATCH LINE
SEE SHEET 29

ITEM	DESCRIPTION	UNIT	QTY
0160 6003	FURNISHING AND PLACING TOPSOIL (4")	SY	161
0162 6002	BLOCK SODDING	SY	161
0168 6001	VEGETATIVE WATERING	MG	3
0531 6001	CONC SIDEWALKS (4")	SY	161



- NOTES:
- * FOR CONTRACTOR INFORMATION ONLY
 - 1. THE EXISTENCE AND LOCATION OF ALL UTILITIES AND DRAINAGE STRUCTURES INDICATED IN THE PLANS ARE TAKEN FROM THE BEST RECORDS AVAILABLE AND ARE NOT GUARANTEED TO BE ACCURATE. CONTRACTOR SHALL COORDINATE WITH ALL UTILITY COMPANIES TO FIELD VERIFY UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
 - 2. UNLESS OTHERWISE SHOWN, PROPOSED SIGNAL CONDUCTOR SHALL RUN TO CONTROLLER IN EXISTING SIGNAL CONDUIT.
 - 3. AREAS OF SODDING AND TOPSOIL ARE CALCULATED AT 3' WIDE STRIPS USUAL.

MATCH LINE
SEE SHEET 31

Signature: Samuel J. Lundquist
 Date: 9/8/2023
 State of Texas Professional Engineer License No. 122185



CURB RAMP PROGRAM

**US 87
BETWEEN 17TH AVE
AND 14TH AVE**

CANYON, TEXAS

SHEET 4 OF 39

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.	SHEET NO.
6	SEE TITLE SHEET	US 87	30
STATE	DIST.	COUNTY	
TEXAS	AMA	RANDALL	
CONT.	SECT.	JOB	
0067	01	084	

SPECIAL NOTES & DETAILS

LEGEND			
---	APPARENT ROW	☆	LIGHT POLE
---	TCL	□	MAIL BOX
~>	DRAINAGE FLOW ARROW	○	MANHOLE
-X-	FENCE	●	PEDESTAL SIGNAL POLE
F	FLARE	●	POWER/UTILITY POLE
⊕	FIRE HYDRANT	R	RAMP
⊗	GAS METER/VALVE	RR	RIPRAP (CONC)
▣	GROUND BOX	⊕	SIGN
L	LANDING	⊞	SODDING
LS	LEVEL SIDEWALK (1.5% MAX)	T	TRANSITION
←	GUY WIRE	□	MISCELLANEOUS STRUC
—	GUARD FENCE/RAIL	○	IRRIGATION CONTROLS
▬▬▬	PROPOSED CONDUIT (BORE)	○	UTILITY WITNESS
		▬▬▬	STAMPED CONCRETE

SL LONGITUDINAL SLOPES MAY NOT EXCEED 5.0%, CROSS SLOPES MAY NOT EXCEED 1.5%

→ TRAFFIC FLOW

SB TRAFFIC SIGNAL BOX

TRAFFIC SIGNAL CONTROLLER

● TRAFFIC SIGNAL POLE

○ TREE/BUSHES

⊗ WATER METER/VALVE

⊕ GUTTER LINE PROJECTION

▬▬▬ GRATE INLET


● PROPOSED PEDESTAL POLE

- - - PROPOSED CONDUIT

- - - EXISTING CONDUIT

FILENAME: p:\kh-pw\ben\kimley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\DesignData\4 - Design\Plan Set\3. Roadway\US 87\AMA_CNY_RDW_05.dgn
 PLOTTED: 9/8/2023 9:33:51 AM

MATCH LINE
 SEE SHEET 30



ITEM	DESCRIPTION	UNIT	QTY
0160 6003	FURNISHING AND PLACING TOPSOIL (4")	SY	161
0162 6002	BLOCK SODDING	SY	161
0168 6001	VEGETATIVE WATERING	MG	3
0531 6001	CONC SIDEWALKS (4")	SY	161

NOTES:

- * FOR CONTRACTOR INFORMATION ONLY
- 1. THE EXISTENCE AND LOCATION OF ALL UTILITIES AND DRAINAGE STRUCTURES INDICATED IN THE PLANS ARE TAKEN FROM THE BEST RECORDS AVAILABLE AND ARE NOT GUARANTEED TO BE ACCURATE. CONTRACTOR SHALL COORDINATE WITH ALL UTILITY COMPANIES TO FIELD VERIFY UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
- 2. UNLESS OTHERWISE SHOWN, PROPOSED SIGNAL CONDUCTOR SHALL RUN TO CONTROLLER IN EXISTING SIGNAL CONDUIT.
- 3. AREAS OF SODDING AND TOPSOIL ARE CALCULATED AT 3' WIDE STRIPS USUAL.


 9/8/2023






CURB RAMP PROGRAM

**US 87
 BETWEEN 17TH AVE
 AND 14TH AVE**

CANYON, TEXAS


SHEET 5 OF 39

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.
6	SEE TITLE SHEET	US 87
STATE	DIST.	COUNTY
TEXAS	AMA	RANDALL
CONT.	SECT.	JOB
0067	01	084

SPECIAL NOTES & DETAILS

LEGEND		
---	APPARENT ROW	☆ LIGHT POLE
---	TCL	□ MAIL BOX
~	DRAINAGE FLOW ARROW	○ MANHOLE
-X-	FENCE	● PEDESTAL SIGNAL POLE
F	FLARE	● POWER/UTILITY POLE
⊕	FIRE HYDRANT	R RAMP
⊗	GAS METER/VALVE	RR RIPRAP (CONC)
▣	GROUND BOX	-
L	LANDING	⊕ SIGN
LS	LEVEL SIDEWALK (1.5% MAX)	☐ SODDING
←	GUY WIRE	T TRANSITION
—	GUARD FENCE/RAIL	□ MISCELLANEOUS STRUC
—	PROPOSED CONDUIT (BORE)	○ IRRIGATION CONTROLS
		○ UTILITY WITNESS
		SL LONGITUDINAL SLOPES MAY NOT EXCEED 5.0%, CROSS SLOPES MAY NOT EXCEED 1.5%
		→ TRAFFIC FLOW
		☐ TRAFFIC SIGNAL BOX
		☐ TRAFFIC SIGNAL CONTROLLER
		⊗ TRAFFIC SIGNAL POLE
		○ TREE/BUSHES
		⊗ WATER METER/VALVE
		⊕ GUTTER LINE PROJECTION
		▣ GRATE INLET
		○ PROPOSED PEDESTAL POLE
		- - - PROPOSED CONDUIT
		- - - EXISTING CONDUIT
		▣ STAMPED CONCRETE

FILENAME: pw:\kh-pw-bentley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\DesignData\4 - Design\Plan Set\3. Roadway\US 87\AMA_CNY_RDW_06.dgn
 PLOTTED: 9/8/2023 9:34:02 AM



ITEM	DESCRIPTION	UNIT	QTY
0160 6003	FURNISHING AND PLACING TOPSOIL (4")	SY	163
0162 6002	BLOCK SODDING	SY	163
0168 6001	VEGETATIVE WATERING	MG	3
0531 6001	CONC SIDEWALKS (4")	SY	163



- NOTES:
- * FOR CONTRACTOR INFORMATION ONLY
 - 1. THE EXISTENCE AND LOCATION OF ALL UTILITIES AND DRAINAGE STRUCTURES INDICATED IN THE PLANS ARE TAKEN FROM THE BEST RECORDS AVAILABLE AND ARE NOT GUARANTEED TO BE ACCURATE. CONTRACTOR SHALL COORDINATE WITH ALL UTILITY COMPANIES TO FIELD VERIFY UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
 - 2. UNLESS OTHERWISE SHOWN, PROPOSED SIGNAL CONDUCTOR SHALL RUN TO CONTROLLER IN EXISTING SIGNAL CONDUIT.
 - 3. AREAS OF SODDING AND TOPSOIL ARE CALCULATED AT 3' WIDE STRIPS USUAL.


 9/8/2023


Kimley»Horn F-928

Texas Department of Transportation

CURB RAMP PROGRAM

**US 87
BETWEEN 17TH AVE
AND 14TH AVE**

CANYON, TEXAS

SHEET 6 OF 39


FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.
6	SEE TITLE SHEET	US 87
STATE	DIST.	COUNTY
TEXAS	AMA	RANDALL
CONT.	SECT.	JOB
0067	01	084

SPECIAL NOTES & DETAILS

LEGEND		
--- APPARENT ROW	☆ LIGHT POLE	SL LONGITUDINAL SLOPES MAY NOT EXCEED 5.0%, CROSS SLOPES MAY NOT EXCEED 1.5%
— TCL	□ MAIL BOX	→ TRAFFIC FLOW
~ DRAINAGE FLOW ARROW	○ MANHOLE	☐ TRAFFIC SIGNAL BOX
-X- FENCE	● PEDESTAL SIGNAL POLE	☑ TRAFFIC SIGNAL CONTROLLER
F FLARE	● POWER/UTILITY POLE	⊗ TRAFFIC SIGNAL POLE
⊕ FIRE HYDRANT	R RAMP	○ TREE/BUSHES
⊗ GAS METER/VALVE	RR RIPRAP (CONC)	⊗ WATER METER/VALVE
▣ GROUND BOX	- SIGN	⊕ GUTTER LINE PROJECTION
L LANDING	☐ SODDING	▣ GRATE INLET
LS LEVEL SIDEWALK (1.5% MAX)	T TRANSITION	○ PROPOSED PEDESTAL POLE
← GUY WIRE	□ MISCELLANEOUS STRUC	- PROPOSED CONDUIT
— GUARD FENCE/RAIL	○ IRRIGATION CONTROLS	- EXISTING CONDUIT
▬ PROPOSED CONDUIT (BORE)	○ UTILITY WITNESS	▬ STAMPED CONCRETE

FILENAME: pw:\kh-pw-bentley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\DesignData\4 - Design\Plan Set\3. Roadway\US 87\AMA_CNY_RDW_07.dgn
 PLOTTED: 9/8/2023 9:34:13 AM

MATCH LINE
SEE SHEET 32



ITEM	DESCRIPTION	UNIT	QTY
0105 6043	REMOVING STAB BASE & ASPH PAV (0-6")	SY	82
0160 6003	FURNISHING AND PLACING TOPSOIL (4")	SY	111
0162 6002	BLOCK SODDING	SY	111
0168 6001	VEGETATIVE WATERING	MG	2
0400 6008	CUT & RESTORE ASPH PAVING	SY	9
0530 6004	DRIVEWAYS (CONC)	SY	82
0531 6001	CONC SIDEWALKS (4")	SY	93
0531 6024	CURB RAMPS (TY 7)	SY	18



- NOTES:
- * FOR CONTRACTOR INFORMATION ONLY
 - 1. THE EXISTENCE AND LOCATION OF ALL UTILITIES AND DRAINAGE STRUCTURES INDICATED IN THE PLANS ARE TAKEN FROM THE BEST RECORDS AVAILABLE AND ARE NOT GUARANTEED TO BE ACCURATE. CONTRACTOR SHALL COORDINATE WITH ALL UTILITY COMPANIES TO FIELD VERIFY UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
 - 2. UNLESS OTHERWISE SHOWN, PROPOSED SIGNAL CONDUCTOR SHALL RUN TO CONTROLLER IN EXISTING SIGNAL CONDUIT.
 - 3. AREAS OF SODDING AND TOPSOIL ARE CALCULATED AT 3' WIDE STRIPS USUAL.

Al J. Ljung
 9/8/2023

 SAMUEL J. LUNDUIST
 122185
 LICENSED PROFESSIONAL ENGINEER

Kimley»Horn F-928

Texas Department of Transportation

CURB RAMP PROGRAM

**US 87
AT 14TH AVE**

CANYON, TEXAS

SHEET 7 OF 39


FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.
6	SEE TITLE SHEET	US 87
STATE	DIST.	COUNTY
TEXAS	AMA	RANDALL
CONT.	SECT.	JOB
0067	01	084
		SHEET NO.
		33

SPECIAL NOTES & DETAILS

LEGEND		
--- APPARENT ROW	☼ LIGHT POLE	SL LONGITUDINAL SLOPES MAY NOT EXCEED 5.0%, CROSS SLOPES MAY NOT EXCEED 1.5%
--- TCL	□ MAIL BOX	→ TRAFFIC FLOW
~~~ DRAINAGE FLOW ARROW	○ MANHOLE	☑ TRAFFIC SIGNAL BOX
-X- FENCE	● PEDESTAL SIGNAL POLE	☑ TRAFFIC SIGNAL CONTROLLER
F FLARE	● POWER/UTILITY POLE	⊗ TRAFFIC SIGNAL POLE
⊕ FIRE HYDRANT	R RAMP	○ TREE/BUSHES
⊕ GAS METER/VALVE	RR RIPRAP (CONC)	⊕ WATER METER/VALVE
▣ GROUND BOX	- SIGN	⊕ GUTTER LINE PROJECTION
L LANDING	☑ SODDING	▣ GRATE INLET
LS LEVEL SIDEWALK (1.5% MAX)	T TRANSITION	● PROPOSED PEDESTAL POLE
← GUY WIRE	□ MISCELLANEOUS STRUC	- PROPOSED CONDUIT
--- GUARD FENCE/RAIL	○ IRRIGATION CONTROLS	- EXISTING CONDUIT
--- PROPOSED CONDUIT (BORE)	○ UTILITY WITNESS	▣ STAMPED CONCRETE



FILENAME: p:\kh-pw-bentley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\Design\Draw4 - Design\Plan Set\3. Roadway\US 87\AMA_CNY_RDW_08.dgn  
 PLOTTED: 9/8/2023 9:34:26 AM



ITEM	DESCRIPTION	UNIT	QTY
0160 6003	FURNISHING AND PLACING TOPSOIL (4")	SY	62
0162 6002	BLOCK SODDING	SY	62
0168 6001	VEGETATIVE WATERING	MG	1
0531 6001	CONC SIDEWALKS (4")	SY	42
0531 6018	CURB RAMPS (TY 1)	SY	20



MATCH LINE  
 SEE SHEET 35

- NOTES:
- * FOR CONTRACTOR INFORMATION ONLY
  - 1. THE EXISTENCE AND LOCATION OF ALL UTILITIES AND DRAINAGE STRUCTURES INDICATED IN THE PLANS ARE TAKEN FROM THE BEST RECORDS AVAILABLE AND ARE NOT GUARANTEED TO BE ACCURATE. CONTRACTOR SHALL COORDINATE WITH ALL UTILITY COMPANIES TO FIELD VERIFY UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
  - 2. UNLESS OTHERWISE SHOWN, PROPOSED SIGNAL CONDUCTOR SHALL RUN TO CONTROLLER IN EXISTING SIGNAL CONDUIT.
  - 3. AREAS OF SODDING AND TOPSOIL ARE CALCULATED AT 3' WIDE STRIPS USUAL.

  
 9/8/2023  






**CURB RAMP PROGRAM**

**US 87 AT 17TH AVE**

**CANYON, TEXAS**

SHEET 8 OF 39


FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.	SHEET NO.
6	SEE TITLE SHEET	US 87	34
STATE	DIST.	COUNTY	
TEXAS	AMA	RANDALL	
CONT.	SECT.	JOB	
0067	01	084	

**SPECIAL NOTES & DETAILS**

LEGEND	
--- APPARENT ROW	☆ LIGHT POLE
— TCL	□ MAIL BOX
~> DRAINAGE FLOW ARROW	○ MANHOLE
- X - FENCE	● PEDESTAL SIGNAL POLE
F FLARE	● POWER/UTILITY POLE
⊕ FIRE HYDRANT	R RAMP
⊗ GAS METER/VALVE	RR RIPRAP (CONC)
▣ GROUND BOX	— SIGN
L LANDING	☒ SODDING
LS LEVEL SIDEWALK (1.5% MAX)	T TRANSITION
← GUY WIRE	□ MISCELLANEOUS STRUC
— GUARD FENCE/RAIL	○ IRRIGATION CONTROLS
— PROPOSED CONDUIT (BORE)	○ UTILITY WITNESS
	SL LONGITUDINAL SLOPES MAY NOT EXCEED 5.0%, CROSS SLOPES MAY NOT EXCEED 1.5%
	→ TRAFFIC FLOW
	☒ TRAFFIC SIGNAL BOX
	☒ TRAFFIC SIGNAL CONTROLLER
	⊗ TRAFFIC SIGNAL POLE
	○ TREE/BUSHES
	⊗ WATER METER/VALVE
	⊕ GUTTER LINE PROJECTION
	▣ GRATE INLET
	● PROPOSED PEDESTAL POLE
	— PROPOSED CONDUIT
	— EXISTING CONDUIT
	▣ STAMPED CONCRETE


ITEM	DESCRIPTION	UNIT	QTY
0160 6003	FURNISHING AND PLACING TOPSOIL (4")	SY	187
0162 6002	BLOCK SODDING	SY	187
0168 6001	VEGETATIVE WATERING	MG	3
0531 6001	CONC SIDEWALKS (4")	SY	160

FILENAME: p:\kh-pw\ben\kimley-horn\p\01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\DesignData\4 - Design\Plan Set\3. Roadway\US 87\AMA_CNY_RDW_09.dgn  
 PLOTTED: 9/8/2023 9:34:37 AM



MATCH LINE  
SEE SHEET 34

MATCH LINE  
SEE SHEET 36



- NOTES:
- * FOR CONTRACTOR INFORMATION ONLY
  - 1. THE EXISTENCE AND LOCATION OF ALL UTILITIES AND DRAINAGE STRUCTURES INDICATED IN THE PLANS ARE TAKEN FROM THE BEST RECORDS AVAILABLE AND ARE NOT GUARANTEED TO BE ACCURATE. CONTRACTOR SHALL COORDINATE WITH ALL UTILITY COMPANIES TO FIELD VERIFY UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
  - 2. UNLESS OTHERWISE SHOWN, PROPOSED SIGNAL CONDUCTOR SHALL RUN TO CONTROLLER IN EXISTING SIGNAL CONDUIT.
  - 3. AREAS OF SODDING AND TOPSOIL ARE CALCULATED AT 3' WIDE STRIPS USUAL.

  
 9/8/2023  






**CURB RAMP PROGRAM**  
  
**US 87  
BETWEEN 17TH AVE  
AND 14TH AVE**  
  
**CANYON, TEXAS**

SPECIAL NOTES & DETAILS



LEGEND			
— — — — —	APPARENT ROW	☆	LIGHT POLE
— — — — —	TCL	□	MAIL BOX
~ ~ ~ ~ ~	DRAINAGE FLOW ARROW	○	MANHOLE
- x - - -	FENCE	⊙	PEDESTAL SIGNAL POLE
F	FLARE	●	POWER/UTILITY POLE
⊕	FIRE HYDRANT	R	RAMP
⊗	GAS METER/VALVE	RR	RIPRAP (CONC)
▣	GROUND BOX	-	SIGN
L	LANDING	☐	SODDING
LS	LEVEL SIDEWALK (1.5% MAX)	T	TRANSITION
—	GUY WIRE	□	MISCELLANEOUS STRUC
—	GUARD FENCE/RAIL	○	IRRIGATION CONTROLS
—	PROPOSED CONDUIT (BORE)	○	UTILITY WITNESS
		⊕	PROPOSED PEDESTAL POLE
		—	PROPOSED CONDUIT
		- - -	EXISTING CONDUIT
		▣	STAMPED CONCRETE
		⊕	TRAFFIC SIGNAL BOX
		⊕	TRAFFIC SIGNAL CONTROLLER
		⊕	TRAFFIC SIGNAL POLE
		○	TREE/BUSHES
		⊕	WATER METER/VALVE
		⊕	GUTTER LINE PROJECTION
		⊕	GRATE INLET
		⊕	SL LONGITUDINAL SLOPES MAY NOT EXCEED 5.0%, CROSS SLOPES MAY NOT EXCEED 1.5%
		→	TRAFFIC FLOW

SHEET 9 OF 39

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.
6	SEE TITLE SHEET	US 87
STATE	DIST.	COUNTY
TEXAS	AMA	RANDALL
CONT.	SECT.	JOB
0067	01	084
		SHEET NO.
		35

FILENAME: pw:\kh-pw-bentley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\DesignData\4 - Design\Plan Set\3. Roadway\US 87\AMA_CNY_RDW_10.dgn  
 PLOTTED: 9/8/2023 9:34:50 AM

ITEM	DESCRIPTION	UNIT	QTY
0160 6003	FURNISHING AND PLACING TOPSOIL (4")	SY	164
0162 6002	BLOCK SODDING	SY	164
0168 6001	VEGETATIVE WATERING	MG	3
0400 6008	CUT & RESTORE ASPH PAVING	SY	5
0530 6004	DRIVEWAYS (CONC)	SY	33
0531 6001	CONC SIDEWALKS (4")	SY	142



- NOTES:
- * FOR CONTRACTOR INFORMATION ONLY
  - 1. THE EXISTENCE AND LOCATION OF ALL UTILITIES AND DRAINAGE STRUCTURES INDICATED IN THE PLANS ARE TAKEN FROM THE BEST RECORDS AVAILABLE AND ARE NOT GUARANTEED TO BE ACCURATE. CONTRACTOR SHALL COORDINATE WITH ALL UTILITY COMPANIES TO FIELD VERIFY UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
  - 2. UNLESS OTHERWISE SHOWN, PROPOSED SIGNAL CONDUCTOR SHALL RUN TO CONTROLLER IN EXISTING SIGNAL CONDUIT.
  - 3. AREAS OF SODDING AND TOPSOIL ARE CALCULATED AT 3' WIDE STRIPS USUAL.

  
 9/8/2023  


**Kimley»Horn** F-928

**Texas Department of Transportation**

**CURB RAMP PROGRAM**

**US 87  
BETWEEN 17TH AVE  
AND 14TH AVE**

SHEET 10 OF 39

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.
6	SEE TITLE SHEET	US 87
STATE	DIST.	COUNTY
TEXAS	AMA	RANDALL
CONT.	SECT.	JOB
0067	01	084

SHEET NO. 36


**SPECIAL NOTES & DETAILS**

LEGEND		
--- APPARENT ROW	☆ LIGHT POLE	SL LONGITUDINAL SLOPES MAY NOT EXCEED 5.0%, CROSS SLOPES MAY NOT EXCEED 1.5%
--- TCL	□ MAIL BOX	→ TRAFFIC FLOW
~ DRAINAGE FLOW ARROW	○ MANHOLE	☐ TRAFFIC SIGNAL BOX
-X- FENCE	● PEDESTAL SIGNAL POLE	☑ TRAFFIC SIGNAL CONTROLLER
F FLARE	● POWER/UTILITY POLE	⊗ TRAFFIC SIGNAL POLE
⊕ FIRE HYDRANT	R RAMP	○ TREE/BUSHES
⊗ GAS METER/VALVE	RR RIPRAP (CONC)	⊕ WATER METER/VALVE
▣ GROUND BOX	- SIGN	⊕ GUTTER LINE PROJECTION
L LANDING	☐ SODDING	⊕ GRATE INLET
LS LEVEL SIDEWALK (1.5% MAX)	T TRANSITION	⊕ PROPOSED PEDESTAL POLE
← GUY WIRE	□ MISCELLANEOUS STRUC	- PROPOSED CONDUIT
— GUARD FENCE/RAIL	○ IRRIGATION CONTROLS	- EXISTING CONDUIT
— PROPOSED CONDUIT (BORE)	○ UTILITY WITNESS	▣ STAMPED CONCRETE

FILENAME: p:\kh-pw-bentley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\DesignData\4 - Design\Plan Set\3. Roadway\US 87\AMA_CNY_RDW_11.dgn  
 PLOTTED: 9/8/2023 9:35:03 AM

ITEM	DESCRIPTION	UNIT	QTY
0160 6003	FURNISHING AND PLACING TOPSOIL (4")	SY	162
0162 6002	BLOCK SODDING	SY	162
0168 6001	VEGETATIVE WATERING	MG	3
0400 6008	CUT & RESTORE ASPH PAVING	SY	7
0530 6004	DRIVEWAYS (CONC)	SY	32
0531 6001	CONC SIDEWALKS (4")	SY	146

MATCH LINE  
SEE SHEET 36



MATCH LINE  
SEE SHEET 38

NOTES:

- * FOR CONTRACTOR INFORMATION ONLY
- 1. THE EXISTENCE AND LOCATION OF ALL UTILITIES AND DRAINAGE STRUCTURES INDICATED IN THE PLANS ARE TAKEN FROM THE BEST RECORDS AVAILABLE AND ARE NOT GUARANTEED TO BE ACCURATE. CONTRACTOR SHALL COORDINATE WITH ALL UTILITY COMPANIES TO FIELD VERIFY UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
- 2. UNLESS OTHERWISE SHOWN, PROPOSED SIGNAL CONDUCTOR SHALL RUN TO CONTROLLER IN EXISTING SIGNAL CONDUIT.
- 3. AREAS OF SODDING AND TOPSOIL ARE CALCULATED AT 3' WIDE STRIPS USUAL.

*Samuel J. Lundquist*

9/8/2023



**Kimley»Horn** F-928

Texas Department of Transportation

CURB RAMP PROGRAM

**US 87  
BETWEEN 17TH AVE  
AND 14TH AVE**

CANYON, TEXAS

SHEET 11 OF 39



FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.	SHEET NO.
6	SEE TITLE SHEET	US 87	
STATE	DIST.	COUNTY	
TEXAS	AMA	RANDALL	37
CONT.	SECT.	JOB	
0067	01	084	

SPECIAL NOTES & DETAILS

LEGEND		
--- APPARENT ROW	☆ LIGHT POLE	SL LONGITUDINAL SLOPES MAY NOT EXCEED 5.0%, CROSS SLOPES MAY NOT EXCEED 1.5%
— TCL	□ MAIL BOX	→ TRAFFIC FLOW
~ DRAINAGE FLOW ARROW	○ MANHOLE	☐ TRAFFIC SIGNAL BOX
-X- FENCE	● PEDESTAL SIGNAL POLE	☒ TRAFFIC SIGNAL CONTROLLER
F FLARE	● POWER/UTILITY POLE	⊗ TRAFFIC SIGNAL POLE
◇ FIRE HYDRANT	R RAMP	○ TREE/BUSHES
⊗ GAS METER/VALVE	RR RIPRAP (CONC)	⊗ WATER METER/VALVE
■ GROUND BOX	- SIGN	⊕ GUTTER LINE PROJECTION
L LANDING	☐ SODDING	▣ GRATE INLET
LSLEVEL SIDEWALK (1.5% MAX)	T TRANSITION	▣ PROPOSED PEDESTAL POLE
← GUY WIRE	□ MISCELLANEOUS STRUC	- - - PROPOSED CONDUIT
— GUARD FENCE/RAIL	○ IRRIGATION CONTROLS	- - - EXISTING CONDUIT
▬ PROPOSED CONDUIT (BORE)	○ UTILITY WITNESS	▨ STAMPED CONCRETE

FILENAME: pw:\kh-pw-bentley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\Design\Draw4 - Design\Plan Set\3. Roadway\US 87\AMA_CNY_RDW_12.dgn  
 PLOTTED: 9/8/2023 9:35:16 AM

ITEM	DESCRIPTION	UNIT	QTY
0104 6017	REMOVING CONC (DRIVEWAYS)	SY	45
0105 6043	REMOVING STAB BASE & ASPH PAV (0-6")	SY	16
0160 6003	FURNISHING AND PLACING TOPSOIL (4")	SY	95
0162 6002	BLOCK SODDING	SY	95
0168 6001	VEGETATIVE WATERING	MG	2
0400 6008	CUT & RESTORE ASPH PAVING	SY	13
0528 6001	COLORLED TEXTURED CONC (4")	SY	11
0530 6004	DRIVEWAYS (CONC)	SY	60
0531 6001	CONC SIDEWALKS (4")	SY	145



MATCH LINE  
 SEE SHEET 37  
 MATCH LINE  
 SEE SHEET 39

- NOTES:
- * FOR CONTRACTOR INFORMATION ONLY
  - 1. THE EXISTENCE AND LOCATION OF ALL UTILITIES AND DRAINAGE STRUCTURES INDICATED IN THE PLANS ARE TAKEN FROM THE BEST RECORDS AVAILABLE AND ARE NOT GUARANTEED TO BE ACCURATE. CONTRACTOR SHALL COORDINATE WITH ALL UTILITY COMPANIES TO FIELD VERIFY UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
  - 2. UNLESS OTHERWISE SHOWN, PROPOSED SIGNAL CONDUCTOR SHALL RUN TO CONTROLLER IN EXISTING SIGNAL CONDUIT.
  - 3. AREAS OF SODDING AND TOPSOIL ARE CALCULATED AT 3' WIDE STRIPS USUAL.

  
 9/8/2023  






**CURB RAMP PROGRAM**  
  
**US 87  
 BETWEEN 17TH AVE  
 AND 14TH AVE**  
  
**CANYON, TEXAS**


SHEET 12 OF 39

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.
6	SEE TITLE SHEET	US 87
STATE	DIST.	COUNTY
TEXAS	AMA	RANDALL
CONT.	SECT.	JOB
0067	01	084


SPECIAL NOTES & DETAILS

LEGEND		
--- APPARENT ROW	☆ LIGHT POLE	SL LONGITUDINAL SLOPES MAY NOT EXCEED 5.0%, CROSS SLOPES MAY NOT EXCEED 1.5%
--- TCL	□ MAIL BOX	→ TRAFFIC FLOW
~~~ DRAINAGE FLOW ARROW	○ MANHOLE	SB TRAFFIC SIGNAL BOX
-X- FENCE	● PEDESTAL SIGNAL POLE	SC TRAFFIC SIGNAL CONTROLLER
F FLARE	● POWER/UTILITY POLE	⊗ TRAFFIC SIGNAL POLE
⊕ FIRE HYDRANT	R RAMP	○ TREE/BUSHES
⊗ GAS METER/VALVE	RR RIPRAP (CONC)	⊕ WATER METER/VALVE
■ GROUND BOX	- SIGN	⊕ GUTTER LINE PROJECTION
L LANDING	☐ SODDING	▣ GRATE INLET
LSLEVEL SIDEWALK (1.5% MAX)	T TRANSITION	▣ PROPOSED PEDESTAL POLE
← GUY WIRE	□ MISCELLANEOUS STRUC	- - - PROPOSED CONDUIT
--- GUARD FENCE/RAIL	○ IRRIGATION CONTROLS	- - - EXISTING CONDUIT
--- PROPOSED CONDUIT (BORE)	○ UTILITY WITNESS	▣ STAMPED CONCRETE

FILENAME: pw\k\k-pw-bentley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\Design\Plan Set\3. Roadway\US 87\AMA_CNY_RDW_14.dgn
 PLOTTED: 9/8/2023 9:35:42 AM



ITEM	DESCRIPTION	UNIT	QTY
0104 6017	REMOVING CONC (DRIVEWAYS)	SY	36
0105 6043	REMOVING STAB BASE & ASPH PAV (0-6")	SY	230
0400 6008	CUT & RESTORE ASPH PAVING	SY	64
0528 6001	COLORED TEXTURED CONC (4")	SY	60
0529 6002	CONC CURB (TY II)	LF	181
0530 6004	DRIVEWAYS (CONC)	SY	285
0531 6001	CONC SIDEWALKS (4")	SY	186
0690 6007	REPLACE OF GROUND BOXES	EA	1



- NOTES:
- * FOR CONTRACTOR INFORMATION ONLY
 - 1. THE EXISTENCE AND LOCATION OF ALL UTILITIES AND DRAINAGE STRUCTURES INDICATED IN THE PLANS ARE TAKEN FROM THE BEST RECORDS AVAILABLE AND ARE NOT GUARANTEED TO BE ACCURATE. CONTRACTOR SHALL COORDINATE WITH ALL UTILITY COMPANIES TO FIELD VERIFY UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
 - 2. UNLESS OTHERWISE SHOWN, PROPOSED SIGNAL CONDUCTOR SHALL RUN TO CONTROLLER IN EXISTING SIGNAL CONDUIT.
 - 3. AREAS OF SODDING AND TOPSOIL ARE CALCULATED AT 3' WIDE STRIPS USUAL.


 9/8/2023


Kimley»Horn F-928

Texas Department of Transportation

CURB RAMP PROGRAM

**US 87
BETWEEN 13TH AVE
AND 12TH AVE**

CANYON, TEXAS


SHEET 14 OF 39

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.	SHEET NO.
6	SEE TITLE SHEET	US 87	
STATE	DIST.	COUNTY	40
TEXAS	AMA	RANDALL	
CONT.	SECT.	JOB	
0067	01	084	


SPECIAL NOTES & DETAILS

LEGEND	
--- APPARENT ROW	☆ LIGHT POLE
— TCL	□ MAIL BOX
~ DRAINAGE FLOW ARROW	○ MANHOLE
- X - FENCE	● PEDESTAL SIGNAL POLE
F FLARE	● POWER/UTILITY POLE
⊕ FIRE HYDRANT	R RAMP
⊗ GAS METER/VALVE	RR RIPRAP (CONC)
▣ GROUND BOX	— SIGN
L LANDING	☒ SODDING
LS LEVEL SIDEWALK (1.5% MAX)	T TRANSITION
← GUY WIRE	□ MISCELLANEOUS STRUC
— GUARD FENCE/RAIL	○ IRRIGATION CONTROLS
— PROPOSED CONDUIT (BORE)	○ UTILITY WITNESS
	SL LONGITUDINAL SLOPES MAY NOT EXCEED 5.0%, CROSS SLOPES MAY NOT EXCEED 1.5%
	→ TRAFFIC FLOW
	☒ TRAFFIC SIGNAL BOX
	☒ TRAFFIC SIGNAL CONTROLLER
	⊗ TRAFFIC SIGNAL POLE
	○ TREE/BUSHES
	⊗ WATER METER/VALVE
	⊕ GUTTER LINE PROJECTION
	▣ GRATE INLET
	● PROPOSED PEDESTAL POLE
	— PROPOSED CONDUIT
	— EXISTING CONDUIT
	▣ STAMPED CONCRETE

FILENAME: pw:\kh-pw-bentley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\Design\Draw4 - Design\Plan Set\3. Roadway\US 87\AMA_CNY_RDW_15.dgn
 PLOTTED: 9/8/2023 9:35:56 AM



ITEM	DESCRIPTION	UNIT	QTY
0104 6017	REMOVING CONC (DRIVEWAYS)	SY	111
0104 6029	REMOVING CONC (CURB OR CURB & GUTTER)	LF	4
0104 6036	REMOVING CONC (SIDEWALK OR RAMP)	SY	21
0160 6003	FURNISHING AND PLACING TOPSOIL (4")	SY	134
0162 6002	BLOCK SODDING	SY	134
0168 6001	VEGETATIVE WATERING	MG	2
0400 6008	CUT & RESTORE ASPH PAVING	SY	34
0528 6001	COLORLED TEXTURED CONC (4")	SY	60
0528 6006	REMOVE AND RELAY PAVERS	SY	48
0529 6002	CONC CURB (TY I)	LF	17
0529 6008	CONC CURB & GUTTER (TY II)	LF	7
0530 6004	DRIVEWAYS (CONC)	SY	111
0531 6001	CONC SIDEWALKS (4")	SY	216
0531 6018	CURB RAMPS (TY 1)	SY	12
0531 6019	CURB RAMPS (TY 2)	SY	16
0531 6024	CURB RAMPS (TY 7)	SY	29
0690 6007	REPLACE OF GROUND BOXES	EA	1



- NOTES:
- * FOR CONTRACTOR INFORMATION ONLY
 - 1. THE EXISTENCE AND LOCATION OF ALL UTILITIES AND DRAINAGE STRUCTURES INDICATED IN THE PLANS ARE TAKEN FROM THE BEST RECORDS AVAILABLE AND ARE NOT GUARANTEED TO BE ACCURATE. CONTRACTOR SHALL COORDINATE WITH ALL UTILITY COMPANIES TO FIELD VERIFY UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
 - 2. UNLESS OTHERWISE SHOWN, PROPOSED SIGNAL CONDUCTOR SHALL RUN TO CONTROLLER IN EXISTING SIGNAL CONDUIT.
 - 3. AREAS OF SODDING AND TOPSOIL ARE CALCULATED AT 3' WIDE STRIPS USUAL. CONTRACTOR TO MAINTAIN CAUTION WHEN REMOVING AND RELAYING PAVERS. ANY DAMAGED PAVERS SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR.


 9/8/2023


Kimley»Horn F-928

Texas Department of Transportation


CURB RAMP PROGRAM

US 87 AT 12TH AVE

CANYON, TEXAS

SHEET 15 OF 39

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.
6	SEE TITLE SHEET	US 87
STATE	DIST.	COUNTY
TEXAS	AMA	RANDALL
CONT.	SECT.	JOB
0067	01	084




LEGEND

<ul style="list-style-type: none"> --- APPARENT ROW --- TCL ~> DRAINAGE FLOW ARROW -X- FENCE F FLARE ⊕ FIRE HYDRANT ⊗ GAS METER/VALVE ▣ GROUND BOX L LANDING LS LEVEL SIDEWALK (1.5% MAX) ← GUY WIRE — GUARD FENCE/RAIL — PROPOSED CONDUIT (BORE) 	<ul style="list-style-type: none"> ⊙ LIGHT POLE □ MAIL BOX ○ MANHOLE ⊙ PEDESTAL SIGNAL POLE ● POWER/UTILITY POLE R RAMP RR RIPRAP (CONC) ⊙ SIGN ⊙ SODDING T TRANSITION □ MISCELLANEOUS STRUC ○ IRRIGATION CONTROLS ○ UTILITY WITNESS 	<ul style="list-style-type: none"> SL LONGITUDINAL SLOPES MAY NOT EXCEED 5.0%, CROSS SLOPES MAY NOT EXCEED 1.5% → TRAFFIC FLOW ⊙ TRAFFIC SIGNAL BOX ⊙ TRAFFIC SIGNAL CONTROLLER ⊙ TRAFFIC SIGNAL POLE ○ TREE/BUSHES ⊙ WATER METER/VALVE ⊙ GUTTER LINE PROJECTION ⊙ GRATE INLET ⊙ PROPOSED PEDESTAL POLE --- PROPOSED CONDUIT --- EXISTING CONDUIT ⊙ STAMPED CONCRETE
---	---	---

REEVES HINGER ELEMENTARY SCHOOL

ITEM	DESCRIPTION	UNIT	QTY
0104 6017	REMOVING CONC (DRIVEWAYS)	SY	70
0160 6003	FURNISHING AND PLACING TOPSOIL (4")	SY	161
0162 6002	BLOCK SODDING	SY	161
0168 6001	VEGETATIVE WATERING	MG	3
0400 6008	CUT & RESTORE ASPH PAVING	SY	11
0528 6001	COLORLED TEXTURED CONC (4")	SY	60
0528 6006	REMOVE AND RELAY PAVERS	SY	74
0530 6004	DRIVEWAYS (CONC)	SY	74
0531 6001	CONC SIDEWALKS (4")	SY	258
0531 6024	CURB RAMP (TY 7)	SY	19




NOTES:

- * FOR CONTRACTOR INFORMATION ONLY
- 1. THE EXISTENCE AND LOCATION OF ALL UTILITIES AND DRAINAGE STRUCTURES INDICATED IN THE PLANS ARE TAKEN FROM THE BEST RECORDS AVAILABLE AND ARE NOT GUARANTEED TO BE ACCURATE. CONTRACTOR SHALL COORDINATE WITH ALL UTILITY COMPANIES TO FIELD VERIFY UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
- 2. UNLESS OTHERWISE SHOWN, PROPOSED SIGNAL CONDUCTOR SHALL RUN TO CONTROLLER IN EXISTING SIGNAL CONDUIT.
- 3. AREAS OF SODDING AND TOPSOIL ARE CALCULATED AT 3' WIDE STRIPS USUAL.
- 4. CONTRACTOR TO MAINTAIN CAUTION WHEN REMOVING AND RELAYING PAVERS. ANY DAMAGED PAVERS SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR.


FILENAME: pw\kh-pw_bentley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\Design\Drawn\3. Roadway\US 87\AMA_CNY_RDW_16.dgn
 PLOTTED: 9/8/2023 9:36:10 AM

MATCH LINE SEE SHEET 41

MATCH LINE SEE SHEET 43



SPECIAL NOTES & DETAILS



LEGEND	
--- APPARENT ROW	☆ LIGHT POLE
— TCL	□ MAIL BOX
~ DRAINAGE FLOW ARROW	○ MANHOLE
-X- FENCE	● PEDESTAL SIGNAL POLE
F FLARE	● POWER/UTILITY POLE
⊙ FIRE HYDRANT	R RAMP
⊙ GAS METER/VALVE	RR RIPRAP (CONC)
▣ GROUND BOX	— SIGN
L LANDING	☒ SODDING
LS LEVEL SIDEWALK (1.5% MAX)	T TRANSITION
— GUY WIRE	□ MISCELLANEOUS STRUC
— GUARD FENCE/RAIL	○ IRRIGATION CONTROLS
— PROPOSED CONDUIT (BORE)	○ UTILITY WITNESS
	SL LONGITUDINAL SLOPES MAY NOT EXCEED 5.0%, CROSS SLOPES MAY NOT EXCEED 1.5%
	→ TRAFFIC FLOW
	☒ TRAFFIC SIGNAL BOX
	☒ TRAFFIC SIGNAL CONTROLLER
	⊙ TRAFFIC SIGNAL POLE
	○ TREE/BUSHES
	⊙ WATER METER/VALVE
	⊙ GUTTER LINE PROJECTION
	▣ GRATE INLET
	● PROPOSED PEDESTAL POLE
	— PROPOSED CONDUIT
	— EXISTING CONDUIT
	▣ STAMPED CONCRETE

Signature: *Al J. L...*
 9/8/2023

Kimley»Horn F-928

Texas Department of Transportation

CURB RAMP PROGRAM

US 87 BETWEEN 12TH AVE AND 10TH AVE


CANYON, TEXAS

SHEET 16 OF 39

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.
6	SEE TITLE SHEET	US 87
STATE	DIST.	COUNTY
TEXAS	AMA	RANDALL
CONT.	SECT.	JOB
0067	01	084

REEVES HINGER ELEMENTARY SCHOOL

ITEM	DESCRIPTION	UNIT	QTY
0104 6017	REMOVING CONC (DRIVEWAYS)	SY	99
0104 6029	REMOVING CONC (CURB OR CURB & GUTTER)	LF	9
0160 6003	FURNISHING AND PLACING TOPSOIL (4")	SY	107
0162 6002	BLOCK SODDING	SY	107
0168 6001	VEGETATIVE WATERING	MG	2
0400 6008	CUT & RESTORE ASPH PAVING	SY	14
0528 6001	COLORLED TEXTURED CONC (4")	SY	44
0528 6006	REMOVE AND RELAY PAVERS	SY	49
0529 6008	CONC CURB & GUTTER (TY II)	LF	9
0530 6004	DRIVEWAYS (CONC)	SY	106
0531 6001	CONC SIDEWALKS (4")	SY	210
0690 6007	REPLACE OF GROUND BOXES	EA	1



NOTES:

- * FOR CONTRACTOR INFORMATION ONLY
- 1. THE EXISTENCE AND LOCATION OF ALL UTILITIES AND DRAINAGE STRUCTURES INDICATED IN THE PLANS ARE TAKEN FROM THE BEST RECORDS AVAILABLE AND ARE NOT GUARANTEED TO BE ACCURATE. CONTRACTOR SHALL COORDINATE WITH ALL UTILITY COMPANIES TO FIELD VERIFY UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
- 2. UNLESS OTHERWISE SHOWN, PROPOSED SIGNAL CONDUCTOR SHALL RUN TO CONTROLLER IN EXISTING SIGNAL CONDUIT.
- 3. AREAS OF SODDING AND TOPSOIL ARE CALCULATED AT 3' WIDE STRIPS USUAL.
- 4. CONTRACTOR TO MAINTAIN CAUTION WHEN REMOVING AND RELAYING PAVERS. ANY DAMAGED PAVERS SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR.

MATCH LINE
SEE SHEET 42

MATCH LINE
SEE SHEET 44

Al J. Ljung

9/8/2023



Kimley»Horn F-928

Texas Department of Transportation

CURB RAMP PROGRAM


US 87
BETWEEN 12TH AVE
AND 10TH AVE

CANYON, TEXAS

SHEET 17 OF 39

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.
6	SEE TITLE SHEET	US 87
STATE	DIST.	COUNTY
TEXAS	AMA	RANDALL
CONT.	SECT.	JOB
0067	01	084

SPECIAL NOTES & DETAILS




PAVERS DETAIL

LEGEND


- APPARENT ROW
- TCL
- DRAINAGE FLOW ARROW
- X- FENCE
- F FLARE
- ⊕ FIRE HYDRANT
- ⊗ GAS METER/VALVE
- ▣ GROUND BOX
- L LANDING
- LS LEVEL SIDEWALK (1.5% MAX)
- ← GUY WIRE
- GUARD FENCE/RAIL
- PROPOSED CONDUIT (BORE)
- ⊙ LIGHT POLE
- MAIL BOX
- MANHOLE
- ⊙ PEDESTAL SIGNAL POLE
- POWER/UTILITY POLE
- R RAMP
- RR RIPRAP (CONC)
- ⊙ SIGN
- ⊙ SODDING
- T TRANSITION
- MISCELLANEOUS STRUC
- IRRIGATION CONTROLS
- UTILITY WITNESS
- SL LONGITUDINAL SLOPES MAY NOT EXCEED 5.0%, CROSS SLOPES MAY NOT EXCEED 1.5%
- TRAFFIC FLOW
- ⊙ TRAFFIC SIGNAL BOX
- ⊙ TRAFFIC SIGNAL CONTROLLER
- ⊙ TRAFFIC SIGNAL POLE
- TREE/BUSHES
- ⊙ WATER METER/VALVE
- ⊙ GUTTER LINE PROJECTION
- ⊙ GRATE INLET
- ⊙ PROPOSED PEDESTAL POLE
- PROPOSED CONDUIT
- EXISTING CONDUIT
- ⊙ STAMPED CONCRETE

FILENAME: \\kn-pw-bentley.com\kn-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\Design\Draw4 - Design\Plan Set\3. Roadway\US 87\AMA_CNY_RDW_17.dgn
PLOTTED: 9/8/2023 9:36:23 AM

FILENAME: pw\kh-pw-bentley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\Design\Draw4 - Design\Plan Set\3. Roadway\US 87\AMA_CNY_RDW_18.dgn
 PLOTTED: 9/8/2023 9:36:36 AM



ITEM	DESCRIPTION	UNIT	QTY
0104 6036	REMOVING CONC (SIDEWALK OR RAMP)	SY	43
0160 6003	FURNISHING AND PLACING TOPSOIL (4")	SY	60
0162 6002	BLOCK SODDING	SY	60
0168 6001	VEGETATIVE WATERING	MG	1
0400 6008	CUT & RESTORE ASPH PAVING	SY	45
0528 6001	COLORLED TEXTURED CONC (4")	SY	135
0528 6006	REMOVE AND RELAY PAVERS	SY	20
0529 6002	CONC CURB (TY II)	LF	193
0531 6001	CONC SIDEWALKS (4")	SY	249
0531 6018	CURB RAMPS (TY 1)	SY	29
0531 6023	CURB RAMPS (TY 6)	SY	60
0531 6024	CURB RAMPS (TY 7)	SY	30
0666 6048	REFL PAV MRK TY I (W)24" (SLD) (100MIL)	LF	477
0666 6230	PAVEMENT SEALER 24"	LF	477
0677 6005	ELIM EXT PAV MRK & MRKS (12")	LF	392
0677 6007	ELIM EXT PAV MRK & MRKS (24")	LF	111
0680 6011	INSTALL HWY TRF SIG (UPGRADE)	EA	1
0682 6018	PED SIG SEC (LED) (COUNTDOWN)	EA	8
0684 6028	TRF SIG CBL (TY A) (14 AWG) (2 CONDR)	LF	250
0684 6031	TRF SIG CBL (TY A) (14 AWG) (5 CONDR)	LF	250
0688 6001	PED DETECT PUSH BUTTON (APS)	EA	8
0688 6003	PED DETECTOR CONTROLLER UNIT	EA	1
0690 6007	REPLACE OF GROUND BOXES	EA	5
0690 6024	REMOVAL OF SIGNAL HEAD ASSM	EA	6
0690 6030	REMOVAL OF PEDESTRIAN PUSH BUTTONS	EA	6




- NOTES:
- * FOR CONTRACTOR INFORMATION ONLY
1. THE EXISTENCE AND LOCATION OF ALL UTILITIES AND DRAINAGE STRUCTURES INDICATED IN THE PLANS ARE TAKEN FROM THE BEST RECORDS AVAILABLE AND ARE NOT GUARANTEED TO BE ACCURATE. CONTRACTOR SHALL COORDINATE WITH ALL UTILITY COMPANIES TO FIELD VERIFY UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
 2. UNLESS OTHERWISE SHOWN, PROPOSED SIGNAL CONDUCTOR SHALL RUN TO CONTROLLER IN EXISTING SIGNAL CONDUIT.
 3. AREAS OF SODDING AND TOPSOIL ARE CALCULATED AT 3' WIDE STRIPS USUAL.
 4. CONTRACTOR TO MAINTAIN CAUTION WHEN REMOVING AND RELAYING PAVERS. ANY DAMAGED PAVERS SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR.

MATCH LINE SEE SHEET 43

MATCH LINE SEE SHEET 45

SPECIAL NOTES & DETAILS



PAVERS DETAIL

LEGEND	
--- APPARENT ROW	☆ LIGHT POLE
--- TCL	□ MAIL BOX
~> DRAINAGE FLOW ARROW	○ MANHOLE
-X- FENCE	● PEDESTAL SIGNAL POLE
F FLARE	● POWER/UTILITY POLE
⊕ FIRE HYDRANT	R RAMP
⊗ GAS METER/VALVE	RR RIPRAP (CONC)
■ GROUND BOX	△ SIGN
L LANDING	⊠ SODDING
LS LEVEL SIDEWALK (1.5% MAX)	T TRANSITION
← GUY WIRE	□ MISCELLANEOUS STRUC
--- GUARD FENCE/RAIL	○ IRRIGATION CONTROLS
--- PROPOSED CONDUIT (BORE)	○ UTILITY WITNESS
	SL LONGITUDINAL SLOPES MAY NOT EXCEED 5.0%, CROSS SLOPES MAY NOT EXCEED 1.5%
	→ TRAFFIC FLOW
	⊠ TRAFFIC SIGNAL BOX
	⊠ TRAFFIC SIGNAL CONTROLLER
	⊠ TRAFFIC SIGNAL POLE
	○ TREE/BUSHES
	⊗ WATER METER/VALVE
	⊕ GUTTER LINE PROJECTION
	⊠ GRATE INLET
	● PROPOSED PEDESTAL POLE
	- - - PROPOSED CONDUIT
	--- EXISTING CONDUIT
	⊠ STAMPED CONCRETE


 9/8/2023






CURB RAMP PROGRAM


US 87 AT 10TH AVE

CANYON, TEXAS

SHEET 18 OF 39

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.	SHEET NO.
6	SEE TITLE SHEET	US 87	44
STATE	DIST.	COUNTY	
TEXAS	AMA	RANDALL	
CONT.	SECT.	JOB	
0067	01	084	

FILENAME: pw:\kh-pw-bentley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\Design\Drawn\4 - Design\Plan Set\3. Roadway\US 87\AMA_CNY_RDW_19.dgn
 PLOTTED: 9/8/2023 9:36:51 AM




ITEM	DESCRIPTION	UNIT	QTY
0105 6043	REMOVING STAB BASE & ASPH PAV (0-6")	SY	40
0400 6008	CUT & RESTORE ASPH PAVING	SY	42
0528 6001	COLORED TEXTURED CONC (4")	SY	141
0529 6002	CONC CURB (TY II)	LF	331
0530 6004	DRIVEWAYS (CONC)	SY	44
0531 6001	CONC SIDEWALKS (4")	SY	221

ACE HARDWARE CANYON *

ITEM	DESCRIPTION	UNIT	QTY
0315 6004	FOG SEAL (CSS-1H)	GAL	53
0666 6207	REFL PAV MRK TY II (Y) 4" (SLD)	LF	173

**FAMILY MEDICINE CENTER/
ANYTIME FITNESS ***

ITEM	DESCRIPTION	UNIT	QTY
0315 6004	FOG SEAL (CSS-1H)	GAL	109
0666 6207	REFL PAV MRK TY II (Y) 4" (SLD)	LF	562
5057 6002	MOVE AND RESET PRECAST CONC WHEEL STOP	EA	27



NOTES:

- * QUANTITIES INDICATED ARE APPROXIMATE. CONTRACTOR SHALL COORDINATE WITH TXDOT AND PROPERTY OWNER TO DETERMINE FINAL RESTRIPING CONFIGURATION PRIOR TO WORK.
- 1. THE EXISTENCE AND LOCATION OF ALL UTILITIES AND DRAINAGE STRUCTURES INDICATED IN THE PLANS ARE TAKEN FROM THE BEST RECORDS AVAILABLE AND ARE NOT GUARANTEED TO BE ACCURATE. CONTRACTOR SHALL COORDINATE WITH ALL UTILITY COMPANIES TO FIELD VERIFY UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
- 2. UNLESS OTHERWISE SHOWN, PROPOSED SIGNAL CONDUCTOR SHALL RUN TO CONTROLLER IN EXISTING SIGNAL CONDUIT.
- 3. AREAS OF SODDING AND TOPSOIL ARE CALCULATED AT 3' WIDE STRIPS USUAL.


 9/8/2023


Kimley»Horn F-928

Texas Department of Transportation

CURB RAMP PROGRAM

**US 87
BETWEEN 10TH AVE
AND 9TH AVE**

CANYON, TEXAS


SHEET 19 OF 39

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.
6	SEE TITLE SHEET	US 87
STATE	DIST.	COUNTY
TEXAS	AMA	RANDALL
CONT.	SECT.	JOB
0067	01	084

SPECIAL NOTES & DETAILS

LEGEND		
--- APPARENT ROW	☆ LIGHT POLE	SL LONGITUDINAL SLOPES MAY NOT EXCEED 5.0%, CROSS SLOPES MAY NOT EXCEED 1.5%
--- TCL	□ MAIL BOX	→ TRAFFIC FLOW
~ DRAINAGE FLOW ARROW	○ MANHOLE	☐ TRAFFIC SIGNAL BOX
-X- FENCE	● PEDESTAL SIGNAL POLE	☑ TRAFFIC SIGNAL CONTROLLER
F FLARE	● POWER/UTILITY POLE	⊗ TRAFFIC SIGNAL POLE
⊕ FIRE HYDRANT	R RAMP	○ TREE/BUSHES
⊗ GAS METER/VALVE	RR RIPRAP (CONC)	⊕ WATER METER/VALVE
▣ GROUND BOX	- SIGN	⊕ GUTTER LINE PROJECTION
L LANDING	☑ SODDING	▣ GRATE INLET
LSLEVEL SIDEWALK (1.5% MAX)	T TRANSITION	● PROPOSED PEDESTAL POLE
← GUY WIRE	□ MISCELLANEOUS STRUC	- PROPOSED CONDUIT
--- GUARD FENCE/RAIL	○ IRRIGATION CONTROLS	- EXISTING CONDUIT
--- PROPOSED CONDUIT (BORE)	○ UTILITY WITNESS	▣ STAMPED CONCRETE

FILENAME: pw:\kh-pw-bentley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\Design\Plan Set\3. Roadway\US 87\AMA_CNY_RDW_20.dgn
 PLOTTED: 9/8/2023 9:37:04 AM



ITEM	DESCRIPTION	UNIT	QTY
0104 6017	REMOVING CONC (DRIVEWAYS)	SY	65
0104 6029	REMOVING CONC (CURB OR CURB & GUTTER)	LF	14
0104 6036	REMOVING CONC (SIDEWALK OR RAMP)	SY	37
0160 6003	FURNISHING AND PLACING TOPSOIL (4")	SY	70
0162 6002	BLOCK SODDING	SY	70
0168 6001	VEGETATIVE WATERING	MG	1
0400 6008	CUT & RESTORE ASPH PAVING	SY	33
0528 6001	COLORED TEXTURED CONC (4")	SY	68
0529 6002	CONC CURB (TY II)	LF	57
0529 6008	CONC CURB & GUTTER (TY II)	LF	22
0530 6004	DRIVEWAYS (CONC)	SY	70
0531 6001	CONC SIDEWALKS (4")	SY	132
0531 6024	CURB RAMPS (TY 7)	SY	55



- NOTES:
- * FOR CONTRACTOR INFORMATION ONLY
 - 1. THE EXISTENCE AND LOCATION OF ALL UTILITIES AND DRAINAGE STRUCTURES INDICATED IN THE PLANS ARE TAKEN FROM THE BEST RECORDS AVAILABLE AND ARE NOT GUARANTEED TO BE ACCURATE. CONTRACTOR SHALL COORDINATE WITH ALL UTILITY COMPANIES TO FIELD VERIFY UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
 - 2. UNLESS OTHERWISE SHOWN, PROPOSED SIGNAL CONDUCTOR SHALL RUN TO CONTROLLER IN EXISTING SIGNAL CONDUIT.
 - 3. AREAS OF SODDING AND TOPSOIL ARE CALCULATED AT 3' WIDE STRIPS USUAL.


 9/8/2023


Kimley»Horn F-928

Texas Department of Transportation

CURB RAMP PROGRAM

US 87 AT 9TH AVE

CANYON, TEXAS


SHEET 20 OF 39

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.
6	SEE TITLE SHEET	US 87
STATE	DIST.	COUNTY
TEXAS	AMA	RANDALL
CONT.	SECT.	JOB
0067	01	084


SPECIAL NOTES & DETAILS

LEGEND	
--- APPARENT ROW	☆ LIGHT POLE
--- TCL	□ MAIL BOX
~> DRAINAGE FLOW ARROW	○ MANHOLE
-X- FENCE	● PEDESTAL SIGNAL POLE
F FLARE	● POWER/UTILITY POLE
⊕ FIRE HYDRANT	R RAMP
⊗ GAS METER/VALVE	RR RIPRAP (CONC)
■ GROUND BOX	- SIGN
L LANDING	☒ SODDING
LS LEVEL SIDEWALK (1.5% MAX)	T TRANSITION
← GUY WIRE	□ MISCELLANEOUS STRUC
--- GUARD FENCE/RAIL	○ IRRIGATION CONTROLS
--- PROPOSED CONDUIT (BORE)	○ UTILITY WITNESS
	SL LONGITUDINAL SLOPES MAY NOT EXCEED 5.0%, CROSS SLOPES MAY NOT EXCEED 1.5%
	→ TRAFFIC FLOW
	☒ TRAFFIC SIGNAL BOX
	☒ TRAFFIC SIGNAL CONTROLLER
	⊗ TRAFFIC SIGNAL POLE
	○ TREE/BUSHES
	⊗ WATER METER/VALVE
	⊕ GUTTER LINE PROJECTION
	▣ GRATE INLET
	● PROPOSED PEDESTAL POLE
	- PROPOSED CONDUIT
	- EXISTING CONDUIT
	▣ STAMPED CONCRETE

FILENAME: pw:\kh-pw-bentley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\Design\Drawn\4 - Design\Plan Set\3. Roadway\US 87\AMA_CNY_RDW_21.dgn
 PLOTTED: 9/8/2023 9:37:18 AM



ITEM	DESCRIPTION	UNIT	QTY
0104 6017	REMOVING CONC (DRIVEWAYS)	SY	214
0104 6029	REMOVING CONC (CURB OR CURB & GUTTER)	LF	7
0105 6043	REMOVING STAB BASE & ASPH PAV (0-6")	SY	23
0160 6003	FURNISHING AND PLACING TOPSOIL (4")	SY	36
0162 6002	BLOCK SODDING	SY	36
0168 6001	VEGETATIVE WATERING	MG	1
0400 6008	CUT & RESTORE ASPH PAVING	SY	30
0528 6001	COLORLED TEXTURED CONC (4")	SY	11
0529 6008	CONC CURB & GUTTER (TY II)	LF	7
0530 6004	DRIVEWAYS (CONC)	SY	253
0531 6001	CONC SIDEWALKS (4")	SY	119



NOTES:

- * FOR CONTRACTOR INFORMATION ONLY
- 1. THE EXISTENCE AND LOCATION OF ALL UTILITIES AND DRAINAGE STRUCTURES INDICATED IN THE PLANS ARE TAKEN FROM THE BEST RECORDS AVAILABLE AND ARE NOT GUARANTEED TO BE ACCURATE. CONTRACTOR SHALL COORDINATE WITH ALL UTILITY COMPANIES TO FIELD VERIFY UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
- 2. UNLESS OTHERWISE SHOWN, PROPOSED SIGNAL CONDUCTOR SHALL RUN TO CONTROLLER IN EXISTING SIGNAL CONDUIT.
- 3. AREAS OF SODDING AND TOPSOIL ARE CALCULATED AT 3' WIDE STRIPS USUAL.

Samuel J. Lundquist

9/8/2023



Kimley»Horn F-928

Texas Department of Transportation

CURB RAMP PROGRAM

**US 87
BETWEEN 9TH AVE
AND 8TH AVE**

CANYON, TEXAS


SHEET 21 OF 39

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.
6	SEE TITLE SHEET	US 87
STATE	DIST.	COUNTY
TEXAS	AMA	RANDALL
CONT.	SECT.	JOB
0067	01	084


SPECIAL NOTES & DETAILS

LEGEND	
--- APPARENT ROW	☆ LIGHT POLE
--- TCL	□ MAIL BOX
~> DRAINAGE FLOW ARROW	○ MANHOLE
-X- FENCE	● PEDESTAL SIGNAL POLE
F FLARE	● POWER/UTILITY POLE
⊕ FIRE HYDRANT	R RAMP
⊗ GAS METER/VALVE	RR RIPRAP (CONC)
▣ GROUND BOX	- SIGN
L LANDING	☒ SODDING
LS LEVEL SIDEWALK (1.5% MAX)	T TRANSITION
← GUY WIRE	□ MISCELLANEOUS STRUC
— GUARD FENCE/RAIL	○ IRRIGATION CONTROLS
— PROPOSED CONDUIT (BORE)	○ UTILITY WITNESS
	SL LONGITUDINAL SLOPES MAY NOT EXCEED 5.0%, CROSS SLOPES MAY NOT EXCEED 1.5%
	→ TRAFFIC FLOW
	☒ TRAFFIC SIGNAL BOX
	☒ TRAFFIC SIGNAL CONTROLLER
	⊗ TRAFFIC SIGNAL POLE
	○ TREE/BUSHES
	⊗ WATER METER/VALVE
	⊕ GUTTER LINE PROJECTION
	▣ GRATE INLET
	● PROPOSED PEDESTAL POLE
	- PROPOSED CONDUIT
	- EXISTING CONDUIT
	▣ STAMPED CONCRETE

FILENAME: pw:\kh-pw-bent\kimley-horn\01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\Design\Drawn\4 - Design\Plan Set\3. Roadway\US 87\AMA_CNY_RDW_22.dgn
 PLOTTED: 9/8/2023 9:37:33 AM



ITEM	DESCRIPTION	UNIT	QTY
0104 6017	REMOVING CONC (DRIVEWAYS)	SY	48
0104 6036	REMOVING CONC (SIDEWALK OR RAMP)	SY	7
0160 6003	FURNISHING AND PLACING TOPSOIL (4")	SY	54
0162 6002	BLOCK SODDING	SY	54
0168 6001	VEGETATIVE WATERING	MG	1
0400 6008	CUT & RESTORE ASPH PAVING	SY	17
0528 6001	COLORED TEXTURED CONC (4")	SY	31
0530 6004	DRIVEWAYS (CONC)	SY	51
0531 6001	CONC SIDEWALKS (4")	SY	146
0531 6024	CURB RAMPS (TY 7)	SY	23
0531 6027	CURB RAMPS (TY 10)	SY	29



- NOTES:
- * FOR CONTRACTOR INFORMATION ONLY
 - 1. THE EXISTENCE AND LOCATION OF ALL UTILITIES AND DRAINAGE STRUCTURES INDICATED IN THE PLANS ARE TAKEN FROM THE BEST RECORDS AVAILABLE AND ARE NOT GUARANTEED TO BE ACCURATE. CONTRACTOR SHALL COORDINATE WITH ALL UTILITY COMPANIES TO FIELD VERIFY UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
 - 2. UNLESS OTHERWISE SHOWN, PROPOSED SIGNAL CONDUCTOR SHALL RUN TO CONTROLLER IN EXISTING SIGNAL CONDUIT.
 - 3. AREAS OF SODDING AND TOPSOIL ARE CALCULATED AT 3' WIDE STRIPS USUAL.

9/8/2023

Kimley Horn F-928

Texas Department of Transportation

CURB RAMP PROGRAM

US 87 AT 8TH AVE

CANYON, TEXAS


SHEET 22 OF 39

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.
6	SEE TITLE SHEET	US 87
STATE	DIST.	COUNTY
TEXAS	AMA	RANDALL
CONT.	SECT.	JOB
0067	01	084
		SHEET NO. 48

SPECIAL NOTES & DETAILS

LEGEND		
---	APPARENT ROW	SL LONGITUDINAL SLOPES MAY NOT EXCEED 5.0%, CROSS SLOPES MAY NOT EXCEED 1.5%
---	TCL	→ TRAFFIC FLOW
~	DRAINAGE FLOW ARROW	☐ TRAFFIC SIGNAL BOX
-X-	FENCE	☑ TRAFFIC SIGNAL CONTROLLER
F	FLARE	⊗ TRAFFIC SIGNAL POLE
⊕	FIRE HYDRANT	○ TREE/BUSHES
⊗	GAS METER/VALVE	⊕ WATER METER/VALVE
☐	GROUND BOX	⊕ GUTTER LINE PROJECTION
L	LANDING	▣ GRATE INLET
LS	LEVEL SIDEWALK (1.5% MAX)	⊕ PROPOSED PEDESTAL POLE
—	GUY WIRE	- - - PROPOSED CONDUIT
—	GUARD FENCE/RAIL	- - - EXISTING CONDUIT
—	PROPOSED CONDUIT (BORE)	▣ STAMPED CONCRETE
⊕	LIGHT POLE	
☐	MAIL BOX	
○	MANHOLE	
⊕	PEDESTAL SIGNAL POLE	
●	POWER/UTILITY POLE	
R	RAMP	
RR	RIPRAP (CONC)	
⊕	SIGN	
☐	SODDING	
T	TRANSITION	
☐	MISCELLANEOUS STRUC	
○	IRRIGATION CONTROLS	
○	UTILITY WITNESS	

FILENAME: \\kn-pw-bentley.com\kn-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\Design\Drawings - Design\Plan Set\3. Roadway\US 87\AMA_CNY_RDW_24.dgn
 PLOTTED: 9/8/2023 9:38:01 AM



ITEM	DESCRIPTION	UNIT	QTY
0104 6017	REMOVING CONC (DRIVEWAYS)	SY	105
0104 6036	REMOVING CONC (SIDEWALK OR RAMP)	SY	16
0160 6003	FURNISHING AND PLACING TOPSOIL (4")	SY	65
0162 6002	BLOCK SODDING	SY	65
0168 6001	VEGETATIVE WATERING	MG	1
0400 6008	CUT & RESTORE ASPH PAVING	SY	32
0528 6001	COLORED TEXTURED CONC (4")	SY	68
0529 6008	CONC CURB & GUTTER (TY II)	LF	4
0530 6004	DRIVEWAYS (CONC)	SY	104
0531 6001	CONC SIDEWALKS (4")	SY	142
0531 6024	CURB RAMPS (TY 7)	SY	26
0531 6027	CURB RAMPS (TY 10)	SY	26



- NOTES:
- * FOR CONTRACTOR INFORMATION ONLY
 - 1. THE EXISTENCE AND LOCATION OF ALL UTILITIES AND DRAINAGE STRUCTURES INDICATED IN THE PLANS ARE TAKEN FROM THE BEST RECORDS AVAILABLE AND ARE NOT GUARANTEED TO BE ACCURATE. CONTRACTOR SHALL COORDINATE WITH ALL UTILITY COMPANIES TO FIELD VERIFY UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
 - 2. UNLESS OTHERWISE SHOWN, PROPOSED SIGNAL CONDUCTOR SHALL RUN TO CONTROLLER IN EXISTING SIGNAL CONDUIT.
 - 3. AREAS OF SODDING AND TOPSOIL ARE CALCULATED AT 3' WIDE STRIPS USUAL.

Signature: *Samuel J. Lundquist*
 9/8/2023

 LICENSED PROFESSIONAL ENGINEER

Kimley-Horn F-928

Texas Department of Transportation

CURB RAMP PROGRAM

US 87 AT 7TH AVE

CANYON, TEXAS


SHEET 24 OF 39

SPECIAL NOTES & DETAILS


LEGEND	
--- APPARENT ROW	☆ LIGHT POLE
--- TCL	□ MAIL BOX
~> DRAINAGE FLOW ARROW	○ MANHOLE
-X- FENCE	● PEDESTAL SIGNAL POLE
F FLARE	● POWER/UTILITY POLE
⊕ FIRE HYDRANT	R RAMP
⊗ GAS METER/VALVE	RR RIPRAP (CONC)
▣ GROUND BOX	- SIGN
L LANDING	☐ SODDING
LSLEVEL SIDEWALK (1.5% MAX)	T TRANSITION
← GUY WIRE	□ MISCELLANEOUS STRUC
--- GUARD FENCE/RAIL	○ IRRIGATION CONTROLS
--- PROPOSED CONDUIT (BORE)	○ UTILITY WITNESS
	SL LONGITUDINAL SLOPES MAY NOT EXCEED 5.0%, CROSS SLOPES MAY NOT EXCEED 1.5%
	→ TRAFFIC FLOW
	☐ TRAFFIC SIGNAL BOX
	☐ TRAFFIC SIGNAL CONTROLLER
	⊗ TRAFFIC SIGNAL POLE
	○ TREE/BUSHES
	⊗ WATER METER/VALVE
	⊕ GUTTER LINE PROJECTION
	▣ GRATE INLET
	● PROPOSED PEDESTAL POLE
	- PROPOSED CONDUIT
	- EXISTING CONDUIT
	▣ STAMPED CONCRETE

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.
6	SEE TITLE SHEET	US 87
STATE	DIST.	COUNTY
TEXAS	AMA	RANDALL
CONT.	SECT.	JOB
0067	01	084
SHEET NO.	50	

FILENAME: pw:\kh-pw-bentley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\Design\Plan Set\3. Roadway\US 87\AMA_CNY_RDW_25.dgn
 PLOTTED: 9/8/2023 9:38:16 AM



ITEM	DESCRIPTION	UNIT	QTY
0104 6017	REMOVING CONC (DRIVEWAYS)	SY	132
0105 6043	REMOVING STAB BASE & ASPH PAV (0-6")	SY	136
0160 6003	FURNISHING AND PLACING TOPSOIL (4")	SY	38
0162 6002	BLOCK SODDING	SY	38
0168 6001	VEGETATIVE WATERING	MG	1
0400 6008	CUT & RESTORE ASPH PAVING	SY	34
0528 6001	COLORED TEXTURED CONC (4")	SY	40
0530 6004	DRIVEWAYS (CONC)	SY	273
0531 6001	CONC SIDEWALKS (4")	SY	106
0690 6007	REPLACE OF GROUND BOXES	EA	1



NOTES:

- * FOR CONTRACTOR INFORMATION ONLY
- 1. THE EXISTENCE AND LOCATION OF ALL UTILITIES AND DRAINAGE STRUCTURES INDICATED IN THE PLANS ARE TAKEN FROM THE BEST RECORDS AVAILABLE AND ARE NOT GUARANTEED TO BE ACCURATE. CONTRACTOR SHALL COORDINATE WITH ALL UTILITY COMPANIES TO FIELD VERIFY UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
- 2. UNLESS OTHERWISE SHOWN, PROPOSED SIGNAL CONDUCTOR SHALL RUN TO CONTROLLER IN EXISTING SIGNAL CONDUIT.
- 3. AREAS OF SODDING AND TOPSOIL ARE CALCULATED AT 3' WIDE STRIPS USUAL.

Samuel J. Lundquist

9/8/2023



Kimley»Horn F-928

Texas Department of Transportation

CURB RAMP PROGRAM

**US 87
 BETWEEN 7TH AVE
 AND 6TH AVE**

CANYON, TEXAS


SHEET 25 OF 39

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.
6	SEE TITLE SHEET	US 87
STATE	DIST.	COUNTY
TEXAS	AMA	RANDALL
CONT.	SECT.	JOB
0067	01	084


SPECIAL NOTES & DETAILS

LEGEND	
--- APPARENT ROW	☆ LIGHT POLE
--- TCL	□ MAIL BOX
~> DRAINAGE FLOW ARROW	○ MANHOLE
-X- FENCE	● PEDESTAL SIGNAL POLE
F FLARE	● POWER/UTILITY POLE
⊕ FIRE HYDRANT	R RAMP
⊗ GAS METER/VALVE	RR RIPRAP (CONC)
▣ GROUND BOX	- SIGN
L LANDING	☒ SODDING
LS LEVEL SIDEWALK (1.5% MAX)	T TRANSITION
← GUY WIRE	□ MISCELLANEOUS STRUC
--- GUARD FENCE/RAIL	○ IRRIGATION CONTROLS
--- PROPOSED CONDUIT (BORE)	○ UTILITY WITNESS
	SL LONGITUDINAL SLOPES MAY NOT EXCEED 5.0%, CROSS SLOPES MAY NOT EXCEED 1.5%
	→ TRAFFIC FLOW
	☒ TRAFFIC SIGNAL BOX
	☒ TRAFFIC SIGNAL CONTROLLER
	⊗ TRAFFIC SIGNAL POLE
	○ TREE/BUSHES
	⊗ WATER METER/VALVE
	⊕ GUTTER LINE PROJECTION
	▣ GRATE INLET
	● PROPOSED PEDESTAL POLE
	- PROPOSED CONDUIT
	- EXISTING CONDUIT
	▣ STAMPED CONCRETE

FILENAME: \\kn-pw-bentley.com\kn-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\Design\04 - Design\Plan Set\3. Roadway\US 87\AMA_CNY_RDW_26.dgn
 PLOTTED: 9/8/2023 9:38:31 AM



ITEM	DESCRIPTION	UNIT	QTY
0104 6017	REMOVING CONC (DRIVEWAYS)	SY	166
0104 6036	REMOVING CONC (SIDEWALK OR RAMP)	SY	9
0105 6043	REMOVING STAB BASE & ASPH PAV (0-6")	SY	66
0160 6003	FURNISHING AND PLACING TOPSOIL (4")	SY	21
0162 6002	BLOCK SODDING	SY	21
0168 6001	VEGETATIVE WATERING	MG	0
0400 6008	CUT & RESTORE ASPH PAVING	SY	42
0528 6001	COLORLED TEXTURED CONC (4")	SY	29
0529 6008	CONC CURB & GUTTER (TY II)	LF	15
0530 6004	DRIVEWAYS (CONC)	SY	225
0531 6001	CONC SIDEWALKS (4")	SY	55
0531 6024	CURB RAMPS (TY 7)	SY	25
0531 6027	CURB RAMPS (TY 10)	SY	36



NOTES:

- * FOR CONTRACTOR INFORMATION ONLY
- 1. THE EXISTENCE AND LOCATION OF ALL UTILITIES AND DRAINAGE STRUCTURES INDICATED IN THE PLANS ARE TAKEN FROM THE BEST RECORDS AVAILABLE AND ARE NOT GUARANTEED TO BE ACCURATE. CONTRACTOR SHALL COORDINATE WITH ALL UTILITY COMPANIES TO FIELD VERIFY UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
- 2. UNLESS OTHERWISE SHOWN, PROPOSED SIGNAL CONDUCTOR SHALL RUN TO CONTROLLER IN EXISTING SIGNAL CONDUIT.
- 3. AREAS OF SODDING AND TOPSOIL ARE CALCULATED AT 3' WIDE STRIPS USUAL.

Samuel J. Lundquist

9/8/2023



Kimley»Horn F-928

Texas Department of Transportation

CURB RAMP PROGRAM

US 87 AT 6TH AVE

CANYON, TEXAS

SHEET 26 OF 39

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.
6	SEE TITLE SHEET	US 87
STATE	DIST.	COUNTY
TEXAS	AMA	RANDALL
CONT.	SECT.	JOB
0067	01	084

SPECIAL NOTES & DETAILS


- APPARENT ROW
- TCL
- DRAINAGE FLOW ARROW
- X- FENCE
- F FLARE
- ⊕ FIRE HYDRANT
- ⊗ GAS METER/VALVE
- ▣ GROUND BOX
- L LANDING
- LSLEVEL SIDEWALK (1.5% MAX)
- ← GUY WIRE
- GUARD FENCE/RAIL
- PROPOSED CONDUIT (BORE)

LEGEND


- ⊙ LIGHT POLE
- MAIL BOX
- MANHOLE
- ⊙ PEDESTAL SIGNAL POLE
- POWER/UTILITY POLE
- R RAMP
- RR RIPRAP (CONC)
- ⊙ SIGN
- ⊙ SODDING
- T TRANSITION
- MISCELLANEOUS STRUC
- IRRIGATION CONTROLS
- UTILITY WITNESS

- SL LONGITUDINAL SLOPES MAY NOT EXCEED 5.0%, CROSS SLOPES MAY NOT EXCEED 1.5%
- TRAFFIC FLOW
- ⊙ TRAFFIC SIGNAL BOX
- ⊙ TRAFFIC SIGNAL CONTROLLER
- ⊙ TRAFFIC SIGNAL POLE
- TREE/BUSHES
- ⊙ WATER METER/VALVE
- ⊙ GUTTER LINE PROJECTION
- ⊙ GRATE INLET
- ⊙ PROPOSED PEDESTAL POLE
- - - PROPOSED CONDUIT
- - - EXISTING CONDUIT
- ▣ STAMPED CONCRETE

FILENAME: pw:\kh-pw-bentley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\Design\Drawn\4 - Design\Plan Set\3. Roadway\US 87\AMA_CNY_RDW_28.dgn
 PLOTTED: 9/8/2023 9:39:02 AM



ITEM	DESCRIPTION	UNIT	QTY
0104 6017	REMOVING CONC (DRIVEWAYS)	SY	42
0104 6029	REMOVING CONC (CURB OR CURB & GUTTER)	LF	91
0104 6036	REMOVING CONC (SIDEWALK OR RAMP)	SY	6
0160 6003	FURNISHING AND PLACING TOPSOIL (4")	SY	38
0162 6002	BLOCK SODDING	SY	38
0168 6001	VEGETATIVE WATERING	MG	1
0400 6008	CUT & RESTORE ASPH PAVING	SY	49
0471 6003	GRATE & FRAME	EA	18
0528 6001	COLORLED TEXTURED CONC (4")	SY	49
0529 6002	CONC CURB (TY II)	LF	56
0529 6008	CONC CURB & GUTTER (TY II)	LF	214
0530 6004	DRIVEWAYS (CONC)	SY	44
0531 6001	CONC SIDEWALKS (4")	SY	142
0531 6023	CURB RAMPS (TY 6)	SY	66
0531 6024	CURB RAMPS (TY 7)	SY	33
0666 6048	REFL PAV MRK TY I (W) 24" (SLD) (100MIL)	LF	429
0666 6230	PAVEMENT SEALER 24"	LF	429
0677 6005	ELIM EXT PAV MRK & MRKS (12")	LF	369
0677 6007	ELIM EXT PAV MRK & MRKS (24")	LF	97
0680 6011	INSTALL HWY TRF SIG (UPGRADE)	EA	1
0682 6018	PED SIG SEC (LED) (COUNTDOWN)	EA	8
0684 6028	TRF SIG CBL (TY A) (14 AWG) (2 CONDR)	LF	2000
0684 6031	TRF SIG CBL (TY A) (14 AWG) (5 CONDR)	LF	2000
0688 6001	PED DETECT PUSH BUTTON (APS)	EA	8
0688 6003	PED DETECTOR CONTROLLER UNIT	EA	1
0690 6007	REPLACE OF GROUND BOXES	EA	2
0690 6024	REMOVAL OF SIGNAL HEAD ASSM	EA	8
0690 6030	REMOVAL OF PEDESTRIAN PUSH BUTTONS	EA	8



- NOTES:
- * FOR CONTRACTOR INFORMATION ONLY
 - 1. THE EXISTENCE AND LOCATION OF ALL UTILITIES AND DRAINAGE STRUCTURES INDICATED IN THE PLANS ARE TAKEN FROM THE BEST RECORDS AVAILABLE AND ARE NOT GUARANTEED TO BE ACCURATE. CONTRACTOR SHALL COORDINATE WITH ALL UTILITY COMPANIES TO FIELD VERIFY UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
 - 2. UNLESS OTHERWISE SHOWN, PROPOSED SIGNAL CONDUCTOR SHALL RUN TO CONTROLLER IN EXISTING SIGNAL CONDUIT.
 - 3. AREAS OF SODDING AND TOPSOIL ARE CALCULATED AT 3' WIDE STRIPS USUAL.

Signature: *Al J. L...*
 9/8/2023
 STATE OF TEXAS
 SAMUEL J. LUNDQUIST
 122185
 LICENSED PROFESSIONAL ENGINEER

Kimley Horn F-928

Texas Department of Transportation


CURB RAMP PROGRAM

US 87 AT 5TH AVE

CANYON, TEXAS


SHEET 28 OF 39

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.
6	SEE TITLE SHEET	US 87
STATE	DIST.	COUNTY
TEXAS	AMA	RANDALL
CONT.	SECT.	JOB
0067	01	084



- LEGEND**
- APPARENT ROW
 - TCL
 - DRAINAGE FLOW ARROW
 - X- FENCE
 - F FLARE
 - ⊕ FIRE HYDRANT
 - ⊗ GAS METER/VALVE
 - ▣ GROUND BOX
 - L LANDING
 - LS LEVEL SIDEWALK (1.5% MAX)
 - GUY WIRE
 - GUARD FENCE/RAIL
 - PROPOSED CONDUIT (BORE)
 - ⊙ LIGHT POLE
 - MAIL BOX
 - MANHOLE
 - ⊙ PEDESTAL SIGNAL POLE
 - POWER/UTILITY POLE
 - R RAMP
 - RR RIPRAP (CONC)
 - ⊙ SIGN
 - ⊙ SODDING
 - T TRANSITION
 - MISCELLANEOUS STRUC
 - IRRIGATION CONTROLS
 - UTILITY WITNESS
 - SL LONGITUDINAL SLOPES MAY NOT EXCEED 5.0%, CROSS SLOPES MAY NOT EXCEED 1.5%
 - TRAFFIC FLOW
 - ⊙ TRAFFIC SIGNAL BOX
 - ⊙ TRAFFIC SIGNAL CONTROLLER
 - ⊙ TRAFFIC SIGNAL POLE
 - TREE/BUSHES
 - ⊙ WATER METER/VALVE
 - ⊙ GUTTER LINE PROJECTION
 - ▣ GRATE INLET
 - ⊙ PROPOSED PEDESTAL POLE
 - PROPOSED CONDUIT
 - EXISTING CONDUIT
 - ▣ STAMPED CONCRETE


FILENAME: p:\k\k-pw\pw\ben\le\com\k\k-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\Design\Plan Set\3. Roadway\US 87\AMA_CNY_RDW_29.dgn
 PLOTTED: 9/8/2023 9:39:17 AM



ITEM	DESCRIPTION	UNIT	QTY
0104 6017	REMOVING CONC (DRIVEWAYS)	SY	214
0104 6036	REMOVING CONC (SIDEWALK OR RAMP)	SY	19
0160 6003	FURNISHING AND PLACING TOPSOIL (4")	SY	3
0162 6002	BLOCK SODDING	SY	3
0168 6001	VEGETATIVE WATERING	MG	0
0400 6008	CUT & RESTORE ASPH PAVING	SY	43
0528 6001	COLORLED TEXTURED CONC (4")	SY	22
0529 6002	CONC CURB (TY II)	LF	75
0529 6008	CONC CURB & GUTTER (TY II)	LF	82
0530 6004	DRIVEWAYS (CONC)	SY	213
0531 6001	CONC SIDEWALKS (4")	SY	94

PEPITO'S MEXICAN RESTAURANT *

ITEM	DESCRIPTION	UNIT	QTY
0315 6004	FOG SEAL (CSS-1H)	GAL	94
0666 6170	REFL PAV MRK TY II (W) 4" (SLD)	LF	501
5057 6002	MOVE AND RESET PRECAST CONC WHEEL STOP	EA	9



- NOTES:
- * QUANTITIES INDICATED ARE APPROXIMATE. CONTRACTOR SHALL COORDINATE WITH TXDOT AND PROPERTY OWNER TO DETERMINE FINAL RESTRIPIING CONFIGURATION PRIOR TO WORK.
 - 1. THE EXISTENCE AND LOCATION OF ALL UTILITIES AND DRAINAGE STRUCTURES INDICATED IN THE PLANS ARE TAKEN FROM THE BEST RECORDS AVAILABLE AND ARE NOT GUARANTEED TO BE ACCURATE. CONTRACTOR SHALL COORDINATE WITH ALL UTILITY COMPANIES TO FIELD VERIFY UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
 - 2. UNLESS OTHERWISE SHOWN, PROPOSED SIGNAL CONDUCTOR SHALL RUN TO CONTROLLER IN EXISTING SIGNAL CONDUIT.
 - 3. AREAS OF SODDING AND TOPSOIL ARE CALCULATED AT 3' WIDE STRIPS USUAL.


 9/8/2023


Kimley»Horn F-928

Texas Department of Transportation

CURB RAMP PROGRAM

US 87 BETWEEN 5TH AVE AND 4TH AVE

CANYON, TEXAS


SHEET 29 OF 39

SPECIAL NOTES & DETAILS


LEGEND	
--- APPARENT ROW	☆ LIGHT POLE
--- TCL	□ MAIL BOX
~> DRAINAGE FLOW ARROW	○ MANHOLE
-X- FENCE	● PEDESTAL SIGNAL POLE
F FLARE	● POWER/UTILITY POLE
⊕ FIRE HYDRANT	R RAMP
⊗ GAS METER/VALVE	RR RIPRAP (CONC)
□ GROUND BOX	- SIGN
L LANDING	☒ SODDING
LSLEVEL SIDEWALK (1.5% MAX)	T TRANSITION
← GUY WIRE	□ MISCELLANEOUS STRUC
--- GUARD FENCE/RAIL	○ IRRIGATION CONTROLS
--- PROPOSED CONDUIT (BORE)	○ UTILITY WITNESS
	SL LONGITUDINAL SLOPES MAY NOT EXCEED 5.0%, CROSS SLOPES MAY NOT EXCEED 1.5%
	→ TRAFFIC FLOW
	☒ TRAFFIC SIGNAL BOX
	☒ TRAFFIC SIGNAL CONTROLLER
	⊗ TRAFFIC SIGNAL POLE
	○ TREE/BUSHES
	⊗ WATER METER/VALVE
	⊕ GUTTER LINE PROJECTION
	▨ GRATE INLET
	● PROPOSED PEDESTAL POLE
	- PROPOSED CONDUIT
	- EXISTING CONDUIT
	▨ STAMPED CONCRETE

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.
6	SEE TITLE SHEET	US 87
STATE	DIST.	COUNTY
TEXAS	AMA	RANDALL
CONT.	SECT.	JOB
0067	01	084

FILENAME: pw:\kh-pw-bentley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\Design\Plan Set\3. Roadway\US 87\AMA_CNY_RDW_30.dgn
 PLOTTED: 9/8/2023 9:39:33 AM



ITEM	DESCRIPTION	UNIT	QTY
0104 6017	REMOVING CONC (DRIVEWAYS)	SY	172
0104 6036	REMOVING CONC (SIDEWALK OR RAMP)	SY	22
0400 6008	CUT & RESTORE ASPH PAVING	SY	47
0528 6001	COLORED TEXTURED CONC (4")	SY	36
0529 6008	CONC CURB & GUTTER (TY II)	LF	53
0530 6004	DRIVEWAYS (CONC)	SY	181
0531 6001	CONC SIDEWALKS (4")	SY	59
0531 6018	CURB RAMPS (TY 1)	SY	57
0531 6022	CURB RAMPS (TY 5)	SY	24
0531 6024	CURB RAMPS (TY 7)	SY	23
0666 6048	REFL PAV MRK TY I (W) 24" (SLD) (100MIL)	LF	581
0666 6230	PAVEMENT SEALER 24"	LF	581
0677 6005	ELIM EXT PAV MRK & MRKS (12")	LF	253
0677 6007	ELIM EXT PAV MRK & MRKS (24")	LF	290
0680 6011	INSTALL HWY TRF SIG (UPGRADE)	EA	1
0682 6018	PED SIG SEC (LED) (COUNTDOWN)	EA	8
0684 6028	TRF SIG CBL (TY A) (14 AWG) (2 CONDR)	LF	2000
0684 6031	TRF SIG CBL (TY A) (14 AWG) (5 CONDR)	LF	2000
0688 6001	PED DETECT PUSH BUTTON (APS)	EA	8
0688 6003	PED DETECTOR CONTROLLER UNIT	EA	1
0690 6007	REPLACE OF GROUND BOXES	EA	2
0690 6024	REMOVAL OF SIGNAL HEAD ASSM	EA	8
0690 6030	REMOVAL OF PEDESTRIAN PUSH BUTTONS	EA	8



- NOTES:
- * FOR CONTRACTOR INFORMATION ONLY
 - 1. THE EXISTENCE AND LOCATION OF ALL UTILITIES AND DRAINAGE STRUCTURES INDICATED IN THE PLANS ARE TAKEN FROM THE BEST RECORDS AVAILABLE AND ARE NOT GUARANTEED TO BE ACCURATE. CONTRACTOR SHALL COORDINATE WITH ALL UTILITY COMPANIES TO FIELD VERIFY UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
 - 2. UNLESS OTHERWISE SHOWN, PROPOSED SIGNAL CONDUCTOR SHALL RUN TO CONTROLLER IN EXISTING SIGNAL CONDUIT.
 - 3. AREAS OF SODDING AND TOPSOIL ARE CALCULATED AT 3' WIDE STRIPS USUAL. CONTRACTOR SHALL FURNISH AND INSTALL 2 PUSH BUTTON EXTENDERS TO MAKE THE REACH 10" OR LESS. MEASUREMENT AND SUBSIDIARY TO ITEM 688.


 9/8/2023


Kimley Horn F-928

Texas Department of Transportation

CURB RAMP PROGRAM

US 87 AT 4TH AVE

CANYON, TEXAS


SHEET 30 OF 39

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.
6	SEE TITLE SHEET	US 87
STATE	DIST.	COUNTY
TEXAS	AMA	RANDALL
CONT.	SECT.	JOB
0067	01	084
		SHEET NO. 56


SPECIAL NOTES & DETAILS

LEGEND	
--- APPARENT ROW	☆ LIGHT POLE
--- TCL	□ MAIL BOX
~> DRAINAGE FLOW ARROW	○ MANHOLE
-X- FENCE	● PEDESTAL SIGNAL POLE
F FLARE	● POWER/UTILITY POLE
⊕ FIRE HYDRANT	R RAMP
⊗ GAS METER/VALVE	RR RIPRAP (CONC)
▣ GROUND BOX	- SIGN
L LANDING	☐ SODDING
LS LEVEL SIDEWALK (1.5% MAX)	T TRANSITION
← GUY WIRE	□ MISCELLANEOUS STRUC
— GUARD FENCE/RAIL	○ IRRIGATION CONTROLS
— PROPOSED CONDUIT (BORE)	○ UTILITY WITNESS
	SL LONGITUDINAL SLOPES MAY NOT EXCEED 5.0%, CROSS SLOPES MAY NOT EXCEED 1.5%
	→ TRAFFIC FLOW
	⊠ TRAFFIC SIGNAL BOX
	⊠ TRAFFIC SIGNAL CONTROLLER
	⊠ TRAFFIC SIGNAL POLE
	○ TREE/BUSHES
	⊗ WATER METER/VALVE
	⊠ GUTTER LINE PROJECTION
	⊠ GRATE INLET
	● PROPOSED PEDESTAL POLE
	- PROPOSED CONDUIT
	- EXISTING CONDUIT
	▣ STAMPED CONCRETE

FILENAME: \\kh-pw-bentley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\DesignData\4 - Design\Plan Set\3. Roadway\US 87\AMA_CNY_RDW_31.dgn
 PLOTTED: 9/8/2023 9:39:49 AM



ITEM	DESCRIPTION	UNIT	QTY
0104 6017	REMOVING CONC (DRIVEWAYS)	SY	210
0105 6043	REMOVING STAB BASE & ASPH PAV (0-6")	SY	77
0400 6008	CUT & RESTORE ASPH PAVING	SY	44
0528 6001	COLORED TEXTURED CONC (4")	SY	14
0529 6008	CONC CURB & GUTTER (TY II)	LF	65
0530 6004	DRIVEWAYS (CONC)	SY	297
0531 6001	CONC SIDEWALKS (4")	SY	51



- NOTES:
- * FOR CONTRACTOR INFORMATION ONLY
 - 1. THE EXISTENCE AND LOCATION OF ALL UTILITIES AND DRAINAGE STRUCTURES INDICATED IN THE PLANS ARE TAKEN FROM THE BEST RECORDS AVAILABLE AND ARE NOT GUARANTEED TO BE ACCURATE. CONTRACTOR SHALL COORDINATE WITH ALL UTILITY COMPANIES TO FIELD VERIFY UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
 - 2. UNLESS OTHERWISE SHOWN, PROPOSED SIGNAL CONDUCTOR SHALL RUN TO CONTROLLER IN EXISTING SIGNAL CONDUIT.
 - 3. AREAS OF SODDING AND TOPSOIL ARE CALCULATED AT 3' WIDE STRIPS USUAL.
 - 4. ANY DAMAGE TO THE BUFFALO INN SIGN SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR DURING SIDEWALK CONSTRUCTION.

MATCH LINE
SEE SHEET 56

MATCH LINE
SEE SHEET 58

SPECIAL NOTES & DETAILS

LEGEND	
--- APPARENT ROW	☆ LIGHT POLE
--- TCL	□ MAIL BOX
~> DRAINAGE FLOW ARROW	○ MANHOLE
-X- FENCE	● PEDESTAL SIGNAL POLE
F FLARE	● POWER/UTILITY POLE
⊕ FIRE HYDRANT	R RAMP
⊗ GAS METER/VALVE	RR RIPRAP (CONC)
▣ GROUND BOX	- SIGN
L LANDING	☒ SODDING
LS LEVEL SIDEWALK (1.5% MAX)	T TRANSITION
← GUY WIRE	□ MISCELLANEOUS STRUC
— GUARD FENCE/RAIL	○ IRRIGATION CONTROLS
— PROPOSED CONDUIT (BORE)	○ UTILITY WITNESS
	SL LONGITUDINAL SLOPES MAY NOT EXCEED 5.0%, CROSS SLOPES MAY NOT EXCEED 1.5%
	→ TRAFFIC FLOW
	☒ TRAFFIC SIGNAL BOX
	☒ TRAFFIC SIGNAL CONTROLLER
	⊗ TRAFFIC SIGNAL POLE
	○ TREE/BUSHES
	⊗ WATER METER/VALVE
	⊕ GUTTER LINE PROJECTION
	▣ GRATE INLET
	● PROPOSED PEDESTAL POLE
	- PROPOSED CONDUIT
	- EXISTING CONDUIT
	▣ STAMPED CONCRETE

Al J. Ljung
 9/8/2023

 SAMUEL J. LUNDQUIST
 122185
 LICENSED PROFESSIONAL ENGINEER

Kimley Horn
 F-928

Texas Department of Transportation

CURB RAMP PROGRAM

US 87 BETWEEN 4TH AVE AND 3RD AVE


CANYON, TEXAS

SHEET 31 OF 39

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.
6	SEE TITLE SHEET	US 87
STATE	DIST.	COUNTY
TEXAS	AMA	RANDALL
CONT.	SECT.	JOB
0067	01	084

SHEET NO. 57


FILENAME: pw:\kh-pw-bentley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\Design\Drawn\4 - Design\Plan Set\3. Roadway\US 87\AMA_CNY_RDW_32.dgn
 PLOTTED: 9/8/2023 9:40:05 AM



ITEM	DESCRIPTION	UNIT	QTY
0104 6029	REMOVING CONC (CURB OR CURB & GUTTER)	LF	21
0104 6036	REMOVING CONC (SIDEWALK OR RAMP)	SY	5
0105 6043	REMOVING STAB BASE & ASPH PAV (0-6")	SY	25
0400 6008	CUT & RESTORE ASPH PAVING	SY	32
0528 6001	COLORLED TEXTURED CONC (4")	SY	5
0529 6002	CONC CURB (TY II)	LF	68
0529 6008	CONC CURB & GUTTER (TY II)	LF	108
0530 6004	DRIVEWAYS (CONC)	SY	25
0531 6001	CONC SIDEWALKS (4")	SY	65
0531 6020	CURB RAMPS (TY 3)	SY	13
0531 6024	CURB RAMPS (TY 7)	SY	17

BEST THAI *

ITEM	DESCRIPTION	UNIT	QTY
0315 6004	FOG SEAL (CSS-1H)	GAL	94
0666 6170	REFL PAV MRK TY II (W) 4" (SLD)	LF	501
5057 6002	MOVE AND RESET PRECAST CONC WHEEL STOP	EA	9



NOTES:

- * QUANTITIES INDICATED ARE APPROXIMATE. CONTRACTOR SHALL COORDINATE WITH TXDOT AND PROPERTY OWNER TO DETERMINE FINAL RESTRIPIING CONFIGURATION PRIOR TO WORK.
- 1. THE EXISTENCE AND LOCATION OF ALL UTILITIES AND DRAINAGE STRUCTURES INDICATED IN THE PLANS ARE TAKEN FROM THE BEST RECORDS AVAILABLE AND ARE NOT GUARANTEED TO BE ACCURATE. CONTRACTOR SHALL COORDINATE WITH ALL UTILITY COMPANIES TO FIELD VERIFY UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
- 2. UNLESS OTHERWISE SHOWN, PROPOSED SIGNAL CONDUCTOR SHALL RUN TO CONTROLLER IN EXISTING SIGNAL CONDUIT.
- 3. AREAS OF SODDING AND TOPSOIL ARE CALCULATED AT 3' WIDE STRIPS USUAL.

Samuel J. Lundquist
 9/8/2023



Kimley»Horn F-928

Texas Department of Transportation

CURB RAMP PROGRAM

US 87 AT 3RD AVE

CANYON, TEXAS

SHEET 32 OF 39

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.
6	SEE DIST SHEET	US 87
STATE	DIST.	COUNTY
TEXAS	AMA	RANDALL
CONT.	SECT.	JOB
0067	01	084


SPECIAL NOTES & DETAILS

- APPARENT ROW
- TCL
- DRAINAGE FLOW ARROW
- X- FENCE
- F FLARE
- ⊕ FIRE HYDRANT
- ⊗ GAS METER/VALVE
- ▣ GROUND BOX
- L LANDING
- LS LEVEL SIDEWALK (1.5% MAX)
- ← GUY WIRE
- GUARD FENCE/RAIL
- PROPOSED CONDUIT (BORE)

LEGEND

- ⊙ LIGHT POLE
- MAIL BOX
- MANHOLE
- ⊙ PEDESTAL SIGNAL POLE
- POWER/UTILITY POLE
- R RAMP
- RR RIPRAP (CONC)
- ⊙ SIGN
- ⊞ SODDING
- T TRANSITION
- MISCELLANEOUS STRUC
- IRRIGATION CONTROLS
- UTILITY WITNESS
- SL LONGITUDINAL SLOPES MAY NOT EXCEED 5.0%, CROSS SLOPES MAY NOT EXCEED 1.5%
- TRAFFIC FLOW
- ⊞ TRAFFIC SIGNAL BOX
- ⊞ TRAFFIC SIGNAL CONTROLLER
- ⊙ TRAFFIC SIGNAL POLE
- TREE/BUSHES
- ⊗ WATER METER/VALVE
- ⊞ GUTTER LINE PROJECTION
- ⊞ GRATE INLET
- ⊙ PROPOSED PEDESTAL POLE
- - - PROPOSED CONDUIT
- - - EXISTING CONDUIT
- ▣ STAMPED CONCRETE

FILENAME: pw:\kh-pw-bentley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\Design\Plan Set\3. Roadway\US 87\AMA_CNY_RDW_33.dgn
 PLOTTED: 9/8/2023 9:40:21 AM



MATCH LINE
SEE SHEET 58

MATCH LINE
SEE SHEET 60

ITEM	DESCRIPTION	UNIT	QTY
0105 6043	REMOVING STAB BASE & ASPH PAV (0-6")	SY	145
0160 6003	FURNISHING AND PLACING TOPSOIL (4")	SY	48
0162 6002	BLOCK SODDING	SY	48
0168 6001	VEGETATIVE WATERING	MG	1
0400 6008	CUT & RESTORE ASPH PAVING	SY	17
0529 6002	CONC CURB (TY II)	LF	43
0529 6008	CONC CURB & GUTTER (TY II)	LF	41
0530 6004	DRIVEWAYS (CONC)	SY	151
0531 6001	CONC SIDEWALKS (4")	SY	65



- NOTES:
- * FOR CONTRACTOR INFORMATION ONLY
 - 1. THE EXISTENCE AND LOCATION OF ALL UTILITIES AND DRAINAGE STRUCTURES INDICATED IN THE PLANS ARE TAKEN FROM THE BEST RECORDS AVAILABLE AND ARE NOT GUARANTEED TO BE ACCURATE. CONTRACTOR SHALL COORDINATE WITH ALL UTILITY COMPANIES TO FIELD VERIFY UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
 - 2. UNLESS OTHERWISE SHOWN, PROPOSED SIGNAL CONDUCTOR SHALL RUN TO CONTROLLER IN EXISTING SIGNAL CONDUIT.
 - 3. AREAS OF SODDING AND TOPSOIL ARE CALCULATED AT 3' WIDE STRIPS USUAL.


 9/8/2023


Kimley»Horn F-928

Texas Department of Transportation

CURB RAMP PROGRAM

**US 87
BETWEEN 3RD AVE
AND 2ND AVE**

CANYON, TEXAS


SHEET 33 OF 39

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.
6	SEE TITLE SHEET	US 87
STATE	DIST.	COUNTY
TEXAS	AMA	RANDALL
CONT.	SECT.	JOB
0067	01	084


SPECIAL NOTES & DETAILS

LEGEND	
--- APPARENT ROW	☆ LIGHT POLE
--- TCL	□ MAIL BOX
~> DRAINAGE FLOW ARROW	○ MANHOLE
-X- FENCE	● PEDESTAL SIGNAL POLE
F FLARE	● POWER/UTILITY POLE
⊕ FIRE HYDRANT	R RAMP
⊗ GAS METER/VALVE	RR RIPRAP (CONC)
▣ GROUND BOX	- SIGN
L LANDING	☐ SODDING
LSLEVEL SIDEWALK (1.5% MAX)	T TRANSITION
← GUY WIRE	□ MISCELLANEOUS STRUC
— GUARD FENCE/RAIL	○ IRRIGATION CONTROLS
— PROPOSED CONDUIT (BORE)	○ UTILITY WITNESS
	SL LONGITUDINAL SLOPES MAY NOT EXCEED 5.0%, CROSS SLOPES MAY NOT EXCEED 1.5%
	→ TRAFFIC FLOW
	☐ TRAFFIC SIGNAL BOX
	☐ TRAFFIC SIGNAL CONTROLLER
	⊗ TRAFFIC SIGNAL POLE
	○ TREE/BUSHES
	⊗ WATER METER/VALVE
	⊕ GUTTER LINE PROJECTION
	▣ GRATE INLET
	● PROPOSED PEDESTAL POLE
	- PROPOSED CONDUIT
	- EXISTING CONDUIT
	▣ STAMPED CONCRETE


FILENAME: pw:\kh-pw-bentley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\Design\Draw4 - Design\Plan Set\3. Roadway\US 87\AMA_CNY_RDW_34.dgn
 PLOTTED: 9/8/2023 9:40:37 AM



ITEM	DESCRIPTION	UNIT	QTY
0104 6017	REMOVING CONC (DRIVEWAYS)	SY	58
0104 6029	REMOVING CONC (CURB OR CURB & GUTTER)	LF	21
0104 6036	REMOVING CONC (SIDEWALK OR RAMP)	SY	44
0160 6003	FURNISHING AND PLACING TOPSOIL (4")	SY	107
0162 6002	BLOCK SODDING	SY	107
0168 6001	VEGETATIVE WATERING	MG	2
0400 6008	CUT & RESTORE ASPH PAVING	SY	20
0528 6001	COLORLED TEXTURED CONC (4")	SY	17
0529 6008	CONC CURB & GUTTER (TY II)	LF	27
0530 6004	DRIVEWAYS (CONC)	SY	62
0531 6001	CONC SIDEWALKS (4")	SY	107
0531 6018	CURB RAMPS (TY 1)	SY	15
0531 6019	CURB RAMPS (TY 2)	SY	18
0531 6022	CURB RAMPS (TY 5)	SY	12
0531 6023	CURB RAMPS (TY 6)	SY	52
0666 6048	REFL PAV MRK TY I (W) 24" (SLD) (100MIL)	LF	558
0666 6230	PAVEMENT SEALER 24"	LF	558
0677 6005	ELIM EXT PAV MRK & MRKS (12")	LF	344
0677 6007	ELIM EXT PAV MRK & MRKS (24")	LF	104
0678 6008	PAV SURF PREP FOR MRK (24")	LF	135
0680 6011	INSTALL HWY TRF SIG (UPGRADE)	EA	1
0682 6018	PED SIG SEC (LED) (COUNTDOWN)	EA	6
0684 6028	TRF SIG CBL (TY A) (14 AWG) (2 CONDR)	LF	2000
0684 6031	TRF SIG CBL (TY A) (14 AWG) (5 CONDR)	LF	2000
0687 6001	PED POLE ASSEMBLY	EA	1
0687 6003	RELOCATE PED POLE ASSEMBLY	EA	2
0688 6001	PED DETECT PUSH BUTTON (APS)	EA	6
0688 6003	PED DETECTOR CONTROLLER UNIT	EA	1
0690 6007	REPLACE OF GROUND BOXES	EA	4
0690 6024	REMOVAL OF SIGNAL HEAD ASSM	EA	6
0690 6030	REMOVAL OF PEDESTRIAN PUSH BUTTONS	EA	6



- NOTES:
- * FOR CONTRACTOR INFORMATION ONLY
 - 1. THE EXISTENCE AND LOCATION OF ALL UTILITIES AND DRAINAGE STRUCTURES INDICATED IN THE PLANS ARE TAKEN FROM THE BEST RECORDS AVAILABLE AND ARE NOT GUARANTEED TO BE ACCURATE. CONTRACTOR SHALL COORDINATE WITH ALL UTILITY COMPANIES TO FIELD VERIFY UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
 - 2. UNLESS OTHERWISE SHOWN, PROPOSED SIGNAL CONDUCTOR SHALL RUN TO CONTROLLER IN EXISTING SIGNAL CONDUIT.
 - 3. AREAS OF SODDING AND TOPSOIL ARE CALCULATED AT 3' WIDE STRIPS USUAL.


 9/8/2023


Kimley»Horn F-928

Texas Department of Transportation

CURB RAMP PROGRAM

US 87 AT 2ND AVE

CANYON, TEXAS


SHEET 34 OF 39

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.
6	SEE TITLE SHEET	US 87
STATE	DIST.	COUNTY
TEXAS	AMA	RANDALL
CONT.	SECT.	JOB
0067	01	084
		SHEET NO. 60


SPECIAL NOTES & DETAILS

LEGEND	
--- APPARENT ROW	☆ LIGHT POLE
--- TCL	□ MAIL BOX
~> DRAINAGE FLOW ARROW	○ MANHOLE
-X- FENCE	⊙ PEDESTAL SIGNAL POLE
F FLARE	● POWER/UTILITY POLE
⊕ FIRE HYDRANT	R RAMP
⊗ GAS METER/VALVE	RR RIPRAP (CONC)
▣ GROUND BOX	- SIGN
L LANDING	☐ SODDING
LS LEVEL SIDEWALK (1.5% MAX)	T TRANSITION
← GUY WIRE	□ MISCELLANEOUS STRUC
— GUARD FENCE/RAIL	○ IRRIGATION CONTROLS
▬ PROPOSED CONDUIT (BORE)	○ UTILITY WITNESS
	SL LONGITUDINAL SLOPES MAY NOT EXCEED 5.0%, CROSS SLOPES MAY NOT EXCEED 1.5%
	→ TRAFFIC FLOW
	⊠ TRAFFIC SIGNAL BOX
	⊠ TRAFFIC SIGNAL CONTROLLER
	⊙ TRAFFIC SIGNAL POLE
	○ TREE/BUSHES
	⊕ WATER METER/VALVE
	⊕ GUTTER LINE PROJECTION
	▣ GRATE INLET
	⊙ PROPOSED PEDESTAL POLE
	- PROPOSED CONDUIT
	- EXISTING CONDUIT
	▣ STAMPED CONCRETE

FILENAME: pw:\kh-pw-bentley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\Design\04 - Design\Plan Set\3. Roadway\US 87\AMA_CNY_RDW_35.dgn
 PLOTTED: 9/8/2023 9:40:53 AM



ITEM	DESCRIPTION	UNIT	QTY
0104 6017	REMOVING CONC (DRIVEWAYS)	SY	35
0104 6036	REMOVING CONC (SIDEWALK OR RAMP)	SY	17
0160 6003	FURNISHING AND PLACING TOPSOIL (4")	SY	21
0162 6002	BLOCK SODDING	SY	21
0168 6001	VEGETATIVE WATERING	MG	0
0400 6008	CUT & RESTORE ASPH PAVING	SY	6
0530 6004	DRIVEWAYS (CONC)	SY	53
0531 6001	CONC SIDEWALKS (4")	SY	8



NOTES:

- * FOR CONTRACTOR INFORMATION ONLY
- 1. THE EXISTENCE AND LOCATION OF ALL UTILITIES AND DRAINAGE STRUCTURES INDICATED IN THE PLANS ARE TAKEN FROM THE BEST RECORDS AVAILABLE AND ARE NOT GUARANTEED TO BE ACCURATE. CONTRACTOR SHALL COORDINATE WITH ALL UTILITY COMPANIES TO FIELD VERIFY UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
- 2. UNLESS OTHERWISE SHOWN, PROPOSED SIGNAL CONDUCTOR SHALL RUN TO CONTROLLER IN EXISTING SIGNAL CONDUIT.
- 3. AREAS OF SODDING AND TOPSOIL ARE CALCULATED AT 3' WIDE STRIPS USUAL.

Al J. Ljung

9/8/2023



Kimley»Horn F-928

Texas Department of Transportation

CURB RAMP PROGRAM

**US 87
BETWEEN 2ND AVE
AND 1ST AVE**

CANYON, TEXAS


SHEET 35 OF 39

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.
6	SEE TITLE SHEET	US 87
STATE	DIST.	COUNTY
TEXAS	AMA	RANDALL
CONT.	SECT.	JOB
0067	01	084

SPECIAL NOTES & DETAILS

LEGEND		
--- APPARENT ROW	☆ LIGHT POLE	SL LONGITUDINAL SLOPES MAY NOT EXCEED 5.0%, CROSS SLOPES MAY NOT EXCEED 1.5%
— TCL	□ MAIL BOX	→ TRAFFIC FLOW
~ DRAINAGE FLOW ARROW	○ MANHOLE	SB TRAFFIC SIGNAL BOX
-X- FENCE	● PEDESTAL SIGNAL POLE	SCB TRAFFIC SIGNAL CONTROLLER
F FLARE	● POWER/UTILITY POLE	⊗ TRAFFIC SIGNAL POLE
⊕ FIRE HYDRANT	R RAMP	○ TREE/BUSHES
⊗ GAS METER/VALVE	RR RIPRAP (CONC)	⊕ WATER METER/VALVE
▣ GROUND BOX	- SIGN	⊕ GUTTER LINE PROJECTION
L LANDING	☒ SODDING	▣ GRATE INLET
LS LEVEL SIDEWALK (1.5% MAX)	T TRANSITION	● PROPOSED PEDESTAL POLE
← GUY WIRE	□ MISCELLANEOUS STRUC	- PROPOSED CONDUIT
— GUARD FENCE/RAIL	○ IRRIGATION CONTROLS	- EXISTING CONDUIT
▬ PROPOSED CONDUIT (BORE)	○ UTILITY WITNESS	▨ STAMPED CONCRETE

FILENAME: pw:\kh-pw\ben\kimley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\DesignData\4 - Design\Plan Set\3. Roadway\US 87\AMA_CNY_RDW_36.dgn
 PLOTTED: 9/8/2023 9:41:11 AM



ITEM	DESCRIPTION	UNIT	QTY
0104 6036	REMOVING CONC (SIDEWALK OR RAMP)	SY	2
0160 6003	FURNISHING AND PLACING TOPSOIL (4")	SY	65
0162 6002	BLOCK SODDING	SY	65
0168 6001	VEGETATIVE WATERING	MG	1
0400 6008	CUT & RESTORE ASPH PAVING	SY	8
0529 6008	CONC CURB & GUTTER (TY II)	LF	36
0531 6001	CONC SIDEWALKS (4")	SY	77
0531 6024	CURB RAMPS (TY 7)	SY	31



- NOTES:
- * FOR CONTRACTOR INFORMATION ONLY
 - 1. THE EXISTENCE AND LOCATION OF ALL UTILITIES AND DRAINAGE STRUCTURES INDICATED IN THE PLANS ARE TAKEN FROM THE BEST RECORDS AVAILABLE AND ARE NOT GUARANTEED TO BE ACCURATE. CONTRACTOR SHALL COORDINATE WITH ALL UTILITY COMPANIES TO FIELD VERIFY UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
 - 2. UNLESS OTHERWISE SHOWN, PROPOSED SIGNAL CONDUCTOR SHALL RUN TO CONTROLLER IN EXISTING SIGNAL CONDUIT.
 - 3. AREAS OF SODDING AND TOPSOIL ARE CALCULATED AT 3' WIDE STRIPS USUAL.


 9/8/2023


Kimley»Horn F-928

Texas Department of Transportation

CURB RAMP PROGRAM

US 87 AT 1ST AVE

CANYON, TEXAS


SHEET 36 OF 39

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.
6	SEE TITLE SHEET	US 87
STATE	DIST.	COUNTY
TEXAS	AMA	RANDALL
CONT.	SECT.	JOB
0067	01	084
		SHEET NO. 62

SPECIAL NOTES & DETAILS

LEGEND		
--- APPARENT ROW	☆ LIGHT POLE	SL LONGITUDINAL SLOPES MAY NOT EXCEED 5.0%, CROSS SLOPES MAY NOT EXCEED 1.5%
--- TCL	□ MAIL BOX	→ TRAFFIC FLOW
~ DRAINAGE FLOW ARROW	○ MANHOLE	☒ TRAFFIC SIGNAL BOX
-X- FENCE	● PEDESTAL SIGNAL POLE	☒ TRAFFIC SIGNAL CONTROLLER
F FLARE	● POWER/UTILITY POLE	⊗ TRAFFIC SIGNAL POLE
⊕ FIRE HYDRANT	R RAMP	○ TREE/BUSHES
⊗ GAS METER/VALVE	RR RIPRAP (CONC)	⊗ WATER METER/VALVE
▣ GROUND BOX	- SIGN	⊕ GUTTER LINE PROJECTION
L LANDING	☒ SODDING	▣ GRATE INLET
LSLEVEL SIDEWALK (1.5% MAX)	T TRANSITION	● PROPOSED PEDESTAL POLE
← GUY WIRE	□ MISCELLANEOUS STRUC	- PROPOSED CONDUIT
— GUARD FENCE/RAIL	○ IRRIGATION CONTROLS	- EXISTING CONDUIT
— PROPOSED CONDUIT (BORE)	○ UTILITY WITNESS	▣ STAMPED CONCRETE


FILENAME: pw:\kh-pw-bentley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\Design\Plan Set\3. Roadway\US 87\AMA_CNY_RDW_37.dgn
 PLOTTED: 9/8/2023 9:41:28 AM



ITEM	DESCRIPTION	UNIT	QTY
0105 6043	REMOVING STAB BASE & ASPH PAV (0-6")	SY	82
0400 6008	CUT & RESTORE ASPH PAVING	SY	29
0529 6008	CONC CURB & GUTTER (TY II)	LF	66
0530 6004	DRIVEWAYS (CONC)	SY	76
0531 6001	CONC SIDEWALKS (4")	SY	48

FAT BOY'S BBQ *

ITEM	DESCRIPTION	UNIT	QTY
0666 6170	REFL PAV MRK TY II (W) 4" (SLD)	LF	19



- NOTES:
- * QUANTITIES INDICATED ARE APPROXIMATE. CONTRACTOR SHALL COORDINATE WITH TXDOT AND PROPERTY OWNER TO DETERMINE FINAL RESTRIPING CONFIGURATION PRIOR TO WORK.
 - 1. THE EXISTENCE AND LOCATION OF ALL UTILITIES AND DRAINAGE STRUCTURES INDICATED IN THE PLANS ARE TAKEN FROM THE BEST RECORDS AVAILABLE AND ARE NOT GUARANTEED TO BE ACCURATE. CONTRACTOR SHALL COORDINATE WITH ALL UTILITY COMPANIES TO FIELD VERIFY UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
 - 2. UNLESS OTHERWISE SHOWN, PROPOSED SIGNAL CONDUCTOR SHALL RUN TO CONTROLLER IN EXISTING SIGNAL CONDUIT.
 - 3. AREAS OF SODDING AND TOPSOIL ARE CALCULATED AT 3' WIDE STRIPS USUAL.


 9/8/2023


Kimley»Horn F-928

Texas Department of Transportation

CURB RAMP PROGRAM

**US 87
BETWEEN 1ST AVE
AND N 2ND AVE**

CANYON, TEXAS


SHEET 37 OF 39

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.	SHEET NO.
6	SEE TITLE SHEET	US 87	63
STATE	DIST.	COUNTY	
TEXAS	AMA	RANDALL	
CONT.	SECT.	JOB	
0067	01	084	


SPECIAL NOTES & DETAILS

LEGEND	
--- APPARENT ROW	☆ LIGHT POLE
--- TCL	□ MAIL BOX
~> DRAINAGE FLOW ARROW	○ MANHOLE
-X- FENCE	● PEDESTAL SIGNAL POLE
F FLARE	● POWER/UTILITY POLE
⊕ FIRE HYDRANT	R RAMP
⊗ GAS METER/VALVE	RR RIPRAP (CONC)
■ GROUND BOX	- SIGN
L LANDING	☒ SODDING
LS LEVEL SIDEWALK (1.5% MAX)	T TRANSITION
← GUY WIRE	□ MISCELLANEOUS STRUC
— GUARD FENCE/RAIL	○ IRRIGATION CONTROLS
— PROPOSED CONDUIT (BORE)	○ UTILITY WITNESS
	SL LONGITUDINAL SLOPES MAY NOT EXCEED 5.0%, CROSS SLOPES MAY NOT EXCEED 1.5%
	→ TRAFFIC FLOW
	☒ TRAFFIC SIGNAL BOX
	☒ TRAFFIC SIGNAL CONTROLLER
	⊗ TRAFFIC SIGNAL POLE
	○ TREE/BUSHES
	⊗ WATER METER/VALVE
	⊕ GUTTER LINE PROJECTION
	▣ GRATE INLET
	● PROPOSED PEDESTAL POLE
	- PROPOSED CONDUIT
	- EXISTING CONDUIT
	▣ STAMPED CONCRETE

FILENAME: pw\knh-pw.dent\ley.com\knh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\DesignData\4 - Design\Plan Set\3. Roadway\US 87\AMA_CNY_RDW_38.dgn
 PLOTTED: 9/8/2023 9:41:46 AM



ITEM	DESCRIPTION	UNIT	QTY
0104 6017	REMOVING CONC (DRIVEWAYS)	SY	25
0160 6003	FURNISHING AND PLACING TOPSOIL (4")	SY	58
0162 6002	BLOCK SODDING	SY	58
0168 6001	VEGETATIVE WATERING	MG	1
0400 6008	CUT & RESTORE ASPH PAVING	SY	14
0529 6002	CONC CURB (TY II)	LF	105
0529 6008	CONC CURB & GUTTER (TY II)	LF	22
0530 6004	DRIVEWAYS (CONC)	SY	61
0531 6001	CONC SIDEWALKS (4")	SY	76
0531 6027	CURB RAMPS (TY 10)	SY	27



- NOTES:
- * FOR CONTRACTOR INFORMATION ONLY
 - 1. THE EXISTENCE AND LOCATION OF ALL UTILITIES AND DRAINAGE STRUCTURES INDICATED IN THE PLANS ARE TAKEN FROM THE BEST RECORDS AVAILABLE AND ARE NOT GUARANTEED TO BE ACCURATE. CONTRACTOR SHALL COORDINATE WITH ALL UTILITY COMPANIES TO FIELD VERIFY UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
 - 2. UNLESS OTHERWISE SHOWN, PROPOSED SIGNAL CONDUCTOR SHALL RUN TO CONTROLLER IN EXISTING SIGNAL CONDUIT.
 - 3. AREAS OF SODDING AND TOPSOIL ARE CALCULATED AT 3' WIDE STRIPS USUAL.


 9/8/2023


Kimley»Horn F-928

Texas Department of Transportation

CURB RAMP PROGRAM

**US 87
AT N 2ND AVE**

CANYON, TEXAS


SHEET 38 OF 39

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.	SHEET NO.
6	SEE TITLE SHEET	US 87	
STATE	DIST.	COUNTY	
TEXAS	AMA	RANDALL	64
CONT.	SECT.	JOB	
0067	01	084	


SPECIAL NOTES & DETAILS

LEGEND		
--- APPARENT ROW	☆ LIGHT POLE	SL LONGITUDINAL SLOPES MAY NOT EXCEED 5.0%, CROSS SLOPES MAY NOT EXCEED 1.5%
— TCL	□ MAIL BOX	→ TRAFFIC FLOW
~ DRAINAGE FLOW ARROW	○ MANHOLE	☒ TRAFFIC SIGNAL BOX
-X- FENCE	● PEDESTAL SIGNAL POLE	☒ TRAFFIC SIGNAL CONTROLLER
F FLARE	● POWER/UTILITY POLE	⊗ TRAFFIC SIGNAL POLE
⊕ FIRE HYDRANT	R RAMP	○ TREE/BUSHES
⊗ GAS METER/VALVE	RR RIPRAP (CONC)	⊗ WATER METER/VALVE
▣ GROUND BOX	— SIGN	⊕ GUTTER LINE PROJECTION
L LANDING	☒ SODDING	▣ GRATE INLET
LSLEVEL SIDEWALK (1.5% MAX)	T TRANSITION	● PROPOSED PEDESTAL POLE
← GUY WIRE	□ MISCELLANEOUS STRUC	— PROPOSED CONDUIT
— GUARD FENCE/RAIL	○ IRRIGATION CONTROLS	- - - EXISTING CONDUIT
— PROPOSED CONDUIT (BORE)	○ UTILITY WITNESS	▣ STAMPED CONCRETE


FILENAME: p:\kh-pw-bentley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\Design\04 - Design\Plan Set\3. Roadway\US 87\AMA_CNY_RDW_39.dgn
 PLOTTED: 9/8/2023 9:42:03 AM



ITEM	DESCRIPTION	UNIT	QTY
0160 6003	FURNISHING AND PLACING TOPSOIL (4")	SY	54
0162 6002	BLOCK SODDING	SY	54
0168 6001	VEGETATIVE WATERING	MG	1
0400 6008	CUT & RESTORE ASPH PAVING	SY	14
0528 6001	COLORLED TEXTURED CONC (4")	SY	4
0529 6008	CONC CURB & GUTTER (TY II)	LF	26
0531 6001	CONC SIDEWALKS (4")	SY	52
0531 6018	CURB RAMPS (TY 1)	SY	25
0531 6024	CURB RAMPS (TY 7)	SY	52
0666 6048	REFL PAV MRK TY I (W) 24" (SLD) (100MIL)	LF	489
0666 6230	PAVEMENT SEALER 24"	LF	489
0677 6005	ELIM EXT PAV MRK & MRKS (12")	LF	369
0677 6007	ELIM EXT PAV MRK & MRKS (24")	LF	135



- NOTES:
- * FOR CONTRACTOR INFORMATION ONLY
 - 1. THE EXISTENCE AND LOCATION OF ALL UTILITIES AND DRAINAGE STRUCTURES INDICATED IN THE PLANS ARE TAKEN FROM THE BEST RECORDS AVAILABLE AND ARE NOT GUARANTEED TO BE ACCURATE. CONTRACTOR SHALL COORDINATE WITH ALL UTILITY COMPANIES TO FIELD VERIFY UTILITIES PRIOR TO BEGINNING CONSTRUCTION.
 - 2. UNLESS OTHERWISE SHOWN, PROPOSED SIGNAL CONDUCTOR SHALL RUN TO CONTROLLER IN EXISTING SIGNAL CONDUIT.
 - 3. AREAS OF SODDING AND TOPSOIL ARE CALCULATED AT 3' WIDE STRIPS USUAL.


 9/8/2023


Kimley»Horn F-928

Texas Department of Transportation

CURB RAMP PROGRAM

US 87 AT RUSSELL LONG BLVD

CANYON, TEXAS

SHEET 39 OF 39


FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.
6	SEE TITLE SHEET	US 87
STATE	DIST.	COUNTY
TEXAS	AMA	RANDALL
CONT.	SECT.	JOB
0067	01	084
		SHEET NO.
		65

SPECIAL NOTES & DETAILS

LEGEND	
--- APPARENT ROW	☼ LIGHT POLE
--- TCL	□ MAIL BOX
~> DRAINAGE FLOW ARROW	○ MANHOLE
-X- FENCE	⊙ PEDESTAL SIGNAL POLE
F FLARE	● POWER/UTILITY POLE
⊕ FIRE HYDRANT	R RAMP
⊗ GAS METER/VALVE	RR RIPRAP (CONC)
▣ GROUND BOX	- SIGN
L LANDING	☒ SODDING
LSLEVEL SIDEWALK (1.5% MAX)	T TRANSITION
← GUY WIRE	□ MISCELLANEOUS STRUC
— GUARD FENCE/RAIL	○ IRRIGATION CONTROLS
— PROPOSED CONDUIT (BORE)	○ UTILITY WITNESS
	SL LONGITUDINAL SLOPES MAY NOT EXCEED 5.0%, CROSS SLOPES MAY NOT EXCEED 1.5%
	→ TRAFFIC FLOW
	☒ TRAFFIC SIGNAL BOX
	☒ TRAFFIC SIGNAL CONTROLLER
	⊗ TRAFFIC SIGNAL POLE
	○ TREE/BUSHES
	⊗ WATER METER/VALVE
	⊕ GUTTER LINE PROJECTION
	▣ GRATE INLET
	▣ PROPOSED PEDESTAL POLE
	- PROPOSED CONDUIT
	- EXISTING CONDUIT
	▣ STAMPED CONCRETE

FILENAME: pw:\kh-pw-bentley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA Design\04 - Design\Plan Set\1. General\Conyon\AMA_CNY_DET_01.dgn
 PLOTTED: 9/8/2023 9:42:07 AM

ASPHALT/SEALCOAT ROADWAY



IN AREAS OF ROADWAY CROSS SLOPES EXCEEDING 50:1 LONGITUDINAL SLOPE, EXCAVATE 2' OF PAVEMENT IN FRONT OF RAMP AND TRANSITION THE RAMP LANDING INTO THE EXISTING PAVEMENT. THE PAVEMENT SHOULD THEN BE TRANSITIONED HORIZONTALLY INTO THE EXISTING PAVEMENT AT 10:1. PAVEMENT SHOULD MATCH EXISTING PAVEMENT DEPTH BUT NOT LESS THAN 2" MINIMUM. GUTTERLINES SHOULD NOT BE ADJUSTED DOWNWARD. ASPHALT TO CONFORM TO ITEM 340 AS DIRECTED BY THE ENGINEER.

DO NOT TAPER TO ZERO. MINIMUM 1-1/2" DEPTH @ TIE-IN.


** CONTRACTOR MAY EXCEED CROSS SLOPE TRANSITION DISTANCE AS APPROVED BY THE ENGINEER.

- X = LENGTH MEASURED FROM PI POINT
- F = FLARE (10:1 OR LESS)
- R = RAMP (CROSS SLOPE NOT TO EXCEED 50:1, LONGITUDINAL NOT TO EXCEED 12:1)
- L = LANDING (SHALL NOT EXCEED 50:1 SLOPE IN ANY DIRECTION)
- L1 = SHARED LANDING (SHALL NOT EXCEED 50:1 SLOPE IN ANY DIRECTION)
- LS = LEVEL SIDEWALK (SHALL NOT EXCEED 50:1 SLOPE IN ANY DIRECTION) (PAID AS SIDEWALK)
- SL = SLOPED SIDEWALK (LONGITUDINAL SLOPES MAY NOT EXCEED 20:1, CROSS SLOPES MAY NOT EXCEED 48:1)
- T = TRANSITION (PAID FOR UNDER CONC SIDEWALKS)
- TOC = TOP OF CURB
- BOC = BACK OF CURB
- EOP = EDGE OF PAVEMENT
- ⊕ = PI POINT MEASURED FROM TANGENTIAL BACK OF CURB OR EDGE OF PAVEMENT INTERSECTION

SEQUENCE OF WORK NARRATIVE

1. ESTABLISH AND MAINTAIN TRAFFIC CONTROL AND SW3P FEATURES PER THE VARIOUS STANDARDS INCLUDED IN THIS PLAN SET OR AS DIRECTED.
2. REMOVE EXISTING CONCRETE, ASPHALT, FOUNDATIONS, OR OTHER FEATURES WHERE INDICATED IN THE PLANS WITHIN THE AREA OF PROPOSED WORK
3. EXCAVATE OR BACKFILL AS NECESSARY TO ACHIEVE PROPOSED GRADES. PLACE BEDDING MATERIALS
4. FORM PROPOSED CONCRETE FEATURES
5. PLACE CONCRETE OR ASPHALT, REMOVE AND INSTALL PAVEMENT MARKINGS, AND RELOCATE SIGNS WHERE INDICATED
6. REMOVE FORMWORK AND BACKFILL DISTURBED AREAS FOR SMOOTH FINISHED GRADE. GRADE TO DRAIN AS NECESSARY
7. PLACE AND IRRIGATE BLOCK SODDING WHERE INDICATED AND AS SPECIFIED.
8. REMOVE ANY DEBRIS, TRAFFIC CONTROL, AND SW3P FEATURES AT THE COMPLETION OF CONSTRUCTION

HORIZONTAL RAMP CONTROL



NOTES

1. FLARE (F), RAMP (R), AND LANDING (L), DIRECTLY IN CONTACT WITH THE CURB RAMP ARE PAID FOR UNDER ITEM 531 "CURB RAMPS".
2. LEVEL SIDEWALK (LS) AND RIPRAP (RR) PAID FOR UNDER ITEM 531 "SIDEWALK"
3. ALL CURB RAMPS ARE TO BE 6" IN THICKNESS UNLESS OTHERWISE SHOWN.

Samuel J. Lundquist

9/8/2023



Kimley»Horn F-928

Texas Department of Transportation

CURB RAMP PROGRAM


MISCELLANEOUS DETAILS

SHEET 1 OF 10

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.	
6	SEE TITLE SHEET	US 87	
STATE	DIST.	COUNTY	SHEET NO.
TEXAS	AMA	RANDALL	66
CONT.	SECT.	JOB	
0067	01	084	

FILENAME: pw:\kh-pw-bentley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\DesignData\4 - Design\Plan Set\1 - General\Canyon\AMA_CNY_MISC_DET_02.dgn
 PLOTTED: 9/8/2023 9:42:11 AM

ROADWAY TRANSITION



NOTES:

1. UTILIZE ROADWAY TRANSITION TO TIE CROSS SLOPE OF NEWLY CONSTRUCTED CURB RAMP TO THE EXISTING ROADWAY GRADE. ROADWAY TRANSITIONS SHOULD NOT EXTEND MORE THAN 4 FEET INTO ROADWAY.
2. FOR CURB SECTION, REMOVE A 1 FOOT WIDE (MIN.) BY 2 INCH DEEP SECTION OF PAVEMENT THE LENGTH OF THE TRANSITION PRIOR TO CONSTRUCTION.
3. FOR CURB AND GUTTER SECTION, REMOVE CURB, GUTTER AND IF NECESSARY A SECTION OF PAVEMENT (24 INCHES MIN.) BEYOND THE GUTTER BY 6 INCHES DEEP. CONSTRUCT TRANSITION IN THE GUTTER SECTION AS SHOWN.
4. CONSTRUCT FULL HEIGHT CURB AND CURB RAMP FLARES (IF REQUIRED) BASED ON NEW GUTTER LINE ELEVATIONS.
5. CONSTRUCT TRANSITION FROM BOTTOM OF CURB RAMP TO ROADWAY WITH HOT-MIX ASPHALT CONCRETE AS PER PLANS AND SPECIFICATION OR AS DIRECTED.
6. TRAFFIC SIGNAL LOOP DETECTORS MAY EXIST WITHIN THE ROADWAY CONSTRUCTION TRANSITION ZONE. MAINTAIN OPERATION OF LOOP DETECTORS THROUGHOUT CONSTRUCTION. REPAIR OR REPLACE ANY LOOP DETECTORS DAMAGED DURING CONSTRUCTION OPERATIONS.

CURB ELEVATION






TABLE 1		
DIFFERENTIAL BETWEEN RAMP AND ROADWAY LONGITUDINAL SLOPE	H	
1%	0.04'	0.50"
2%	0.08'	1.00"
3%	0.12'	1.50"
4%	0.16'	2.00"
5%	0.20'	2.40"
6%	0.24'	2.90"


OBSTRUCTION CONFLICT



OBSTRUCTION IN SIDEWALK
* UNLESS OTHERWISE SPECIFIED



OBSTRUCTION IN SIDEWALK
* UNLESS OTHERWISE SPECIFIED



OBSTRUCTION IN SIDEWALK
* UNLESS OTHERWISE SPECIFIED

NOTES:

1. UTILIZE DETAIL AT OBSTRUCTION ENCROACHMENTS INTO THE PEDESTRIAN ACCESS ROUTE. A MINIMUM UNOBSTRUCTED CLEARANCE OF 4', UNLESS OTHERWISE SPECIFIED, SHOULD BE MAINTAINED AROUND THE OBSTRUCTION MEASURED FROM THE MOST RESTRICTIVE LOCATION OR AS APPROVED BY THE ENGINEER.
2. IF OBSTRUCTION IS LOCATED WITHIN THE SIDEWALK, CONSTRUCT 2' SQUARE CONSTRUCTION JOINT CENTERED ON OBSTRUCTION TO FACILITATE FUTURE MAINTENANCE WITHOUT FULL SIDEWALK PANEL REMOVAL/REPLACEMENT.
3. THE LEAVE-OUTS SHALL BE FILLED WITH NO MORE THAN A 2-SACK GROUT MIXTURE AND PLACED IN ACCORDANCE WITH SECTION 421.2.F, "MORTAR AND GROUT." PAYMENT FOR FURNISHING AND PLACING THE GROUT MIXTURE WILL BE SUBSIDIARY TO THE PAY ITEM OF CONCRETE SIDEWALKS.

9/8/2023

Kimley Horn


Texas Department of Transportation
CURB RAMP PROGRAM

MISCELLANEOUS DETAILS


SHEET 2 OF 10

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.
6	SEE TITLE SHEET	US 87
STATE	DIST.	COUNTY
TEXAS	AMA	RANDALL
CONT.	SECT.	JOB
0067	01	084


FILENAME: pw:\kn-pw-bentley.com\kn-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\DesignData\4 - Design\Plan Set\1 - General\Canyon\AMA_CNY_DET_03.dgn
 PLOTTED: 9/8/2023 9:42:16 AM




DRIVEWAY SLOPES W/ SIDEWALKS OFFSET FROM CURB (SECTION A-A)




SIDEWALK OFFSET FROM CURB DETAILS



EXPANSION JOINT DETAIL



DRIVEWAY SLOPES W/ SIDEWALKS ADJACENT TO CURB (SECTION B-B)



SIDEWALK ADJACENT TO CURB DETAILS

NOTES:

1. ACP DRIVEWAYS WILL CONSIST 6" HMA TYPE D PAID FOR UNDER ITEM 530.
2. BASE DRIVEWAYS WILL CONSIST OF 6" OF ASPHALTIC CONCRETE BASE OR 6" OF CEMENT TREATED BASE PAID FOR UNDER ITEM 530.
3. SEE SHEET 7 OF 10 FOR ASPHALT DRIVEWAY TIE IN DETAILS.

9/8/2023

122185
 LICENSED PROFESSIONAL ENGINEER

Kimley Horn



F-928
 Texas Department of Transportation
 CURB RAMP PROGRAM

MISCELLANEOUS DETAILS


SHEET 3 OF 10

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.
6	SEE TITLE SHEET	US 87
STATE	DIST.	COUNTY
TEXAS	AMA	RANDALL
CONT.	SECT.	JOB
0067	01	084



SLOT CURB & GUTTER DETAIL
(NTS)




SECTION "B-B"
(BARS C AND LONGITUDINAL REINFORCING
IN CURB NOT SHOWN FOR CLARITY)



SECTION "A-A"
* SEE NOTE 9 ON CCCG-22 STANDARD


 9/8/2023






Kimley»Horn F-928

 CURB RAMP PROGRAM
MISCELLANEOUS DETAILS

SHEET 4 OF 10


FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.	
6	SEE TITLE SHEET	US 87	
STATE	DIST.	COUNTY	SHEET NO.
TEXAS	AMA	RANDALL	69
CONT.	SECT.	JOB	
0067	01	084	

FILENAME: p:\kh-pw\ben\kimley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\DesignData\4 - Design\Plan Set\1 - General\Canyon\AMA_MISC_DET_04.dgn
 PLOTTED: 9/8/2023 9:42:20 AM

FILENAME: pw:\kh-pw-bentley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\DesignData\4 - Design\Plan Set\1 - General\Canyon\AMA_CNY_DET_06.dgn
 PLOTTED: 9/8/2023 9:42:23 AM



- NOTE:
- CONTRACTOR RESPONSIBLE TO REPAIR AND/OR REPLACE ANY DAMAGE TO EXISTING INLET AS REQUIRED BY THE ENGINEER


 9/8/2023


Kimley»Horn F-928



Texas Department of Transportation
CURB RAMP PROGRAM

MISCELLANEOUS DETAILS

SHEET 5 OF 10

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.
6	SEE TITLE SHEET	US 87
STATE	DIST.	COUNTY
TEXAS	AMA	RANDALL
CONT.	SECT.	JOB
0067	01	084
		SHEET NO. 70


FILENAME: pw:\kh-pw-bentley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\DesignData\4 - Design\Plan Set\1 - General\Canyon\AMA_CNY_MISC_DET_07.dgn
 PLOTTED: 9/8/2023 9:42:28 AM



PLACE GROOVED JOINTS IN THE SIDEWALK AT A MAX SPACING OF 10 FT
 PLACE 3/4" EXPANSION JOINTS AT A MAX SPACING OF 40 FT TO COINCIDE WITH THE CURB EXPANSION JOINTS.

* UNLESS OTHERWISE SHOWN

SIDEWALK DETAILS




TERMINATE SPOT REPAIR AT EXISTING CONTROL OR EXPANSION JOINTS OR WHERE DIRECTED BY THE ENGINEER
 EXISTING CONTROL LIMIT
 PROPOSED CONCRETE SIDEWALK
 DAMAGED EXISTING SIDEWALK
 EXISTING CONTROL LIMIT
 PROPOSED CONCRETE SIDEWALK

NOTE:
 PAYMENT FOR SPOT REPAIR QUANTITIES ARE INCLUDED UNDER ITEM 0531 6001.
 SEE LOCATIONS ON PLAN SHEETS.

SPOT REPAIR DETAIL

NOTES:


1. LONGITUDINAL SLOPE OF SIDEWALKS SHALL NOT EXCEED 5% EXCEPT IN CASES WHERE THE ADJACENT ROADWAY SLOPE EXCEEDS 5%. IF ROADWAY SLOPE EXCEEDS 5%, LONGITUDINAL SLOPE OF SIDEWALK MAY MATCH THAT OF ROADWAY.
2. IF SIDEWALK WIDTH IS LESS THAN 5', PROVIDE 5' x 5' PASSING AREAS AT INTERVALS NOT TO EXCEED 200' SPACING.
3. THE STAMP PATTERN SHALL BE BRICK FOR CONCRETE RIPRAP BUFFERS. THE CONCRETE SHALL NOT BE COLORED.




PLACE GROOVED JOINTS AT A MAX SPACING OF 10 FT
 PLACE 3/4" EXPANSION JOINTS AT A MAX OF SPACING OF 40 FT TO COINCIDE WITH THE CURB EXPANSION JOINTS.

** CONTRACTOR TO USE NO. 4 REINFORCING BARS AS SPECIFIED IN ITEM 432. CONTRACTOR MAY USE HIGHER STRENGTH CLASS A CONCRETE IN LIEU OF CLASS B.

RIPRAP DETAIL


 9/8/2023




Kimley & Horn F-928

Texas Department of Transportation
 CURB RAMP PROGRAM

MISCELLANEOUS DETAILS


SHEET 6 OF 10

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.
6	SEE TITLE SHEET	US 87
STATE	DIST.	COUNTY
TEXAS	AMA	RANDALL
CONT.	SECT.	JOB
0067	01	084




NOTE:
TRANSITIONS FOR CONCRETE CURB ENDS WILL NOT BE PAID FOR DIRECTLY BUT SHALL BE CONSIDERED SUBSIDIARY TO ITEM 529.


TYPICAL TRANSITION FOR CONCRETE CURB ENDS





CURB TRENCH DETAIL



PAVEMENT CUT & RESTORE DETAIL



PROPOSED DRIVEWAY ASPHALT DRIVEWAY TIE IN DETAIL






 9/8/2023


Kimley»Horn F-928
 Texas Department of Transportation
CURB RAMP PROGRAM
MISCELLANEOUS DETAILS

SHEET 7 OF 10

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.	
6	SEE TITLE SHEET	US 87	
STATE	DIST.	COUNTY	SHEET NO.
TEXAS	AMA	RANDALL	72
CONT.	SECT.	JOB	
0067	01	084	

FILENAME: pw:\kh-pw-bentley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\DesignData\4 - Design\Plan Set\1 - General\Canyon\AMA_CNY_MISC_DET_08.dgn
 PLOTTED: 9/8/2023 9:42:32 AM



PAVING OPTION @ BUILDING FACE
N. T. S.

GENERAL PROTECTION NOTES FOR BUILDINGS AND HISTORIC STRUCTURES:

1. SAW CUT EXISTING SIDEWALK 6 TO 8 INCHES AWAY FROM PROTECTED BUILDING/STRUCTURE TO MINIMIZE POTENTIAL DAMAGE, PRIOR TO DEMOLITION OF WALK.
2. CONTRACTOR IS RESPONSIBLE FOR PREVENTING DAMAGE TO ALL BUILDINGS AND STRUCTURES DURING THE ENTIRE CONSTRUCTION PROJECT. IF DIRECTED BY ENGINEER TO HAND REMOVE EXISTING PAVING ADJACENT TO HISTORIC STRUCTURES, PROTECT FOUNDATION, MATERIALS, ELEVATION AND ENTRYWAYS. DO NOT REMOVE EXISTING MATERIALS IF FACADE (BRICK/STONE, ETC.) UTILIZES THE MATERIALS TO BE REMOVED AS A FOOTING, FOUNDATION OR SUPPORT. IF THIS CONDITION IS OBSERVED, IMMEDIATELY CONTACT ENGINEER AND DO NOT EXCAVATE FURTHER. SEPARATE PAYMENT WILL NOT BE MADE FOR HAND REMOVAL.
3. REPAIR OR REPLACE IN KIND, AT NO EXPENSE TO THE DEPARTMENT, ANY DAMAGE TO HISTORIC OR NON-HISTORIC MATERIAL THAT RESULTS FROM AN ACT OF OMISSION ON THE PART OF OR ON BEHALF OF THE CONTRACTOR. CONTRACTOR IS RESPONSIBLE FOR LOCATING A REPLACEMENT SOURCE FOR HISTORIC AND NON-HISTORIC MATERIALS DAMAGED IN THE PROCESS OF CONSTRUCTION. INFORM TXDOT ENVIRONMENTAL AFFAIRS DIVISION (ENV) OF PROPOSED REPAIRS AND/OR DAMAGED AREAS IN ORDER TO FACILITATE CONSULTATION WITH TEXAS HISTORICAL COMMISSION. MATERIAL AND SOURCE SHALL BE APPROVED BY TXDOT ENV PRIOR TO REPLACEMENT.
4. PROTECT BUILDINGS AND STRUCTURE FROM CONCRETE SPLASH UTILIZING A MATERIAL APPROVED BY THE ENGINEER. ANY CONCRETE SPLASH AS A RESULT OF CONSTRUCTION ACTIVITIES MUST BE REMOVED FROM THE BUILDING OR STRUCTURE AT CONTRACTORS EXPENSE. NO PAYMENT WILL BE MADE FOR BUILDING PROTECTION.

Signature: *Al J. Lundy*
9/8/2023

STATE OF TEXAS
SAMUEL J. LUNDQUIST
122185
LICENSED PROFESSIONAL ENGINEER

Kimley»Horn F-928


Texas Department of Transportation
CURB RAMP PROGRAM

MISCELLANEOUS DETAILS

SHEET 8 OF 10

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.	
6	SEE TITLE SHEET	US 87	
STATE	DIST.	COUNTY	SHEET NO.
TEXAS	AMA	RANDALL	73
CONT.	SECT.	JOB	
0067	01	084	

FILENAME: p:\kh-pw-bentley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\DesignData\4 - Design\Plan Set\1. General\Canyon\AMA_MISC_DET_11.dgn
PLOTTED: 9/8/2023 9:42:36 AM




NOTE:

1. GROUND ROD, FOUNDATION, BREAKAWAY BASE ARE INCLUSIVE TO PEDESTRIAN POLE ITEM 0687-6001.
2. PUSH BUTTONS TO BE PAID FOR AS ITEM 0688-6001. ITEM 0688-6001 INCLUDES INSTALLATION OF NEW PUSH BUTTON STATION ASSEMBLY (PELCO SE-2023 OR SE-2019 WITH PUSH BUTTON MEETING REQUIREMENTS OF TMUTCD 4E.08 THROUGH 4E.13 AND R403 OF THE U.S. ACCESS BOARD PROWAG. PUSH BUTTON SHOULD BE NO LESS THAN 2" OF UNOBSTRUCTED SURFACE AREA) AND ALL INCIDENTAL CONSTRUCTION INCLUDING BUT NOT LIMITED TO PLUGGING EXISTING HOLES.
3. SPLICES AT GROUND BOXES ARE NOT ALLOWED. REPLACEMENT OF GROUND BOXES SHALL BE CONSIDERED AS ADJUSTMENTS OF GROUND BOXES TO FINISHED GRADE.
4. FOUNDATION TO BE FLUSH WITH SIDEWALK.
5. BREAKAWAY ELECTRIC CONNECTORS ARE REQUIRED.
6. PUSH BUTTON AND PEDESTRIAN SIGNAL HEAD ADJUSTMENTS ARE TO UTILIZE EXISTING CONDUCTORS.


TRAFFIC SIGNAL CABLE NOTES:

FOR PUSH BUTTONS USE: TY A (14 AWG) (2 CONDR)
(ITEM 0684-6028)


LENGTH OF PAY: FROM PED POLE TO EXISTING SIGNAL CABINET.



9/8/2023



F-928



CURB RAMP PROGRAM


MISCELLANEOUS DETAILS

SHEET 9 OF 10

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.
6	SEE TITLE SHEET	US 87
STATE	DIST.	COUNTY
TEXAS	AMA	RANDALL
CONT.	SECT.	JOB
0067	01	084

FILENAME: pw:\kh-pw-bentley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\DesignData\4 - Design\Plan Set\1 - General\Canyon\AMA_CNY_MISC_DET_12.dgn
 PLOTTED: 9/8/2023 9:42:40 AM

FILENAME: pw:\kh-pw-bent\ley.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\DesignData\4 - Design\Plan Set\1. General\Canyon\AMA_CNY_DET_13.dgn
 PLOTTED: 9/8/2023 9:42:45 AM



- NOTE:**
- GROUND ROD, FOUNDATION, BREAKAWAY BASE ARE INCLUSIVE TO PEDESTRIAN POLE ITEM 0687-6001.
 - PUSH BUTTONS TO BE PAID FOR AS ITEM 0688-6001. ITEM 0688-6001 INCLUDES INSTALLATION OF NEW PUSH BUTTON STATION ASSEMBLY (PELCO SE-2023 OR SE-2019 WITH PUSH BUTTON MEETING REQUIREMENTS OF TMJTC 4E.08 THROUGH 4E.13 AND R403 OF THE U.S. ACCESS BOARD PROWAG. PUSH BUTTON SHOULD BE NO LESS THAN 2" OF UNOBSTRUCTED SURFACE AREA) AND ALL INCIDENTAL CONSTRUCTION INCLUDING BUT NOT LIMITED TO PLUGGING EXISTING HOLES.
 - SPLICES AT GROUND BOXES ARE NOT ALLOWED. REPLACEMENT OF GROUND BOXES SHALL BE CONSIDERED AS ADJUSTMENTS OF GROUND BOXES TO FINISHED GRADE.
 - FOUNDATION TO BE FLUSH WITH SIDEWALK.
 - BREAKAWAY ELECTRIC CONNECTORS ARE REQUIRED.
 - PUSH BUTTON AND PEDESTRIAN SIGNAL HEAD ADJUSTMENTS ARE TO UTILIZE EXISTING CONDUCTORS.
- TRAFFIC SIGNAL CABLE NOTES:**
 FOR PUSH BUTTONS USE: TY A (14 AWG) (2 CONDR) (ITEM 0684-6028)

USE DETAIL TY B WHEN ADJUSTING PEDESTRIAN PUSH BUTTONS VERTICALLY AND WHEN RELOCATING PEDESTRIAN PUSH BUTTONS FROM EXISTING POLE TO NEW POLE.

Signature: *Al J. L.*
 9/8/2023
 STATE OF TEXAS
 SAMUEL J. LUNDOQUIST
 122185
 LICENSED PROFESSIONAL ENGINEER

Kimley»Horn F-928
 Texas Department of Transportation
 CURB RAMP PROGRAM












MISCELLANEOUS DETAILS

SHEET 10 OF 10

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.	
6	SEE TITLE SHEET	US 87	
STATE	DIST.	COUNTY	SHEET NO.
TEXAS	AMA	RANDALL	75
CONT.	SECT.	JOB	
0067	01	084	

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 9/8/2023
 FILE: c:\pwworking\0225854\ped18 (1).dgn



NOTES / LEGEND:
 SEE GENERAL NOTES ON SHEET 2 OF 4 FOR MORE INFORMATION.

DENOTES PLANTING OR NON-WALKING SURFACE NOT PART OF PEDESTRIAN CIRCULATION PATH.

DENOTES PREFERRED LOCATION OF PEDESTRIAN PUSH BUTTON IF APPLICABLE.

Detectable Warning Surface: [Symbol]

Grade Break: [Symbol]

Ramp Limits of Payment: [Symbol]

Gutter Line: [Symbol]

SHEET 1 OF 4

Texas Department of Transportation
 Design Division Standard

PEDESTRIAN FACILITIES CURB RAMPS

PED-18

FILE: ped18	DN: TxDOT	DW: VP	CK: KM	CK: PK & JG
© TxDOT: MARCH, 2002	CONT	SECT	JOB	HIGHWAY
REVISED 08, 2005	REVISIONS	0067	01	084
REVISED 06, 2012	DIST	COUNTY	SHEET NO.	
REVISED 01, 2018	AMA	RANDALL	76	

GENERAL NOTES

CURB RAMPS

1. Install a curb ramp or blended transition at each pedestrian street crossing.
2. All slopes shown are maximum allowable. Cross slopes of 1.5% and lesser running should be used. Adjust curb ramp length or grade of approach sidewalks as directed.
3. Maximum allowable cross slope on sidewalk and curb ramp surfaces is 2%.
4. The minimum sidewalk width is 5'. Where the sidewalk is adjacent to the back of curb, a 6' sidewalk width is desirable. Where a 5' sidewalk cannot be provided due to site constraints, sidewalk width may be reduced to 4' for short distances. 5' x 5' passing areas at intervals not to exceed 200' are required.
5. Turning Spaces shall be 5' x 5' minimum. Cross slope shall be maximum 2%.
6. Clear space at the bottom of curb ramps shall be a minimum of 4' x 4' wholly contained within the crosswalk and wholly outside the parallel vehicular travel path.
7. Provide flared sides where the pedestrian circulation path crosses the curb ramp. Flared sides shall be sloped at 10% maximum, measured parallel to the curb. Returned curbs may be used only where pedestrians would not normally walk across the ramp, either because the adjacent surface is planted, substantially obstructed, or otherwise protected.
8. Additional information on curb ramp location, design, light reflective value and texture may be found in the latest draft of the Proposed Guidelines for Pedestrian Facilities in the Public Right of Way (PROWAG) as published by the U.S. Architectural and Transportation Barriers Compliance Board (Access Board).
9. To serve as a pedestrian refuge area, the median should be a minimum of 6' wide, measured from back of curbs. Medians should be designed to provide accessible passage over or through them.
10. Small channelization islands, which do not provide a minimum 5' x 5' landing at the top of curb ramps, shall be cut through level with the surface of the street.
11. Crosswalk dimensions, crosswalk markings and stop bar locations shall be as shown elsewhere in the plans. At intersections where crosswalk markings are not required, curb ramps shall align with theoretical crosswalks unless otherwise directed.
12. Provide curb ramps to connect the pedestrian access route at each pedestrian street crossing. Handrails are not required on curb ramps.
13. Curb ramps and landings shall be constructed and paid for in accordance with Item 531 "Sidewalks".
14. Place concrete at a minimum depth of 5" for ramps, flares and landings, unless otherwise directed.
15. Furnish and install No. 3 reinforcing steel bars at 18" o.c. both ways, unless otherwise directed.
16. Provide a smooth transition where the curb ramps connect to the street.
17. Curbs shown on sheet 1 within the limits of payment are considered part of the curb ramp for payment, whether it is concrete curb, gutter, or combined curb and gutter.
18. Existing features that comply with applicable standards may remain in place unless otherwise shown on the plans.

DETECTABLE WARNING MATERIAL


19. Curb ramps must contain a detectable warning surface that consists of raised truncated domes complying with PROWAG. The surface must contrast visually with adjoining surfaces, including side flares. Furnish and install an approved cast-in-place dark brown or dark red detectable warning surface material adjacent to uncolored concrete, unless specified elsewhere in the plans.
20. Detectable Warning Materials must meet TxDOT Departmental Materials Specification DMS 4350 and be listed on the Material Producer List. Install products in accordance with manufacturer's specifications.
21. Detectable warning surfaces must be firm, stable and slip resistant.
22. Detectable warning surfaces shall be a minimum of 24 inches in depth in the direction of pedestrian travel, and extend the full width of the curb ramp or landing where the pedestrian access route enters the street.
23. Detectable warning surfaces shall be located so that the edge nearest the curb line is at the back of curb and neither end of that edge is greater than 5 feet from the back of curb. Detectable warning surfaces may be curved along the corner radius.
24. Shaded areas on Sheet 1 of 4 indicate the approximate location for the detectable warning surface for each curb ramp type.

DETECTABLE WARNING PAVERS (IF USED)

25. Furnish detectable warning paver units meeting all requirements of ASTM C-936, C-33. Lay in a two by two unit basket weave pattern or as directed.
26. Lay full-size units first followed by closure units consisting of at least 25 percent (25%) of a full unit. Cut detectable warning paver units using a power saw.


SIDEWALKS

27. Provide clear ground space at operable parts, including pedestrian push buttons. Operable parts shall be placed within unobstructed reach range specified in PROWAG section R406.
28. Place traffic signal or illumination poles, ground boxes, controller boxes, signs, drainage facilities and other items so as not to obstruct the pedestrian access route or clear ground space.
29. Street grades and cross slopes shall be as shown elsewhere in the plans.
30. Changes in level greater than 1/4 inch are not permitted.
31. The least possible grade should be used to maximize accessibility. The running slope of sidewalks and crosswalks within the public right of way may follow the grade of the parallel roadway. Where a continuous grade greater than five percent (5%) must be provided, handrails may be desirable to improve accessibility. Handrails may also be needed to protect pedestrians from potentially hazardous conditions. If provided, handrails shall comply with PROWAG R409.
32. Handrail extensions shall not protrude into the usable landing area or into intersecting pedestrian routes.
33. Driveways and turnouts shall be constructed and paid for in accordance with Item "Intersections, Driveways and Turnouts". Sidewalks shall be constructed and paid for in accordance with Item, "Sidewalks".
34. Sidewalk details are shown elsewhere in the plans.




SECTION VIEW DETAIL
CURB RAMP AT DETECTIBLE WARNINGS


DETECTABLE WARNING SURFACE DETAILS



PARALLEL CURB RAMP
TYPICAL PLACEMENT OF DETECTABLE WARNING SURFACE ON LANDING AT STREET EDGE.



PERPENDICULAR CURB RAMP
TYPICAL PLACEMENT OF DETECTABLE WARNING SURFACE ON SLOPING RAMP RUN.



DIRECTIONAL CURB RAMP
TYPICAL PLACEMENT OF DETECTABLE WARNING SURFACE ON SLOPING RAMP RUN.

SHEET 2 OF 4



PEDESTRIAN FACILITIES
CURB RAMPS

PED-18

FILE: ped18	DN: TxDOT	DW: VP	CK: KM	CK: PK & JG
© TxDOT: MARCH, 2002	CONT	SECT	JOB	HIGHWAY
REVISIONS	0067	01	084	US 87
REVISOR: 08, 2005	DIST	COUNTY	SHEET NO.	
REVISOR: 06, 2012	AMA	RANDALL	77	
REVISOR: 01, 2018				





DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 9/8/2023
FILE: c:\pwworking\0225854\ped18 (1).dgn


DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 9/8/2023
 FILE: c:\pwworking\0225854\ped18 (1).dgn

SIDEWALK TREATMENT AT DRIVEWAYS




- NOTES:
- * WHERE DRIVEWAYS CROSS THE PEDESTRIAN ROUTE, SIDES SHALL BE FLARED AT 10% MAX SLOPE.
 - * * IF CURB HEIGHT IS GREATER THAN 6 INCHES, USE GRADE LESS THAN OR EQUAL TO 5%. HANDRAIL AND DETECTABLE WARNING ARE NOT REQUIRED.




PROTECTED ZONE

NOTE: IN PEDESTRIAN CIRCULATION AREA, MAXIMUM 4" PROJECTION FOR POST OR WALL MOUNTED OBJECTS BETWEEN 27" AND 80" ABOVE THE SURFACE.




CLEAR SPACE ADJACENT TO PEDESTRIAN PUSH BUTTON



PLAN VIEW

PLACEMENT OF STREET FIXTURES

NOTE: ITEMS NOT INTENDED FOR PUBLIC USE. MINIMUM 4' X 4' CLEAR GROUND SPACE REQUIRED AT PUBLIC USE FIXTURES.



WHEN AN OBSTRUCTION OF A HEIGHT GREATER THAN 27" FROM THE SURFACE WOULD CREATE A PROTRUSION OF MORE THAN 4" INTO THE PEDESTRIAN CIRCULATION AREA, CONSTRUCT ADDITIONAL CURB OR FOUNDATION AT THE BOTTOM TO PROVIDE A MAXIMUM 4" OVERHANG.

PROTRUDING OBJECTS OF A HEIGHT \leq 27" ARE DETECTABLE BY CANE AND DO NOT REQUIRE ADDITIONAL TREATMENT.

DETECTION BARRIER FOR VERTICAL CLEARANCE \leq 80"

SHEET 3 OF 4




**PEDESTRIAN FACILITIES
 CURB RAMPS**


PED-18

FILE: ped18	DN: TxDOT	DW: VP	CK: KM	CK: PK & JG
© TxDOT: MARCH, 2002	CONT	SECT	JOB	HIGHWAY
REVISED 08, 2005	0067	01	084	US 87
REVISED 06, 2012	DIST	COUNTY	SHEET NO.	
REVISED 01, 2018	AMA	RANDALL	78	


TYPICAL CROSSING LAYOUTS
SEE SHEET 1 OF 4 FOR DETAILS AND DIMENSIONS





SKewed INTERSECTION WITH "LARGE" RADIUS




AT INTERSECTION W/FREE RIGHT TURN & ISLAND



SKewed INTERSECTION WITH "SMALL" RADIUS



MID-BLOCK PLACEMENT PERPENDICULAR RAMPS



NORMAL INTERSECTION WITH "SMALL" RADIUS

LEGEND:

SHOWS DOWNWARD SLOPE. →

DENOTES PREFERRED LOCATION OF PEDESTRIAN PUSH BUTTON (IF APPLICABLE). ☒

DENOTES PLANTING OR NON-WALKING SURFACE NOT PART OF PEDESTRIAN CIRCULATION PATH. ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓

SHEET 4 OF 4



PEDESTRIAN FACILITIES
CURB RAMPS

PED-18


FILE: ped18	DN: TxDOT	DW: VP	CK: KM	CK: PK & JG
© TxDOT: MARCH, 2002	CONT	SECT	JOB	HIGHWAY
REVISIONS	0067	01	084	US 87
REVISOR	DIST	COUNTY	SHEET NO.	
REVISOR	AMA	RANDALL	79	

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.


DATE: 9/8/2023
FILE: c:\pwworking\0225854\ped18 (1).dgn

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.


DATE: 9/8/2023
 FILE: c:\pwworkh\1\0225854\cccg22 (3).dgn




TYPE I CURB (MONOLITHIC)
 2" - 4" HEIGHT




TYPE I CURB
 2" - 4" HEIGHT




TYPE I CURB AND GUTTER
 2" - 4" HEIGHT




TYPE II CURB (MONOLITHIC)
 5" - 5 3/4" HEIGHT




TYPE II CURB
 5" - 5 3/4" HEIGHT




TYPE II CURB AND GUTTER
 5" - 5 3/4" HEIGHT




TYPE III CURB (KEYED)
 2" - 4" HEIGHT




TYPE IIa CURB
 5" - 5 3/4" HEIGHT




TYPE IIa CURB AND GUTTER
 5" - 5 3/4" HEIGHT



TYPE IV CURB (KEYED)
 5" - 5 3/4" HEIGHT




EXPANSION JOINT DETAIL



CURB TRANSITION
 Note: To be paid for as Highest Curb

GENERAL NOTES

- All materials and construction shall be in accordance with Item 529, "Concrete Curb, Gutter, and Combined Curb and Gutter."
- Concrete shall be Class A.
- When reinforcing bars are used, they shall be No.4 unless otherwise shown. The use of fiber reinforced concrete in lieu of reinforcing steel is acceptable. Use fibers meeting the requirements of DMS 4550, "Fibers for Concrete," and dose fibers in accordance with Material Producers List (MPL) "Fibers for Class A and B Concrete Applications."
- Round exposed sharp edges with a rounding tool, to a minimum radius of 1/4 inch.
- All existing curbs and driveways to be removed shall be sawed or removed at existing joints.
- Where concrete curb is to be placed on existing concrete pavement, Bar B may be drilled and grouted in place, or may be inserted into fresh concrete.
- Expansion and contraction joints shall be constructed to match pavement joints in all curbs and curb and gutter adjacent to jointed concrete pavement. Where placement of curb or curb and gutter is not adjacent to concrete pavement, expansion joints shall be provided at structures, curb returns at streets, and at locations directed by The Engineer.
- Vertical and horizontal dowel bars and transverse reinforcing bars shall be placed at four feet C-C.
- Dimension 'T' shown is the thickness of concrete pavement. When curb is installed adjacent to flexible pavement dimension 'T' is 8" maximum.
- Usual profile grade line. Refer to typical sections and plan-profile sheets for exact locations.
- One-half inch expansion joint material shall be provided where curb or curb and gutter is adjacent to sidewalk or riprap.
- When horizontal permissible construction joints are used, the longitudinal pavement steel shall be placed in accordance with pavement details shown elsewhere in the plans. Reinforcing steel for curb section shall then conform to that required for concrete curb.
- Bar B placement as needed (typically at four ft. C-C) to support curb reinforcing steel during concrete placement.



CURB TRANSITION NOTE:
 Field conditions may require a longer or shorter transition, and shall be shown elsewhere in the plans, or as directed by the Engineer.

		Design Division Standard	
<h2>CONCRETE CURB AND GUTTER</h2>			
<h3>CCCG-22</h3>			
FILE: cccg21.dgn	DN: TxDOT	CK: AN	DW: CS
© TxDOT: JUNE 2022	CONT: 0067	SECT: 01	JOB: 084
REVISIONS	0067	01	US 87
DIST: AMA	COUNTY: RANDALL	SHEET NO. 80	

GENERAL NOTES FOR ALL ELECTRICAL WORK

- The location of all conduits, junction boxes, ground boxes, and electrical services is diagrammatic and may be shifted to accommodate field conditions.
- Provide new and unused materials. Ensure that all materials and installations comply with the applicable articles of the National Electrical Code (NEC), TxDOT standards and specifications, National Electrical Manufacturers Association (NEMA), and are listed by Underwriters Laboratories (UL) or a Nationally Recognized Testing Lab (NRTL). NRTLs such as Canadian Standard Association (CSA), Intertek Testing Services NA Inc., or FM Approvals LLC can be considered equivalent to UL. Where reference is made to NEMA listed devices, International Electrotechnical Commission (IEC) listed devices will not be considered an acceptable equal to a NEMA listed device. Acceptable devices may have both a NEMA and IEC listing. Faulty fabrication or poor workmanship in any material, equipment, or installation is justification for rejection. Replace or reinstall rejected material or equipment at no additional cost to the Department.
- Miscellaneous nuts, bolts and hardware, except for high strength bolts, may be stainless steel when plans specify galvanized, provided the bolt size is 1/2 in. or less in diameter.
- Provide the following test equipment as required by the Engineer to confirm compliance with the contract and the NEC: voltmeter, ammeter, megohm meter (1000 volt DC), ground resistance tester, torque wrenches, and torque screwdrivers. Ensure all equipment has been properly calibrated within the last year. Provide calibration certification to the Engineer upon request. Operate test equipment during inspection as requested by the Engineer.
- Install grounding as shown on the plans and in accordance with the NEC. Ensure all metallic conduits; metal poles; luminaires; and metal enclosures are bonded to the equipment grounding conductor. Provide stranded bare copper or green insulated grounding conductors. Ground rods, connectors, and bonding jumpers are subsidiary to the various bid items.
- When required by the Engineer, notify the Department in writing of materials from the Material Producers List (MPL) intended for use on each project. Prequalified materials are listed on the MPL on TxDOT's website under "Roadway Illumination and Electrical Supplies." No substitutions will be allowed for materials on this list.

CONDUIT

A. MATERIALS

- Provide conduit, junction boxes, fittings, and hardware as per TxDOT Departmental Material Specification (DMS) 11030 "Conduit" and Item 618 "Conduit" of TxDOT's "Standard Specifications For Construction And Maintenance Of Highways, Streets, And Bridges," latest edition. Provide conduits listed under Item 618 on the MPL under "Roadway Illumination and Electrical Supplies." Provide conduit types according to the descriptive code or as shown on the plans. Do not substitute other types of conduits for those shown. Provide liquidtight flexible metal conduit (LFMC) when flexible conduit is called for on galvanized steel rigid metallic conduit (RMC) systems. Provide liquidtight flexible nonmetallic conduit (LFNC) when flexible conduit is called for on polyvinylchloride (PVC) systems.
- Provide galvanized steel RMC for all exposed conduits, unless otherwise shown on the plans. Properly bond all metal conduits.
- Unless otherwise shown on the plans, provide junction boxes with a minimum size as shown in the following table, which applies to the greatest number of conductors entering the box through one conduit with no more than four conduits per box. When a mixture of conductor sizes is present, count the conductors as if all are of the larger size. For situations not applicable to the table, size junction boxes in accordance with NEC.

AWG	3 CONDUCTORS	5 CONDUCTORS	7 CONDUCTORS
*1	10" x 10" x 4"	12" x 12" x 4"	16" x 16" x 4"
*2	8" x 8" x 4"	10" x 10" x 4"	12" x 12" x 4"
*4	8" x 8" x 4"	10" x 10" x 4"	10" x 10" x 4"
*6	8" x 8" x 4"	8" x 8" x 4"	10" x 10" x 4"
*8	8" x 8" x 4"	8" x 8" x 4"	8" x 8" x 4"

- Junction boxes with an internal volume of less than 100 cu. in. and supported by entering raceways must have threaded entries or hubs identified for the intended purpose and supported by connection of two or more rigid metal conduits. Secure conduit within 3 ft. of the enclosure or within 18 in. of the enclosure if all conduit entries are on the same side. Mechanically secure all junction boxes with an internal volume greater than 100 cu. inches.
- Provide hot dipped galvanized cast iron or sand cast aluminum outlet boxes for junction boxes containing only 10 AWG or 12 AWG conductors. Do not use die cast aluminum boxes. Size outlet boxes according to the NEC.
- Do not use intermediate metal conduit (IMC) or electrical metallic tubing (EMT) unless specifically required by the plan sheets. When EMT is called for, provide junction boxes made from galvanized steel sheeting, listed and approved for outdoor use, unless otherwise noted on the plans. Size all galvanized steel junction boxes in accordance with the NEC. Provide junction boxes for IMC conduit systems that meet the same requirements for junction boxes used with RMC systems.
- Provide PVC junction boxes intended for outdoor use on PVC conduit systems, unless otherwise noted on the plans.


- Provide PVC elbows in PVC conduit systems, unless otherwise shown on the plans. Use only a flat, high tensile strength polyester fiber pull tape for pulling conductors through the PVC conduit system. When galvanized steel RMC elbows are specifically called for in the plans and any portion of the RMC elbow is buried less than 18 in., ground the RMC elbow by means of a grounding bushing on a rigid metal extension. Grounding of the rigid metal elbow is not required if the entire RMC elbow is encased in a minimum of 2 in. of concrete. PVC extensions are allowed on these concrete encased rigid metal elbows. RMC or PVC elbows are subsidiary to various bid items.
- When required, provide High-Density Polyethylene (HDPE) conduit with factory installed internal conductors according to Item 622 "Duct Cable." At the Contractor's request and with approval by the Engineer, substitute HDPE conduit with no conductors for bored schedule 40 or schedule 80 PVC conduit bid under Item 618. Ensure bored HDPE substituted for PVC is schedule 40 and of the same size PVC called for in the plans. Ensure the substituted HDPE meets the requirements of Item 622, except that the conduit is supplied without factory-installed conductors. Make the transition of the HDPE conduit to PVC (or RMC elbow when required) at the bore pit. Provide conduit of the size and schedule as shown on the plans. Do not extend substituted conduit into ground boxes or foundations. Provide PVC or galvanized steel RMC elbows as called for at all ground boxes and foundations.
- Use two-hole straps when supporting 2 in. and larger conduits. On electrical service poles, properly sized stainless steel or hot dipped galvanized one-hole standoff straps are allowed on the service riser conduit.

B. CONSTRUCTION METHODS

- Provide and install expansion joint conduit fittings on all structure-mounted conduits at the structure's expansion joints to allow for movement of the conduit. In addition, provide and install expansion joint fittings on all continuous runs of galvanized steel RMC conduit externally exposed on structures such as bridges at maximum intervals of 150 ft. When requested by the project Engineer, supply manufacturer's specification sheet for expansion joint conduit fittings. Repair or replace expansion joint fittings that do not allow for movement at no additional cost to the Department. Provide the method of determining the amount of expansion to the Engineer upon request. Do not use LFMC or LFNC as a substitute for the required expansion conduit fittings.
- Space all conduit supports at maximum intervals of 5 ft. Install conduit spacers when attaching metal conduit to surface of concrete structures. See "Conduit Mounting Options" on ED(2). Install conduit support within 3 ft. of all enclosures and conduit terminations.
- Do not attach conduit supports directly to pre-stressed concrete beams except as shown specifically in the plans or as approved by the Engineer.
- Unless otherwise shown on the plans, jack or bore conduit placed beneath existing roadways, driveways, sidewalks, or after the base or surfacing operation has begun. Backfill and compact the bore pits below the conduit per Item 476 "Jacking, Boring, or Tunneling Pipe or Box" prior to installing conduit or duct cable to prevent bending of the connections.
- When placing conduit in the sub-grade of new roadways, backfill all trenches with excavated material unless otherwise noted on the plans. When placing conduit in the sub-base of new roadways, backfill all trenches with cement-stabilized base as per requirements of Items 110 "Excavation", 400 "Excavation and Backfill for Structures", 401 "Flowable Backfill", 402 "Trench Excavation Protection", and 403 "Temporary Special Shoring."
- Provide and place warning tape approximately 10 in. above all trenched conduit as per Item 618.
- During construction, temporarily cap or plug open ends of all conduit and raceways immediately after installation to prevent entry of dirt, debris and animals. Temporary caps constructed of durable duct tape are allowed. Tightly fix the tape to the conduit opening. Clean out the conduit and prove it clear in accordance with Item 618 prior to installing any conductors.
- Ensure conduit entry into the top of any enclosure is waterproof by installing conduit sealing hubs or using boxes with threaded bosses. This includes surface mounted safety switches, meter cans, service enclosures, auxiliary enclosures and junction boxes. Grounding bushings on water tight sealing hubs are not required.
- Fit the ends of all PVC conduit terminations with bushings or bell end fittings. Provide and install a grounding type bushing on all metal conduit terminations.
- Install a bonding jumper from each grounding bushing to the nearest ground rod, grounding lug, or equipment grounding conductor. Ensure all bonding jumpers are the same size as the equipment grounding conductor. Bonding of conduit used as a casing under roadways for duct cable is not required, if the duct extends the full length through the casing.
- At all electrical services, install a 6 AWG solid copper grounding electrode conductor.
- Place conduits entering ground boxes so that the conduit openings are between 3 in. and 6 in. from the bottom of the box. See the ground box detail on sheet ED(4).
- Seal ends of all conduits with duct seal, expandable foam, or by other methods approved by the Engineer. Seal conduit immediately after completion of conductor installation and pull tests. Do not use duct tape as a permanent conduit sealant. Do not use silicone caulk as a conduit sealant.
- File smooth the cut ends of all mounting strut and conduit. Before installing, paint the field cut ends of all mounting strut and RMC (threaded or non-threaded) with zinc rich paint (94% or more zinc content) to alleviate overspray. Use zinc rich paint to touch up galvanized material as allowed under Item 445 "Galvanizing." Do not paint non-galvanized material with a zinc rich paint as an alternative for materials required to be galvanized.

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 9/8/2023 9:42:56 AM
FILE: c:\pw\khl\0225854\ed1-14.dgn

				Traffic Operations Division Standard	
<h2>ELECTRICAL DETAILS CONDUITS & NOTES</h2>					
<h3>ED(1)-14</h3>					
FILE:	ed1-14.dgn	DN:	CK:	DW:	CK:
© TxDOT	October 2014	CONT	SECT	JOB	HIGHWAY
REVISIONS		0067	01	084	US 87
		DIST	COUNTY		SHEET NO.
		AMA	RANDALL		81

ELECTRICAL CONDUCTORS

A. MATERIAL INFORMATION

- Provide Type XHHW insulated conductors in accordance with Departmental Material Specification (DMS) 11040 "Conductors" and Item 620 "Electrical Conductors." Provide conductors as listed on the Material Producers List (MPL) on the Department web site under "Roadway Illumination and Electrical Supplies" Item 620. Color code insulated conductors in conformance with the NEC. Identify grounded (neutral) conductors with white insulation. Identify grounding conductors (ground wires) with green insulation or bare conductors. Identify ungrounded (hot) conductors with any color insulation except green, white, or gray. Keep color scheme consistent throughout the wiring system. Identify conductors 6 American Wire Gauge (AWG) and smaller by continuous color jacket. Identify electrical conductors 4 AWG and larger by continuous color jacket or by colored tape. When identifying conductors with colored tape, mark at least 6 in. of the conductor's insulation with half laps of tape.
- Provide a solid copper 6 AWG grounding electrode conductor to bond the electrical service equipment to the concrete encased grounding electrode or the ground rod at the service location. Connect the grounding electrode conductor to the ground rod with a UL listed connector in accordance with DMS 11040. Connect the grounding electrode conductor to the concrete encased grounding electrode as shown in the plans.
- Where two or more circuits are present in one conduit or enclosure, permanently identify the conductors of each branch circuit by attaching a non-metallic tag around both circuit conductors at each accessible location. Provide tags with two straps, large enough to indicate circuit number, letter, or other identification as shown in the plans. Print circuit identification on the tag with a permanent marker.
- Use listed compression or screw type pressure connectors, terminal blocks, or split bolt connectors for splicing as specified in DMS 11040. Use hot melt adhesive tape to fill the gap and seal the ends of heat shrink tubing. Provide UL listed gel-filled insulating splice covers. Splicing materials, insulating materials, breakaway disconnects, splice covers, and fuse holders are subsidiary to various bid items.

B. CONSTRUCTION METHODS

- Use only a flat, high tensile strength polyester fiber pull tape for pulling conductors through the conduit system. After installing conductors in conduit, perform conductor pull test. If a conductor cannot be freely pulled, make any needed alterations or repairs at no additional cost to the department. Perform insulation resistance tests in accordance with Item 620. Coordinate with the Engineer to witness the tests.
- Leave 2 ft. minimum, 3 ft. maximum length for each conductor up to the splice in ground boxes. Leave 3 ft. minimum, 4 ft. maximum length of conductor in ground boxes when pulled through with no splice. Leave 1 ft. minimum, 1.5 ft. maximum length of conductor at enclosures, weatherheads and pole bases.
- Make splices only in junction boxes, ground boxes, pole bases, or electrical enclosures and use only listed compression or screw type pressure connectors, terminal blocks, or split bolt connectors. Insulate splices with heavy wall heat shrink tubing or gel-filled insulating splice covers to provide a watertight splice. Overlap conductor insulation with heat shrink tubing a minimum of 2 in. past both sides of the splice. Where heat shrink tubing may not shrink sufficiently to provide a watertight seal around the individual conductors, prior to heating the tubing, increase the diameter of the conductor insulation using hot melt adhesive tape to provide a watertight seal between the individual conductors and the heat shrink tubing. Ensure the tape extends past the heat shrink tubing. Use hot melt adhesive tape to fill the gap and seal the ends of heat shrink tubing. Heat shrink tubing that appears to have been burned, or overheated, is considered defective and must be replaced.
- Size and install gel-filled insulating splice covers according to manufacturer's specifications when used in place of heat shrink tubing.
- Wire nuts with factory applied waterproof sealant may be used for 8 AWG or smaller conductors in above ground junction boxes, but not in pole bases or ground boxes. Install wire nuts in an upright position to prevent the accumulation of water.
- Support conductors in illumination poles with a J-hook at the top of the pole.
- When terminating conductors, remove the insulation and jacketing material without nicking the individual strands of the conductor. Conductors with nicked individual conductor strands or removed strands will be considered damaged.
- Replace conductors and cables that are damaged beyond repair or that fail an insulation resistance test at no additional cost to the department.
- Do not repair damaged conductors with duct tape, electrical tape, or wire nuts. Use only approved splicing methods.
- Do not terminate more than one conductor under a single connector, unless the connector is rated for multiple conductors. Do not exceed the pressure connector's listing for maximum number and size of conductors allowed.
- Install breakaway connectors on conductors bid under Item 620 whenever those conductors pass through a breakaway support device. Follow manufacturer's instructions when terminating conductors to breakaway connectors. Properly torque threaded connections. Proper terminations are critical to the safe operation of breakaway devices. Trim waterproofing boots on breakaway connectors to fit snugly around the conductor to ensure waterproof connection. Only one conductor may enter a single opening in a boot. Provide waterproof boots with the correct number of openings. Leave unused openings factory sealed. Use prequalified breakaway connectors as shown on the MPL.

- Provide and install a separate stranded equipment grounding conductor (EGC) in all conduits that contain circuit wiring of 50 volts or more. Unless shown elsewhere, size the EGC to be the same size as the largest current carrying conductor contained in the conduit. Ensure all EGCs are bonded together at every accessible location. For traffic signal installations, provide a minimum size 8 AWG EGC. The EGC is paid for under Item 620.

C. TEMPORARY WIRING

- Install temporary conductors and electrical equipment in accordance with the NEC article "Temporary Installations" and Department standard sheets.
- Provide a ground fault circuit interrupter (GFCI) for power outlets for portable electrical equipment, power tools, ice machines, ice storage bins and refrigerators located outdoors at grade. GFCI may be any one of the following: molded cord and plug set, receptacle, or circuit breaker type.
- Use listed wire nuts with factory applied sealant for temporary wiring where approved.
- Enclose conductor splices within a listed enclosure or ground box, or ensure the splices are more than 10 ft. above grade vertically and more than 5 ft. horizontally from any metal structure. Where installing temporary conductors in areas subject to vehicle traffic or mobile construction equipment, ensure the vertical clearance to ground is at least 18 ft. when measured at the lowest point. Ground messenger wires that support power conductors in conformance with the NEC.
- Protect and when necessary repair any existing electrical conduits uncovered during the construction process in a timely manner and in conformance with the NEC.


GROUND RODS & GROUNDING ELECTRODES

A. MATERIAL INFORMATION


- Provide and install a grounding electrode at electrical services. Provide ground rods according to DMS 11040 and the plans. Larger diameter or longer length rods may be called for in some specific locations, see the individual plans sheets. Concrete encased grounding electrodes may be called for in specific locations including electrical service, see individual plan sheets.

B. CONSTRUCTION METHODS


- Furnish auxiliary ground rods for lightning protection and install in soil, concrete, or both, as called for in the plans. For ground rods installed in concrete, ensure the connection of the conductor to the ground rod is readily accessible for inspection or repairs. For ground rods installed in soil, ensure that the upper end is between 2 to 4 in. below finished grade.
- Do not place ground rods in the same drilled hole as a timber pole.
- Install ground rods so the imprinted part number is at the upper end of the rod.
- Remove all non-conductive coatings such as concrete splatter from the rod at the clamp location.
- Route all conductors as short and straight as possible for connection to lightning protection ground rods. When a bend is required, ensure a minimum radius bend of four inches for these conductors.
- Unless otherwise called for in the plans, protect grounding electrode conductors with non-metallic conduit. When protecting grounding electrode conductors with metal conduit, provide and install a grounding type bushing and properly sized bonding jumper on each end of the metal conduit.
- Written authorization is required before installing a ground rod in a horizontal trench for rocky soil or a solid rock bottom.



SPLICE OPTION 1
Compression Type



SPLICE OPTION 2
Split Bolt Type



SPLICE OPTION 3
Listed Screw Type


DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 9/8/2023 9:42:59 AM
FILE: c:\pwworkh\ad0225854\ed3-14.dgn

				Traffic Operations Division Standard	
<h1>ELECTRICAL DETAILS CONDUCTORS</h1>					
<h2>ED(3)-14</h2>					
FILE:	ed3-14.dgn	DN:	TxDOT	CK:	TxDOT
© TxDOT	October 2014	CONT:	0067	SECT:	01
REVISIONS:		JOB:	084	HIGHWAY:	US 87
		DIST:	AMA	COUNTY:	RANDALL
				SHEET NO.:	82


DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 9/8/2023 9:43:02 AM
 FILE: c:\pwworkh\0225854.ed4-14.dgn



PLAN VIEW

APRON FOR GROUND BOX




SECTION A - A

- (1) Uniformly space ends of conduits within the ground box. Position ends of conduits so that ground box walls do not interfere with the installation of grounding bushings or bell end fittings.
- (2) Maintain sufficient space between conduits to allow for proper installation of bushing.
- (3) Place aggregate under the box, not in the box. Aggregate should not encroach on the interior volume of the box.
- (4) Install a grounding bushing on the upper end of all RMC terminating in a ground box. Ground RMC elbows when any part of the elbow is less than 18 in. below the bottom of the ground box. Install a PVC bushing or bell end fitting on the upper end of all PVC conduits terminating in a ground box.

GROUND BOX DIMENSIONS	
TYPE	OUTSIDE DIMENSIONS (INCHES) (Width x Length X Depth)
A	12 X 23 X 11
B	12 X 23 X 22
C	16 X 29 X 11
D	16 X 29 X 22
E	12 X 23 X 17

GROUND BOX COVER DIMENSIONS								
TYPE	DIMENSIONS (INCHES)							
	H	I	J	K	L	M	N	P
A, B & E	23 1/4	23	13 3/4	13 1/2	9 7/8	5 1/8	1 3/8	2
C & D	30 1/2	30 1/4	17 1/2	17 1/4	13 1/4	6 3/4	1 3/8	2



PLAN VIEW

END

SIDE

GROUND BOX COVER

GROUND BOXES

A. MATERIALS

1. Provide polymer concrete ground boxes measuring 16x30x24 in. (WxLxD) or smaller in accordance with Departmental Material Specification (DMS) 11070 "Ground Boxes" and Item 624 "Ground Boxes."
2. Provide Type A, B, C, D, and E ground boxes as shown in the plans, and as listed on the Material Producers List (MPL) on the Department web site under "Roadway Illumination and Electrical Supplies," Item 624.
3. Ensure ground box cover is correctly labeled in accordance with DMS 11070.
4. Provide larger ground boxes in accordance with Item 624 and as shown in the plans.


B. CONSTRUCTION METHODS

1. Remove all gravel and dirt from conduit. Cap all conduits prior to placing aggregate and setting ground box. Provide Grade 3 or 4 coarse aggregate as shown on Table 2 of Item 302 "Aggregates for Surface Treatments." Ensure aggregate bed is in place and at least 9 inches deep, prior to setting the ground box. Install ground box on top of aggregate.
2. Cast ground box aprons in place. Reinforcing steel may be field bent. Ensure the depth of concrete for the apron extends from finished grade to the top of the aggregate bed under the box. Ground box aprons, including concrete and reinforcing steel, are subsidiary to ground boxes when called for by descriptive code.
3. Keep bolt holes in the box clear of dirt. Bolt covers down when not working in ground boxes.
4. Install all conduits and ells in a neat and workmanlike manner. Uniformly space conduits so grounding bushings and bell end fittings can easily be installed.
5. Temporarily seal all conduits in the ground box until conductors are installed.
6. Permanently seal conduits immediately after the completion of conductor installation and pull tests. Permanently seal the ends of all conduits with duct seal, expandable foam, or other method as approved. Do not use duct tape as a permanent conduit sealant. Do not use silicone caulk as a sealant.
7. When a ground rod is present in a ground box, bond all equipment grounding conductors together and to the ground rod with listed connectors.
8. When a type B or D ground box is stacked to meet volume requirements, it is allowable to cut an appropriately sized hole for conduit entry in the side wall at least 18 inches below grade.
9. If an existing ground box in the contract has a metal cover, bond the cover to the equipment grounding conductor with a 3 ft. long stranded bonding jumper the same size as the grounding conductor. The bonding jumper is subsidiary to various bid items. Verify existing ground boxes with metal covers are shown on the plans, with notes fully describing the work required.
10. If other ground boxes with metal covers are within the project limits but are not part of the contract, the Engineer may direct the Contractor to bond the metal covers, identifying the specific boxes in writing. This work will be paid for separately.
11. Bond metal ground box covers to the grounding conductor with a tank ground type lug.


				Traffic Operations Division Standard	
<h1>ELECTRICAL DETAILS</h1> <h2>GROUND BOXES</h2>					
<h3>ED(4)-14</h3>					
FILE: ed4-14.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT	
© TxDOT October 2014	CONT: 0067	SECT: 01	JOB: 084	HIGHWAY: US 87	
REVISIONS	DIST: AMA	COUNTY: RANDALL	SHEET NO.: 83		

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.


DATE: 9/8/2023 9:43:11 AM
 FILE: c:\pwworking\dot225854\pm1-22 (3).dgn




**EDGE LINE AND LANE LINES
 ONE-WAY ROADWAY
 WITH OR WITHOUT SHOULDERS**




**TYPICAL TWO-LANE, TWO-WAY PAVEMENT
 MARKINGS THROUGH INTERSECTIONS**




**CENTERLINE AND LANE LINES
 FOUR LANE TWO-WAY ROADWAY
 WITH OR WITHOUT SHOULDERS**




• 2" minimum for restripe projects when approved by the Engineer.
 •• 8" minimum for restripe projects when approved by the Engineer.




**TYPICAL MULTI-LANE, TWO-WAY PAVEMENT
 MARKINGS THROUGH INTERSECTIONS**




**TWO LANE TWO-WAY ROADWAY
 WITH OR WITHOUT SHOULDERS**



• 2" minimum for restripe projects when approved by the Engineer.



YIELD LINES




For posted speed on road being marked equal to or less than 40 MPH.

GENERAL NOTES

1. Edge line striping shall be as shown in the plans or as directed by the Engineer. The edge line should not be placed less than 6 inches from the edge of pavement. This distance may vary due to pavement raveling or other conditions. Edge lines are not required in curb and gutter sections of roadways.
2. The traveled way includes only that portion of the roadway used for vehicular travel. It does not include the parking lanes, sidewalks, berms and shoulders. The traveled ways shall be measured from the center of edge line to the center of edge line of a two lane roadway.

MATERIAL SPECIFICATIONS	
PAVEMENT MARKERS (REFLECTORIZED)	DMS-4200
EPOXY AND ADHESIVES	DMS-6100
BITUMINOUS ADHESIVE FOR PAVEMENT MARKERS	DMS-6130
TRAFFIC PAINT	DMS-8200
HOT APPLIED THERMOPLASTIC	DMS-8220
PERMANENT PREFABRICATED PAVEMENT MARKINGS	DMS-8240


All pavement marking materials shall meet the required Departmental Material Specifications as specified by the plans.



NOTE: Traveled way is exclusive of shoulder widths. Refer to General Note 2 for additional details.

**GUIDE FOR PLACEMENT OF STOP LINES,
 EDGE LINE & CENTERLINE**

Based on Traveled Way and Pavement Widths for Undivided Roadways



FOUR LANE DIVIDED ROADWAY CROSSOVERS

NOTES

1. Where divided highways are separated by median widths at the median opening itself of 30 feet or more, median openings shall be signed as two separate intersections. Each median opening has two width measurements, with one measurement for each approach. The narrow median width will be the controlling width to determine if signs are required. Yield signs are the typical intersection control. Stop signs and stop bars are optional as determined by the Engineer.
2. Install median striping (double yellow centerlines and stop lines/yield lines) when a 50' or greater median centerline can be placed. Stop lines shall only be used with stop signs. Yield lines shall only be used with yield signs.
3. Length of turn bays, including taper, deceleration, and storage lengths shall be as shown on the plans or as directed by the Engineer.




**TYPICAL STANDARD
 PAVEMENT MARKINGS**

PM(1)-22


FILE: pm1-22.dgn	DN:	CK:	DW:	CK:
© TxDOT December 2022	CONT	SECT	JOB	HIGHWAY
REVISIONS	0067	01	084	US 87
11-78 8-00 6-20	DIST	COUNTY	SHEET NO.	
8-95 3-03 12-22	AMA	RANDALL	85	
5-00 2-12				

REFLECTIVE RAISED PAVEMENT MARKERS FOR VEHICLE POSITIONING GUIDANCE



DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.




CENTERLINE FOR ALL TWO LANE TWO-WAY ROADWAYS



**CENTERLINE & LANE LINES
FOR FOUR LANE TWO-WAY ROADWAYS**





CENTERLINE AND LANE LINES FOR TWO-WAY LEFT TURN LANE




LANE LINES FOR ONE-WAY ROADWAY (NON-FREEWAY FACILITIES)

Raised pavement markers Type II-C-R shall have clear face toward normal traffic and red face toward wrong-way traffic.
See Note 3.




**REFLECTORIZED PROFILE
PATTERN DETAIL**
USING REFLECTIVE PROFILE PAVEMENT MARKINGS




- NOTES**
- Edge lines should typically be 6" wide and the materials shall be specified in the plans.
 - Profile markings shall not be placed on roadways with a posted speed limit of 45 MPH or less.

MATERIAL SPECIFICATIONS	
PAVEMENT MARKERS (REFLECTORIZED)	DMS-4200
EPOXY AND ADHESIVES	DMS-6100
BITUMINOUS ADHESIVE FOR PAVEMENT MARKERS	DMS-6130
TRAFFIC PAINT	DMS-8200
HOT APPLIED THERMOPLASTIC	DMS-8220
PERMANENT PREFABRICATED PAVEMENT MARKINGS	DMS-8240


All pavement marking materials shall meet the required Departmental Material Specifications as specified by the plans.



Type I (Top View)



Type II (Top View)



SECTION A

RAISED PAVEMENT MARKERS




**POSITION GUIDANCE USING
RAISED MARKERS
REFLECTORIZED PROFILE
MARKINGS
PM(2)-22**

FILE: pm2-22.dgn	DN:	CK:	DW:	CK:
© TxDOT December 2022	CONT	SECT	JOB	HIGHWAY
REVISIONS	0067	01	084	US 87
4-77 8-00 6-20	DIST	COUNTY	SHEET NO.	
4-92 2-10 12-22	AMA	RANDALL	86	
5-00 2-12				

DATE: 9/8/2023 9:43:14 AM
FILE: c:\pwworking\dot225854\pm2-22 (2).dgn

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 9/8/2023 9:43:17 AM
 FILE: c:\pwworking\dot25854\pm3-22 (2).dgn



LANE REDUCTION

NOTES

- Lane reduction pavement markings are used where the number of through lanes is reduced because of narrowing of the roadway or because of a section of on-street parking in what would otherwise be a through lane. For Texas Super 2 Passing Lanes, see TS2(PL) standard sheets.
- On divided highways, an additional RIGHT LANE ENDS (W9-1R) sign may be installed in the median aligned with the W9-1R sign on the right side of the highway.
- Lane reduction arrows are required for speeds of 45 mph or greater. An optional third lane reduction arrow may be added based on engineering judgement. If used, the optional third lane reduction arrow should be centered between the first and last lane reduction arrows.
- For lane reductions on Freeways and Expressways, signing shall conform to the TxDOT Freeway Signing Handbook.


ADVANCED WARNING SIGN DISTANCE (D)		
Posted Speed	D (ft)	L (ft)
30 MPH	460	L = $\frac{WS^2}{60}$
35 MPH	565	
40 MPH	670	L = WS
45 MPH	775	
50 MPH	885	
55 MPH	990	
60 MPH	1,100	
65 MPH	1,200	
70 MPH	1,250	
75 MPH	1,350	

GENERAL NOTES


- Lane use word and arrow markings shall be used where through lanes approaching an intersection become mandatory turn lanes. Lane use word and arrow markings should be used in auxiliary lanes of substantial length. Lane use arrow markings or word and arrow markings may be used in other lanes and turn bays for emphasis. Details for words and arrows are as shown in the Standard Highway Sign Designs for Texas.
- When lane-use words and arrow markings are used, two sets of arrows should be used if the length of the bay is greater than 180 feet. When a single lane use arrow or word and arrow marking is used for a short turn lane, it should be located at or near the upstream end of the full-width turn lane.
- Use raised pavement marker Type I-C with undivided highways, flush medians and two way left turn lanes. Use raised pavement marker Type II-C-R with divided highways and raised medians.
- Length of turn bays, including taper, deceleration, and storage lengths shall be as shown on the plans or as directed by the Engineer. See Chapter 3 of the Roadway Design Manual for additional information on turning lanes or storage lengths.

MATERIAL SPECIFICATIONS	
PAVEMENT MARKERS (REFLECTORIZED)	DMS-4200
EPOXY AND ADHESIVES	DMS-6100
BITUMINOUS ADHESIVE FOR PAVEMENT MARKERS	DMS-6130
TRAFFIC PAINT	DMS-8200
HOT APPLIED THERMOPLASTIC	DMS-8220
PERMANENT PREFABRICATED PAVEMENT MARKINGS	DMS-8240

All pavement marking materials shall meet the required Departmental Material Specifications as specified by the plans.




TYPICAL TWLTL AT ONE-WAY STREET AND RIGHT TURN AUXILIARY LANE




A two-way left-turn (TWLTL) lane-use arrow pavement marking should be used at or just downstream from the beginning of a two-way left-turn lane within a corridor. Repeating the marking after each intersection or dedicated turn bay is not required unless stated elsewhere in the plans.


TYPICAL TRANSITION FOR TWLTL AND DIVIDED HIGHWAY



TYPICAL TWLTL AT TWO-WAY CROSS STREET AND RIGHT TURN LANE DROP



TYPICAL TWO-LANE ROADWAY INTERSECTION WITH LEFT TURN BAYS



DETAIL A

DETAIL B

* 2" minimum allowed for restripe projects when approved by the Engineer.


Texas Department of Transportation
 Traffic Safety Division Standard

TWO-WAY LEFT TURN LANES, RURAL LEFT TURN BAYS, AND LANE REDUCTION PAVEMENT MARKINGS PM(3)-22

FILE: pm3-22.dgn	DN:	CK:	DW:	CK:
© TxDOT December 2022	CONT: 0067	SECT: 01	JOB: 084	HIGHWAY: US 87
REVISIONS	DIST: AMA	COUNTY: RANDALL	SHEET NO. 87	
4-98 3-03 6-20	5-00 2-10 12-22	8-00 2-12		

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 9/8/2023 9:43:20 AM
 FILE: c:\pwworkh\1\0225854\pm4-22a.dgn




HIGH-VISIBILITY LONGITUDINAL CROSSWALK AT CONTROLLED APPROACH

GENERAL NOTES

1. Longitudinal crosswalk lines should not be placed in the wheel path of vehicles. Center the crosswalk lines on travel lanes, lane lines, and shoulder lines (if present).
2. A minimum 6" clear distance shall be provided to the curb face. If the last crosswalk line falls into this distance it must be omitted.
3. For divided roadways, adjustments in spacing of the crosswalk lines should be made in the median so that the crosswalk lines are maintained in their proper location across the travel portion of the roadway.
4. At skewed crosswalks, the crosswalk lines are to remain parallel to the lane lines.
5. Each crosswalk shall be a minimum of 6' wide.
6. The High-Visibility Longitudinal Crosswalk is the preferred crosswalk pattern on State Highways. Other crosswalk patterns as shown in the "Texas Manual on Uniform Traffic Control Devices" may be used. All crosswalk designs and dimension shall comply with the "Texas Manual on Uniform Traffic Control Devices."
7. Final placement of Stop Bar and Crosswalk shall be approved by the Engineer in the field.

MATERIAL SPECIFICATIONS	
PAVEMENT MARKERS (REFLECTORIZED)	DMS-4200
EPOXY AND ADHESIVES	DMS-6100
BITUMINOUS ADHESIVE FOR PAVEMENT MARKERS	DMS-6130
TRAFFIC PAINT	DMS-8200
HOT APPLIED THERMOPLASTIC	DMS-8220
PERMANENT PREFABRICATED PAVEMENT MARKINGS	DMS-8240

All pavement marking materials shall meet the required Departmental Material Specifications as specified by the plans.



UNSIGNALIZED MIDBLOCK HIGH-VISIBILITY LONGITUDINAL CROSSWALK

NOTES:

1. Use stop bars with Stop Here For Pedestrians (R1-5b) signs at unsignalized midblock crosswalks.
2. Use stop bars with STOP HERE ON RED (R10-6 or R10-6a) signs at midblock crosswalks controlled by traffic signals or pedestrian hybrid beacons.

		Traffic Safety Division Standard	
<h2>CROSSWALK PAVEMENT MARKINGS</h2> <h3>PM(4)-22A</h3>			
FILE: pm4-22a.dgn	DN:	CK:	DW:
© TxDOT December 2022	CONT: 0067	SECT: 01	JOB: 084
REVISIONS			HIGHWAY: US 87
6-20	DIST: AMA	COUNTY: RANDALL	SHEET NO.: 88
6-22			
12-22			

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

SIGN SUPPORT DESCRIPTIVE CODES

(Descriptive Codes correspond to project estimate and quantities sheets)

SM RD SGN ASSM TY XXXXX(X)XX(X-XXXX)

Post Type

- FRP = Fiberglass Reinforced Plastic Pipe (see SMD(FRP))
- TWT = Thin-Walled Tubing (see SMD(TWT))
- 10BWG = 10 BWG Tubing (see SMD(SLIP-1) to (SLIP-3))
- S80 = Schedule 80 Pipe (see SMD(SLIP-1) to (SLIP-3))

Number of Posts (1 or 2)


Anchor Type

- UA = Universal Anchor - Concreted (see SMD(FRP) and (TWT))
- UB = Universal Anchor - Bolted down (see SMD(FRP) and (TWT))
- WS = Wedge Anchor Steel - (see SMD(TWT))
- WP = Wedge Anchor Plastic (see SMD(TWT))
- SA = Slipbase - Concreted (see SMD(SLIP-1) to (SLIP-3))
- SB = Slipbase - Bolted Down (see SMD(SLIP-1) to (SLIP-3))

Sign Mounting Designation

- P = Prefab. "Plain" (see SMD(SLIP-1) to (SLIP-3), (TWT), (FRP))
- T = Prefab. "T" (see SMD(SLIP-1) to (SLIP-3), (TWT))
- U = Prefab. "U" (see SMD(SLIP-1) to (SLIP-3))
- IF REQUIRED
- TEXT or 2EXT = Number of Extensions (see SMD(SLIP-1) to (SLIP-3), (TWT))
- BM = Extruded Wind Beam (see SMD(SLIP-1) to (SLIP-3))
- WC = 1.12 * /ft Wing Channel (see SMD(SLIP-1) to (SLIP-3))
- EXAL = Extruded Aluminum Sign Panels (see SMD(SLIP-3))


REQUIRED CLEARANCE FOR BREAKAWAY SUPPORT



To avoid vehicle undercarriage snagging, any substantial remains of a breakaway support, when it is broken away, should not project more than 4 inches above a 60-inch chord (i.e., typical space between wheelpaths).


SIGN LOCATION

PAVED SHOULDERS



LESS THAN 6 FT. WIDE


When the shoulder is 6 ft. or less in width, the sign must be placed at least 12 ft. from the edge of the travel lane.



GREATER THAN 6 FT. WIDE


When the shoulder is greater than 6 ft in width, the sign must be placed at least 6 ft. from the edge of the shoulder.

T-INTERSECTION




When this sign is needed at the end of a two-lane, two way roadway, the right edge of the sign should be in line with the centerline of the roadway. Place as close to ROW as practical.

No more than 2 sign posts should be located within a 7 ft. circle.




BEHIND BARRIER





BEHIND GUARDRAIL

**Sign clearance based on distance required for proper guard rail or concrete barrier performance.



BEHIND CONCRETE BARRIER

TYPICAL SIGN ATTACHMENT DETAIL




Bolts used to mount sign panels to the clamp are 5/16-18 UNC galvanized square head with nut, nylon washer, flat washer and lock washer. The bolt length is 1 inch for aluminum.

When two sign clamps are used to mount signs back-to-back, use a 5/16-18 UNC galvanized hex head per ASTM A307 with nut and helical-spring lock washer. The approximate bolt lengths for various post sizes and sign clamp types are given in the table at right. The bolt length may need to be adjusted depending upon field conditions.

Sign clamps may be either the specific size clamp or the universal clamp.


Pipe Diameter	Approximate Bolt Length	
	Specific Clamp	Universal Clamp
2" nominal	3"	3 or 3 1/2"
2 1/2" nominal	3 or 3 1/2"	3 1/2 or 4"
3" nominal	3 1/2 or 4"	4 1/2"

SIGNS WITH PLAQUES



When a supplemental plaque or secondary sign is used, the 7 ft sign height is measured to the bottom of the supplemental plaque or secondary sign.

RESTRICTED RIGHT-OF-WAY (When 6 ft min. is not possible.)




Right-of-way restrictions may be created by rocks, water, vegetation, forest, buildings, a narrow island, or other factors.

In situations where a lateral restriction prevents the minimum horizontal clearance from the edge of the travel lane, signs should be placed as far from the travel lane as practical.

*** Post may be shorter if protected by guardrail or if Engineer determines the post could not be hit due to extreme slope.

CURB & GUTTER OR RAISED ISLAND



- * Signs shall be mounted using the following condition that results in the greatest sign elevation:
 - (1) a minimum of 7 to a maximum of 7.5 feet above the edge of the travel lane or
 - (2) a minimum of 7 to a maximum of 7.5 feet above the grade at the base of the support when sign is installed on the backslope.
- The maximum values may be increased when directed by the Engineer.
- See the Traffic Operations Division website for detailed drawings of sign clamps, Triangular Slipbase System components and Wedge Anchor System components.
- The website address is: <http://www.txdot.gov/publications/traffic.htm>



SIGN MOUNTING DETAILS SMALL ROADSIDE SIGNS GENERAL NOTES & DETAILS


SMD(GEN)-08

© TxDOT July 2002		DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
9-08	REVISIONS	CONT	SECT	JOB	HIGHWAY
		0067	01	084	US 87
		DIST	COUNTY		SHEET NO.
		AMA	RANDALL		89

DATE: 9/8/2023 9:43:23 AM
FILE: c:\pw\kh\1\0225854\smgden (1).dgn

TRIANGULAR SLIPBASE INSTALLATION GENERAL REQUIREMENTS

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.



NOTE

There are various devices approved for the Triangular Slipbase System. Please reference the Material Producer List for approved slip base systems. http://www.txdot.gov/business/producer_list.htm The devices shall be installed per manufacturers' recommendations. Installation procedures shall be provided to the Engineer by Contractor.

GENERAL NOTES:

- Slip base shall be permanently marked to indicate manufacturer. Method, design, and location of marking are subject to approval of the TxDOT Traffic Standards Engineer.
- Material used as post with this system shall conform to the following specifications:
 - 10 BWG Tubing (2.875" outside diameter)
 - 0.134" nominal wall thickness
 - Seamless or electric-resistance welded steel tubing or pipe
 - Steel shall be HSLAS Gr 55 per ASTM A1011 or ASTM A1008
 - Other steels may be used if they meet the following:
 - 55,000 PSI minimum yield strength
 - 70,000 PSI minimum tensile strength
 - 20% minimum elongation in 2"
 - Wall thickness (uncoated) shall be within the range of 0.122" to 0.138"
 - Outside diameter (uncoated) shall be within the range of 2.867" to 2.883"
 - Galvanization per ASTM A123 or ASTM A653 G210. For pre-coated steel tubing (ASTM A653), recoat tube outside diameter weld seam by metallizing with zinc wire per ASTM B833.
 - Schedule 80 Pipe (2.875" outside diameter)
 - 0.276" nominal wall thickness
 - Steel tubing per ASTM A500 Gr C
 - Other seamless or electric-resistance welded steel tubing or pipe with equivalent outside diameter and wall thickness may be used if they meet the following:
 - 46,000 PSI minimum yield strength
 - 62,000 PSI minimum tensile strength
 - 21% minimum elongation in 2"
 - Wall thickness (uncoated) shall be within the range of 0.248" to 0.304"
 - Outside diameter (uncoated) shall be within the range of 2.855" to 2.895"
 - Galvanization per ASTM A123
- See the Traffic Operations Division website for detailed drawings of sign clamps and Texas Universal Triangular Slipbase System components. The website address is: <http://www.txdot.gov/publications/traffic.htm>
- Sign supports shall not be spliced except where shown. Sign support posts shall not be spliced.

ASSEMBLY PROCEDURE


Foundation

- Prepare 12-inch diameter by 42-inch deep hole. If solid rock is encountered, the depth of the foundation may be reduced such that it is embedded a minimum of 18 inches into the solid rock.
- The Engineer may permit batches of concrete less than 2 cubic yards to be mixed with a portable, motor-driven concrete mixer. For small placements less than 0.5 cubic yards, hand mixing in a suitable container may be allowed by Engineer. Concrete shall be Class A.
- Push the pipe end of the slip base stub into the center of the concrete. Rotate the stub back and forth while pushing it down into the concrete to assure good contact between the concrete and stub. Continue to work the stub into the concrete until it is between 2 to 4 inches above the ground.
- Plumb the stub. Allow a minimum of 4 days to set, unless otherwise directed by the Engineer.
- The triangular slipbase system is multidirectional and is designed to release when struck from any direction.

Support

- Cut support so that the bottom of the sign will be 7 to 7.5 feet above the edge of the travelway (i.e., edge of the closest lane) when slip plate is below the edge of pavement or 7 to 7.5 feet above slip plate when the slip plate is above the edge of the travelway. The cut shall be plumb and straight.
- Attach sign to support using connections shown. When multiple signs are installed on the same support, ensure the minimum clearance between each sign is maintained. See SMD(SLIP-2) for clearances based on sign types.

CONCRETE ANCHOR



SM RD SGN ASSM TY XXXXX(X)SB(X-XXXX)

Concrete anchor consists of 5/8" diameter stud bolt with UNC series bolt threads on the upper end. Heavy hex nut per ASTM A563, and hardened washer per ASTM F436. The stud bolt shall have a minimum yield and ultimate tensile strength of 50 and 75 KSI, respectively. Nuts, bolts and washers shall be galvanized per Item 445, "Galvanizing." Adhesive type anchors shall have stud bolts installed with Type III epoxy per DMS-6100, "Epoxyes and Adhesives." Adhesive anchors may be loaded after adequate epoxy cure time per the manufacturer's recommendations. Top of bolt shall extend at least flush with top of the nut when installed. The anchor, when installed in 4000 psi normal-weight concrete with a 5 1/2" minimum embedment, shall have a minimum allowable tension and shear of 3900 and 3100 psi, respectively.







SIGN MOUNTING DETAILS SMALL ROADSIDE SIGNS TRIANGULAR SLIPBASE SYSTEM

SMD(SLIP-1)-08

© TxDOT July 2002		DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
9-08	REVISIONS	CONT	SECT	JOB	HIGHWAY
		0067	01	084	US 87
		DIST	COUNTY	SHEET NO.	
		AMA	RANDALL	90	




DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 9/8/2023 9:43:29 AM
 FILE: c:\pwworkh\1\0225854\smads2 (1).dgn



All dimensions are in english unless detailed otherwise.





SM RD SGN ASSM TY XXXXX(1)XX(T) (* - See Note 12)




SIDE VIEW

3/8" x 3 1/2" square head bolt, nut, flat washer and lock washer per ASTM A307 galvanized per Item 445 "Galvanizing." (Bolt length may vary depending on sign clamp type and pipe diameter.)

Rolled Crimp to engage pipe O.D.





FRICION CAP DETAIL



Friction caps may be manufactured from hot rolled or cold rolled steelsheets. The minimum sheet metal thickness shall be 24 gauge for all cap sizes.

The rim edges shall be reasonably straight and smooth. Caps shall be sized and formed in such a manner as to produce a drive-on friction fit and have no tendency to rock when seated on the pipe. The depth shall be sufficient to give positive protection against entrance of rainwater. They shall be free of sharp creases or indentations and show no evidence of metal fracture.

Caps shall have an electrodeposited coating of zinc in accordance with the requirements of ASTM B633 Class FE/ZN 8.



GENERAL NOTES:

- | SIGN SUPPORT | OF POSTS | MAX. SIGN AREA |
|--------------|----------|----------------|
| 10 BWG | 1 | 16 SF |
| 10 BWG | 2 | 32 SF |
| Sch 80 | 1 | 32 SF |
| Sch 80 | 2 | 64 SF |
- The Engineer may require that a Schedule 80 post be used in place of a 10 BWG where a sign height is abnormally high due to a fill slope.
- Sign supports shall not be spliced except where shown. Sign support posts shall not be spliced.
- Aluminum sign blanks shall conform to Departmental Material Specifications DMS-7110 and shall have the following minimum thicknesses: 0.080 for signs less than 7.5 sq. ft., 0.100 for signs 7.5 to 15 sq. ft., and 0.125 for signs greater than 15 sq. ft.
- Signs that require specific supports due to reasons in addition to windloading are indicated on the "REQUIRED SUPPORT" table on this sheet.
- For horizontal rectangular signs fabricated from flat aluminum, T-brackets are used for signs 24 inches or less in height. U-brackets are used for signs of greater height.
- When two triangular slipbase supports are used to support a single sign, they shall not be "rigidly" connected to each other except through the sign panel. This will allow each support to act independently when impacted by an errant vehicle.
- Wing channel shall meet ASTM A 1011 SS Gr 50 and be galvanized per ASTM A 123.
- Excess pipe, wing channel, or windbeam shall be cut off so that it does not extend beyond the sign panel (i.e., excess support shall not be visible when the sign is viewed from the front.) Repair galvanized coating at cut support ends per Item 445, "Galvanizing."
- Additional route markers may be added vertically, provided the total sign area does not exceed the maximum allowable amount per Note 1.
- Additional sign clamp required on the "T-bracket" post for 24 inch height signs. Place the clamp 3 inches above bottom of sign when possible.
- Post open ends shall be fitted with Friction Caps.
- Sign blanks shall be the sizes and shapes shown on the plans.

REQUIRED SUPPORT		
	SIGN DESCRIPTION	SUPPORT
Regulatory	48-inch STOP sign (R1-1)	TY 10BWG(1)XX(T) TY 10BWG(1)XX(P-BM)
	60-inch YIELD sign (R1-2)	TY 10BWG(1)XX(T) TY 10BWG(1)XX(P-BM)
	48x16-inch ONE-WAY sign (R6-1)	TY 10BWG(1)XX(T) TY 10BWG(1)XX(P-BM)
	36x48, 48x36, and 48x48-inch signs	TY 10BWG(1)XX(T)
Warning	48x60-inch signs	TY S80(1)XX(T)
	48x48-inch signs (diamond or square)	TY 10BWG(1)XX(T)
	48x60-inch signs	TY S80(1)XX(T)
	48-inch Advance School X-ing sign (S1-1)	TY 10BWG(1)XX(T)
	48-inch School X-ing sign (S2-1)	TY 10BWG(1)XX(T)
	Large Arrow sign (W1-6 & W1-7)	TY 10BWG(1)XX(T)




SIGN MOUNTING DETAILS
 SMALL ROADSIDE SIGNS
 TRIANGULAR SLIPBASE SYSTEM
 SMD(SLIP-2)-08


© TxDOT July 2002		DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
9-08	REVISIONS	CONT	SECT	JOB	HIGHWAY
		0067	01	084	US 87
		DIST	COUNTY		SHEET NO.
		AMA	RANDALL		91

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.


DATE: 9/8/2023 9:43:31 AM
 FILE: c:\pw\kh1\0225854\smads3 (1).dgn




SM RD SGN ASSM TY XXXXX(1)XX(T-2EXT)
 (* - See Note 12)




Detail B



Splices shall only be allowed behind the sign substrate.




SM RD SGN ASSM TY XXXXX(1)XX(U-XX)




Typical Sign Mount
 SM RD SGN ASSM TY S80(2)XX(P-EXAL)


* Additional stiffener placed at approximate center of signs when sign width is greater than 10'.



Detail E




Detail A




Detail D

EXTRUDED ALUMINUM SIGN WITH T BRACKET



Extruded Aluminum Sign With T Bracket



Use Extruded Alum. Windbeam as stiffeners See SMD (2-1) for additional details
 See Detail E for clamp installation

GENERAL NOTES:

- | SIGN SUPPORT | # OF POSTS | MAX. SIGN AREA |
|--------------|------------|----------------|
| 10 BWG | 1 | 16 SF |
| 10 BWG | 2 | 32 SF |
| Sch 80 | 1 | 32 SF |
| Sch 80 | 2 | 64 SF |
- The Engineer may require that a Schedule 80 post be used in place of a 10 BWG where a sign height is abnormally high due to a fill slope.
- Sign supports shall not be spliced except where shown. Sign support posts shall not be spliced.
- Aluminum sign blanks shall conform to Departmental Material Specifications DMS-7110 and shall have the following minimum thicknesses: 0.080 for signs less than 7.5 sq. ft., 0.100 for signs 7.5 to 15 sq. ft., and 0.125 for signs greater than 15 sq. ft.
- Signs that require specific supports due to reasons in addition to windloading are indicated on the "REQUIRED SUPPORT" table on this sheet.
- For horizontal rectangular signs fabricated from flat aluminum, T-brackets are used for signs 24 inches or less in height. U-brackets are used for signs of greater height.
- When two triangular slipbase supports are used to support a single sign, they shall not be "rigidly" connected to each other except through the sign panel. This will allow each support to act independently when impacted by an errant vehicle.
- Wing channel shall meet ASTM A 1011 SS Gr 50 and be galvanized per ASTM A 123.
- Excess pipe, wing channel, or windbeam shall be cut off so that it does not extend beyond the sign panel (i.e., excess support shall not be visible when the sign is viewed from the front.) Repair galvanized coating at cut support ends per Item 445, "Galvanizing."
- Sign blanks shall be the sizes and shapes shown on the plans.
- Additional sign clamp required on the "T-bracket" post for 24 inch high signs. Place the clamp 3 inches above bottom of sign when possible.
- Post open ends shall be fitted with Friction Caps.





REQUIRED SUPPORT		
	SIGN DESCRIPTION	SUPPORT
Regulatory	48-inch STOP sign (R1-1)	TY 10BWG(1)XX(T) TY 10BWG(1)XX(P-BM)
	60-inch YIELD sign (R1-2)	TY 10BWG(1)XX(T) TY 10BWG(1)XX(P-BM)
	48x16-inch ONE-WAY sign (R6-1)	TY 10BWG(1)XX(T) TY 10BWG(1)XX(P-BM)
	36x48, 48x36, and 48x48-inch signs	TY 10BWG(1)XX(T)
Warning	48x60-inch signs	TY S80(1)XX(T)
	48x48-inch signs (diamond or square)	TY 10BWG(1)XX(T)
	48x60-inch signs	TY S80(1)XX(T)
	48-inch Advance School X-ing sign (S1-1)	TY 10BWG(1)XX(T)
	48-inch School X-ing sign (S2-1)	TY 10BWG(1)XX(T)
	Large Arrow sign (W1-6 & W1-7)	TY 10BWG(1)XX(T)









SIGN MOUNTING DETAILS
 SMALL ROADSIDE SIGNS
 TRIANGULAR SLIPBASE SYSTEM
 SMD(SLIP-3)-08

© TxDOT July 2002		DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
9-08	REVISIONS	CONT	SECT	JOB	HIGHWAY
		0067	01	084	US 87
		DIST	COUNTY		SHEET NO.
		AMA	RANDALL		92

FILENAME: pw:\kh-pw-bent\kimley-horn.com\kh-pw-01\Documents\01 Active Projects\TX-AUS-069288103 - ADA 2022 AMA\DesignData\4 - Design\Plan Set\10 - Environmental\US 87\AMA_CNY_SW3P_GEN_LAYOUT.dgn
 PLOTTED: 9/8/2023 9:43:35 AM





LEGEND

-  SODDING
-  FLOW DIRECTION
-  EROSION CONTROL LOG
-  WOOD OR METAL STAKES (AS APPROVED BY THE ENGINEER)
-  EXISTING FEATURES
-  PROPOSED WORK AREA

NOTES:

1. REFERENCE ENVIRONMENTAL PERMITS, ISSUES, AND COMMITMENTS (EPIC) AND STORM WATER POLLUTION PREVENTION PLAN (SW3P) STANDARDS FOR SPECIFIC CONSTRUCTION CONSIDERATIONS OR REQUIREMENTS.
2. EXAMPLES SHOWN ON THE SHEET ARE FOR GENERAL GUIDANCE AND MAY BE MODIFIED AS DIRECTED BY THE ENGINEER.
3. TEMPORARY SEDIMENT CONTROL FENCE MAY BE USED IN LIEU OF EROSION CONTROL LOGS WHERE APPROVED BY THE ENGINEER.
4. SITE CONDITIONS MAY DICTATE ADDITIONAL COUNTERMEASURES AS DIRECTED BY THE ENGINEER.
5. USE ADDITIONAL STAKES AS NEEDED TO HOLD IN PLACE (NSP1).
6. INSTALLATION OF COUNTERMEASURES MUST BE APPROVED BY THE ENGINEER PRIOR TO PLACEMENT.


 9/8/2023



Kimley & Horn F-928

Texas Department of Transportation
 CURB RAMP PROGRAM

SW3P SIDEWALK
 GENERAL LAYOUT

SHEET 1 OF 1

FED. RD. DIV. NO.	FEDERAL AID PROJECT NO.	HIGHWAY NO.
6	SEE TITLE SHEET	US 87
STATE	DIST.	COUNTY
TEXAS	AMA	RANDALL
CONT.	SECT.	JOB
0067	01	084

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 9/8/2023
FILE: c:\pwworkh1\d0260468\epic (2).dgn

I. STORMWATER POLLUTION PREVENTION-CLEAN WATER ACT SECTION 402

TPDES TXR 150000: Stormwater Discharge Permit or Construction General Permit required for projects with 1 or more acres disturbed soil. Projects with any disturbed soil must protect for erosion and sedimentation in accordance with Item 506.

List MS4 Operator(s) that may receive discharges from this project. They may need to be notified prior to construction activities.

1. None
2. No Action Required Required Action

Action No.

- Prevent stormwater pollution by controlling erosion and sedimentation in accordance with TPDES Permit TXR 150000
- Comply with the SW3P and revise when necessary to control pollution or required by the Engineer.
- Projects with 1-5 acres of disturbance need to have the Small Construction Site Notice (SCN) posted on the project by TxDOT and the Contractor on the SW3P boards that TxDOT provides. The versions with the original signatures are required to be in the binder.

II. WORK IN OR NEAR STREAMS, WATERBODIES AND WETLANDS CLEAN WATER ACT SECTIONS 401 AND 404

USACE Permit required for filling, dredging, excavating or other work in any water bodies, rivers, creeks, streams, wetlands or wet areas.

The Contractor must adhere to all of the terms and conditions associated with the following permit(s):

- No Permit Required
- Nationwide Permit 14 - PCN not Required (less than 1/10th acre waters or wetlands affected)
- Nationwide Permit 14 - PCN Required (1/10 to 1/2 acre, 1/3 in tidal waters)
- Individual 404 Permit Required
- Other Nationwide Permit Required: NWP* _____

Required Actions: List waters of the US permit applies to, location in project and check Best Management Practices planned to control erosion, sedimentation and post-project TSS.

-
-
-
-

The elevation of the ordinary high water marks of any areas requiring work to be performed in the waters of the US requiring the use of a nationwide permit can be found on the Bridge Layouts.

Best Management Practices:

Erosion	Sedimentation	Post-Construction TSS
<input type="checkbox"/> Temporary Vegetation	<input checked="" type="checkbox"/> Silt Fence	<input type="checkbox"/> Vegetative Filter Strips
<input type="checkbox"/> Blankets/Matting	<input type="checkbox"/> Rock Berm	<input type="checkbox"/> Retention/Irrigation Systems
<input type="checkbox"/> Mulch	<input type="checkbox"/> Triangular Filter Dike	<input type="checkbox"/> Extended Detention Basin
<input checked="" type="checkbox"/> Sodding	<input type="checkbox"/> Sand Bag Berm	<input type="checkbox"/> Constructed Wetlands
<input type="checkbox"/> Interceptor Swale	<input type="checkbox"/> Straw Bale Dike	<input type="checkbox"/> Wet Basin
<input type="checkbox"/> Diversion Dike	<input type="checkbox"/> Brush Berms	<input type="checkbox"/> Erosion Control Compost
<input type="checkbox"/> Erosion Control Compost	<input type="checkbox"/> Erosion Control Compost	<input type="checkbox"/> Mulch Filter Berm and Socks
<input type="checkbox"/> Mulch Filter Berm and Socks	<input type="checkbox"/> Mulch Filter Berm and Socks	<input type="checkbox"/> Compost Filter Berm and Socks
<input type="checkbox"/> Compost Filter Berm and Socks	<input type="checkbox"/> Compost Filter Berm and Socks	<input type="checkbox"/> Vegetation Lined Ditches
	<input type="checkbox"/> Stone Outlet Sediment Traps	<input type="checkbox"/> Sand Filter Systems
	<input type="checkbox"/> Sediment Basins	<input checked="" type="checkbox"/> Grassy Swales

III. CULTURAL RESOURCES

Refer to TxDOT Standard Specifications in the event historical issues or archeological artifacts are found during construction. Upon discovery of archeological artifacts (bones, burnt rock, flint, pottery, etc.) cease work in the immediate area and contact the Engineer immediately.

- No Action Required Required Action

Action No.

- In the event that unanticipated archeological deposits are encountered during construction, work in the immediate area will cease and TxDOT archeological staff will be contacted to initiate post-review discovery procedures.

IV. VEGETATION RESOURCES

Preserve native vegetation to the extent practical. Contractor must adhere to Construction Specification Requirements Specs 162, 164, 192, 193, 506, 730, 751, 752 in order to comply with requirements for invasive species, beneficial landscaping, and tree/brush removal commitments.

- No Action Required Required Action

Action No.

- Comply with Executive Order 13112 in Invasive Species and the intent of the Executive Order Memorandum on Beneficial Landscapes for re-vegetating the project area. The proposed seed mixture (both grasses and forbes) would be in accordance with Item 164, Seeding for Erosion Control in TxDOT's Standard Specifications for the construction of Highways, Streets, and Bridges.

V. FEDERAL LISTED, PROPOSED THREATENED, ENDANGERED SPECIES, CRITICAL HABITAT, STATE LISTED SPECIES, CANDIDATE SPECIES AND MIGRATORY BIRDS.

- No Action Required Required Action

Action No.

- If any species on the Randall County T&E List is sighted during construction, stop construction and notify the Area Engineer.
- Texas Horned Lizard, Texas Garter Snake, Western Box Turtle, Western Hognose Snake, Prairie Rattlesnake, Western Massasauga, Woodhouse's Toad: Contractors will be advised of potential occurrence in the project area, and to avoid harming the species if encountered. If reptiles are found on project site, contractors are to allow them to leave the project site safely. For the Texas Horned Lizard, avoidance should include avoiding harvester ant beds in the selection of Project Specific Locations (PSL's).
- Bird BMP's: a) Do not disturb, destroy, or remove active nests, including ground nesting bird, during the nesting season; b) avoid the removal of unoccupied, inactive nest, as practicable; c) do not collect, capture, relocate, or transport birds, eggs, young, or active nests without a permit.
- The Migratory Bird Treaty Act of 1918 states that it is unlawful to kill, capture, collect, possess, buy, sell, trade, or transport any migratory bird, nest, young, feather, egg in part or in whole, without a Federal permit issued in accordance with the Act's policies and regulations. In the event that migratory birds are encountered on-site during construction, adverse impacts on protected birds, active nests, eggs, and/or young would be avoided.

If any of the listed species are observed, cease work in the immediate area, do not disturb species or habitat and contact the Engineer immediately. The work may not remove active nests from bridges and other structures during nesting season of the birds associated with the nests. If caves or sinkholes are discovered, cease work in the immediate area, and contact the Engineer immediately.

LIST OF ABBREVIATIONS

BMP: Best Management Practice	SPCC: Spill Prevention Control and Countermeasure
CGP: Construction General Permit	SWSP: Storm Water Pollution Prevention Plan
DSHS: Texas Department of State Health Services	PCN: Pre-Construction Notification
FHWA: Federal Highway Administration	PSL: Project Specific Location
MOA: Memorandum of Agreement	TCEQ: Texas Commission on Environmental Quality
MOU: Memorandum of Understanding	TPDES: Texas Pollutant Discharge Elimination System
MS4: Municipal Separate Stormwater Sewer System	TPWD: Texas Parks and Wildlife Department
MBTA: Migratory Bird Treaty Act	TxDOT: Texas Department of Transportation
NOT: Notice of Termination	T&E: Threatened and Endangered Species
NWP: Nationwide Permit	USACE: U.S. Army Corps of Engineers
NQ: Notice of Intent	USFWS: U.S. Fish and Wildlife Service

VI. HAZARDOUS MATERIALS OR CONTAMINATION ISSUES

General (applies to all projects):

Comply with the Hazard Communication Act (the Act) for personnel who will be working with hazardous materials by conducting safety meetings prior to beginning construction and making workers aware of potential hazards in the workplace. Ensure that all workers are provided with personal protective equipment appropriate for any hazardous materials used.

Obtain and keep on-site Material Safety Data Sheets (MSDS) for all hazardous products used on the project, which may include, but are not limited to the following categories: Paints, acids, solvents, asphalt products, chemical additives, fuels and concrete curing compounds or additives. Provide protected storage, off bare ground and covered, for products which may be hazardous. Maintain product labeling as required by the Act.

Maintain an adequate supply of on-site spill response materials, as indicated in the MSDS. In the event of a spill, take actions to mitigate the spill as indicated in the MSDS, in accordance with safe work practices, and contact the District Spill Coordinator immediately. The Contractor shall be responsible for the proper containment and cleanup of all product spills.

Contact the Engineer if any of the following are detected:

- Dead or distressed vegetation (not identified as normal)
- Trash piles, drums, canister, barrels, etc.
- Undesirable smells or odors
- Evidence of leaching or seepage of substances

Does the project involve any bridge class structure rehabilitation or replacements (bridge class structures not including box culverts)?

- Yes No

If "No", then no further action is required.

If "Yes", then TxDOT is responsible for completing asbestos assessment/inspection.

Are the results of the asbestos inspection positive (is asbestos present)?

- Yes No

If "Yes", then TxDOT must retain a DSHS licensed asbestos consultant to assist with the notification, develop abatement/mitigation procedures, and perform management activities as necessary. The notification form to DSHS must be postmarked at least 15 working days prior to scheduled demolition.

If "No", then TxDOT is still required to notify DSHS 15 working days prior to any scheduled demolition.

In either case, the Contractor is responsible for providing the date(s) for abatement activities and/or demolition with careful coordination between the Engineer and asbestos consultant in order to minimize construction delays and subsequent claims.

Any other evidence indicating possible hazardous materials or contamination discovered on site. Hazardous Materials or Contamination Issues Specific to this Project:

- No Action Required Required Action

Action No.

-
-
-

VII. OTHER ENVIRONMENTAL ISSUES

(includes regional issues such as Edwards Aquifer District, etc.)


- No Action Required Required Action

Action No.

- Avoid direct impacts to streams near the ROW during construction including selection of and access to project specific locations (PSL's). Ensure sediment and erosion controls near the streams are adequate to prevent additional sedimentation into these intermittent Waters of the US

Handwritten signature

9/8/2023



		Design Division Standard	
<p>ENVIRONMENTAL PERMITS, ISSUES AND COMMITMENTS</p> <p>EPIC</p>			
FILE: epic.dgn	DN: TxDOT	CK: RG	DW: VP
© TxDOT: February 2015	CONT	SECT	JOB
12-12-2011 (DS)	0067	01	084
05-07-14 ADDED NOTE SECTION IV.	DIST	COUNTY	SHEET NO.
01-23-2015 SECTION I CHANGED ITEM 1122 TO ITEM 506, ADDED GRASSY SWALES.	AMA	RANDALL	94

STORMWATER POLLUTION PREVENTION PLAN (SWP3):

This SWP3 has been developed in accordance with the TPDES Construction General Permit TXR150000 (CGP). The Texas Department of Transportation (TxDOT) ensures that project specifications include adequate best management practices (BMPs) for this project.

For all projects with any soil disturbing activities, TxDOT will maintain a SWP3 with all pertinent records, correspondence, environmental documents, etc. at the project field office. If no field office is available, then this SWP3 shall be kept in the appropriate TxDOT Area Office.

This SWP3 is consistent with requirements specified in applicable stormwater plans and the projects environmental permits, issues, and commitments (EPICs). A copy of the CGP is included in Attachment 2.12 of the SWP3 binder.

1.0 SITE/PROJECT DESCRIPTION

1.1 PROJECT CONTROL SECTION JOB (CSJ):
0067-01-084

1.2 PROJECT LIMITS:

From: SOUTH OF CANYON CITY LIMITS

To: RUSSELL LONG BLVD

1.3 PROJECT COORDINATES:

BEGIN: (Lat) 34.967292, (Long) -101.919373

END: (Lat) 34.984812, (Long) -101.919244

1.4 TOTAL PROJECT AREA (Acres): 30.6

1.5 TOTAL AREA TO BE DISTURBED (Acres): 2.7

1.6 NATURE OF CONSTRUCTION ACTIVITY:

CONSTRUCTION OF CURB RAMPS, SIDEWALKS
AND MISCELLANEOUS PEDESTRIAN ELEMENTS

1.7 MAJOR SOIL TYPES:

Soil Type	Description
Estacado - Urban Land Complex	0 - 3% slopes, 0 - 6" clay loam
Olton - Urban Land Complex	0 - 3% slopes, 0 - 6" clay loam

1.8 PROJECT SPECIFIC LOCATIONS (PSLs):

PSLs must be depicted on the Environmental Layout Sheets in Attachment 1.2 of this SWP3. PSLs may be identified during preconstruction meetings or during the construction process. Please choose from the options below:

- PSLs determined during preconstruction meeting
- PSLs determined during construction
- No PSLs planned for construction

Type	Sheet #s

All off-ROW PSLs required by the Contractor are the Contractor's responsibility. The Contractor shall secure all permits required by local, state, federal laws for off-ROW PSLs. The contractor shall provide diagrams, areas of disturbance, acreage, and BMPs for all off-ROW PSLs within one mile of the project.

1.9 CONSTRUCTION ACTIVITIES:

(Use the following list as a starting point when developing the Construction Activity Schedule and Ceasing Record in Attachment 2.5.)

- Mobilization
- Install sediment and erosion controls
- Blade existing topsoil into windrows, prep ROW, clear and grub
- Remove existing pavement
- Grading operations, excavation, and embankment
- Excavate and prepare subgrade for proposed pavement widening
- Remove existing culverts, safety end treatments (SETs)
- Remove existing metal beam guard fence (MBGF), bridge rail
- Install proposed pavement per plans
- Install culverts, culvert extensions, SETs
- Install mow strip, MBGF, bridge rail
- Place flex base
- Rework slopes, grade ditches
- Blade windrowed material back across slopes
- Revegetation of unpaved areas
- Achieve site stabilization and remove sediment and erosion control measures
- Other: _____
- Other: _____
- Other: _____

1.10 POTENTIAL POLLUTANTS AND SOURCES:

- Sediment laden stormwater from stormwater conveyance over disturbed area
- Fuels, oils, and lubricants from construction vehicles, equipment, and storage
- Solvents, paints, adhesives, etc. from various construction activities
- Transported soils from offsite vehicle tracking
- Construction debris and waste from various construction activities
- Contaminated water from excavation or dewatering pump-out water
- Sanitary waste from onsite restroom facilities
- Trash from various construction activities/receptacles
- Long-term stockpiles of material and waste
- Other: _____
- Other: _____
- Other: _____

1.11 RECEIVING WATERS:

Receiving waters must be depicted on the Environmental Layout Sheets in Attachment 1.2 of this SWP3. Include Segment # for receiving waters.

Tributaries	Classified Waterbody
Tierra Blanca Creek Segment 0229	Impaired Waters - depressed dissolved O2, pH

* Add (*) for impaired waterbodies with pollutant in ().

1.12 ROLES AND RESPONSIBILITIES: TxDOT

- Development of plans and specifications
- Submit Notice of Intent (NOI) to TCEQ (≥5 acres)
- Post Construction Site Notice
- Submit NOI/CSN to local MS4
- Perform SWP3 inspections
- Maintain SWP3 records and update to reflect daily operations
- Complete and submit Notice of Termination to TCEQ
- Maintain SWP3 records for 3 years
- Other: _____
- Other: _____
- Other: _____

1.13 ROLES AND RESPONSIBILITIES: CONTRACTOR

- Day To Day Operational Control
- Submit Notice of Intent (NOI) to TCEQ (≥5 acres)
- Post Construction Site Notice
- Submit NOI/CSN to local MS4
- Maintain schedule of major construction activities
- Install, maintain and modify BMPs
- Complete and submit Notice of Termination to TCEQ
- Maintain SWP3 records for 3 years
- Other: _____
- Other: _____
- Other: _____

1.14 LOCAL MUNICIPAL SEPARATE STORM SEWER SYSTEM (MS4) OPERATOR COORDINATION:

MS4 Entity
None

Al J. Lundquist
9/8/2023



STORMWATER POLLUTION PREVENTION PLAN (SWP3)

© 2022  Sheet 1 of 2
Texas Department of Transportation

FED. RD. DIV. NO.	PROJECT NO.			SHEET NO.
6	SEE TITLE SHEET			95
STATE	STATE DIST.	COUNTY		
TEXAS	AMA	RANDALL		
CONT.	SECT.	JOB	HIGHWAY NO.	
0067	01	084	US 87	

STORMWATER POLLUTION PREVENTION PLAN (SWP3):

2.0 BEST MANAGEMENT PRACTICES (BMPs) AND CONTROLS, INSPECTION, AND MAINTENANCE

The Contractor shall be the responsible party for implementing the BMPs described herein and for complying with the SWP3 for control of erosion and sedimentation during day-to-day operations. The Contractor shall implement changes to this SWP3 approved by TxDOT within the times specified in this SWP3 or the CGP.

2.1 EROSION CONTROL AND SOIL STABILIZATION BMPs:

T / P

- Protection of Existing Vegetation
- Vegetated Buffer Zones
- Soil Retention Blankets
- Geotextiles
- Mulching/ Hydromulching
- Soil Surface Treatments
- Temporary Seeding
- Permanent Planting, Sodding or Seeding
- Biodegradable Erosion Control Logs
- Rock Filter Dams/ Rock Check Dams
- Vertical Tracking
- Interceptor Swale
- Riprap
- Diversion Dike
- Temporary Pipe Slope Drain
- Embankment for Erosion Control
- Paved Flumes
- Other: _____
- Other: _____
- Other: _____
- Other: _____

2.2 SEDIMENT CONTROL BMPs:

T / P

- Biodegradable Erosion Control Logs
- Dewatering Controls
- Inlet Protection
- Rock Filter Dams/ Rock Check Dams
- Sandbag Berms
- Sediment Control Fence
- Stabilized Construction Exit
- Floating Turbidity Barrier
- Vegetated Buffer Zones
- Vegetated Filter Strips
- Other: _____
- Other: _____
- Other: _____
- Other: _____

Refer to the Environmental Layout Sheets/ SWP3 Layout Sheets located in Attachment 1.2 of this SWP3

Sediment control BMPs requiring design capacity calculations (See SWP3 Attachment 1.3.):

T / P

- Sediment Trap
 - Calculated volume runoff from 2-year, 24-hour storm for each acre of disturbed area
 - 3,600 cubic feet of storage per acre drained
- Sedimentation Basin
 - Not required (<10 acres disturbed)
 - Required (>10 acres) and implemented.
 - Calculated volume runoff from 2-year, 24-hour storm for each acre of disturbed area
 - 3,600 cubic feet of storage per acre drained
 - Required (>10 acres), but not feasible due to:
 - Available area/Site geometry
 - Site slope/Drainage patterns
 - Site soils/Geotechnical factors
 - Public safety
 - Other: _____

2.3 PERMANENT CONTROLS:

(Coordinate post-construction BMPs with appropriate TxDOT maintenance sections.)

BMPs To Be Left In Place Post Construction:

Type	Stationing	
	From	To
SODDING	SOUTH OF CANYON CITY LIMITS	RUSSELL LONG BLVD

Refer to the Environmental Layout Sheets/ SWP3 Layout Sheets located in Attachment 1.2 of this SWP3

2.4 OFFSITE VEHICLE TRACKING CONTROLS:

- Excess dirt/mud on road removed daily
- Haul roads dampened for dust control
- Loaded haul trucks to be covered with tarpaulin
- Stabilized construction exit
- Other: _____
- Other: _____
- Other: _____
- Other: _____

2.5 POLLUTION PREVENTION MEASURES:

- Chemical Management
- Concrete and Materials Waste Management
- Debris and Trash Management
- Dust Control
- Sanitary Facilities
- Other: _____
- Other: _____
- Other: _____
- Other: _____

2.6 VEGETATED BUFFER ZONES:

Natural vegetated buffers shall be maintained as feasible to protect adjacent surface waters. If vegetated natural buffer zones are not feasible due to site geometry, the appropriate additional sediment control measures have been incorporated into this SWP3.

Type	Stationing	
	From	To

Refer to the Environmental Layout Sheets/ SWP3 Layout Sheets located in Attachment 1.2 of this SWP3

2.7 ALLOWABLE NON-STORMWATER DISCHARGES:

- Fire hydrant flushings
- Irrigation drainage
- Pavement washwater (where spills or leaks have not occurred, and detergents are not used)
- Potable water sources
- Springs
- Uncontaminated groundwater
- Water used to wash vehicles or control dust
- Other allowable non-stormwater discharges as allowed by TPDES GP TXR150000.

2.8 INSPECTIONS:

All disturbed areas and erosion and sediment control devices shall be inspected at least once every seven (7) days. Inspections shall be performed by TxDOT as indicated on the Field Inspection and Maintenance Report Form 2118 and retained in Attachment 2.5 of this SWP3 .

2.9 MAINTENANCE:

Control measures shall be properly installed according to specifications. If it is determined that a BMP or control measure is not operating effectively, maintenance must be accomplished as soon as possible and before the next anticipated rain event, but in no case later than 7 calendar days after being able to access the site. Maintenance shall be performed by the Contractor as indicated on the Field Inspection and Maintenance Report Form 2118 and retained in Attachment 2.5 of this SWP3.

Al J. Ljung
9/8/2023




STORMWATER POLLUTION PREVENTION PLAN (SWP3)

© 2022 Sheet 2 of 2

FED. RD. DIV. NO.	PROJECT NO.			SHEET NO.
6	SEE TITLE SHEET			96
STATE	STATE DIST.	COUNTY		
TEXAS	AMA	RANDALL		
CONT.	SECT.	JOB	HIGHWAY NO.	
0067	01	084	US 87	


DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

9/8/7/2023
cf1b5\kh1\d0225849\ec116 (1).dgn



TEMPORARY SEDIMENT CONTROL FENCE

SCF



HINGE JOINT KNOT WOVEN MESH (OPTION) DETAIL

Galvanized hinge joint knot woven mesh (12.5 GA. SWG Min.) requires a minimum of five horizontal wires spaced at a maximum of 12 inches apart and all vertical wires spaced at a maximum of 12 inches apart.

SEDIMENT CONTROL FENCE USAGE GUIDELINES

A sediment control fence may be constructed near the downstream perimeter of a disturbed area along a contour to intercept sediment from overland runoff. A 2 year storm frequency may be used to calculate the flow rate to be filtered.

Sediment control fence should be sized to filter a maximum flow through rate of 100 GPM/FT. Sediment control fence is not recommended to control erosion from a drainage area larger than 2 acres.


LEGEND

Sediment Control Fence

SCF

GENERAL NOTES

1. Vertical tracking is required on projects where soil distributing activities have occurred unless otherwise approved.
2. Perform vertical tracking on slopes to temporarily stabilize soil.
3. Provide equipment with a track undercarriage capable of producing linear soil impressions measuring a minimum of 12" in length by 2" to 4" in width by 1/2" to 2" in depth.
4. Do not exceed 12" between track impressions.
5. Install continuous linear track impressions where the minimum 12" length impressions are perpendicular to the slope or direction of water flow.




VERTICAL TRACKING


				Design Division Standard	
TEMPORARY EROSION, SEDIMENT AND WATER POLLUTION CONTROL MEASURES FENCE & VERTICAL TRACKING EC(1)-16					
FILE: ec116	DN: TxDOT	CK: KM	DW: VP	DN/CK: LS	
© TxDOT: JULY 2016	CONT	SECT	JOB	HIGHWAY	
REVISIONS	0067	01	084	US 87	
	DIST	COUNTY	SHEET NO.		
	AMA	RANDALL	97		

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.


DATE: 9/8/2023
FILE: c:\pwworkh1\d0225649\ec916 (1).dgn




PLAN VIEW



PLAN VIEW




PLAN VIEW



SECTION A-A

EROSION CONTROL LOG DAM


CL-D



SECTION B-B

EROSION CONTROL LOG AT BACK OF CURB


CL-BOC



SECTION C-C


EROSION CONTROL LOG AT EDGE OF RIGHT-OF-WAY

CL-ROW



DIAMETER MEASUREMENTS OF EROSION CONTROL LOGS SPECIFIED IN PLANS

- LEGEND
- CL-D EROSION CONTROL LOG DAM
 - CL-BOC EROSION CONTROL LOG AT BACK OF CURB
 - CL-ROW EROSION CONTROL LOG AT EDGE OF RIGHT-OF-WAY
 - CL-SST EROSION CONTROL LOGS ON SLOPES STAKE AND TRENCHING ANCHORING
 - CL-SSL EROSION CONTROL LOGS ON SLOPES STAKE AND LASHING ANCHORING
 - CL-DI EROSION CONTROL LOG AT DROP INLET
 - CL-CI EROSION CONTROL LOG AT CURB INLET
 - CL-GI EROSION CONTROL LOG AT CURB & GRATE INLET



REBAR STAKE DETAIL

SEDIMENT BASIN & TRAP USAGE GUIDELINES

An erosion controllog sediment trap may be used to filter sediment out of runoff draining from an unstabilized area.

Log Traps: The drainage area for a sediment trap should not exceed 5 acres. The trap capacity should be 1800 CF/Acre (0.5" over the drainage area).

Controllogs should be placed in the following locations:

1. Within drainage ditches spaced as needed or min. 500' on center
2. Immediately preceding ditch inlets or drain inlets
3. Just before the drainage enters a water course
4. Just before the drainage leaves the right of way
5. Just before the drainage leaves the construction limits where drainage flows away from the project.

The logs should be cleaned when the sediment has accumulated to a depth of 1/2 the log diameter.

Cleaning and removal of accumulated sediment deposits is incidental and will not be paid for separately.

GENERAL NOTES:


1. EROSION CONTROL LOGS SHALL BE INSTALLED IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS, OR AS DIRECTED BY THE ENGINEER.
2. LENGTHS OF EROSION CONTROL LOGS SHALL BE IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS AND AS REQUIRED FOR THE PURPOSE INTENDED.
3. UNLESS OTHERWISE DIRECTED, USE BIODEGRADABLE OR PHOTODEGRADABLE CONTAINMENT MESH ONLY WHERE LOG WILL REMAIN IN PLACE AS PART OF A VEGETATIVE SYSTEM. FOR TEMPORARY INSTALLATIONS, USE RECYCLABLE CONTAINMENT MESH.
4. FILL LOGS WITH SUFFICIENT FILTER MATERIAL TO ACHIEVE THE MINIMUM COMPACTED DIAMETER SPECIFIED IN THE PLANS WITHOUT EXCESSIVE DEFORMATION.
5. STAKES SHALL BE 2" X 2" WOOD OR #3 REBAR, 2'-4' LONG, EMBEDDED SUCH THAT 2" PROTRUDES ABOVE LOG, OR AS DIRECTED BY THE ENGINEER.
6. DO NOT PLACE STAKES THROUGH CONTAINMENT MESH.
7. COMPOST CRADLE MATERIAL IS INCIDENTAL & WILL NOT BE PAID FOR SEPARATELY.
8. SANDBAGS USED AS ANCHORS SHALL BE PLACED ON TOP OF LOGS & SHALL BE OF SUFFICIENT SIZE TO HOLD LOGS IN PLACE.
9. TURN THE ENDS OF EACH ROW OF LOGS UPSLOPE TO PREVENT RUNOFF FROM FLOWING AROUND THE LOG.
10. FOR HEAVY RUNOFF EVENTS, ADDITIONAL UPSTREAM STAKES MAY BE NECESSARY TO KEEP LOG FROM FOLDING IN ON ITSELF.

SHEET 1 OF 3

		Design Division Standard	
<p>TEMPORARY EROSION, SEDIMENT AND WATER POLLUTION CONTROL MEASURES</p> <p>EROSION CONTROL LOG</p> <p>EC(9)-16</p>			
FILE: ec916	DN: TxDOT	CK: KM	DW: LS/PT
© TxDOT: JULY 2016	CONT: 0067	SECT: 01	JOB: 084
REVISIONS:	DIST: AMA	COUNTY: RANDALL	HIGHWAY: US 87
			SHEET NO. 98


DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 9/8/2023
 FILE: C:\pwworkh1\d0225649\ec916 (1).dgn



EROSION CONTROL LOGS ON SLOPES
 STAKE AND TRENCHING ANCHORING


CL-SST



END SECTION RAP DETAIL


SLOPE	LOG DIAMETER			
	6"	8"	12"	18"
1:1 OR STEEPER	5'	10'	15'	20'
2:1	10'	20'	30'	40'
3:1	15'	30'	45'	60'
4:1 OR FLATTER	20'	40'	60'	80'

* ADJUSTMENTS CAN BE MADE FOR SOIL TYPE:
 SOFT, LOAMY SOILS-ADJUST ROWS CLOSER TOGETHER;
 HARD, ROCKY SOILS- ADJUST ROWS FARTHER APART



EROSION CONTROL LOGS ON SLOPES
 STAKE AND LASHING ANCHORING


CL-SSL



STAKE AND TRENCHING ANCHORING DETAIL


CL-SST

LOG DIAMETER	DEPTH
6"	2"
8"	3"
12"	4"
18"	5"



STAKE AND LASHING ANCHORING DETAIL

CL-SSL




STAKE NOTCH DETAIL

SHEET 2 OF 3

		Design Division Standard	
TEMPORARY EROSION, SEDIMENT AND WATER POLLUTION CONTROL MEASURES EROSION CONTROL LOG EC(9)-16			
FILE: ec116	DN: TxDOT	CK: KM	DW: LS/PT
© TxDOT: JULY 2016	CONT: 0067	SECT: 01	JOB: 084
REVISIONS			HIGHWAY: US 87
DIST: AMA	COUNTY: RANDALL	SHEET NO.: 99	


DISCLAIMER:
The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 9/8/2023
FILE: C:\pwworkh1\d0225649\ec916 (1).dgn




EROSION CONTROL LOG AT DROP INLET

CL-DI



EROSION CONTROL LOG AT CURB INLET


CL-CI



EROSION CONTROL LOG AT CURB INLET


CL-CI

NOTE:
EROSION CONTROL LOGS USED AT CURB INLETS SHOULD ONLY BE USED IF THEY WILL NOT IMPEDE TRAFFIC OR FLOOD THE ROADWAY OR WHEN THE STORM SEWER SYSTEM IS NOT FULLY FUNCTIONAL.



EROSION CONTROL LOG AT CURB & GRADE INLET

CL-GI



SANDBAG DETAIL

SHEET 3 OF 3

		Design Division Standard	
TEMPORARY EROSION, SEDIMENT AND WATER POLLUTION CONTROL MEASURES EROSION CONTROL LOG EC(9)-16			
FILE: ec916	DN: TxDOT	CK: KM	DW: LS/PT
© TxDOT: JULY 2016	CONT: 0067	SECT: 01	JOB: 084
REVISIONS			HIGHWAY: US 87
DIST: AMA	COUNTY: RANDALL	SHEET NO.: 100	