

FED. RD. DIV. NO.	PROJECT NO.		SHEET NO.
6	BR 2023 (537)		1
STATE	STATE DIST.	COUNTY	
TEXAS	YKM	JACKSON	
CONTROL	SECTION	JOB	HIGHWAY NO.
0913	18	037	CR

INDEX OF SHEETS

SEE SHEET 2

STATE OF TEXAS TEXAS DEPARTMENT OF TRANSPORTATION

VOLUME 3
CCSJ: 0913-27-079

PLANS OF PROPOSED STATE HIGHWAY IMPROVEMENT

FEDERAL PROJECT NO. BR 2023 (537)

YOUNG RD AT VENADO CREEK

FOR THE CONSTRUCTION OF BRIDGE REPLACEMENT
CONSISTING OF REPLACE BRIDGE AND APPROACHES


PROJECT NO.: BR 2023 (537)
COUNTY: JACKSON
CSJ: 0913-18-037
HIGHWAY: YOUNG RD (CR 322)
LIMITS: YOUNG RD AT VENADO CREEK
FUNCTIONAL CLASS: RURAL LOCAL ROAD
DESIGN SPEED: MEETS OR IMPROVES EXISTING
ADT: 27 (2021), 27 (2041)
ROADWAY = 415.00 LF = 0.079 MI
BRIDGE = 45.00 LF = 0.008 MI
TOTAL = 460.00 LF = 0.087 MI

CONTRACTOR: _____
DATE OF LETTING: _____
DATE WORK BEGAN: _____
DATE WORK COMPLETED: _____
DATE WORK ACCEPTED: _____
FINAL CONTRACT COST: \$ _____

LIST OF APPROVED FIELD CHANGES:


THIS IS TO CERTIFY THAT THE CONSTRUCTION WORK WAS PERFORMED IN ACCORDANCE WITH THE PLANS, CONTRACT, AND LISTED FIELD CHANGES.

AREA ENGINEER _____ P. E. _____ DATE _____




INSET MAP

YOUNG RD AT VENADO CREEK
PROJECT NO. BR 2023 (537)
CSJ 0913-18-037
BEGIN PROJECT STA 2+95.00
END PROJECT STA 7+55.00




JACKSON COUNTY
YOAKUM DISTRICT

EXCEPTIONS: NONE
RAILROAD CROSSINGS: NONE
EQUATIONS: NONE



SPECIFICATIONS ADOPTED BY THE TEXAS DEPARTMENT OF TRANSPORTATION, NOVEMBER 1, 2014 AND SPECIFICATION ITEMS LISTED AND DATED AS FOLLOWS SHALL GOVERN ON THIS PROJECT: REQUIRED CONTRACT PROVISIONS FOR ALL FEDERAL-AID CONSTRUCTION CONTRACTS (FORM FHWA 1273, OCTOBER 2023).



Jaime Aguilar, PE
04/23/2024

RECOMMENDED FOR LETTING 4/26/2024

DocuSigned by:
Jeffery Vinklerek, P.E.
DIRECTOR OF TRANSPORTATION PLANNING & DEVELOPMENT

SUBMITTED FOR LETTING

Jaime Aguilar, PE
PROJECT MANAGER
STV, INC.

CONCURRENCE 4/26/2024

DocuSigned by:
Jill S. Sklar
COUNTY JUDGE, JACKSON COUNTY


APPROVED FOR LETTING 4/26/2024

DocuSigned by:
Martin C. Horst, PE
DISTRICT ENGINEER


TXDOT.tbl STVpdf_ANSIB.pltcfgr c:\pwworking\stvpw_stv\d092619911700958Gny.dgn 4/22/2024 4:22/2024 c:\pwworking\stvpw_stv\d092619911700958Gny.dgn

DATE: 4/23/2024 5:02:24 PM
 FILE: pw://stv-sw-pw-01/Documents/Active Projects/TXFW1700958.00/TXFW1700958.03/Plan Set 23/8.00 Plans and Drawings/8.30 Cut Sheets/8.30 Cut Sheets/8.30.01 General/1700958GNgl.dgn

SHEET NO.	DESCRIPTION
GENERAL	
1	TITLE SHEET
2	INDEX OF SHEETS
3	TYPICAL SECTIONS
4 4A-4C	GENERAL NOTES
5A - 5B	ESTIMATE & QUANTITY SHEET
6	SUMMARY OF QUANTITIES
TRAFFIC CONTROL PLAN	
7	TRAFFIC CONTROL PLAN
STANDARDS SHEETS	
8 - 19 *	BC(1)-21 TO BC(12)-21
ROADWAY DETAILS	
20	HORIZONTAL AND VERTICAL CONTROL INDEX SHEET
21 - 22	HORIZONTAL AND VERTICAL CONTROL SHEET
23	PLAN AND PROFILE
STANDARD SHEETS	
24	* GF(31)-19
25	* GF(31)TRTL2-19
26	* SGT(12S)31-18
27	* SGT(15)31-20
DRAINAGE	
28	OVERALL DRAINAGE AREA MAP
29	HYDROLOGIC AND HYDRAULIC DATA SHEET - EXISTING
30	HYDROLOGIC AND HYDRAULIC DATA SHEET - PROPOSED
31	SCOUR DATA SHEET
BRIDGES	
32	BRIDGE LAYOUT
33	BORING LOGS
34	ESTIMATED QUANTITIES AND CAP ELEVATIONS
35 - 36	ABUTMENT NO. 1 & 2 DETAILS
37	VERTICAL ABUTMENT WALL DETAILS
STANDARDS SHEETS	
38	# SPSB-30-15
39	# AJ
40 - 41	# CSAB
42 - 43	# FD
44	# NBIS
45	# PSB-4SB15
46	# PSBEB
47	# PSBRA
48	# PSBSD
49 - 51	# T223
TRAFFIC STANDARDS SHEETS	
52	* D & OM(1)-20
53	* D & OM(2)-20
54	* D & OM(3)-20
55	* D & OM(4)-20
56	* D & OM(5)-20
57	* D & OM(VIA)-20
ENVIRONMENTAL ISSUES	
58	SW3P LAYOUT
59	ENVIRONMENTAL PERMITS, ISSUES & COMMITMENTS
60 - 61	STORM WATER POLLUTION PREVENT PLAN
STANDARDS SHEETS	
62	* EC(1)-16



* THE STANDARD SHEETS SPECIFICALLY IDENTIFIED ABOVE HAVE BEEN SELECTED BY ME OR UNDER MY RESPONSIBLE SUPERVISION AS BEING APPLICABLE TO THIS PROJECT.
Jaime Aguilar, P.E. 04/23/2024
 JAIME AGUILAR, P.E. DATE



THE STANDARD SHEETS SPECIFICALLY IDENTIFIED ABOVE HAVE BEEN SELECTED BY ME OR UNDER MY RESPONSIBLE SUPERVISION AS BEING APPLICABLE TO THIS PROJECT.
Kelly Ho 04/23/2024
 KELLY HO, P.E. DATE

NO.	REVISION	BY	DATE
TEXAS REGISTERED ENGINEERING FIRM F-204			
© 2024			
YOUNG RD AT VENADO CREEK			
<h2 style="margin: 0;">INDEX OF SHEETS</h2>			
CSJ 0913-18-037			
SHEET 1 OF 1			
CONT	SECT	JOB	HIGHWAY
0913	18	037	CR
DIST	COUNTY		SHEET NO.
YKM	JACKSON		2

Project Number:

Sheet:4

County: Jackson

Control: 0913-18-037

Highway: CR

GENERAL NOTES:

GENERAL:

The Contractor is to take note that this project has Milestones for substantial completion. See Item 8 below for details.

Contractor questions on this project are to be addressed to the following individual(s):

Clayton Harris Clayton.Harris@txdot.gov
James Janak James.Janak@txdot.gov

Contractor questions will be accepted through email, phone, and in person by the above individuals.

Questions may be submitted via the Letting Pre-Bid Q&A web page. This webpage can be accessed from the Notice to Contractors dashboard located at the following Address:
<https://tableau.txdot.gov/views/ProjectInformationDashboard/NoticetoContractors>

All contractor questions will be reviewed by the Engineer. All questions and any corresponding responses that are generated will be posted through the same Letting Pre-Bid Q&A web page.

The Letting Pre-Bid Q&A web page for each project can be accessed by using the dashboard to navigate to the project you are interested in by scrolling or filtering the dashboard using the controls on the left. Hover over the blue hyperlink for the project you want to view the Q&A for and click on the link in the window that pops up.

The Contractor may need to make necessary accommodations to facilitate the delivery of materials and equipment to the project due to tight horizontal curves. This work is subsidiary to the pertinent bid items.

Provide a minimum two week advance notice to TxDOT prior to closing County Roads. TxDOT will notify local officials at least one week in advance.

Remove and replace right-of-way fences at particular work sites, where necessary, at contractor's entire expense except as shown on plans. Replace fences in a condition comparable to that at removal.

Do not work on the roadway before sunrise or after sunset unless otherwise approved.

Furnish a certified copy of the legal gross weight of each vehicle hauling materials by weight and certified measurements for all trucks hauling material by volume.

Project Number:

Sheet:4

County: Jackson

Control: 0913-18-037

Highway: CR

Leave all intersecting roadways, side streets, and entrances open during construction unless otherwise approved. Should there be a request to restrict access for such reasons as parallel culvert replacement, reconstruction, etc., approval will be required 48 hours in advance and the contractor will be required to coordinate satisfactorily with any affected property owners.

Unless otherwise approved, maintain a minimum safety clearance from the edge of the travelway for material stockpiled in proximity of traffic lanes based on the current average traffic count of the particular highway as follows:

0 - 1500 = 16 feet
Over 1500 = 30 feet

In the event the above requirements cannot be met, make arrangements to stockpile material off the right of way.

Provide temporary pipe drains or culverts and take such other measures as directed to provide for continued drainage from all abutting property, the right of way and the roadway during construction operations. Labor and materials involved in this work will not be paid for directly, but will be considered subsidiary to the various bid items of the contract.

The Department will provide the cylinder testing machine for this project. Deliver the test specimens to the engineer's curing facilities as directed.

Do not clean out concrete trucks within the right of way.

The contractor's attention is directed to the overhead powerline near the project location. Prior to the pre-construction meeting, the contractor is required to initiate and conduct a coordination meeting with the Engineer and the power company representative(s). Construction clearance limitations, de-energization options, and advanced notice requirements will need to be determined and agreed upon prior to starting any work on the project.

ITEM 5: CONTROL OF THE WORK

Where a precast or cast-in-place concrete bridge element is shown in the plans, Contractor may submit a precast concrete alternate in accordance with "Standard Operating Procedure for Alternate Precast Proposal Submission" found online at <https://www.txdot.gov/inside-txdot/forms-publications/consultants-contractors/publications/bridge.html#design>. Acceptance or denial of an alternate is at the sole discretion of the Department. Contractor is responsible for impacts to the project schedule and cost resulting from the denial or use of alternates.

ITEM 6: CONTROL OF MATERIALS

To comply with the latest provisions of Build America, Buy America Act (BABA Act) of the Bipartisan Infrastructure Law, the contractor must submit an original of the TxDOT Construction Material Buy America Certification Form for all items classified as construction materials. This form is not required for materials classified as a manufactured product.

Refer to the Buy America Material Classification Sheet for clarification on material categorization.

The Buy America Material Classification Sheet is located at the below link.

<https://www.txdot.gov/business/resources/materials/buy-america-material-classification-sheet.html> for clarification on material categorization.

ITEM 7: LEGAL RELATIONS AND RESPONSIBILITIES

The Contractor's attention is directed to the fact that discharge of permanent or temporary fill material into the waters of the United States (U.S.) including jurisdictional wetlands, as necessary for construction, will require specific approval of the U.S. Army Corps of Engineers (USACE) under Section 404 of the Clean Water Act.

The Department will obtain the appropriate permit(s), Nationwide or Individual, when necessary as dictated by the proposed actions for the project and its potential to affect USACE jurisdictional areas. The Contractor may review the permitted plans at the office of the Area Engineer in charge of construction. The Department will hold the Contractor responsible for following all conditions of the approved permit. If the Contractor cannot work within the limits of this permit(s), then it becomes the Contractor's entire responsibility to consult with the USACE pertaining to the need for changes or amendments to the conditions of the existing permit(s) as originally obtained by the Department.

Particular importance is stressed on the fact that any impacts to USACE jurisdictional waters of the U.S., including jurisdictional wetlands, be the minimum necessary to complete the proposed work. The Contractor shall maintain near normal flow of any jurisdictional waters of the U.S. at all times during construction. If the Contractor needs further explanation of the conditions of the permit, including means of compliance, they may contact the TXDOT Yoakum District Environmental Coordinator.

If the Contractor elects to work on a structure when the stream is flowing, near normal flow shall be maintained by a method approved by the Engineer. Labor and materials involved in this work will not be paid for directly, but will be considered subsidiary to the various bid items of the contract.

No significant traffic generator events identified.

If the contractor proposes work beyond the TxDOT obtained permit limitations, the contractor is responsible for additional costs, delays, and obtaining new or revised permits prior to construction.

All temporary construction access work and materials will not be measured or paid for directly but will be subsidiary to pertinent items. Prior to the scheduling of a Pre-Construction Meeting, submit a Temporary Construction Access Plan to the Area Engineer and to District Environmental Staff for their approval. The Construction Plan should contain a description of the equipment, such as barges, structures, etc., which may occupy waters of the US including jurisdictional wetlands, and a detailed work schedule. No work of any kind will be allowed until the pre-construction meeting has been held.

Temporary construction waterway crossings have been environmental cleared/permitted within Right of Way. Restrict construction operations in any water body to the necessary areas as shown on the plans or applicable permit, or as directed. Use temporary bridges, timber mats, or other structurally sound and non-eroding material for stream crossings. All temporary construction access materials shall be completely removed as soon as possible once temporary access is no longer required and affected areas shall be returned to preconstruction elevations and contours and revegetated in accordance with the SW3P. All work must comply with the General Conditions of the appropriate USACE permit.

ITEM 8: PROSECUTION AND PROGRESS

The 90 day convenience delayed start special provision is for allowing the contractor additional time for mobilizing crews and equipment to start this project.

Time charges for Milestone 1 begin when CR 322(Young Rd.) (CSJ: 0913-18-037) is closed to traffic. The time charges for Milestone 1 shall end when traffic is following the lane arrangement as shown on the plans for the constructed and/or existing roadway as specified in the TCP (Phase) and/or the final lane configuration. All pavement construction, traffic control devices, and safety devices shall be in their final position (or as called for in the plans for the specified phase of work) at this time.

The contractor shall have 67 working days to complete Milestone 1.

The daily road user cost for each Milestone shall be five times the project liquidated damage rate based on the contract schedule of liquidated damages.

Failure to complete the above Milestone within the established number of working days will result in the daily road user cost being assessed for every working day in excess of the stated number.

Project Number:

Sheet:4B

County: Jackson

Control: 0913-18-037

Highway: CR

After the milestone is substantially complete, the liquidated damages become those based on the contract schedule of liquidated damages.

TxDOT will supply bidders, upon written request, one electronic copy of the time determination schedule. The time determination schedule provided is for informational use only and is not intended for bidding or construction purposes.

Provide progress schedule as a Bar Chart.

ITEM 100: PREPARING RIGHT-OF-WAY

Dispose of trees from the right-of-way within 24 hours of removal.

Treat cuts on trees designated for preservation in accordance with Item 100, "Preparing Right of Way".

ITEM 110: EXCAVATION

Remove existing vegetation, including roots and topsoil, within the grading limits to a depth of approximately 2 inches immediately before grading operations begin within any section. Place the material in a windrow on each side of the roadbed, and replace as directed on the completed slopes as soon as practicable. All topsoil excavation and the work involved in replacing the topsoil will not be paid for directly but will be subsidiary to the pertinent items.

ITEMS 110 & 132: EXCAVATION AND EMBANKMENT

Grading quantities required to construct side road intersections and entrances will not be measured or paid for directly, but will be subsidiary to pertinent items.

Furnish Type C embankment consisting of suitable earth material such as loam, clay or other such material that will form a stable embankment and has a plasticity index of at least 15 but not more than 40. Requirements may vary for material excavated under Item 110, "Excavation", as directed.

Removal of existing pavement is included in the excavation and embankment items.

ITEM 150: BLADING

Sprinkling and rolling which may be required during the operation of Item 150 will not be measured or paid for directly, but will be considered subsidiary to this item.

Project Number:

Sheet:4B

County: Jackson

Control: 0913-18-037

Highway: CR

ITEM 247: FLEXIBLE BASE

Unless otherwise approved, the delivered material's moisture content at most will be two percent above optimum moisture content, determined by TEX-113-E.

For Type E material, furnish crushed limestone produced and graded from oversize quarried aggregate that originates from a single, naturally occurring source. Do not use caliche, iron ore, gravel, or multiple sources.

Compact the Type E flex base by ordinary compaction.

ITEM 302: AGGREGATES FOR SURFACE TREATMENTS

Furnish Type PE and Type E aggregate consisting of crushed slag, crushed stone or natural limestone rock asphalt.

Furnish precoated aggregate that has a residual bitumen coating target value of 1.0% by weight.

ITEM 316: SEAL COAT

Use an Emulsion instead of an Asphalt Cement as approved when the surface treatment is placed between September 15 and May 1.

The asphalt application rate shown in the plans is an average between an Asphalt Cement and an Emulsion. The type of asphalt and application rate to be used will be as directed. The approximate application rate for Asphalt Cement with a Grade 3 aggregate is 0.32 Gal/SY and with a Grade 4 aggregate is 0.27 Gal/SY. The approximate application rate for an Emulsion with a Grade 3 aggregate is 0.48 Gal/SY and with a Grade 4 aggregate is 0.40 Gal/SY.

Cure the RC-250 a minimum of seven (7) days prior to placement of the one course surface treatment. Place one course surface treatment no later than fourteen (14) days after placement of the RC-250, unless otherwise directed.

In lieu of the final seal coat or prime coat & final seal coat, the contractor may place 2" ACP (meeting TxDOT specifications). There will be no additional compensation for related material costs, excavation/embankment adjustments, etc. The flexible base depth shall be maintained as shown on the proposed typical section.

ITEM 400: EXCAVATION AND BACKFILL FOR STRUCTURES

Flexible base (Ty D) may be used for cement stabilized backfill aggregate, as approved.

Project Number:

Sheet:4C

County: Jackson

Control: 0913-18-037

Highway: CR

ITEM 427: SURFACE FINISHES FOR CONCRETE

Provide Surface Area II, railing, and wingwalls with a Slurry Coat Finish per 427.4.3.2 for cast-in-place concrete surfaces.

ITEM 432: RIPRAP

Broken concrete removed under this contract may be used for the stone riprap item.

The dimension as shown in the stone protection bid item description is the stone size as described in the specification. The required thickness will be as shown elsewhere in the plans.

ITEM 496: REMOVING STRUCTURES

Material removed under this item will not be deemed salvageable.

The removal of the existing concrete riprap or stone riprap protecting the existing bridge, is subsidiary to Item 496 Removing Structures, except as shown in the plans.

ITEM 502: BARRICADES, SIGNS, AND TRAFFIC HANDLING

The Contractor Force Account "Safety Contingency" that has been established for this project is intended to be utilized for work zone enhancements, to improve the effectiveness of the Traffic Control Plan, that could not be foreseen in the project planning and design stage. These enhancements will be mutually agreed upon by the Engineer and the Contractor's Responsible Person based on weekly or more frequent traffic management reviews on the project. The Engineer may choose to use existing bid items if it does not slow the implementation of enhancement.

Provide suitable warning lights mounted high enough to be visible from all directions on all construction equipment, including pilot vehicles, and operate warning lights when the equipment is within the right of way. Equip other equipment such as trucks, trailers, autos, etc., with emergency flashers and use emergency flashers while within the work area.

In accordance with Article 502.4.2, no payment will be made for the month if the contractor fails to provide or properly maintain signs in compliance with the contract requirements. Temporary warning signs that are visible when conditions do not apply will be considered improper maintenance of signs.

County Road 270 will be closed to through traffic until substantial completion as approved by the Area Engineer. Once the roadway is open to traffic, project limit signing as shown on BC(2) will be required. This will be subsidiary to Item 502.

Project Number:

Sheet:4C

County: Jackson

Control: 0913-18-037

Highway: CR

**ITEM 506: TEMPORARY EROSION, SEDIMENTATION,
AND ENVIRONMENTAL CONTROLS**

1. See SWP3 plan sheet for total disturbed acreage.

2. The disturbed area in this project, all project locations in the contract, and contractor project specific locations (PSLs), within one (1) mile of the project limits, for the contract will further establish the authorization requirements for storm water discharges.

3. The department will obtain an authorization to discharge storm water from the Texas Commission on Environmental Quality (TCEQ) for the construction activities shown on the plans.

4. Obtain any required authorization from the TCEQ for any contractor PSLs for construction activities on or off right-of-way (ROW).

5. When the total disturbed area for all projects in the contract and PSLs within one (1) mile of the project limits exceeds five (5) acres, provide a copy of the contractor NOI.

6. Provide a signed sketch detailing the location of any contractor's PSLs on ROW or within one (1) mile of the project.

ITEM 540: METAL BEAM GUARD FENCE

Furnish and install only one type of timber post at each location.

Furnish Type II rail elements at all locations.

ITEM 552: WIRE FENCE

The fencing twisted stays as shown on the applicable Wire Fence standards (WF) shall be replaced with standard line posts. The required fencing material shall be attached to these additional line posts as described for a typical line post. This work and materials are subsidiary to the pertinent bid items.



Estimate & Quantity Sheet

CONTROLLING PROJECT ID 0913-27-079

DISTRICT Yoakum
HIGHWAY CR 270, CR 322, CR 71

COUNTY Jackson, Victoria

CONTROL SECTION JOB				0913-18-037		0913-27-079		0913-27-081		TOTAL EST.	TOTAL FINAL
PROJECT ID				A00183906		A00122837		A00128658			
COUNTY				Jackson		Victoria		Victoria			
HIGHWAY				CR 322		CR 270		CR 71			
ALT	BID CODE	DESCRIPTION	UNIT	EST.	FINAL	EST.	FINAL	EST.	FINAL		
	100-6002	PREPARING ROW	STA	3.000		4.000		3.500		10.500	
	110-6001	EXCAVATION (ROADWAY)	CY	47.000		193.000		387.000		627.000	
	110-6002	EXCAVATION (CHANNEL)	CY	627.000		178.000		174.000		979.000	
	132-6005	EMBANKMENT (FINAL)(ORD COMP)(TY C)	CY	912.000		361.000		1,166.000		2,439.000	
	150-6002	BLADING	HR	16.000		16.000		16.000		48.000	
	164-6003	BROADCAST SEED (PERM) (RURAL) (CLAY)	SY	1,737.000		1,721.000		1,509.000		4,967.000	
	164-6009	BROADCAST SEED (TEMP) (WARM)	SY	434.000		430.000		378.000		1,242.000	
	164-6011	BROADCAST SEED (TEMP) (COOL)	SY	434.000		430.000		378.000		1,242.000	
	168-6001	VEGETATIVE WATERING	MG	20.000		14.600		13.000		47.600	
	247-6370	FL BS (CMP IN PLC)(TY E GR 5)(FNL POS)	CY	346.000		315.000		290.000		951.000	
	316-6029	ASPH (RC-250)	GAL	305.000		275.000		247.000		827.000	
	316-6202	AGGR(TY-E GR-5 SAC-B)	CY	11.000		10.000		12.000		33.000	
	316-6249	AGGR(TY-PE GR-4 SAC-B)	CY	12.000		11.000		13.000		36.000	
	316-6542	ASPH (AC 20-5TR OR AC-20XP OR CRS-2P)	GAL	519.000		468.000		420.000		1,407.000	
	400-6005	CEM STABIL BKFL	CY	111.000		89.000		30.000		230.000	
	403-6001	TEMPORARY SPL SHORING	SF	1,440.000						1,440.000	
	416-6001	DRILL SHAFT (18 IN)	LF	312.000						312.000	
	416-6002	DRILL SHAFT (24 IN)	LF	392.000				660.000		1,052.000	
	416-6004	DRILL SHAFT (36 IN)	LF			296.000				296.000	
	420-6013	CL C CONC (ABUT)	CY	70.600		46.200		22.800		139.600	
	420-6029	CL C CONC (CAP)	CY					15.200		15.200	
	420-6037	CL C CONC (COLUMN)	CY					7.000		7.000	
	420-6062	CL C CONC (RETAINING WALL)	CY	26.200						26.200	
	422-6001	REINF CONC SLAB	SF			2,040.000				2,040.000	
	422-6007	REINF CONC SLAB (SLAB BEAM)	SF	1,446.000				3,310.000		4,756.000	
	425-6011	PRESTR CONC SLAB BEAM (4SB15)	LF	355.860						355.860	
	425-6012	PRESTR CONC SLAB BEAM (5SB15)	LF					651.000		651.000	
	425-6035	PRESTR CONC GIRDER (TX28)	LF			238.000				238.000	
	432-6033	RIPRAP (STONE PROTECTION)(18 IN)	CY	283.000		550.000		510.000		1,343.000	
	450-6006	RAIL (TY T223)	LF	170.000		168.000				338.000	
	450-6018	RAIL (TY T631)	LF					244.000		244.000	
	454-6004	ARMOR JOINT (SEALED)	LF	60.000		60.000		52.000		172.000	
	496-6009	REMOV STR (BRIDGE 0 - 99 FT LENGTH)	EA	1.000		1.000		1.000		3.000	
	496-6042	REMOV STR (SMALL)	EA	1.000						1.000	
	496-6043	REMOV STR (SMALL FENCE)	LF			858.000		757.000		1,615.000	
	500-6001	MOBILIZATION	LS			1.000				1.000	
	502-6001	BARRICADES, SIGNS AND TRAFFIC HANDLING	MO	5.000		5.000		6.000		16.000	



Estimate & Quantity Sheet

CONTROLLING PROJECT ID 0913-27-079

DISTRICT Yoakum
HIGHWAY CR 270, CR 322, CR 71

COUNTY Jackson, Victoria

CONTROL SECTION JOB				0913-18-037		0913-27-079		0913-27-081		TOTAL EST.	TOTAL FINAL
PROJECT ID				A00183906		A00122837		A00128658			
COUNTY				Jackson		Victoria		Victoria			
HIGHWAY				CR 322		CR 270		CR 71			
ALT	BID CODE	DESCRIPTION	UNIT	EST.	FINAL	EST.	FINAL	EST.	FINAL		
	506-6038	TEMP SEDMT CONT FENCE (INSTALL)	LF	509.000		56.000		385.000		950.000	
	506-6039	TEMP SEDMT CONT FENCE (REMOVE)	LF	509.000		56.000		385.000		950.000	
	540-6001	MTL W-BEAM GD FEN (TIM POST)	LF			50.000		100.000		150.000	
	540-6006	MTL BEAM GD FEN TRANS (THRIE-BEAM)	EA			4.000				4.000	
	540-6007	MTL BEAM GD FEN TRANS (TL2)	EA	4.000						4.000	
	544-6001	GUARDRAIL END TREATMENT (INSTALL)	EA	4.000		4.000		4.000		12.000	
	552-6001	WIRE FENCE (TY A)	LF			787.000		815.000		1,602.000	
	552-6003	WIRE FENCE (TY C)	LF			858.000		757.000		1,615.000	
	658-6014	INSTL DEL ASSM (D-SW)SZ (BRF)CTB (BI)	EA	6.000		2.000				8.000	
	658-6062	INSTL DEL ASSM (D-SW)SZ 1(BRF)GF2(BI)	EA	16.000		9.000		14.000		39.000	
	18	SAFETY CONTINGENCY: CONTRACTOR FORCE ACCOUNT WORK (PARTICIPATING)	LS			1.000				1.000	
		EROSION CONTROL MAINTENANCE: CONTRACTOR FORCE ACCOUNT WORK (PART)	LS			1.000				1.000	

DATE: 4/22/2024 12:05:50 PM
 FILE: pw:/stv-sw-pw-bentley.com:stv-sw-pw-01/Documents/Active Projects/TXFW1700958.03/Plan Set 23/8.00 Plans and Drawings/8.30 Cut Sheets/8.3.02 Summaries/YoungRDSum.dgn

SUMMARY OF ROADWAY QUANTITIES

ITEM DESCRIPTION	LENGTH	SURFACE			FLEX BASE			0100	0150	0247	0316 (PRIME)		0316 (SEAL)		0496	0496
		BEGIN WIDTH	END WIDTH	AREA	BEGIN WIDTH	END WIDTH	DEPTH	PREPARING ROW	BLADING	FL BS(CMP IN PLC) (TY E GR 5)(FNAL POS)	ASPH (RC-250)	AGGR(TY-E GR-5 SAC-B)	ASPH (AC 20-STR OR AC 20XP OR CRS-2P)	AGGR(TY-PE GR-4 SAC-B)	REMOV STR (BRIDGE 0 - 99 FT LENGTH)	REMOV STR (SMALL)
		FT	FT	SY	FT	FT	IN	STA	HR	CY	0.20 GAL/SY GAL	1 CY/140 SY CY	0.34 GAL/SY GAL	1 CY/130 SY CY	EA	EA
CSJ: 0913-18-037																
STA 2+95.00 TO STA 3+80.00	85	18.5	36	257	19.5	37	8	0.50		67		59	2	100	2	
STA 3+80.00 TO STA 5+04.00	124	36	36	496	37	37	8	1.00		112		99	4	169	4	1
BRIDGE	45			180						0		0	0	0		
STA 5+49.00 TO STA 6+75.00	126	36	36	504	37	37	8	1.25		114		101	4	171	4	
STA 6+75.00 TO STA 7+55.00	80	36	16.5	233	37	17.5	8	0.25		53		47	2	79	2	
PROJECT TOTAL								3	16	346		305	11	519	12	1

* ESTIMATED QUANTITY
 ** INCLUDES QUANTITY FOR DRIVEWAY LOCATED AT CL YOUNG RD STA 3+45.00

SUMMARY OF PAVEMENT MARKINGS, DELINEATORS AND OBJECT MARKER QUANTITIES

	0658	0658
	IN STL DEL ASSM (D-SW)SZ (BRF)CTB (BI)	IN STL DEL ASSM (D-SW)SZ 1 (BRF)GF2(BI)
	EA	EA
CSJ: 0913-18-037		
STA 2+95.00 TO STA 3+80.00		
STA 3+80.00 TO STA 5+04.00		8
BRIDGE	6	
STA 5+49.00 TO STA 6+75.00		8
STA 6+75.00 TO STA 7+55.00		
PROJECT TOTAL	6	16

SUMMARY OF EARTH WORK QUANTITIES

	0110		0132
	EXCAVATION (ROADWAY)	EXCAVATION (CHANNEL)	EMBANKMENT (FINAL)(ORD COMP)(TY C)
	CY	CY	CY
CSJ: 0913-18-037			
STA 2+95.00 TO STA 3+50.00	13.90		31.62
STA 3+50.00 TO STA 4+00.00	9.08		77.39
STA 4+00.00 TO STA 4+50.00	5.06		101.66
STA 4+50.00 TO STA 5+04.00	0.93		309.08
BRIDGE	0.00	627	0.00
STA 5+49.00 TO STA 6+00.00	0.00		203.21
STA 6+00.00 TO STA 6+50.00	0.00		116.41
STA 6+50.00 TO STA 7+00.00	0.03		56.19
STA 7+00.00 TO STA 7+50.00	15.25		16.55
STA 7+50.00 TO STA 7+55.00	3.16		0.09
PROJECT TOTAL	47	627	912



SUMMARY OF GUARDRAIL QUANTITIES

	0540	0544
	MTL BEAM GD FEN TRANS (TL2)	GUARDRAIL END TREATMENT (INSTALL)
	EA	EA
CSJ: 0913-18-037		
STA 2+95.00 TO STA 3+80.00		
STA 3+80.00 TO STA 5+04.00	2	2
BRIDGE		
STA 5+49.00 TO STA 6+75.00	2	2
STA 6+75.00 TO STA 7+55.00		
PROJECT TOTAL	4	4

SUMMARY OF SW3P QUANTITIES

	0164			0166	0168	0506	
	BROADCAST SEED (PERM) (RURAL) (CLAY)	BROADCAST SEED (TEMP) (WARM)	BROADCAST SEED (TEMP) (COOL)	** FERTILIZER	VEGETATIVE WATERING	TEMP SEDMT CONT FENCE (INSTALL)	TEMP SEDMT CONT FENCE (REMOVE)
	SY	SY	SY	500 LBS/AC TON	13.6 MG/AC/MO MG	LF	LF
CSJ: 0913-18-037							
STA 2+95.00 TO STA 3+80.00	393	98	98	0.020	4		
STA 3+80.00 TO STA 5+04.00	467	117	117	0.024	5	141	141
BRIDGE	10	3	3	0.001	0	194	194
STA 5+49.00 TO STA 6+75.00	453	113	113	0.023	5	94	94
STA 6+75.00 TO STA 7+55.00	413	103	103	0.021	5	80	80
PROJECT TOTAL	1737	434	434	0.09	20	509	509


** FOR CONTRACTORS INFORMATION ONLY

NO.	REVISION	BY	DATE
 TEXAS REGISTERED ENGINEERING FIRM F-204			
 © 2024			
YOUNG RD AT VENADO CREEK			
SUMMARY OF QUANTITIES			
CSJ 0913-18-037			
SHEET 1 OF 1			
CONT	SECT	JOB	HIGHWAY
0913	18	037	CR
DIST	COUNTY		SHEET NO.
YKM	JACKSON		6

TYPICAL APPLICATION OF WORK ZONE SPEED LIMIT SIGNS

Work zone speed limits shall be regulatory, established in accordance with the "Procedures for Establishing Speed Zones," and approved by the Texas Transportation Commission, or by City Ordinance when within Incorporated City Limits.

Reduced speeds should only be posted in the vicinity of work activity and not throughout the entire project. Regulatory work zone speed signs (R2-1) shall be removed or covered during periods when they are not needed.



GUIDANCE FOR USE:

LONG/INTERMEDIATE TERM WORK ZONE SPEED LIMITS

This type of work zone speed limit should be included on the design of the traffic control plans when restricted geometrics with a lower design speed are present in the work zone and modification of the geometrics to a higher design speed is not feasible.

Long/Intermediate Term Work Zone Speed Limit signs, when approved as described above, should be posted and visible to the motorist when work activity is present. Work activity may also be defined as a change in the roadway that requires a reduced speed for motorists to safely negotiate the work area, including:

- rough road or damaged pavement surface
- substantial alteration of roadway geometrics (diversions)
- construction detours
- grade
- width
- other conditions readily apparent to the driver

As long as any of these conditions exist, the work zone speed limit signs should remain in place.

SHORT TERM WORK ZONE SPEED LIMITS

This type of work zone speed limit may be included on the design of the traffic control plans when workers or equipment are not behind concrete barrier, when work activity is within 10 feet of the traveled way or actually in the traveled way.

Short Term Work Zone Speed Limit signs should be posted and visible to the motorists only when work activity is present. When work activity is not present, signs shall be removed or covered. (See Removing or Covering on BC(4)).

GENERAL NOTES

- Regulatory work zone speed limits should be used only for sections of construction projects where speed control is of major importance.
- Regulatory work zone speed limit signs shall be placed on supports at a 7 foot minimum mounting height.
- Speed zone signs are illustrated for one direction of travel and are normally posted for each direction of travel.
- Frequency of work zone speed limit signs should be:

40 mph and greater	0.2 to 2 miles
35 mph and less	0.2 to 1 mile
- Regulatory speed limit signs shall have black legend and border on a white reflective background (See "Reflective Sheeting" on BC(4)).
- Fabrication, erection and maintenance of the "ADVANCE SPEED LIMIT" (CW3-5) sign, "WORK ZONE" (G20-5aP) plaque and the "SPEED LIMIT" (R2-1) signs shall not be paid for directly, but shall be considered subsidiary to Item 502.
- Turning signs from view, laying signs over or down will not be allowed, unless as otherwise noted under "REMOVING OR COVERING" on BC(4).
- Techniques that may help reduce traffic speeds include but are not limited to:
 - Law enforcement.
 - Flagger stationed next to sign.
 - Portable changeable message sign (PCMS).
 - Low-power (drone) radar transmitter.
 - Speed monitor trailers or signs.
- Speeds shown on details above are for illustration only. Work Zone Speed Limits should only be posted as approved for each project.
- For more specific guidance concerning the type of work, work zone conditions and factors impacting allowable regulatory construction speed zone reduction see TxDOT form #1204 in the TxDOT e-form system.

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of units.

DATE: 7/28/2023 9:28:42 AM
 FILE: pw://stl-sw-pw.bentley.com:stl-sw-pw-01/Documents/Active Projects/TXFW1700958.00/TXFW1700958.dgn

PROP. EL.
 EXIST. EL.

SHEET 3 OF 12




BARRICADE AND CONSTRUCTION WORK ZONE SPEED LIMIT

BC (3) - 21

FILE:	bc-21.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
© TxDOT	November 2002	CONT	SECT	JOB	HIGHWAY
REVISIONS		0913	18	037	CR
9-07	8-14	DIST	COUNTY	SHEET NO.	
7-13	5-21	YKM	JACKSON	10	

DATE: 7/28/2023 9:29:18 AM
 FILE: pw://sv-sw-pw-bentley.com/stv-sw-pw-01/Documents/Active Projects/TXFW1700958.00/TXFW1700958.03/Plan Set 23/8.00 Plans and Drawings/8.30 Cut Streets/8.30 Cut Streets/BC-21 (3).dgn
 DW: []
 CK: []
 No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.


TYPICAL MINIMUM CLEARANCES FOR LONG TERM AND INTERMEDIATE TERM SIGNS



* When placing skid supports on unlevel ground, the leg post lengths must be adjusted so the sign appears straight and plumb. Objects shall NOT be placed under skids as a means of leveling.

** When plaques are placed on dual-leg supports, they should be attached to the upright nearest the travel lane. Supplemental plaques (advisory or distance) should not cover the surface of the parent sign.

ATTACHMENT FOR SIGN SUPPORTS



Splicing embedded perforated square metal tubing in order to extend post height will only be allowed when the splice is made using four bolts, two above and two below the splice point. Splice must be located entirely behind the sign substrate, not near the base of the support. Splice insert lengths should be at least 5 times nominal post size, centered on the splice and of at least the same gauge material.

GENERAL NOTES FOR WORK ZONE SIGNS

- Contractor shall install and maintain signs in a straight and plumb condition and/or as directed by the Engineer.
- Wooden sign posts shall be painted white.
- Barricades shall NOT be used as sign supports.
- All signs shall be installed in accordance with the plans or as directed by the Engineer. Signs shall be used to regulate, warn, and guide the traveling public safely through the work zone.
- The Contractor may furnish either the sign design shown in the plans or in the "Standard Highway Sign Designs for Texas" (SHSD). The Engineer/Inspector may require the Contractor to furnish other work zone signs that are shown in the TMUTCD but may have been omitted from the plans. Any variation in the plans shall be documented by written agreement between the Engineer and the Contractor's Responsible Person. All changes must be documented in writing before being implemented. This can include documenting the changes in the Inspector's TxDOT diary and having both the Inspector and Contractor initial and date the agreed upon changes.
- The Contractor shall furnish sign supports listed in the "Compliant Work Zone Traffic Control Device List" (CWZTCD) for small roadside signs. Supports for temporary large roadside signs shall meet the requirements detailed on the Temporary Large Roadside Signs (TLRS) standard sheets. The Contractor shall install the sign support in accordance with the manufacturer's recommendations. If there is a question regarding installation procedures, the Contractor shall furnish the Engineer a copy of the manufacturer's installation recommendations so the Engineer can verify the correct procedures are being followed.
- The Contractor is responsible for installing signs on approved supports and replacing signs with damaged or cracked substrates and/or damaged or marred reflective sheeting as directed by the Engineer/Inspector.
- Identification markings may be shown only on the back of the sign substrate. The maximum height of letters and/or company logos used for identification shall be 1 inch.
- The Contractor shall replace damaged wood posts. New or damaged wood sign posts shall not be spliced.

DURATION OF WORK (as defined by the "Texas Manual on Uniform Traffic Control Devices" Part 6)

- The types of sign supports, sign mounting height, the size of signs, and the type of sign substrates can vary based on the type of work being performed. The Engineer is responsible for selecting the appropriate size sign for the type of work being performed. The Contractor is responsible for ensuring the sign support, sign mounting height and substrate meets manufacturer's recommendations in regard to crashworthiness and duration of work requirements.
 - Long-term stationary - work that occupies a location more than 3 days.
 - Intermediate-term stationary - work that occupies a location more than one daylight period up to 3 days, or nighttime work lasting more than one hour.
 - Short-term stationary - daytime work that occupies a location for more than 1 hour in a single daylight period.
 - Short, duration - work that occupies a location up to 1 hour.
 - Mobile - work that moves continuously or intermittently (stopping for up to approximately 15 minutes.)

SIGN MOUNTING HEIGHT

- The bottom of Long-term/Intermediate-term signs shall be at least 7 feet, but not more than 9 feet, above the paved surface, except as shown for supplemental plaques mounted below other signs.
- The bottom of Short-term/Short Duration signs shall be a minimum of 1 foot above the pavement surface but no more than 2 feet above the ground.
- Long-term/Intermediate-term Signs may be used in lieu of Short-term/Short Duration signing.
- Short-term/Short Duration signs shall be used only during daylight and shall be removed at the end of the workday or raised to appropriate Long-term/Intermediate sign height.
- Regulatory signs shall be mounted at least 7 feet, but not more than 9 feet, above the paved surface regardless of work duration.

SIZE OF SIGNS

- The Contractor shall furnish the sign sizes shown on BC (2) unless otherwise shown in the plans or as directed by the Engineer.

SIGN SUBSTRATES

- The Contractor shall ensure the sign substrate is installed in accordance with the manufacturer's recommendations for the type of sign support that is being used. The CWZTCD lists each substrate that can be used on the different types and models of sign supports.
- "Mesh" type materials are NOT an approved sign substrate, regardless of the tightness of the weave.
- All wooden individual sign panels fabricated from 2 or more pieces shall have one or more plywood cleat, 1/2" thick by 6" wide, fastened to the back of the sign and extending fully across the sign. The cleat shall be attached to the back of the sign using wood screws that do not penetrate the face of the sign panel. The screws shall be placed on both sides of the splice and spaced at 6" centers. The Engineer may approve other methods of splicing the sign face.

REFLECTIVE SHEETING

- All signs shall be retroreflective and constructed of sheeting meeting the color and retro-reflectivity requirements of DMS-8300 for rigid signs or DMS-8310 for roll-up signs. The web address for DMS specifications is shown on BC(1).
- White sheeting, meeting the requirements of DMS-8300 Type A, shall be used for signs with a white background.
- Orange sheeting, meeting the requirements of DMS-8300 Type B_{FL} or Type C_{FL}, shall be used for rigid signs with orange backgrounds.

SIGN LETTERS

- All sign letters and numbers shall be clear, and open rounded type uppercase alphabet letters as approved by the Federal Highway Administration (FHWA) and as published in the "Standard Highway Sign Design for Texas" manual. Signs, letters and numbers shall be of first class workmanship in accordance with Department Standards and Specifications.

REMOVING OR COVERING

- When sign messages may be confusing or do not apply, the signs shall be removed or completely covered.
- Long-term stationary or intermediate stationary signs installed on square metal tubing may be turned away from traffic 90 degrees when the sign message is not applicable. This technique may not be used for signs installed in the median of divided highways or near any intersections where the sign may be seen from approaching traffic.
- Signs installed on wooden skids shall not be turned at 90 degree angles to the roadway. These signs should be removed or completely covered when not required.
- When signs are covered, the material used shall be opaque, such as heavy mil black plastic, or other materials which will cover the entire sign face and maintain their opaque properties under automobile headlights at night, without damaging the sign sheeting.
- Burlap shall NOT be used to cover signs.
- Duct tape or other adhesive material shall NOT be affixed to a sign face.
- Signs and anchor stubs shall be removed and holes backfilled upon completion of work.

SIGN SUPPORT WEIGHTS


- Where sign supports require the use of weights to keep from turning over, the use of sandbags with dry, cohesionless sand should be used.
- The sandbags will be tied shut to keep the sand from spilling and to maintain a constant weight.
- Rock, concrete, iron, steel or other solid objects shall not be permitted for use as sign support weights.
- Sandbags should weigh a minimum of 35 lbs and a maximum of 50 lbs.
- Sandbags shall be made of a durable material that tears upon vehicular impact. Rubber (such as tire inner tubes) shall NOT be used.
- Rubber ballasts designed for channelizing devices should not be used for ballast on portable sign supports. Sign supports designed and manufactured with rubber bases may be used when shown on the CWZTCD list.
- Sandbags shall only be placed along or laid over the base supports of the traffic control device and shall not be suspended above ground level or hung with rope, wire, chains or other fasteners. Sandbags shall be placed along the length of the skids to weigh down the sign support.
- Sandbags shall NOT be placed under the skid and shall not be used to level sign supports placed on slopes.

FLAGS ON SIGNS

- Flags may be used to draw attention to warning signs. When used, the flag shall be 16 inches square or larger and shall be orange or fluorescent red-orange in color. Flags shall not be allowed to cover any portion of the sign face.

STOP/SLOW PADDLES

- STOP/SLOW paddles are the primary method to control traffic by flaggers. The STOP/SLOW paddle size should be 24" x 24".
- STOP/SLOW paddles shall be retroreflectORIZED when used at night.
- STOP/SLOW paddles may be attached to a staff with a minimum length of 6' to the bottom of the sign.
- Any lights incorporated into the STOP or SLOW paddle faces shall only be as specifically described in Section 6E.03 Hand Signaling Devices in the TMUTCD.



SHEETING REQUIREMENTS (WHEN USED AT NIGHT)		
USAGE	COLOR	SIGN FACE MATERIAL
BACKGROUND	RED	TYPE B OR C SHEETING
BACKGROUND	ORANGE	TYPE B _{FL} OR C _{FL} SHEETING
LEGEND & BORDER	WHITE	TYPE B OR C SHEETING
LEGEND & BORDER	BLACK	ACRYLIC NON-REFLECTIVE FILM

CONTRACTOR REQUIREMENTS FOR MAINTAINING PERMANENT SIGNS WITHIN THE PROJECT LIMITS

- Permanent signs are used to give notice of traffic laws or regulations, call attention to conditions that are potentially hazardous to traffic operations, show route designations, destinations, directions, distances, services, points of interest, and other geographical, recreational, specific service (LOGO), or cultural information. Drivers proceeding through a work zone need the same, if not better route guidance as normally installed on a roadway without construction.
- When permanent regulatory or warning signs conflict with work zone conditions, remove or cover the permanent signs until the permanent sign message matches the roadway condition. For details for covering large guide signs see the TS-CD standard.
- When existing permanent signs are moved and relocated due to construction purposes, they shall be visible to motorists at all times.
- If existing signs are to be relocated on their original supports, they shall be installed on crashworthy bases as shown on the SMD Standard sheets. The signs shall meet the required mounting heights shown on the BC Sheets or the SMD Standards. This work should be paid for under the appropriate pay item for relocating existing signs.
- If permanent signs are to be removed and relocated using temporary supports, the Contractor shall use crashworthy supports as shown on the BC standard sheets, TLRS standard sheets or the CWZTCD list. The signs shall meet the required mounting heights shown on the BC, or the SMD standard sheets during construction. This work should be paid for under the appropriate pay item for relocating existing signs.
- Any sign or traffic control device that is struck or damaged by the Contractor or his/her construction equipment shall be replaced as soon as possible by the Contractor to ensure proper guidance for the motorists. This will be subsidiary to Item 502.

Texas Department of Transportation
Traffic Safety Division Standard


BARRICADE AND CONSTRUCTION
TEMPORARY SIGN NOTES

BC (4) - 21

FILE: bc-21.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
© TxDOT November 2002	CONT	SECT	JOB	HIGHWAY
REVISIONS		0913 JB	037	CR
9-07 8-14	DIST	COUNTY	SHEET NO.	
7-13 5-21	YKM	JACKSON	11	


DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act." No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 7/28/2023 9:29:51 AM
 FILE: pw://stvs-sw-pw.bentley.com/stvs-sw-pw-01/Documents/Active Projects/TXFW1700958.00/TXFW1700958.03/Plan Set 23/8.00 Plans and Drawings/8.30 Cut Streets/BC-21 (3).dgn




SKID MOUNTED WOOD SIGN SUPPORTS

* LONG/INTERMEDIATE TERM STATIONARY - PORTABLE SKID MOUNTED SIGN SUPPORTS




SKID MOUNTED PERFORATED SQUARE STEEL TUBING SIGN SUPPORTS

* LONG/INTERMEDIATE TERM STATIONARY - PORTABLE SKID MOUNTED SIGN SUPPORTS





GROUND MOUNTED SIGN SUPPORTS

Refer to the CWZTCD and the manufacturer's installation procedure for each type sign support. The maximum sign square footage shall adhere to the manufacturer's recommendation. Two post installations can be used for larger signs.



SKID MOUNTED PERFORATED SQUARE STEEL TUBING SIGN SUPPORTS

* LONG/INTERMEDIATE TERM STATIONARY - PORTABLE SKID MOUNTED SIGN SUPPORTS



WEDGE ANCHORS

Both steel and plastic Wedge Anchor Systems as shown on the SMD Standard Sheets may be used as temporary sign supports for signs up to 10 square feet of sign face. They may be set in concrete or in sturdy soils if approved by the Engineer. (See web address for "Traffic Engineering Standard Sheets" on BC(1)).

OTHER DESIGNS

MORE DETAILS OF APPROVED LONG/INTERMEDIATE AND SHORT TERM SUPPORTS CAN BE FOUND ON THE CWZTCD LIST. SEE BC(1) FOR WEBSITE LOCATION.

GENERAL NOTES

- Nails may be used in the assembly of wooden sign supports, but 3/8" bolts with nuts or 3/8" x 3 1/2" lag screws must be used on every joint for final connection.
 - No more than 2 sign posts shall be placed within a 7 ft. circle, except for specific materials noted on the CWZTCD List.
 - When project is completed, all sign supports and foundations shall be removed from the project site. This will be considered subsidiary to Item 502.
- * See BC(4) for definition of "Work Duration."
 - ** Wood sign posts MUST be one piece. Splicing will NOT be allowed. Posts shall be painted white.
 - See the CWZTCD for the type of sign substrate that can be used for each approved sign support.

SHEET 5 OF 12



BARRICADE AND CONSTRUCTION TYPICAL SIGN SUPPORT

BC(5) - 21

FILE:	bc-21.dgn	DN:	TxDOT	CK:	TxDOT	DW:	TxDOT	CK:	TxDOT
© TxDOT	November 2002	CONT	SECT	JOB	HIGHWAY				
REVISIONS		0913	18	037	CR				
9-07	8-14	DIST	COUNTY	SHEET NO.					
7-13	5-21	YKM	JACKSON	12					

No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

WHEN NOT IN USE, REMOVE THE PCMS FROM THE RIGHT-OF-WAY OR PLACE THE PCMS BEHIND BARRIER OR GUARDRAIL WITH SIGN PANEL TURNED PARALLEL TO TRAFFIC

PORTABLE CHANGEABLE MESSAGE SIGNS

- The Engineer/Inspector shall approve all messages used on portable changeable message signs (PCMS).
- Messages on PCMS should contain no more than 8 words (about four to eight characters per word), not including simple words such as "TO," "FOR," "AT," etc.
- Messages should consist of a single phase, or two phases that alternate. Three-phase messages are not allowed. Each phase of the message should convey a single thought, and must be understood by itself.
- Use the word "EXIT" to refer to an exit ramp on a freeway; i.e., "EXIT CLOSED." Do not use the term "RAMP."
- Always use the route or interstate designation (IH, US, SH, FM) along with the number when referring to a roadway.
- When in use, the bottom of a stationary PCMS message panel should be a minimum 7 feet above the roadway, where possible.
- The message term "WEEKEND" should be used only if the work is to start on Saturday morning and end by Sunday evening at midnight. Actual days and hours of work should be displayed on the PCMS if work is to begin on Friday evening and/or continue into Monday morning.
- The Engineer/Inspector may select one of two options which are available for displaying a two-phase message on a PCMS. Each phase may be displayed for either four seconds each or for three seconds each.
- Do not "flash" messages or words included in a message. The message should be steady burn or continuous while displayed.
- Do not present redundant information on a two-phase message; i.e., keeping two lines of the message the same and changing the third line.
- Do not use the word "Danger" in message.
- Do not display the message "LANES SHIFT LEFT" or "LANES SHIFT RIGHT" on a PCMS. Drivers do not understand the message.
- Do not display messages that scroll horizontally or vertically across the face of the sign.
- The following table lists abbreviated words and two-word phrases that are acceptable for use on a PCMS. Both words in a phrase must be displayed together. Words or phrases not on this list should not be abbreviated, unless shown in the TMUTCD.
- PCMS character height should be at least 18 inches for trailer mounted units. They should be visible from at least 1/2 (.5) mile and the text should be legible from at least 600 feet at night and 800 feet in daylight. Truck mounted units must have a character height of 10 inches and must be legible from at least 400 feet.
- Each line of text should be centered on the message board rather than left or right justified.
- If disabled, the PCMS should default to an illegible display that will not alarm motorists and will only be used to alert workers that the PCMS has malfunctioned. A pattern such as a series of horizontal solid bars is appropriate.

WORD OR PHRASE	ABBREVIATION	WORD OR PHRASE	ABBREVIATION
Access Road	ACCS RD	Major	MAJ
Alternate	ALT	Miles	MI
Avenue	AVE	Miles Per Hour	MPH
Best Route	BEST RTE	Minor	MNR
Boulevard	BLVD	Monday	MON
Bridge	BRDG	Normal	NORM
Canot	CANT	North	N
Center	CTR	Northbound	(route) N
Construction Ahead	CONST AHD	Parking	PKING
CROSSING	XING	Road	RD
Detour Route	DETOUR RTE	Right Lane	RT LN
Do Not	DONT	Saturday	SAT
East	E	Service Road	SERV RD
Eastbound	(route) E	Shoulder	SHLDR
Emergency	EMER	Slippery	SLIP
Emergency Vehicle	EMER VEH	South	S
Entrance, Enter	ENT	Southbound	(route) S
Express Lane	EXP LN	Speed	SPD
Expressway	EXPWY	Street	ST
XXXX Feet	XXXX FT	Sunday	SUN
Fog Ahead	FOG AHD	Telephone	PHONE
Freeway	FRWY, FWY	Temporary	TEMP
Freeway Blocked	FWY BLKD	Thursday	THURS
Friday	FRI	To Downtown	TO DWNTN
Hazardous Driving	HAZ DRIVING	Traffic	TRAF
Hazardous Material	HAZMAT	Travelers	TRVLRS
High-Occupancy Vehicle	HOV	Tuesday	TUES
Highway	HWY	Time Minutes	TIME MIN
Hour(s)	HR, HRS	Upper Level	UPR LEVEL
Information	INFO	Vehicles (s)	VEH, VEHS
It Is	ITS	Warning	WARN
Junction	JCT	Wednesday	WED
Left	LFT	Weight Limit	WT LIMIT
Left Lane	LFT LN	West	W
Left Lane Closed	LN CLOSED	Westbound	(route) W
Lower Level	LWR LEVEL	Wet Pavement	WET PVMT
Maintenance	MAINT	Will Not	WONT

ROADWAY designation # IH-number, US-number, SH-number, FM-number

RECOMMENDED PHASES AND FORMATS FOR PCMS MESSAGES DURING ROADWORK ACTIVITIES

(The Engineer may approve other messages not specifically covered here.)

Phase 1: Condition Lists

Road/Lane/Ramp Closure List

FREEWAY CLOSED X MILE
ROAD CLOSED AT SH XXX
ROAD CLSD AT FM XXXX
RIGHT X LANES CLOSED
CENTER LANE CLOSED
NIGHT LANE CLOSURES
VARIOUS LANES CLOSED
EXIT CLOSED
MALL DRIVEWAY CLOSED
XXXXXXXX BLVD CLOSED

Other Condition List

FRONTAGE ROAD CLOSED
SHOULDER CLOSED XXX FT
RIGHT LN CLOSED XXX FT
RIGHT X LANES OPEN
DAYTIME LANE CLOSURES
I-XX SOUTH EXIT CLOSED
EXIT XXX CLOSED X MILE
RIGHT LN TO BE CLOSED
X LANES CLOSED TUE - FRI

Action to Take/Effect on Travel List

ROADWORK XXX FT
FLAGGER XXXX FT
RIGHT LN NARROWS XXXX FT
MERGING TRAFFIC XXXX FT
LOOSE GRAVEL XXXX FT
DETOUR X MILE
ROADWORK PAST SH XXXX
BUMP XXXX FT
TRAFFIC SIGNAL XXXX FT

Location List

ROAD REPAIRS XXXX FT
LANE NARROWS XXXX FT
TWO-WAY TRAFFIC XX MILE
CONST TRAFFIC XXX FT
UNEVEN LANES XXXX FT
ROUGH ROAD XXXX FT
ROADWORK NEXT FRI-SUN
US XXX EXIT X MILES
LANES SHIFT *

Warning List

MERGE RIGHT
DETOUR NEXT X EXITS
USE EXIT XXX
STAY ON US XXX SOUTH
TRUCKS USE US XXX N
WATCH FOR TRUCKS
EXPECT DELAYS
REDUCE SPEED XXX FT
USE OTHER ROUTES
STAY IN LANE *

* LANES SHIFT in Phase 1 must be used with STAY IN LANE in Phase 2.

Phase 2: Possible Component Lists

Action to Take/Effect on Travel List

FORM X LINES RIGHT
USE XXXXX RD EXIT
USE EXIT I-XX NORTH
USE I-XX E TO I-XX N
WATCH FOR TRUCKS
EXPECT DELAYS
PREPARE TO STOP
END SHOULDER USE
WATCH FOR WORKERS

Location List

AT FM XXXX
BEFORE RAILROAD CROSSING
NEXT X MILES
PAST US XXX EXIT
XXXXXXXX TO XXXXXXX
US XXX TO FM XXXX

Warning List

SPEED LIMIT XX MPH
MAXIMUM SPEED XX MPH
MINIMUM SPEED XX MPH
ADVISORY SPEED XX MPH
RIGHT LANE EXIT
USE CAUTION
DRIVE SAFELY
DRIVE WITH CARE

**** Advance Notice List**

TUE-FRI XX AM-X PM
APR XX-XX X PM-X AM
BEGINS MONDAY
BEGINS MAY XX
MAY X-X XX PM - XX AM
NEXT FRI-SUN
XX AM TO XX PM
NEXT TUE AUG XX
TONIGHT XX PM-XX AM

** See Application Guidelines Note 6.

APPLICATION GUIDELINES

- Only 1 or 2 phases are to be used on a PCMS.
- The 1st phase (or both) should be selected from the "Road/Lane/Ramp Closure List" and the "Other Condition List".
- A 2nd phase can be selected from the "Action to Take/Effect on Travel, Location, General Warning, or Advance Notice Phase Lists".
- A Location Phase is necessary only if a distance or location is not included in the first phase selected.
- If two PCMS are used in sequence, they must be separated by a minimum of 1000 ft. Each PCMS shall be limited to two phases, and should be understandable by themselves.
- For advance notice, when the current date is within seven days of the actual work date, calendar days should be replaced with days of the week. Advance notification should typically be for no more than one week prior to the work.

WORDING ALTERNATIVES

- The words RIGHT, LEFT and ALL can be interchanged as appropriate.
- Roadway designations IH, US, SH, FM and LP can be interchanged as appropriate.
- EAST, WEST, NORTH and SOUTH (or abbreviations E, W, N and S) can be interchanged as appropriate.
- Highway names and numbers replaced as appropriate.
- ROAD, HIGHWAY and FREEWAY can be interchanged as needed.
- AHEAD may be used instead of distances if necessary.
- FT and MI, MILE and MILES interchanged as appropriate.
- AT, BEFORE and PAST interchanged as needed.
- Distances or AHEAD can be eliminated from the message if a location phase is used.

PCMS SIGNS WITHIN THE R.O.W. SHALL BE BEHIND GUARDRAIL OR CONCRETE BARRIER OR SHALL HAVE A MINIMUM OF FOUR (4) PLASTIC DRUMS PLACED PERPENDICULAR TO TRAFFIC ON THE UPSTREAM SIDE OF THE PCMS, WHEN EXPOSED TO ONE DIRECTION OF TRAFFIC. WHEN EXPOSED TO TWO WAY TRAFFIC, THE FOUR DRUMS SHOULD BE PLACED WITH ONE DRUM AT EACH OF THE FOUR CORNERS OF THE UNIT.

FULL MATRIX PCMS SIGNS

- When Full Matrix PCMS signs are used, the character height and legibility/visibility requirements shall be maintained as listed in Note 15 under "PORTABLE CHANGEABLE MESSAGE SIGNS" above.
- When symbol signs, such as the "Flagger Symbol" (CW20-7) are represented graphically on the Full Matrix PCMS sign and, with the approval of the Engineer, it shall maintain the legibility/visibility requirement listed above.
- When symbol signs are represented graphically on the Full Matrix PCMS, they shall only supplement the use of the static sign represented, and shall not substitute for, or replace that sign.
- A full matrix PCMS may be used to simulate a flashing arrow board provided it meets the visibility, flash rate and dimming requirements on BC(7), for the same size arrow.

BARRICADE AND CONSTRUCTION PORTABLE CHANGEABLE MESSAGE SIGN (PCMS)			
BC (6) - 21			
FILE: bc-21.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT
© TxDOT November 2002	CONT	SECT	JOB
REVISIONS	0913	18	037
9-07 8-14	DIST	COUNTY	SHEET NO.
7-13 5-21	YKM	JACKSON	13

DATE: 7/28/2023 9:30:22 AM
 FILE: pw://sv-sw-pw-bentley.com:stvw-pw-01/Documents/Active Projects/TXFW1700958.00/TXFW1700958.03/Plan Set 23/8.00 Plans and Drawings/8.30 Cut Streets/BC-21 (3).dgn

DISCLAIMER:

The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 7/28/2023 9:31:36 AM

FILE: pw:\stvs-sw-pw-bentley.com\stvs-sw-pw-01\Documents\Active Projects\TXFW1700958.00\TXFW1700958.03\Plan Set 23\8.00 Plans and Drawings\8.30 Cut Streets\8.30 Cut Streets\TC/BC-21 (3).dgn

GENERAL NOTES

- For long term stationary work zones on freeways, drums shall be used as the primary channelizing device.
- For intermediate term stationary work zones on freeways, drums should be used as the primary channelizing device but may be replaced in tangent sections by vertical panels, or 42" two-piece cones. In tangent sections, one-piece cones may be used with the approval of the Engineer but only if personnel are present on the project at all times to maintain the cones in proper position and location.
- For short term stationary work zones on freeways, drums are the preferred channelizing device but may be replaced in tapers, transitions and tangent sections by vertical panels, two-piece cones or one-piece cones as approved by the Engineer.
- Drums and all related items shall comply with the requirements of the current version of the "Texas Manual on Uniform Traffic Control Devices" (TMUTCD) and the "Compliant Work Zone Traffic Control Devices List" (CWZTCD).
- Drums, bases, and related materials shall exhibit good workmanship and shall be free from objectionable marks or defects that would adversely affect their appearance or serviceability.
- The Contractor shall have a maximum of 24 hours to replace any plastic drums identified for replacement by the Engineer/Inspector. The replacement device must be an approved device.

GENERAL DESIGN REQUIREMENTS

Pre-qualified plastic drums shall meet the following requirements:




- Plastic drums shall be a two-piece design; the "body" of the drum shall be the top portion and the "base" shall be the bottom.
- The body and base shall lock together in such a manner that the body separates from the base when impacted by a vehicle traveling at a speed of 20 MPH or greater but prevents accidental separation due to normal handling and/or air turbulence created by passing vehicles.
- Plastic drums shall be constructed of lightweight flexible, and deformable materials. The Contractor shall NOT use metal drums or single piece plastic drums as channelization devices or sign supports.
- Drums shall present a profile that is a minimum of 18 inches in width at the 36 inch height when viewed from any direction. The height of drum unit (body installed on base) shall be a minimum of 36 inches and a maximum of 42 inches.
- The top of the drum shall have a built-in handle for easy pickup and shall be designed to drain water and not collect debris. The handle shall have a minimum of two widely spaced 9/16 inch diameter holes to allow attachment of a warning light, warning reflector unit or approved compliant sign.
- The exterior of the drum body shall have a minimum of four alternating orange and white retroreflective circumferential stripes not less than 4 inches nor greater than 8 inches in width. Any non-reflectorized space between any two adjacent stripes shall not exceed 2 inches in width.
- Bases shall have a maximum width of 36 inches, a maximum height of 4 inches, and a minimum of two footholds of sufficient size to allow base to be held down while separating the drum body from the base.
- Plastic drums shall be constructed of ultra-violet stabilized, orange, high-density polyethylene (HDPE) or other approved material.
- Drum body shall have a maximum unballasted weight of 11 lbs.
- Drum and base shall be marked with manufacturer's name and model number.

RETROREFLECTIVE SHEETING

- The stripes used on drums shall be constructed of sheeting meeting the color and retroreflectivity requirements of Departmental Materials Specification DMS-8300, "Sign Face Materials." Type A or Type B reflective sheeting shall be supplied unless otherwise specified in the plans.
- The sheeting shall be suitable for use on and shall adhere to the drum surface such that, upon vehicular impact, the sheeting shall remain adhered in-place and exhibit no delaminating, cracking, or loss of retroreflectivity other than that loss due to abrasion of the sheeting surface.


BALLAST

- Unballasted bases shall be large enough to hold up to 50 lbs. of sand. This base, when filled with the ballast material, should weigh between 35 lbs (minimum) and 50 lbs (maximum). The ballast may be sand in one to three sandbags separate from the base, sand in a sand-filled plastic base, or other ballasting devices as approved by the Engineer. Stacking of sandbags will be allowed, however height of sandbags above pavement surface may not exceed 12 inches.
- Bases with built-in ballast shall weigh between 40 lbs. and 50 lbs. Built-in ballast can be constructed of an integral crumb rubber base or a solid rubber base.
- Recycled truck tire sidewalls may be used for ballast on drums approved for this type of ballast on the CWZTCD list.
- The ballast shall not be heavy objects, water, or any material that would become hazardous to motorists, pedestrians, or workers when the drum is struck by a vehicle.
- When used in regions susceptible to freezing, drums shall have drainage holes in the bottoms so that water will not collect and freeze becoming a hazard when struck by a vehicle.
- Ballast shall not be placed on top of drums.
- Adhesives may be used to secure base of drums to pavement.




DETECTABLE PEDESTRIAN BARRICADES

- When existing pedestrian facilities are disrupted, closed, or relocated in a TTC zone, the temporary facilities shall be detectable and include accessibility features consistent with the features present in the existing pedestrian facility. Refer to WZ(BTS-2) for Pedestrian Control requirements for Sidewalk Diversions, Sidewalk Detours and Crosswalk Closures.
- Where pedestrians with visual disabilities normally use the closed sidewalk, a Detectable Pedestrian Barricade shall be placed across the full width of the closed sidewalk instead of a Type 3 Barricade.
- Detectable pedestrian barricades similar to the one pictured above, longitudinal channelizing devices, some concrete barriers, and wood or chain link fencing with a continuous detectable edging can satisfactorily delineate a pedestrian path.
- Tape, rope, or plastic chain strung between devices are not detectable, do not comply with the design standards in the "Americans with Disabilities Act Accessibility Guidelines (ADAAG)" and should not be used as a control for pedestrian movements.
- Warning lights shall not be attached to detectable pedestrian barricades.
- Detectable pedestrian barricades should use 8" nominal barricade rails as shown on BC(10) provided that the top rail provides a smooth continuous rail suitable for hand trailing with no splinters, burrs, or sharp edges.



18" x 24" Sign
(Maximum Sign Dimension)
Chevron CW1-8, Opposing Traffic Lane
Divider, Driveway sign D70a, Keep Right
R4 series or other signs as approved
by Engineer



12" x 24"
Vertical Panel
mount with diagonals
sloping down towards
travel way

Plywood, Aluminum or Metal sign
substrates shall NOT be used on
plastic drums

SIGNS, CHEVRONS, AND VERTICAL PANELS MOUNTED ON PLASTIC DRUMS

- Signs used on plastic drums shall be manufactured using substrates listed on the CWZTCD.
- Chevrons and other work zone signs with an orange background shall be manufactured with Type B_{FL} or Type C_{FL} Orange sheeting meeting the color and retroreflectivity requirements of DMS-8300, "Sign Face Material," unless otherwise specified in the plans.
- Vertical Panels shall be manufactured with orange and white sheeting meeting the requirements of DMS-8300 Type A or Type B. Diagonal stripes on Vertical Panels shall slope down toward the intended traveled lane.
- Other sign messages (text or symbolic) may be used as approved by the Engineer. Sign dimensions shall not exceed 18 inches in width or 24 inches in height, except for the R9 series signs discussed in note 8 below.
- Signs shall be installed using a 1/2 inch bolt (nominal) and nut, two washers, and one locking washer for each connection.
- Mounting bolts and nuts shall be fully engaged and adequately torqued. Bolts should not extend more than 1/2 inch beyond nuts.
- Chevrons may be placed on drums on the outside of curves, on merging tapers or on shifting tapers. When used in these locations, they may be placed on every drum or spaced not more than on every third drum. A minimum of three (3) should be used at each location called for in the plans.
- R9-9, R9-10, R9-11 and R9-11a Sidewalk Closed signs which are 24 inches wide may be mounted on plastic drums, with approval of the Engineer.

SHEET 8 OF 12




BARRICADE AND CONSTRUCTION CHANNELIZING DEVICES

BC (8) - 21

FILE:	bc-21.dgn	DN:	TxDOT	CK:	TxDOT	DN:	TxDOT	CK:	TxDOT
© TxDOT	November 2002	CONT	SECT	JOB	HIGHWAY				
REVISIONS		0913	18	037	CR				
4-03	8-14			DIST	COUNTY			SHEET NO.	
9-07	5-21			YKM	JACKSON			15	
7-13									


DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 7/28/2023 9:32:29 AM
 FILE: pw://stvw-sw-pw.bentley.com/stvw-sw-pw-01/Documents/Active Projects/TXFW1700958.00/TXFW1700958.03/Plan Set 23/8.00 Plans and Drawings/8.30 Cut Streets/8.309 TxDOT Standards/CP/bc-21 (3).dgn



FIXED
(Rigid or self-righting)


DRIVEABLE



PORTABLE


VERTICAL PANELS (VPs)

- Vertical Panels (VP's) are normally used to channelize traffic or divide opposing lanes of traffic.
- VP's may be used in daytime or nighttime situations. They may be used at the edge of shoulder drop-offs and other areas such as lane transitions where positive daytime and nighttime delineation is required. The Engineer/Inspector shall refer to the Roadway Design Manual for additional requirements on the use VP's for drop-offs.
- VP's should be mounted back to back if used at the edge of cuts adjacent to two-way two lane roadways. Stripes are to be reflective orange and reflective white and should always slope downward toward the travel lane.
- VP's used on expressways and freeways or other high speed roadways, may have more than 270 square inches of retroreflective area facing traffic.
- Self-righting supports are available with portable base. See "Compliant Work Zone Traffic Control Devices List" (CWZTCD).
- Sheeting for the VP's shall be retroreflective Type A or Type B conforming to Departmental Material Specification DMS-8300, unless noted otherwise.
- Where the height of reflective material on the vertical panel is 36 inches or greater, a panel stripe of 6 inches shall be used.




OPPOSING TRAFFIC LANE DIVIDERS (OTLD)

- Opposing Traffic Lane Dividers (OTLD) are delineation devices designed to convert a normal one-way roadway section to two-way operation. OTLD's are used on temporary centerlines. The upward and downward arrows on the sign's face indicate the direction of traffic on either side of the divider. The base is secured to the pavement with an adhesive or rubber weight to minimize movement caused by a vehicle impact or wind gust.
- The OTLD may be used in combination with 42" cones or VPs.
- Spacing between the OTLD shall not exceed 500 feet. 42" cones or VPs placed between the OTLD's should not exceed 100 foot spacing.
- The OTLD shall be orange with a black non-reflective legend. Sheeting for the OTLD shall be retroreflective Type B_{FL} or Type C_{FL} conforming to Departmental Material Specification DMS-8300, unless noted otherwise. The legend shall meet the requirements of DMS-8300.



- The chevron shall be a vertical rectangle with a minimum size of 12 by 18 inches.
- Chevrons are intended to give notice of a sharp change of alignment with the direction of travel and provide additional emphasis and guidance for vehicle operators with regard to changes in horizontal alignment of the roadway.
- Chevrons, when used, shall be erected on the outside of a sharp curve or turn, or on the far side of an intersection. They shall be in line with and at right angles to approaching traffic. Spacing should be such that the motorist always has three in view, until the change in alignment eliminates its need.
- To be effective, the chevron should be visible for at least 500 feet.
- Chevrons shall be orange with a black nonreflective legend. Sheeting for the chevron shall be retroreflective Type B_{FL} or Type C_{FL} conforming to Departmental Material Specification DMS-8300, unless noted otherwise. The legend shall meet the requirements of DMS-8300.
- For Long Term Stationary use on tapers or transitions on freeways and divided highways, self-righting chevrons may be used to supplement plastic drums but not to replace plastic drums.

CHEVRONS



LONGITUDINAL CHANNELIZING DEVICES (LCD)

- LCDs are crashworthy, lightweight, deformable devices that are highly visible, have good target value and can be connected together. They are not designed to contain or redirect a vehicle on impact.
- LCDs may be used instead of a line of cones or drums.
- LCDs shall be placed in accordance to application and installation requirements specific to the device, and used only when shown on the CWZTCD list.
- LCDs should not be used to provide positive protection for obstacles, pedestrians or workers.
- LCDs shall be supplemented with retroreflective delineation as required for temporary barriers on BC(7) when placed roughly parallel to the travel lanes.
- LCDs used as barricades placed perpendicular to traffic should have at least one row of reflective sheeting meeting the requirements for barricade rails as shown on BC(10). Place reflective sheeting near the top of the LCD along the full length of the device.

WATER BALLASTED SYSTEMS USED AS BARRIERS

- Water ballasted systems used as barriers shall not be used solely to channelize road users, but also to protect the work space per the appropriate Manual for Assessing Safety Hardware (MASH) crashworthiness requirements based on roadway speed and barrier application.
- Water ballasted systems used to channelize vehicular traffic shall be supplemented with retroreflective delineation or channelizing devices to improve daytime/nighttime visibility. They may also be supplemented with pavement markings.
- Water ballasted systems used as barriers shall be placed in accordance to application and installation requirements specific to the device, and used only when shown on the CWZTCD list.
- Water ballasted systems used as barriers should not be used for a merging taper except in low speed (less than 45 MPH) urban areas. When used on a taper in a low speed urban area, the taper shall be delineated and the taper length should be designed to optimize road user operations considering the available geometric conditions.
- When water ballasted systems used as barriers have blunt ends exposed to traffic, they should be attenuated as per manufacturer recommendations or flared to a point outside the clear zone.

If used to channelize pedestrians, longitudinal channelizing devices or water ballasted systems must have a continuous detectable bottom for users of long cones and the top of the unit shall not be less than 32 inches in height.

HOLLOW OR WATER BALLASTED SYSTEMS USED AS LONGITUDINAL CHANNELIZING DEVICES OR BARRIERS

GENERAL NOTES

- Work Zone channelizing devices illustrated on this sheet may be installed in close proximity to traffic and are suitable for use on high or low speed roadways. The Engineer/Inspector shall ensure that spacing and placement is uniform and in accordance with the "Texas Manual on Uniform Traffic Control Devices" (TMUTCD).
- Channelizing devices shown on this sheet may have a driveable, fixed or portable base. The requirement for self-righting channelizing devices must be specified in the General Notes or other plan sheets.
- Channelizing devices on self-righting supports should be used in work zone areas where channelizing devices are frequently impacted by errant vehicles or vehicle related wind gusts making alignment of the channelizing devices difficult to maintain. Locations of these devices shall be detailed elsewhere in the plans. These devices shall conform to the TMUTCD and the "Compliant Work Zone Traffic Control Devices List" (CWZTCD).
- The Contractor shall maintain devices in a clean condition and replace damaged, nonreflective, faded, or broken devices and bases as required by the Engineer/Inspector. The Contractor shall be required to maintain proper device spacing and alignment.
- Portable bases shall be fabricated from virgin and/or recycled rubber. The portable bases shall weigh a minimum of 30 lbs.
- Pavement surfaces shall be prepared in a manner that ensures proper bonding between the adhesives, the fixed mount bases and the pavement surface. Adhesives shall be prepared and applied according to the manufacturer's recommendations.
- The installation and removal of channelizing devices shall not cause detrimental effects to the final pavement surfaces, including pavement surface discoloration or surface integrity. Driveable bases shall not be permitted on final pavement surfaces. The Engineer/Inspector shall approve all application and removal procedures of fixed bases.

Posted Speed	Formula	Minimum Desirable Taper Lengths * X			Suggested Maximum Spacing of Channelizing Devices	
		10' Offset	11' Offset	12' Offset	On a Taper	On a Tangent
30	L = WS ² / 60	150'	165'	180'	30'	60'
35		205'	225'	245'	35'	70'
40		265'	295'	320'	40'	80'
45	L = WS	450'	495'	540'	45'	90'
50		500'	550'	600'	50'	100'
55		550'	605'	660'	55'	110'
60		600'	660'	720'	60'	120'
65		650'	715'	780'	65'	130'
70		700'	770'	840'	70'	140'
75		750'	825'	900'	75'	150'
80		800'	880'	960'	80'	160'

*X*Taper lengths have been rounded off.
 L=Length of Taper (FT.) W=Width of Offset (FT.)
 S=Posted Speed (MPH)

SUGGESTED MAXIMUM SPACING OF CHANNELIZING DEVICES AND MINIMUM DESIRABLE TAPER LENGTHS

SHEET 9 OF 12



BARRICADE AND CONSTRUCTION CHANNELIZING DEVICES

BC (9) - 21


FILE: bc-21.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
© TxDOT November 2002	CONT	SECT	JOB	HIGHWAY
REVISIONS	0913	18	037	CR
9-07 8-14	DIST	COUNTY	SHEET NO.	
7-13 5-21	YKM	JACKSON	16	

DATE: 7/28/2023 9:33:06 AM
 FILE: pw://stc-sw-pw-bentley.com/stc-sw-pw-01/Documents/Active Projects/TXFW1700958.00/TXFW1700958.03/Plan Set 23/8.00 Plans and Drawings/8.30 Cut Streets/8.3.09 TxDOT Standards/BC-21 (3).dgn
 DWG: BC-21 (3).dgn
 CK: TxDOT


TYPE 3 BARRICADES

1. Refer to the Compliant Work Zone Traffic Control Devices List (CWZTCD) for details of the Type 3 Barricades and a list of all materials used in the construction of Type 3 Barricades.
2. Type 3 Barricades shall be used at each end of construction projects closed to all traffic.
3. Barricades extending across a roadway should have stripes that slope downward in the direction toward which traffic must turn in detouring. When both right and left turns are provided, the chevron striping may slope downward in both directions from the center of the barricade. Where no turns are provided at a closed road, striping should slope downward in both directions toward the center of roadway.
4. Striping of rails, for the right side of the roadway, should slope downward to the left. For the left side of the roadway, striping should slope downward to the right.
5. Identification markings may be shown only on the back of the barricade rails. The maximum height of letters and/or company logos used for identification shall be 1".
6. Barricades shall not be placed parallel to traffic unless an adequate clear zone is provided.
7. Warning lights shall NOT be installed on barricades.
8. Where barricades require the use of weights to keep from turning over, the use of sandbags with dry, cohesionless sand is recommended. The sandbags will be tied shut to keep the sand from spilling and to maintain a constant weight. Sand bags shall not be stacked in a manner that covers any portion of a barricade rails reflective sheeting. Rock, concrete, iron, steel or other solid objects will NOT be permitted. Sandbags should weigh a minimum of 35 lbs and a maximum of 50 lbs. Sandbags shall be made of a durable material that tears upon vehicular impact. Rubber (such as tire inner tubes) shall not be used for sandbags. Sandbags shall only be placed along or upon the base supports of the device and shall not be suspended above ground level or hung with rope, wire, chains or other fasteners.
9. Sheeting for barricades shall be retroreflective Type A or Type B conforming to Departmental Material Specification DMS-8300 unless otherwise noted.

Barricades shall NOT be used as a sign support.




TYPICAL STRIPING DETAIL FOR BARRICADE RAIL




TYPICAL PANEL DETAIL FOR SKID OR POST TYPE BARRICADES

Each roadway of a divided highway shall be barricaded in the same manner.



PERSPECTIVE VIEW


The three rails on Type 3 barricades shall be reflectorized orange and reflective white stripes on one side facing one-way traffic and both sides for two-way traffic. Barricade striping should slant downward in the direction of detour.




PLAN VIEW

1. Signs should be mounted on independent supports at a 7 foot mounting height in center of roadway. The signs should be a minimum of 10 feet behind Type 3 Barricades.
2. Advance signing shall be as specified elsewhere in the plans.

TYPE 3 BARRICADE (POST AND SKID) TYPICAL APPLICATION



PERSPECTIVE VIEW




PLAN VIEW

1. Where positive redirection capability is provided, drums may be omitted.
2. Plastic construction fencing may be used with drums for safety as required in the plans.
3. Vertical Panels on flexible support may be substituted for drums when the shoulder width is less than 4 feet.
4. When the shoulder width is greater than 12 feet, steady-burn lights may be omitted if drums are used.
5. Drums must extend the length of the culvert widening.

LEGEND	
	Plastic drum
	Plastic drum with steady burn light or yellow warning reflector
	Steady burn warning light or yellow warning reflector

CULVERT WIDENING OR OTHER ISOLATED WORK WITHIN THE PROJECT LIMITS




Two-Piece cones

One-Piece cones

Tubular Marker

28" Cones shall have a minimum weight of 9 1/2 lbs.
 42" 2-piece cones shall have a minimum weight of 30 lbs. including base.

1. Traffic cones and tubular markers shall be predominantly orange, and meet the height and weight requirements shown above.
2. One-piece cones have the body and base of the cone molded in one consolidated unit. Two-piece cones have a cone shaped body and a separate rubber base, or ballast, that is added to keep the device upright and in place.
3. Two-piece cones may have a handle or loop extending up to 8" above the minimum height shown, in order to aid in retrieving the device.
4. Cones or tubular markers shall have white or white and orange reflective bands as shown above. The reflective bands shall have a smooth, sealed outer surface and meet the requirements of Departmental Material Specification DMS-8300 Type A or Type B.
5. 28" cones and tubular markers are generally suitable for short duration and short-term stationary work as defined on BC(4). These should not be used for intermediate-term or long-term stationary work unless personnel is on-site to maintain them in their proper upright position.
6. 42" two-piece cones, vertical panels or drums are suitable for all work zone durations.
7. Cones or tubular markers used on each project should be of the same size and shape.



TRAFFIC CONTROL FOR MATERIAL STOCKPILES

BARRICADE AND CONSTRUCTION CHANNELIZING DEVICES

BC (10) - 21

FILE: bc-21.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
© TxDOT November 2002	CONT	SECT	JOB	HIGHWAY
REVISIONS	0913	18	037	CR
9-07 8-14	DIST	COUNTY	SHEET NO.	
7-13 5-21	YKM	JACKSON	17	

WORK ZONE PAVEMENT MARKINGS

GENERAL

- The Contractor shall be responsible for maintaining work zone and existing pavement markings, in accordance with the standard specifications and special provisions, on all roadways open to traffic within the CSJ limits unless otherwise stated in the plans.
- Color, patterns and dimensions shall be in conformance with the "Texas Manual on Uniform Traffic Control Devices" (TMUTCD).
- Additional supplemental pavement marking details may be found in the plans or specifications.
- Pavement markings shall be installed in accordance with the TMUTCD and as shown on the plans.
- When short term markings are required on the plans, short term markings shall conform with the TMUTCD, the plans and details as shown on the Standard Plan Sheet WZ(STPM).
- When standard pavement markings are not in place and the roadway is opened to traffic, DO NOT PASS signs shall be erected to mark the beginning of the sections where passing is prohibited and PASS WITH CARE signs at the beginning of sections where passing is permitted.
- All work zone pavement markings shall be installed in accordance with Item 662, "Work Zone Pavement Markings."

RAISED PAVEMENT MARKERS

- Raised pavement markers are to be placed according to the patterns on BC(12).
- All raised pavement markers used for work zone markings shall meet the requirements of Item 672, "RAISED PAVEMENT MARKERS" and Departmental Material Specification DMS-4200 or DMS-4300.

PREFABRICATED PAVEMENT MARKINGS

- Removable prefabricated pavement markings shall meet the requirements of DMS-8241.
- Non-removable prefabricated pavement markings (foil back) shall meet the requirements of DMS-8240.


MAINTAINING WORK ZONE PAVEMENT MARKINGS

- The Contractor will be responsible for maintaining work zone pavement markings within the work limits.
- Work zone pavement markings shall be inspected in accordance with the frequency and reporting requirements of work zone traffic control device inspections as required by Form 599.
- The markings should provide a visible reference for a minimum distance of 300 feet during normal daylight hours and 160 feet when illuminated by automobile low-beam headlights at night, unless sight distance is restricted by roadway geometrics.
- Markings failing to meet this criteria within the first 30 days after placement shall be replaced at the expense of the Contractor as per Specification Item 662.

REMOVAL OF PAVEMENT MARKINGS

- Pavement markings that are no longer applicable, could create confusion or direct a motorist toward or into the closed portion of the roadway shall be removed or obliterated before the roadway is opened to traffic.
- The above shall not apply to detours in place for less than three days, where flaggers and/or sufficient channelizing devices are used in lieu of markings to outline the detour route.
- Pavement markings shall be removed to the fullest extent possible, so as not to leave a discernable marking. This shall be by any method approved by TxDOT Specification Item 677 for "Eliminating Existing Pavement Markings and Markers".
- The removal of pavement markings may require resurfacing or seal coating portions of the roadway as described in Item 677.
- Subject to the approval of the Engineer, any method that proves to be successful on a particular type pavement may be used.
- Blast cleaning may be used but will not be required unless specifically shown in the plans.
- Over-painting of the markings SHALL NOT BE permitted.
- Removal of raised pavement markers shall be as directed by the Engineer.
- Removal of existing pavement markings and markers will be paid for directly in accordance with Item 677, "ELIMINATING EXISTING PAVEMENT MARKINGS AND MARKERS," unless otherwise stated in the plans.
- Black-out marking tape may be used to cover conflicting existing markings for periods less than two weeks when approved by the Engineer.

Temporary Flexible-Reflective Roadway Marker Tabs



STAPLES OR NAILS SHALL NOT BE USED TO SECURE
TEMPORARY FLEXIBLE-REFLECTIVE ROADWAY MARKER
TABS TO THE PAVEMENT SURFACE

- Temporary flexible-reflective roadway marker tabs used as guidemarks shall meet the requirements of DMS-8242.
- Tabs detailed on this sheet are to be inspected and accepted by the Engineer or designated representative. Sampling and testing is not normally required, however at the option of the Engineer, either "A" or "B" below may be imposed to assure quality before placement on the roadway.
 - Select five (5) or more tabs at random from each lot or shipment and submit to the Construction Division, Materials and Pavement Section to determine specification compliance.
 - Select five (5) tabs and perform the following test. Affix five (5) tabs at 24 inch intervals on an asphaltic pavement in a straight line. Using a medium size passenger vehicle or pickup, run over the markers with the front and rear tires at a speed of 35 to 40 miles per hour, four (4) times in each direction. No more than one (1) out of the five (5) reflective surfaces shall be lost or displaced as a result of this test.
- Small design variances may be noted between tab manufacturers.
- See Standard Sheet WZ(STPM) for tab placement on new pavements. See Standard Sheet TCP(7-1) for tab placement on seal coat work.

RAISED PAVEMENT MARKERS USED AS GUIDEMARKS

- Raised pavement markers used as guidemarks shall be from the approved product list, and meet the requirements of DMS-4200.
- All temporary construction raised pavement markers provided on a project shall be of the same manufacturer.
- Adhesive for guidemarks shall be bituminous material hot applied or butyl rubber pad for all surfaces, or thermoplastic for concrete surfaces.

Guidemarks shall be designated as:
 YELLOW - (two amber reflective surfaces with yellow body).
 WHITE - (one silver reflective surface with white body).

DEPARTMENTAL MATERIAL SPECIFICATIONS	
PAVEMENT MARKERS (REFLECTORIZED)	DMS-4200
TRAFFIC BUTTONS	DMS-4300
EPOXY AND ADHESIVES	DMS-6100
BITUMINOUS ADHESIVE FOR PAVEMENT MARKERS	DMS-6130
PERMANENT PREFABRICATED PAVEMENT MARKINGS	DMS-8240
TEMPORARY REMOVABLE, PREFABRICATED PAVEMENT MARKINGS	DMS-8241
TEMPORARY FLEXIBLE, REFLECTIVE ROADWAY MARKER TABS	DMS-8242

A list of prequalified reflective raised pavement markers, non-reflective traffic buttons, roadway marker tabs and other pavement markings can be found at the Material Producer List web address shown on BC(1).

SHEET 11 OF 12



BARRICADE AND CONSTRUCTION PAVEMENT MARKINGS

BC(11)-21


FILE: bc-21.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
© TxDOT February 1998	CONT	SECT	JOB	HIGHWAY
REVISIONS	0913	18	037	CR
2-98 9-07 5-21	DIST	COUNTY	SHEET NO.	
1-02 7-13	YKM	JACKSON	18	
11-02 8-14				

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act." No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.


DATE: 7/28/2023 9:33:37 AM
 FILE: pw://stv-sw-pw.bentley.com:stv-sw-pw-01/Documents/Active Projects/TXFW1700958.00/TXFW1700958.03/Plan Set 23/8.00 Plans and Drawings/8.30 Cut Streets/8.30 Cut Streets/TCP/bc-21(3).dgn

PROP. EL.
 EXIST. EL.


PAVEMENT MARKING PATTERNS




REFLECTORIZED PAVEMENT MARKINGS - PATTERN A



RAISED PAVEMENT MARKERS - PATTERN A




REFLECTORIZED PAVEMENT MARKINGS - PATTERN B



RAISED PAVEMENT MARKERS - PATTERN B


Pattern A is the TXDOT Standard, however Pattern B may be used if approved by the Engineer. Prefabricated markings may be substituted for reflectorized pavement markings.

CENTER LINE & NO-PASSING ZONE BARRIER LINES FOR TWO-LANE, TWO-WAY HIGHWAYS




REFLECTORIZED PAVEMENT MARKINGS

Prefabricated markings may be substituted for reflectorized pavement markings.




RAISED PAVEMENT MARKERS

EDGE & LANE LINES FOR DIVIDED HIGHWAY




REFLECTORIZED PAVEMENT MARKINGS

Prefabricated markings may be substituted for reflectorized pavement markings.




RAISED PAVEMENT MARKERS

LANE & CENTER LINES FOR MULTILANE UNDIVIDED HIGHWAYS



REFLECTORIZED PAVEMENT MARKINGS


Prefabricated markings may be substituted for reflectorized pavement markings.






RAISED PAVEMENT MARKERS

TWO-WAY LEFT TURN LANE


STANDARD WORK ZONE PAVEMENT MARKINGS DETAILS



SOLID LINES




BROKEN LINES



REMOVABLE MARKINGS WITH RAISED PAVEMENT MARKERS

If raised pavement markers are used to supplement REMOVABLE markings, the markers shall be applied to the top of the tape at the approximate mid length of tape used for broken lines or at 20 foot spacing for solid lines. This allows an easier removal of raised pavement markers and tape.



BARRICADE AND CONSTRUCTION PAVEMENT MARKING PATTERNS

BC (12) - 21


Raised pavement markers used as standard pavement markings shall be from the approved products list and meet the requirements of Item 672 "RAISED PAVEMENT MARKERS."

FILE: bc-21.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
©TxDOT February 1998	CONT	SECT	JOB	HIGHWAY
REVISIONS	0913	18	037	CR
1-97 9-07 5-21				
2-98 7-13	DIST	COUNTY	SHEET NO.	
11-02 8-14	YKM	JACKSON	19	



DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 7/28/2023 9:34:06 AM
 FILE: pw://sv-sw-pw.bentley.com:st-sw-pw-01/Documents/Active Projects/TXFW1700958.00/TXFW1700958.03/Plan Set 23/8.00 Plans and Drawings/8.30 Cut Streets/8.30 Cut Streets/BC-21 (3).dgn

PROP. EL.
 EXIST. EL.



LOCATION MAP




NOTES:
 HORIZONTAL COORDINATES SHOWN ARE IN U.S. SURVEY FEET, AND ARE BASED UPON THE TEXAS COORDINATE SYSTEM OF NAD '83 (HARN '93) TEXAS SOUTH CENTRAL ZONE 4204, WITH A SURFACE ADJUSTMENT FACTOR OF 1.00013. VALUES WERE DERIVED UTILIZING THE TXDOT STATE VIRTUAL REFERENCE STATION NETWORK IN DECEMBER, 2022.

ELEVATIONS ARE BASED UPON NAVD '88 DATUM (GEOID 18) DERIVED FROM UTILIZING THE TXDOT STATE VIRTUAL REFERENCE STATION NETWORK IN DECEMBER, 2022.

LEGEND

△ 5/8" IRON ROD W/ RED PLASTIC CAP SET "CP&Y TRAV. POINT"

THE CONTROL POINTS SHOWN HEREIN WERE DETERMINED BY A SURVEY MADE ON THE GROUND UNDER MY SUPERVISION.



Brian Kidd

BRIAN K. KIDD
 RPLS NO. 6494

9/18/2023
 DATE

NO.	REVISION	BY	DATE

CONTROL POINT	SURFACE COORDINATES		NAVD 88 ELEVATION	GRID COORDINATES		DESCRIPTION
	NORTHING	EASTING		NORTHING	EASTING	
CP#33	13,501,693.959	2,717,570.758	38.825	13,499,938.967	2,717,217.520	5/8-IR W/ RED CAP STAMPED "CP&Y TRAV. POINT"
CP#34	13,501,472.009	2,717,348.282	40.758	13,499,717.046	2,716,995.073	5/8-IR W/ RED CAP STAMPED "CP&Y TRAV. POINT"
CP#35	13,501,462.627	2,717,302.347	41.372	13,499,707.665	2,716,949.144	5/8-IR W/ RED CAP STAMPED "CP&Y TRAV. POINT"
CP#36	13,501,262.867	2,717,102.797	40.116	13,499,507.931	2,716,749.620	5/8-IR W/ RED CAP STAMPED "CP&Y TRAV. POINT"


stv TBPELS FIRM
 REGISTRATION NUMBER
 10194305

©2023 Texas Department of Transportation
 YOUNG RD (CR 322) AT VENADO CREEK

HORIZONTAL AND VERTICAL
 CONTROL INDEX SHEET


CSJ 0913-18-037 SHEET 1 OF 1

DESIGNED:	CP&Y	FED. DIV. NO.	STATE	FEDERAL AID PROJECT NO.	HIGHWAY NO.
CHECKED:	CP&Y	6	TEXAS	BR 2023(537)	CR
DRAFTED:	CP&Y	DIST.	COUNTY	CONTROL NO.	SECTION NO.
CHECKED:	CP&Y	YKM	JACKSON	0913	18
					JOB NO.
					037
					SHEET NO.
					20



CP# 33 IS A 5/8-INCH IRON ROD WITH RED PLASTIC CAP STAMPED "CP&Y TRAV. POINT" LOCATED IN JACKSON COUNTY, TX., LOCATED ON THE WEST SIDE OF YOUNG ROAD (CR 322), +/- 294.9' NORTHEAST OF A WEIGHT LIMIT SIGN AT THE NORTHWEST CORNER OF A BRIDGE OVER VENADO CREEK, +/- 255.9' NORTHEAST OF A 24" CMP LOCATED ON THE WEST SIDE OF YOUNG ROAD (CR 322), AND +/- 9.5' NORTHWEST OF THE WEST EDGE OF PAVMENT OF YOUNG ROAD (CR 322).

US SURVEY FEET
 DATA SET: DECEMBER 2022
 MONUMENT: 5/8"-IR W/ RED PLASTIC CAP STAMPED "CP&Y TRAV. POINT"
 SURFACE ADJUSTMENT FACTOR 1.00013
 ELEVATIONS ARE NAVD 88 BASED UPON GEOID 18
 TXDOT VRS NETWORK



CP# 34 IS A 5/8-INCH IRON ROD WITH RED PLASTIC CAP STAMPED "CP&Y TRAV. POINT" LOCATED IN JACKSON COUNTY, TX., LOCATED ON THE EAST SIDE OF YOUNG ROAD (CR 322), +/- 98.2' SOUTHWEST OF A POWERPOLE LOCATED ON THE EAST SIDE OF YOUNG ROAD (CR 322), +/- 9.5' NORTHEAST OF A WINGWALL LOCATED AT THE NORTHEAST CORNER OF A BRIDGE OVER VENADO CREEK ON THE EAST SIDE OF YOUNG ROAD (CR 322), AND +/- 3.0' SOUTHEAST OF THE EAST EDGE OF PAVEMENT OF YOUNG ROAD (CR 322).

US SURVEY FEET
 DATA SET: DECEMBER 2022
 MONUMENT: 5/8"-IR W/ RED PLASTIC CAP STAMPED "CP&Y TRAV. POINT"
 SURFACE ADJUSTMENT FACTOR 1.00013
 ELEVATIONS ARE NAVD 88 BASED UPON GEOID 18
 TXDOT VRS NETWORK

NOTES:
 HORIZONTAL COORDINATES SHOWN ARE IN U.S. SURVEY FEET, AND ARE BASED UPON THE TEXAS COORDINATE SYSTEM OF NAD '83 (HARN '93) TEXAS SOUTH CENTRAL ZONE 4204, WITH A SURFACE ADJUSTMENT FACTOR OF 1.00013. VALUES WERE DERIVED UTILIZING THE TXDOT STATE VIRTUAL REFERENCE STATION NETWORK IN DECEMBER, 2022.

ELEVATIONS ARE BASED UPON NAVD '88 DATUM (GEOID 18) DERIVED FROM UTILIZING THE TXDOT STATE VIRTUAL REFERENCE STATION NETWORK IN DECEMBER, 2022.

- LEGEND
- ⊙ PP
 - ⊙ SIGN
 - △ 5/8" IRON ROD W/ RED PLASTIC CAP SET "CP&Y TRAV. POINT"

THE CONTROL POINTS SHOWN HEREIN WERE DETERMINED BY A SURVEY MADE ON THE GROUND UNDER MY SUPERVISION.



Brian Kidd
 BRIAN K. KIDD
 RPLS NO. 6494
 9/18/2023
 DATE

NO.	REVISION	BY	DATE


stv TBPELS FIRM
 REGISTRATION NUMBER
 10194305

©2023 Texas Department of Transportation

YOUNG RD (CR 322) AT VENADO CREEK
HORIZONTAL AND VERTICAL CONTROL SHEET

CSJ 0913-18-037 SHEET 1 OF 2

DESIGNED:	CP&Y	FED. RD. DIV. NO.	STATE	FEDERAL AID PROJECT NO.	HIGHWAY NO.
CHECKED:	CP&Y	6	TEXAS	BR 2023(537)	CR
DRAFTED:	CP&Y	DIST.	COUNTY	CONTROL SECTION	JOB SHEET
CHECKED:	CP&Y	YKM	JACKSON	0913 18	037 21



CP# 35 IS A 5/8-INCH IRON ROD WITH RED PLASTIC CAP STAMPED "CP&Y TRAV. POINT" LOCATED IN JACKSON COUNTY, TX., LOCATED ON THE WEST SIDE OF YOUNG ROAD (CR 322), +/- 42.7' SOUTHWEST OF THE NORTH END OF A 32" RCP ON THE WEST SIDE OF YOUNG ROAD (CR 322), +/- 11.4' SOUTHWEST OF A WINGWALL LOCATED AT THE SOUTHWEST CORNER OF A BRIDGE OVER VENADO CREEK ON THE WEST SIDE OF YOUNG ROAD (CR 322), AND +/- 4.0' NORTHWEST OF THE WEST EDGE OF PAVEMENT OF YOUNG ROAD (CR 322).

US SURVEY FEET
 DATA SET: DECEMBER 2022
 MONUMENT: 5/8"-IR W/ RED PLASTIC CAP STAMPED "CP&Y TRAV. POINT"
 SURFACE ADJUSTMENT FACTOR 1.00013
 ELEVATIONS ARE NAVD 88 BASED UPON GEOID 18
 TXDOT VRS NETWORK

NOTES:
 HORIZONTAL COORDINATES SHOWN ARE IN U.S. SURVEY FEET, AND ARE BASED UPON THE TEXAS COORDINATE SYSTEM OF NAD '83 (HARN '93) TEXAS SOUTH CENTRAL ZONE 4204, WITH A SURFACE ADJUSTMENT FACTOR OF 1.00013. VALUES WERE DERIVED UTILIZING THE TXDOT STATE VIRTUAL REFERENCE STATION NETWORK IN DECEMBER, 2022.

ELEVATIONS ARE BASED UPON NAVD '88 DATUM (GEOID 18) DERIVED FROM UTILIZING THE TXDOT STATE VIRTUAL REFERENCE STATION NETWORK IN DECEMBER, 2022.

LEGEND


- ⊙ PP
- ⊙ SIGN
- △ 5/8" IRON ROD W/ RED PLASTIC CAP SET "CP&Y TRAV. POINT"

THE CONTROL POINTS SHOWN HEREIN WERE DETERMINED BY A SURVEY MADE ON THE GROUND UNDER MY SUPERVISION.



Brian Kidd

BRIAN K. KIDD
 RPLS NO. 6494
 9/18/2023
 DATE



CP# 36 IS A 5/8-INCH IRON ROD WITH RED PLASTIC CAP STAMPED "CP&Y TRAV. POINT" LOCATED IN JACKSON COUNTY, TX., LOCATED ON THE EAST SIDE OF YOUNG ROAD (CR 322), +/- 104.8' SOUTHWEST OF A POWERPOLE LOCATED ON THE EAST SIDE OF YOUNG ROAD (CR 322), +/- 101.9' SOUTHWEST OF A POWERPOLE LOCATED ON THE EAST SIDE OF YOUNG ROAD (CR 322), AND +/- 5.1' SOUTHWEST OF THE EAST EDGE OF PAVEMENT OF YOUNG ROAD (CR 322).

US SURVEY FEET
 DATA SET: DECEMBER 2022
 MONUMENT: 5/8"-IR W/ RED PLASTIC CAP STAMPED "CP&Y TRAV. POINT"
 SURFACE ADJUSTMENT FACTOR 1.00013
 ELEVATIONS ARE NAVD 88 BASED UPON GEOID 18
 TXDOT VRS NETWORK

NO.	REVISION	BY	DATE

stv
 TBPELS FIRM
 REGISTRATION NUMBER
 10194305



©2023 Texas Department of Transportation
 YOUNG RD (CR 322) AT VENADO CREEK

HORIZONTAL AND VERTICAL CONTROL SHEET

CSJ 0913-18-037 SHEET 2 OF 2

DESIGNED:	CP&Y	FED. DIV. NO.	STATE	FEDERAL AID PROJECT NO.	HIGHWAY NO.
CHECKED:	CP&Y	6	TEXAS	BR 2023(537)	CR
DRAFTED:	CP&Y	DIST.	COUNTY	CONTROL SECTION	JOB SHEET
CHECKED:	CP&Y	YKM	JACKSON	0913 18	037 22



DATE: 1/26/2024 10:17:55 AM
 FILE: pw://stvs-sw-pw-bentley.com/stvs-sw-pw-01/Documents/Active Projects/TXFW1700958.03/Plan Set 23/8.00 Plans and Drawings/8.30 Cut Streets/8.3.04 Roadway/1700958RDRpp.dgn



- LEGEND**
- ← DIRECTION OF TRAFFIC
 - OE — OVERHEAD ELECTRIC
 - - - APPARENT ROW
 - DITCH FLOWLINE
 - ~ CREEK FLOW
 - ⊕ BI-DIRECTIONAL DELINEATORS

* MATCH EXISTING GRADE AND ROADWAY CROSS SLOPE.

- NOTES:**
1. THE LOCATION OF ALL UTILITIES ARE APPROXIMATE. THE CONTRACTOR SHALL DETERMINE THE EXACT LOCATION BEFORE COMMENCING WORK.
 2. CONTRACTOR TO CONTACT JACKSON ELECTRIC COOPERATIVE, INC AT LEAST 2 WEEKS PRIOR TO THE START OF CONSTRUCTION FOR UTILITY COORDINATION. BO RAZ, LINE DESIGNER - (361) 771-4400



NO.	REVISION	BY	DATE

stv TEXAS REGISTERED ENGINEERING FIRM F-204
 © 2024
 Texas Department of Transportation

YOUNG RD AT VENADO CREEK


PLAN AND PROFILE

CSJ 0913-18-037

SHEET 1 OF 1

CONT	SECT	JOB	HIGHWAY
0913	18	037	CR
DIST	COUNTY	SHEET NO.	
YKM	JACKSON	23	


DATE: 9/17/2023 10:15:15 PM
 FILE: p:\st\st-sw-pw-bentley.com\st-sw-pw-01\Documents\Active Projects\TXFW17009558.03\Plan Set 23/8.00 Plans and Drawings\8.30 Cut Streets\8.309 TxDOT Standards\ROADWAY\0 MASTER ROADWAY\STANDARDS
 DISCLAIMER: THE USE OF THIS STANDARD IS GOVERNED BY THE "TEXAS ENGINEERING PRACTICE ACT". NO WARRANTY OF ANY KIND IS MADE BY TxDOT FOR ANY PURPOSE WHATSOEVER. TxDOT ASSUMES NO RESPONSIBILITY FOR THE CONVERSION OF THIS STANDARD TO OTHER FORMATS OR FOR INCORRECT RESULTS OR DAMAGES RESULTING FROM ITS USE.






- (5) 7/8" DIA. HEAVY HEX HEAD BOLTS (ASTM A325 OR A449)
- (10) 1 3/4" O.D. WASHER UNDER EACH HEX BOLT HEAD AND NUT.
- (5) 7/8" DIA. HEAVY HEX NUTS (ASTM A194 OR A563)

NOTE:
HEAVY HEX BOLT LENGTH WILL VARY DEPENDING ON WIDTH CONCRETE RAIL, LEAVE 1" OF BOLT LENGTH PAST THE 7/8" HEX NUT. TRIM AS REQUIRED.

NOTE:
CHAMFER REQUIRED ON CONCRETE RAILS THAT EXTEND BEYOND THE FACE OF GUARDRAIL TRANSITION.








- GENERAL NOTES**
1. THE TYPE OF POST (ROUND WOOD POST, RECTANGULAR WOOD POST, OR STEEL POST) WILL BE AS SHOWN IN THE PLANS. THE EXACT POSITION OF TRANSITIONS SHALL BE AS SHOWN IN THE PLANS OR AS DIRECTED BY THE ENGINEER. REFER TO GF(31) STANDARD SHEET.
 2. RAIL ELEMENT SHALL MEET THE REQUIREMENTS OF ITEM 540, "METAL BEAM GUARD FENCE" EXCEPT AS MODIFIED IN THE PLANS.
 3. FITTINGS (BOLTS, NUTS, AND WASHERS) SHALL BE GALVANIZED IN ACCORDANCE WITH ITEM 445, "GALVANIZING." FITTINGS SHALL BE SUBSIDIARY TO THE BID ITEM REQUIRING CONSTRUCTION OF THE TRANSITION.
 4. BUTTON HEAD "POST BOLTS & NUTS" SHALL MEET THE REQUIREMENTS OF (ASTM A307), AND SHALL BE OF SUFFICIENT LENGTH TO EXTEND THROUGH THE FULL THICKNESS OF THE NUT AND 5/8" WASHER (FWC16a) AND NOT MORE THAN 1" BEYOND IT. TRIM BOLT LENGTH TO MEET REQUIRED LENGTH.
 5. POSTS SHALL NOT BE SET IN CONCRETE, OF ANY DEPTH.
 6. CROWN SHALL BE WIDENED TO ACCOMMODATE TRANSITIONS.
 7. WHERE SOLID ROCK IS ENCOUNTERED, CONTACT THE DESIGN DIVISION FOR ADDITIONAL GUIDANCE. (512) 416-2678
 8. UNLESS OTHERWISE SHOWN IN THE PLANS, A COMPOSITE MATERIAL BLOCK THAT MEETS THE REQUIREMENTS OF DMS-7210, "COMPOSITE MATERIAL POSTS AND BLOCKS FOR METAL BEAM GUARD FENCE" MAY BE SUBSTITUTED FOR BLOCKS OF SIMILAR DIMENSIONS. THE CONSTRUCTION DIVISION, TxDOT, MAINTAINS A MATERIAL PRODUCER LIST (MPL) FOR PRODUCERS OF MATERIALS CONFORMING TO DMS-7210. ONLY PRODUCERS ON THE MPL CAN FURNISH COMPOSITE MATERIAL BLOCKS.
 9. REFER TO GF(31) STANDARD SHEET & BRIDGE RAILING DETAILS FOR ADDITIONAL DETAILS.
 10. FOR ROUND WOOD POSTS SYSTEMS, ALL ROUND WOOD POSTS SHALL BE 7 1/2" DIA. MINIMUM THROUGHOUT THE TRANSITION.



- (2) 5/8" BUTTON HEAD POST BOLTS & NUTS: (FBB04)
- (1) 5/8" FLAT WASHER: (FWC14a) UNDER EACH NUT

- (1) 5/8" BUTTON HEAD POST BOLT & NUT: (FBB04)
- (1) 5/8" FLAT WASHER: (FWC14a) UNDER EACH NUT

PLATE WASHER INSTRUCTIONS
 BRIDGE APPROACH - UPSTREAM: THE SHORT RAIL LAPS OVER THE TERMINAL CONNECTOR. PLATE WASHERS ARE INSTALLED UNDER THE SPLICE NUTS AGAINST INSIDE OF CONNECTOR.
 BRIDGE EXIT - DOWNSTREAM: THE TERMINAL CONNECTOR LAPS OVER THE NESTED RAIL. PLATE WASHERS ARE INSTALLED UNDER THE BOLT HEAD AGAINST OUTSIDE OF CONNECTOR.



NOTE: TOENAIL WITH ONE 16D GALV. NAIL TO PREVENT BLOCK ROTATION.

NOTE: * "WOOD" INDICATES DIMENSIONS FOR BOTH ROUND AND RECTANGULAR WOOD POST SYSTEMS.


LOW-SPEED TRANSITION

Design Division Standard

METAL BEAM GUARD FENCE
THRIE-BEAM TRANSITION
TL-2 MASH COMPLIANT
GF(31) TR TL2-19



FILE: gf31tr+1219.dgn	DN: IxDOT	CK: KM	DW: VP	CK: CGL/AG
© TxDOT: NOVEMBER 2019	CONT	SECT	JOB	HIGHWAY
REVISIONS	0913	18	037	CR
	DIST	COUNTY	SHEET NO.	
	YKM	JACKSON	25	

7/28/2023 10:13:46 AM
 DATE: 7/28/2023 10:13:46 AM
 FILE: p:\st-sw-pw\entley.com\st-sw-pw-01\Documents\Active Projects\TXFW1700958.00\TXFW1700958.03\Plan Set\238.00 Plans and Drawings\8.30 Cut Sheets\8.30 TxDOT Standards\ROADWAY\0_MASTER\ROADWAY-STANDARDS.dwg



- GENERAL NOTES**
- FOR SPECIFIC INFORMATION REGARDING INSTALLATION AND TECHNICAL GUIDANCE OF THE SYSTEM, CONTACT: ROAD SYSTEMS, INC. (432)263-2435. 3616 OLD HOWARD COUNTY AIRPORT, BIG SPRING, TX 79720
 - FOR INSTALLATION, REPAIR AND MAINTENANCE REFER TO THE: MSKT END TERMINAL, PRODUCT DESCRIPTION ASSEMBLY MANUAL (PUBLICATION-062717).
 - APPLY HIGH INTENSITY REFLECTIVE SHEETING, "OBJECT MARKER" ON THE FRONT FACE OF THE DEVICE PER MANUFACTURER'S RECOMMENDATIONS. OBJECT MARKER SHALL CONFORM TO THE STANDARDS REQUIRED IN TEXAS MUTCD.
 - FOR POST (LEAVE-OUT) INSTALLATION AND GUIDANCE SEE TXDOT'S LATEST ROADWAY MOW STRIP STANDARD.
 - HARDWARE (BOLTS, NUTS, & WASHERS) SHALL BE GALVANIZED IN ACCORDANCE WITH ITEM 445, "GALVANIZING". FITTINGS SHALL BE SUBSIDIARY TO THE BID ITEM.
 - SYSTEM SHOWN USING STEEL WIDE FLANGE POSTS WITH COMPOSITE BLOCKOUTS.
 - A COMPOSITE MATERIAL BLOCKOUTS THAT MEETS THE REQUIREMENTS OF DMS-7210, MAY BE SUBSTITUTED FOR BLOCKOUTS OF SIMILAR DIMENSIONS. SEE CONSTRUCTION DIVISION MATERIAL PRODUCER LIST (MPL) FOR CERTIFIED PRODUCERS.
 - IF SOLID ROCK IS ENCOUNTERED IN THE AREA OF (POST 1) AND / OR (POST 2) CONTACT THE MANUFACTURER, & REFER TO THE LATEST ROADWAY MBGF STANDARD FOR INSTALLATION GUIDANCE.
 - POSTS SHALL NOT BE SET IN CONCRETE.
 - SYSTEM MUST BE ATTACHED TO STANDARD 31" MBGF.
 - UNDER NO CIRCUMSTANCES SHALL THE GUARDRAIL WITHIN THE MSKT SYSTEM BE CURVED.
 - A FLARE RATE OF UP TO 25:1 MAY BE USED TO PREVENT THE TERMINAL HEAD FROM ENCRoACHING ON THE SHOULDER. THE FLARE MAY BE DECREASED OR ELIMINATED FOR SPECIFIC INSTALLATIONS, IF DIRECTED BY THE ENGINEER.
 - THE SYSTEM IS SHOWN WITH TWO 12'-6" MBGF PANELS, ONE 25'-0" MBGF PANEL IS ALSO ALLOWED IN ITS PLACE.
 - A DRIVING CAP WITH A TIMBER OR PLASTIC INSERT SHALL BE USED WHEN DRIVING POSTS 3-8 TO PREVENT DAMAGE TO THE GALVANIZING ON TOP OF THE POST. SPECIAL DRIVING CAP TO BE USED ON LOWER POSTS 1 & 2 TO PREVENT DAMAGE TO THE WELDED PLATES.

ITEM	QTY	MAIN SYSTEM COMPONENTS	ITEM NUMBERS
A	1	MSKT IMPACT HEAD	MS3000
B	1	W-BEAM GUARDRAIL END SECTION, 12 Ga.	SF1303
C	1	POST 1 - TOP (6" X 6" X 1/8" TUBE)	MTPHP1A
D	1	POST 1 - BOTTOM (6' W6X15)	MTPHP1B
E	1	POST 2 - ASSEMBLY TOP	UHP2A
F	1	POST 2 - ASSEMBLY BOTTOM (6' W6X9)	HP2B
G	1	BEARING PLATE	E750
H	1	CABLE ANCHOR BOX	S760
J	1	BCT CABLE ANCHOR ASSEMBLY	E770
K	1	GROUND STRUT	MS785
L	6	W6x9 OR W6x8.5 STEEL POST	P621
M	6	COMPOSITE BLOCKOUTS	CBSP-14
N	1	W-BEAM MGS RAIL SECTION (9'-4 1/2")	G12025
O	2	W-BEAM MGS RAIL SECTION (12'-6")	G1203A
P	6	WOOD BLOCKOUT 6" X 8" X 14"	P675
Q	1	W-BEAM MGS RAIL SECTION (25'-0")	G1209
SMALL HARDWARE			
a	2	5/8" x 1" HEX BOLT (GRD 5)	B5160104A
b	4	5/8" WASHER	W0516
c	2	5/8" HEX NUT	N0516
d	25	5/8" Dia. x 1 1/4" SPLICE BOLT (POST 2)	B580122
e	2	5/8" Dia. x 9" HEX BOLT (GRD A449)	B580904A
f	3	5/8" WASHER	W050
g	33	5/8" Dia. H.G.R NUT	N050
h	1	3/4" Dia. x 8 1/2" HEX BOLT (GRD A449)	B340854A
j	1	3/4" Dia. HEX NUT	N030
k	2	1 ANCHOR CABLE HEX NUT	N100
l	2	1 ANCHOR CABLE WASHER	W100
m	8	1/2" x 1 1/4" A325 BOLT WITH CAPTIVE WASHER	SB12A
n	8	1/2" STRUCTURAL NUTS	N012A
o	8	1 1/8" O.D. x 3/8" I.D. STRUCTURAL WASHERS	W012A
p	1	BEARING PLATE RETAINER TIE	CT-100ST
q	6	5/8" x 10" H.G.R. BOLT	B581002
r	1	OBJECT MARKER 18" X 18"	E3151



NOTE: TXDOT GENERIC APPROACH GRADING LAYOUT USED FOR ALL TANGENT TYPE END TREATMENTS.

NOTE: THIS STANDARD IS A BASIC REPRESENTATION OF THE MSKT END TERMINAL, IT IS NOT INTENDED TO REPLACE THE PRODUCT DESCRIPTION ASSEMBLY MANUAL.

Texas Department of Transportation

Design Division Standard

SINGLE GUARDRAIL TERMINAL







MSKT-MASH-TL-3

SGT (12S) 31-18

FILE: sgt12s3118.dgn	DN: TxDOT	CK: KM	DW: VP	CK: CL
© TxDOT: APRIL 2018	CONT SECT	JOB	HIGHWAY	
REVISIONS	0913 18	037	CR	
DIST	COUNTY		SHEET NO.	
YKM	JACKSON		26	

DISCLAIMER: THE USE OF THIS STANDARD IS GOVERNED BY THE "TEXAS ENGINEERING PRACTICE ACT". NO WARRANTY OF ANY KIND IS MADE BY TXDOT FOR ANY PURPOSE WHATSOEVER. TXDOT ASSUMES NO RESPONSIBILITY FOR THE CONVERSION OF THIS STANDARD TO OTHER FORMATS OR FOR INCORRECT RESULTS OR DAMAGES RESULTING FROM ITS USE.

DATE: 7/28/2023 10:14:49 AM
 FILE: pw://sv-sw-pw-bentley.com:st-sw-pw-01/Documents/Active Projects/TXFW1700958.03/Plan Set 23/8.00 Plans and Drawings/8.30 Cut Streets/8.30 Cut Streets/8.30 TxDOT Standards/ROADWAY/0 MASTER ROADWAY/STANDARDS



- GENERAL NOTES**
- FOR SPECIFIC INFORMATION REGARDING INSTALLATION AND TECHNICAL GUIDANCE OF THE SYSTEM, CONTACT: SPIG INDUSTRY, INC. AT 1(267) 644-9510. 14675 INDUSTRIAL PARK RD; BRISTOL, VA 24202
 - FOR INSTALLATION, REPAIR AND MAINTENANCE REFER TO THE MANUFACTURER'S; SGET END TERMINAL, PRODUCT DESCRIPTION ASSEMBLY MANUAL.
 - MANUFACTURER WILL APPLY HIGH INTENSITY REFLECTIVE SHEETING, "OBJECT MARKER" TO THE FACE PLATE OF THE DEVICE PER MANUFACTURER'S RECOMMENDATIONS. THE OBJECT MARKER SHALL CONFORM TO THE STANDARDS REQUIRED IN TEXAS MUTCD.
 - THE NOMINAL HEIGHT OF THE GUARDRAIL BEAM IS 31 INCHES WITH A TOLERANCE OF +/- ONE INCH.
 - FOR POST (LEAVE-OUT) INSTALLATION AND GUIDANCE SEE TXDOT'S LATEST ROADWAY MOW STRIP STANDARD.
 - (POST 2 THROUGH POST 8) ARE MODIFIED STEEL-YIELDING POSTS WITH YIELDING HOLES AT GROUND LEVEL. THERE ARE NO SUBSTITUTE POSTS.
 - POSTS SHALL NOT BE SET IN CONCRETE.
 - IF SOLID ROCK IS ENCOUNTERED FOR ANY OF THE POSTS IN THE SYSTEM, CONTACT THE MANUFACTURER FOR SPECIFIC INSTALLATION GUIDANCE.
 - HARDWARE (BOLTS, NUTS, & WASHERS) SHALL BE GALVANIZED IN ACCORDANCE WITH ITEM 445, "GALVANIZING". FITTINGS SHALL BE SUBSIDIARY TO THE BID ITEM.
 - A COMPOSITE MATERIAL BLOCKOUT THAT MEETS DMS-7210 REQUIREMENTS MAY BE SUBSTITUTED FOR AN APPROVED WOOD BLOCKOUT. SEE CONSTRUCTION DIVISION MATERIAL PRODUCER LIST (MPL) FOR CERTIFIED PRODUCERS.
 - THE ENTIRE SYSTEM MUST BE INSTALLED IN A STRAIGHT LINE WITHOUT ANY CURVE. HOWEVER, THE SYSTEM CAN BE OFFSET BY TWO FEET AS SHOWN ON THE APPROACH GRADING DETAIL TO HELP OFF-SET THE IMPACT HEAD FROM SHOULDER OF THE ROAD.

ITEM	QTY	MAIN SYSTEM COMPONENTS	ITEM #
A	1	SGET IMPACT HEAD	SIH1A
B	1	MODIFIED GUARDRAIL PANEL 12'-6" 12GA	126SPZGP
B2	1	MODIFIED GUARDRAIL PANEL 9'-4 1/2" 12GA	GP94
C	2	STANDARD GUARDRAIL PANEL 12'-6" 12GA	GP126
D	1	STANDARD GUARDRAIL PANEL 25'-0" 12GA	GP25
E	7	MODIFIED YIELDING I-BEAM POST W6x8.5	YPMOD
F	6	COMPOSITE BLOCKOUT 6" X 8" X 14"	CBO8
G	6	WOOD BLOCKOUT 6" X 8" X 14"	WB08
H	1	STRUT 3" X 3" X 80" X 1/4" A36 ANGLE	STR80
I	1	FOUNDATION TUBE 6" X 8" X 72" X 3/16"	FNDT6
J	1	WOOD BREAKAWAY POST 5 1/2" X 7 1/2" X 50"	WBRK50
K	1	WOOD STRIKE BLOCK	WSBLK14
L	1	STRIKE PLATE 1/4" A36 BENT PLATE	SPLT8
M	1	REINFORCEMENT PLATE 12 GA. GR55	REPLT17
N	1	GUARDRAIL GRABBER 2 1/2" X 2 1/2" X 16 1/2"	GGR17
O	1	BEARING PLATE 8" X 8 5/8" X 5/8" A36	BPLT8
P	1	PIPE SLEEVE 4 1/4" X 2 3/8" O.D. (2 1/8" I.D.)	PSLV4
Q	1	BCT CABLE 3/4" X 81" LENGTH	CBL81
SMALL HARDWARE			
a	1	5/8" X 12" GUARDRAIL BOLT 307A HDG	12GRBLT
b	7	5/8" X 10" GUARDRAIL BOLT 307A HDG	10GRBLT
c	33	5/8" X 1 1/4" GR SPLICE BOLTS 307A HDG	1GRBLT
d	3	5/8" FLAT WASHER F436 A325 HDG	58FW436
e	1	5/8" LOCK WASHER HDG	58LW
f	39	5/8" GUARDRAIL HEX NUT HDG	58HN563
g	2	1/2" X 2" STRUT BOLT A325 HDG	2BLT
h	6	1/2" X 1 1/4" PLATE BOLT A325 HDG	125BLT
i	16	1/2" FLAT WASHER F436 A325 HDG	12FWF436
j	8	1/2" LOCK WASHER HDG	12LW
k	8	1/2" HEX NUT A563 HDG	12HN563
l	4	3/8" X 3" HEX LAG SCREW GR5 HDG	38LS
m	4	3/8" FLAT WASHER F436 A325 HDG	38FW844
n	2	1" FLAT WASHER F436 A325 HDG	1FWF436
o	2	1" HEX NUT A563HD HDG	1HN563
p	1	18" TO 24" LONG ZIP TIE RATED 175-200LB	ZPT18
q	1	1 1/2" X 4" SCH-40 PVC PIPE	PSPCR4
r	1	RFID CHIP RATED MIL-STD-810F	RFID810F
s	1	IMPACT HEAD REFLECTIVE SHEETING	RS30M

Texas Department of Transportation
 Design Division Standard

SPIG INDUSTRY, LLC
 SINGLE GUARDRAIL TERMINAL
 SGET - TL-3 - MASH
 SGT (15) 31-20



FILE: sg+153120.dgn	DN: JXD	CK: KM	DW: VP	CK: VP
© TXDOT: APRIL 2020	CONT: 0913	SECT: 18	JOB: 037	HIGHWAY: CR
REVISIONS	DIST: YKM	COUNTY: JACKSON	SHEET NO. 27	

NOTE: THIS STANDARD IS A BASIC REPRESENTATION OF THE SGET TERMINAL SYSTEM AND IS NOT INTENDED TO REPLACE THE MANUFACTURER'S ASSEMBLY MANUAL.

HEC-RAS PROFILE OUTPUT TABLE - STANDARD TABLE												
Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl
Reach 1	15864	Q5	55.94	32.69	39.34		39.34	0	0.03	5207.42	8811.63	0
Reach 1	15864	Q10	66.72	32.69	39.47		39.47	0	0.03	6335.44	9072.57	0
Reach 1	15864	Q25	81.57	32.69	39.62		39.62	0	0.02	7733.82	9514.41	0
Reach 1	15864	Q50	93.37	32.69	39.72		39.72	0	0.02	8663.81	9793.3	0
Reach 1	15864	Q100	105.96	32.69	39.81		39.81	0	0.02	9571.85	10231.29	0
Reach 1	14775	Q5	55.94	31.69	39.34		39.34	0	0.01	13045.52	10692.75	0
Reach 1	14775	Q10	66.72	31.69	39.47		39.47	0	0.01	14420	11196.75	0
Reach 1	14775	Q25	81.57	31.69	39.62		39.62	0	0.01	16158.33	11911.86	0
Reach 1	14775	Q50	93.37	31.69	39.72		39.72	0	0.01	17326.87	12287.47	0
Reach 1	14775	Q100	105.96	31.69	39.81		39.81	0	0.01	18455.44	12698.42	0
Reach 1	14694	Q5	3428.1	31.59	39.34	36.72	39.34	0.000003	0.2	25629.59	13812	0.02
Reach 1	14694	Q10	4289.5	31.59	39.47	36.81	39.47	0.000004	0.22	27396.13	14414.35	0.02
Reach 1	14694	Q25	5479.4	31.59	39.62	36.87	39.62	0.000005	0.27	29616.74	15206.24	0.02
Reach 1	14694	Q50	6422.4	31.59	39.71	36.93	39.71	0.000006	0.31	31111.71	15837.17	0.02
Reach 1	14694	Q100	7422	31.59	39.8	37.05	39.81	0.000008	0.35	32580.03	16583.41	0.03
Reach 1	14675.5	Bridge										
Reach 1	14648	Q5	3428.1	31.55	38.56		38.57	0.000197	1.39	4933.52	6666.16	0.13
Reach 1	14648	Q10	4289.5	31.55	38.71		38.72	0.000191	1.41	5970.12	7338.48	0.13
Reach 1	14648	Q25	5479.4	31.55	38.86		38.87	0.000198	1.47	7156.94	8122.6	0.13
Reach 1	14648	Q50	6422.4	31.55	38.97		38.98	0.000215	1.56	8081.12	8682.21	0.14
Reach 1	14648	Q100	7422	31.55	39.07		39.08	0.00022	1.6	8944.98	8873.61	0.14
Reach 1	14614	Q5	3428.1	31.53	38.56		38.56	0.000127	1.17	5854.79	7553.72	0.1
Reach 1	14614	Q10	4289.5	31.53	38.7		38.71	0.000129	1.19	7108.93	9271.22	0.1
Reach 1	14614	Q25	5479.4	31.53	38.86		38.86	0.000136	1.24	8616.69	10273	0.11
Reach 1	14614	Q50	6422.4	31.53	38.97		38.97	0.000145	1.29	9789.24	10775.37	0.11
Reach 1	14614	Q100	7422	31.53	39.07		39.07	0.000146	1.31	10852.83	10857.17	0.11
Reach 1	14020	Q5	3428.1	31.14	38.49		38.49	0.000114	1.14	6620.92	8566.85	0.1
Reach 1	14020	Q10	4289.5	31.14	38.63		38.64	0.000114	1.15	7955	9420.24	0.1
Reach 1	14020	Q25	5479.4	31.14	38.78		38.79	0.000119	1.19	9402.71	9822.23	0.1
Reach 1	14020	Q50	6422.4	31.14	38.89		38.89	0.000123	1.21	10469.32	10191.11	0.1
Reach 1	14020	Q100	7422	31.14	38.99		38.99	0.000126	1.22	11489.3	10811.29	0.1



HEC-RAS PROFILE OUTPUT TABLE - INTERNAL BRIDGE CROSS SECTION												
Reach	River Sta	Profile	E.G. Elev (ft)	W.S. Elev (ft)	Crit W.S. (ft)	Frctn Loss (ft)	C & E Loss (ft)	Top Width (ft) (cfs)	Q Left (cfs)	Q Channel (cfs)	Q Right (cfs)	Vel Chnl (ft/s)
Reach 1	14675.5 BR U	Q5	39.32	39.14	39.04	0.05	0.01	2128.5	431.67	972.62	2023.81	5.54
Reach 1	14675.5 BR U	Q10	39.45	39.28	39.05	0.06	0.01	2626.09	474.05	1005.88	2809.57	5.59
Reach 1	14675.5 BR U	Q25	39.6	39.45	39.29	0.06	0.01	3262.27	578.56	1054.31	3846.53	5.7
Reach 1	14675.5 BR U	Q50	39.7	39.54	39.35	0.06	0.02	3801.85	672.85	1102.23	4647.32	5.87
Reach 1	14675.5 BR U	Q100	39.8	39.71	39.42	0.06	0.02	4860.4	796.08	734.06	5891.87	3.82
Reach 1	14675.5 BR D	Q5	39.26	39	39	0.01	0.07	1930.63	411.64	1061.35	1955.11	6.15
Reach 1	14675.5 BR D	Q10	39.38	39.09	39.09	0.01	0.08	2142.95	470.3	1178.09	2641.12	6.72
Reach 1	14675.5 BR D	Q25	39.53	39.25	39.25	0.01	0.08	2506.56	529.18	1264.9	3685.33	7.03
Reach 1	14675.5 BR D	Q50	39.62	39.31	39.31	0.01	0.09	2674.67	583.43	1370.1	4468.87	7.53
Reach 1	14675.5 BR D	Q100	39.71	39.4	39.4	0.01	0.09	2958.46	621.79	1423.53	5376.68	7.71

HEC-RAS PROFILE OUTPUT TABLE - BRIDGE ONLY											
Reach	River Sta	Profile	E.G. US. (ft)	Min El Prs (ft)	BR Open Area (sq ft)	Prs O WS (ft)	Q Total (cfs)	Min El Weir Flow (ft)	Q Weir (cfs)	Delta EG (ft)	BR Sluice Coef
Reach 1	14675.5	Q5	39.34	39.69	191.93		3428.1	35.69		0.77	
Reach 1	14675.5	Q10	39.47	39.69	191.93		4289.5	35.69		0.75	
Reach 1	14675.5	Q25	39.62	39.69	191.93		5479.4	35.69		0.75	
Reach 1	14675.5	Q50	39.71	39.69	191.93		6422.4	35.69		0.73	
Reach 1	14675.5	Q100	39.81	39.69	191.93		7422	35.69		0.73	



- LEGEND**
- DIRECTION OF FLOW
 - CROSS SECTION
 - STREAM

- NOTES:**
1. FEMA FIRM PANEL NO:48239C0425D. EFFECTIVE DATE: SEPT 17,2014. SFHA DESIGNATION: ZONE AE.
 2. HEC-RAS 5.0.7 WAS USED FOR HYDRAULIC MODELING.
 3. VERTICAL DATUM WAS ADJUSTED TO FIT SURVEY DATA.
 4. TAILWATER BOUNDARY CONDITION WAS SET TO A DOWNSTREAM SLOPE OF 0.005 (FT/FT).
 5. JACKSON COUNTY FLOODPLAIN ADMIN CHARLES GIVENS WAS CONTACTED ON FEBRUARY 28, 2023 FOR THE ACQUISITION OF HYDRAULIC AND HYDROLOGICAL INFORMATION ON VENADO CREEK.



NO.	REVISION	BY	DATE
stv		TEXAS REGISTERED ENGINEERING FIRM F-1741	
SANCHEZ-SALAZAR & ASSOCIATES, LLC		4630 N Loop 1604 W Suite 115 San Antonio, TX 78249 Phone: (210) 314-5458 TBPELS Registration No. 15685	
 YOUNG RD AT VENADO CREEK			
HYDROLOGIC & HYDRAULIC DATA SHEETS - EXISTING			
CSJ: 0913-18-037			
Designed: MT /UV	STATE	FEDERAL AID PROJECT NO.	HIGHWAY NO.
Checked: MC	6 TEXAS	BR 2023(537)	CR
Drawn: MT /UV	DIST.	COUNTY	CONTROL SECTION JOB SHEET NO.
Checked: MC	YKM	JACKSON	0913 18 037 29

9:29:38 AM isonandres


\$PENTBLS\$
\$PLTDVRS\$
\$PWFIL\$

\$PWFIL\$

HEC-RAS PROFILE OUTPUT TABLE - STANDARD TABLE												
Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl
Reach 1	15864	Q5	55.94	32.69	39.27		39.27	0	0.03	4606.58	8634.1	0
Reach 1	15864	Q10	66.72	32.69	39.42		39.42	0	0.03	5901.91	8984.55	0
Reach 1	15864	Q25	81.57	32.69	39.59		39.59	0	0.03	7495.95	9483.77	0
Reach 1	15864	Q50	93.37	32.69	39.71		39.71	0	0.02	8605.93	9771.08	0
Reach 1	15864	Q100	105.96	32.69	39.8		39.8	0	0.02	9547.16	10214.55	0
Reach 1	14775	Q5	55.94	31.69	39.27		39.27	0	0.01	12314.03	10557.61	0
Reach 1	14775	Q10	66.72	31.69	39.42		39.42	0	0.01	13888.24	10956.17	0
Reach 1	14775	Q25	81.57	31.69	39.59		39.59	0	0.01	15861.38	11806.41	0
Reach 1	14775	Q50	93.37	31.69	39.71		39.71	0	0.01	17254.23	12268.67	0
Reach 1	14775	Q100	105.96	31.69	39.8		39.8	0	0.01	18424.81	12668.38	0
Reach 1	14694	Q5	3428.1	31.59	39.27	36.72	39.27	0.000003	0.21	24682.37	13686.52	0.02
Reach 1	14694	Q10	4289.5	31.59	39.42	36.81	39.42	0.000004	0.23	26711.3	14011.46	0.02
Reach 1	14694	Q25	5479.4	31.59	39.59	36.87	39.59	0.000005	0.27	29237.46	15060.73	0.02
Reach 1	14694	Q50	6422.4	31.59	39.71	36.93	39.71	0.000007	0.31	31018.01	15796.21	0.02
Reach 1	14694	Q100	7422	31.59	39.8	37.05	39.8	0.000008	0.35	32539.95	16564.77	0.03
Reach 1	14675.5	Bridge										
Reach 1	14648	Q5	3428.1	31.55	38.56		38.57	0.000197	1.39	4933.52	6666.16	0.13
Reach 1	14648	Q10	4289.5	31.55	38.71		38.72	0.000191	1.41	5970.12	7338.48	0.13
Reach 1	14648	Q25	5479.4	31.55	38.86		38.87	0.000198	1.47	7156.94	8122.6	0.13
Reach 1	14648	Q50	6422.4	31.55	38.97		38.98	0.000215	1.56	8081.12	8682.21	0.14
Reach 1	14648	Q100	7422	31.55	39.07		39.08	0.00022	1.6	8944.98	8873.61	0.14
Reach 1	14614	Q5	3428.1	31.53	38.56		38.56	0.000127	1.17	5854.79	7553.72	0.1
Reach 1	14614	Q10	4289.5	31.53	38.7		38.71	0.000129	1.19	7108.93	9271.22	0.1
Reach 1	14614	Q25	5479.4	31.53	38.86		38.86	0.000136	1.24	8616.69	10273	0.11
Reach 1	14614	Q50	6422.4	31.53	38.97		38.97	0.000145	1.29	9789.24	10775.37	0.11
Reach 1	14614	Q100	7422	31.53	39.07		39.07	0.000146	1.31	10852.83	10857.17	0.11
Reach 1	14020	Q5	3428.1	31.14	38.49		38.49	0.000114	1.14	6620.92	8566.85	0.1
Reach 1	14020	Q10	4289.5	31.14	38.63		38.64	0.000114	1.15	7955	9420.24	0.1
Reach 1	14020	Q25	5479.4	31.14	38.78		38.79	0.000119	1.19	9402.71	9822.23	0.1
Reach 1	14020	Q50	6422.4	31.14	38.89		38.89	0.000123	1.21	10469.32	10191.11	0.1
Reach 1	14020	Q100	7422	31.14	38.99		38.99	0.000126	1.22	11489.3	10811.29	0.1

HEC-RAS PROFILE OUTPUT TABLE - INTERNAL BRIDGE CROSS SECTION												
Reach	River Sta	Profile	E.G. Elev (ft)	W.S. Elev (ft)	Crit W.S. (ft)	Frctn Loss (ft)	C & E Loss (ft)	Top Width (ft) (cfs)	Q Left (cfs)	Q Channel (cfs)	Q Right (cfs)	Vel Chnl (ft/s)
Reach 1	14675.5 BR U	Q5	39.25	39.06	38.87	0.06	0.01	2047.05	353.04	1592.3	1482.76	4.72
Reach 1	14675.5 BR U	Q10	39.4	39.21	39.03	0.07	0.01	2285.36	405.89	1707.12	2176.49	4.96
Reach 1	14675.5 BR U	Q25	39.58	39.4	39.21	0.07	0.02	3101.18	493.85	1799.85	3185.7	5.1
Reach 1	14675.5 BR U	Q50	39.69	39.53	39.3	0.07	0.02	3754.16	582.73	1838.95	4000.72	5.13
Reach 1	14675.5 BR U	Q100	39.79	39.64	39.42	0.08	0.02	4423.34	667.08	1882.89	4872.04	5.18
Reach 1	14675.5 BR D	Q5	39.17	38.84	38.84	0	0.1	1684.46	350.53	1894.34	1183.23	5.77
Reach 1	14675.5 BR D	Q10	39.32	39	39	0	0.09	1936.29	397.12	2022.76	1869.62	6.03
Reach 1	14675.5 BR D	Q25	39.48	39.13	39.13	0	0.1	2240.05	464.48	2257.3	2757.61	6.62
Reach 1	14675.5 BR D	Q50	39.6	39.27	39.27	0	0.1	2570.63	502.38	2325.85	3594.17	6.7
Reach 1	14675.5 BR D	Q100	39.7	39.38	39.38	0	0.09	2890.61	537.57	2399.5	4484.93	6.81

HEC-RAS PROFILE OUTPUT TABLE - BRIDGE ONLY											
Reach	River Sta	Profile	E.G. U.S. (ft)	Min El Prs (ft)	BR Open Area (sq ft)	Prs O WS (ft)	Q Total (cfs)	Min El Weir Flow (ft)	Q Weir (cfs)	Delta EG (ft)	BR Sluice Coef
Reach 1	14675.5	Q5	39.27	39.81	371.07		3428.1	35.69		0.7	
Reach 1	14675.5	Q10	39.42	39.81	371.07		4289.5	35.69		0.7	
Reach 1	14675.5	Q25	39.59	39.81	371.07		5479.4	35.69		0.72	
Reach 1	14675.5	Q50	39.71	39.81	371.07		6422.4	35.69		0.73	
Reach 1	14675.5	Q100	39.8	39.81	371.07		7422	35.69		0.72	





LEGEND

- DIRECTION OF FLOW
- CROSS SECTION
- STREAM

NOTES:

1. FEMA FIRM PANEL NO:48239C0425D. EFFECTIVE DATE: SEPT 17,2014. SFHA DESIGNATION: ZONE AE.
2. HEC-RAS 5.0.7 WAS USED FOR HYDRAULIC MODELING.
3. VERTICAL DATUM WAS ADJUSTED TO FIT SURVEY DATA.
4. TAILWATER BOUNDARY CONDITION WAS SET TO A DOWNSTREAM SLOPE OF 0.005 (FT/FT).
5. JACKSON COUNTY FLOODPLAIN ADMIN CHARLES GIVENS WAS CONTACTED ON FEBRUARY 28, 2023 FOR THE ACQUISITION OF HYDRAULIC AND HYDROLOGICAL INFORMATION ON VENADO CREEK.



NO.	REVISION	BY	DATE
TEXAS REGISTERED ENGINEERING FIRM F-1741			
SANCHEZ-SALAZAR & ASSOCIATES, LLC		4630 N Loop 1604 W Suite 115 San Antonio, TX 78249 Phone: (210) 314-5458 TBPELS Registration No. 15685	
YOUNG RD AT VENADO CREEK			
HYDROLOGIC & HYDRAULIC DATA SHEETS - PROPOSED			
CSJ: 0913-18-037			
Designed: MT /UV	REV. NO.	STATE	FEDERAL AID PROJECT NO.
Checked: MC	6	TEXAS	BR 2023(537)
Drawn: MT /UV	DIST.	COUNTY	CONTROL SECTION JOB SHEET NO.
Checked: MC	YKM	JACKSON	0913 18 037 30


\$PENTBL\$ \$PLTDRVS\$ \$PWFILE\$
 9:29:40 AM isanandres
 \$PWFILE\$

FHWA HYDRAULIC TOOLBOX 4.4


SCENARIO	2% AEP (Design Flood)	1% AEP (Scour Design Flood)	0.5% AEP (Scour Design Check Flood)	UNITS	METHOD
Contraction Scour					
Cohesive Soil Contraction Scour	4.90	5.01	5.37	FT	SRICOS
Applied Contraction Scour Elevation with LTD	26.69	26.58	26.22	FT-MSL	SRICOS

Note: AEPs were selected based on TxDOT Scour Guide Table 6-1


2% AEP



0.5% AEP





1% AEP





\$PENTBLS\$
\$PLTDVYS\$
\$PWFIL\$

isanandres

\$PWFIL\$

NO.	REVISION	BY	DATE
 TEXAS REGISTERED ENGINEERING FIRM F-1741			
SANCHEZ-SALAZAR & ASSOCIATES, LLC		4630 N Loop 1604 W Suite 115 San Antonio, TX 78249 Phone: (210) 314-5458 TBPELS Registration No. 15685	
 ©2023 Texas Department of Transportation YOUNG RD AT VENADO CREEK			
SCOUR DATA SHEET CSJ: 0913-18-037			
Designed: MT / UV	FEED. RD. DIV. NO.	STATE	FEDERAL AID PROJECT NO.
Checked: MC	6	TEXAS	BR 2023(537)
Drawn: MT / UV	DIST.	COUNTY	CONTROL SECTION NO.
Checked: MC	YKM	JACKSON	0913 18 037
			JOB NO.
			037
			SHEET NO.
			31

FILE: pw://stvs-sw-pw-bentley.com:stvs-sw-pw-01/Documents/Active Projects/TXFW1700958.03/Plan Set 23/8.00 Plans and Drawings/8.30 Cut Sheets/8.3.08 Bridge/Young_BLY01.dgn



- GENERAL NOTES:**
- DESIGNED ACCORDING TO AASHTO LRFD BRIDGE DESIGN SPECIFICATIONS, 9TH EDITION (2020) AND TXDOT BRIDGE DESIGN MANUAL (JAN 2023).
 - USE OPTION 1 FOR CONFIGURATION OF CEMENT STABILIZED BACKFILL BEHIND ABUTMENTS. SEE CSAB STANDARD FOR DETAILS.
 - SEE BRIDGE BORING LOGS SHEET FOR GEOTECHNICAL INFORMATION.
 - SEE PSBEB STANDARD FOR BEAM END AND BEARING DETAILS.

HYDRAULIC DATA TABLE



EXIST HW50 = 39.71	PROP HW50 = 39.71
EXIST Q50 = 6,422 cfs	PROP Q50 = 6,422 cfs
EXIST V50 = 1.56 ft/s	PROP V50 = 1.56 ft/s
EXIST HW100 = 39.80	PROP HW100 = 39.80
EXIST Q100 = 7,422 cfs	PROP Q100 = 7,422 cfs
EXIST V100 = 1.60 ft/s	PROP V100 = 1.60 ft/s

ALL ABUTMENTS ON BEARING N 24°48'43" W SUPERSTRUCTURE INV/OPR RATINGS: 1.06/1.73

EXISTING SINGLE SPAN CONCRETE BOX BEAM BRIDGE (30'-0" LENGTH X 20'-8" WIDTH) CONSISTING OF CONCRETE DECK, ABUTMENT CAPS, AND WINGWALLS TO BE REMOVED. AND WINGWALLS TO BE REMOVED. EXISTING FOUNDATIONS TO BE REMOVED TO 2'-0" MINIMUM BELOW FINISHED GROUND.

EXIST NBI NUMBER: 13-121-0-AA01-57-001
 PROP NBI NUMBER: 13-121-0-AA03-22-001
 FUNCTIONAL CLASSIFICATION: RURAL LOCAL ROAD
 DESIGN SPEED: MEETS OR IMPROVES EXISTING
 ADT: 27 VPD (2021), 27 VPD (2041)

HL93 LOADING



- | | |
|---|---------------------------|
| 1 | EXIST HW50
EL = 39.71 |
| 2 | PROP HW50
EL = 39.71 |
| 3 | EXIST HW100
EL = 39.80 |
| 4 | PROP HW100
EL = 39.80 |
| 5 | NORMAL POOL
EL = 34.00 |

= EXCAVATION

NO. REVISION BY DATE

stv TEXAS REGISTERED ENGINEERING FIRM F-204

© 2024
 Texas Department of Transportation


YOUNG RD AT VENADO CREEK

**BRIDGE LAYOUT
 VENADO CREEK BRIDGE**

CSJ 0913-18-037

SHEET 1 OF 1

CONT	SECT	JOB	HIGHWAY
0913	18	037	CR
DIST	COUNTY	SHEET NO.	
YKM	JACKSON	35	



- A** CLAY, Fat, soft, moist, gray to 7', light brown thereafter, trace organics to 1.5', traces calcareous deposits and ferrous staining below 8' (CH)
- B** CLAY, Sandy Lean, soft, moist, light brown, trace ferrous staining; SM from 12.5' to 13', fine grained (CL)
- C** SAND, Silty, slightly compact, moist, light brown, fine grained (SM)
- D** SAND, Silty, compact, wet, light brown, fine grained, trace CL seams (SM)
- E** SAND, Poorly Graded with Silt, compact, wet, light brown, fine grained (SP-SM)
- F** SAND, Poorly Graded with Silt, dense, wet, light brown, fine grained (SP-SM)
- G** CLAY, Fat with Sand, moist, dk. br., traces Gravel and org. (CH)
- H** CLAY, Fat, soft, moist, gray to 5', light brown below 6.5', trace Gravel to 3', trace calcareous nodules from 6.5' to 8' (CH)
- I** SAND, Silty, compact, wet, light brown, fine grained (SM)
- J** SAND, Poorly Graded with Silt, slightly compact, wet, light brown, fine grained (SP-SM)
- K** SAND, Poorly Graded, slightly compact, wet, light brown, fine to medium grained; yellowish brown and gray Sandy CL from 42.5' to 43' (SP)
- L** SAND, Poorly Graded with Silt, compact, wet, light brown, fine grained (SP-SM)
- M** SAND, Poorly Graded with Silt, slightly compact, wet, light brown, fine grained (SP-SM)
- N** SAND, Poorly Graded with Silt, compact, wet, light brown, fine grained (SP-SM)
- O** SILT, Sandy, compact, wet, light gray (ML)
- P** SAND, Silty, compact to dense, wet, light gray, fine grained (SM)

GENERAL NOTES:

- BORE HOLES REPLICATED FROM CORSAIR CONSULTING, LLC. BORINGS TAKEN JANUARY 04, 2023.
- GROUNDWATER ENCOUNTERED AT DEPTHS OF 21.8 FEET AND 24.0 FEET FOR B-1 AND B-2, RESPECTIVELY.

ANY GROUNDWATER ELEVATION INFORMATION IS REPRESENTATIVE OF CONDITIONS EXISTING ON THE DAY AND FOR THE SPECIFIC LOCATION WHERE THIS INFORMATION WAS COLLECTED.

ACTUAL GROUNDWATER ELEVATION MAY FLUCTUATE DUE TO TIME, CLIMATE CONDITIONS, AND/OR CONSTRUCTION ACTIVITY.

- CONTRACTOR'S ATTENTION IS BROUGHT TO WATER BEARING SANDY SOILS SHOWN IN BORING LOGS. THE USE OF TEMPORARY CASING AND/OR DRILLING SLURRY MAY BE NECESSARY TO INSTALL DRILLED SHAFT TO REQUIRED LENGTH AS SHOWN.

— GROUNDWATER

HL93 LOADING



NO.	REVISION	BY	DATE

stv TEXAS REGISTERED ENGINEERING FIRM F-204

Texas Department of Transportation

YOUNG RD AT VENADO CREEK

BORING LOGS
VENADO CREEK BRIDGE

CSJ 0913-18-037


SHEET 1 OF 1

CONT	SECT	JOB	HIGHWAY
0913	18	037	CR
DIST	COUNTY	SHEET NO.	
YKM	JACKSON	33	


FILE: pw://stv-sw-pw.bentley.com/stv-sw-pw-01/Documents/Active Projects/TXFW1700958.00/TXFW1700958.03/Plan Set 23/8.00 Plans and Drawings/8.30 Cut Sheets/8.3.08 Bridge/Young_BR01.dgn

FILE: \\stvs-sw-pw-bentley.com\stvs-sw-pw-01\Documents\Active Projects\TXFW1700958.00\TXFW1700958.03\Plan Set 23\8.00 Plans and Drawings\8.30 Cut Sheets\8.3.08 Bridge\Young_EQ01.dgn

SUMMARY OF ESTIMATED QUANTITIES - VENADO CREEK BRIDGE											
BID ITEM	400 6005	403 6001	416 6001	416 6002	420 6013	420 6062	422 6007	425 6011	432 6033	450 6006	454 6004
BID ITEM DESCRIPTION	CEM STABIL BKFL	TEMPORARY SPL SHORING	DRILL SHAFT (18 IN)	DRILL SHAFT (24 IN)	CL C CONC (ABUT)	CL C CONC (RETAINING WALL)	REINF CONC SLAB (SLAB BEAM)	PRESTR CONC SLAB BEAM (4SB15)	RIPRAP (STONE PROTECTION) (18 IN)	RAIL (TY T223)	ARMOR JOINT (SEALED)
BRIDGE ELEMENT	CY	SF	LF	LF	CY	CY	SF	LF	CY	LF	LF
2 - ABUTMENTS	111	1,440	312	392	70.6	26.2			283	80.0	60
1 - 45.00' PRESTRESSED CONCRETE SLAB BEAM SPAN							1,446	355.86		90.0	
TOTAL	111	1,440	312	392	70.6	26.2	1,446	355.86	283	170.0	60



PLAN OF STEP LOCATIONS



COMMON TRANSVERSE SECTION AT STEP LOCATIONS

HL93 LOADING



01/26/2024

NO.	REVISION	BY	DATE




YOUNG RD AT VENADO CREEK
ESTIMATED QUANTITIES AND CAP ELEVATIONS
VENADO CREEK BRIDGE
 CSJ 0913-18-037


SHEET 1 OF 1

CONT	SECT	JOB	HIGHWAY
0913	18	037	CR
DIST	COUNTY	SHEET NO.	
YKM	JACKSON	34	


FILE: \\stv-sw-pw.bentley.com:stv-sw-pw-01\Documents\Active Projects\TXFW1700958.03\Plan Set 23\8.00 Plans and Drawings\8.30 Cut Sheets\8.3.08 Bridge\Young_AB02.dgn




WINGWALL ELEVATION



SECTION B-B



CORNER DETAILS



(3) 1/2" PREFORMED BITUMINOUS FIBER MATERIAL BETWEEN SLAB BEAM AND EARWALL. BOND TO EARWALL WITH AN APPROVED ADHESIVE. CAST INSIDE FACE OF EARWALL PERPENDICULAR TO CAP. (TYP)


HL93 LOADING




01/26/2024

NO.	REVISION	BY	DATE
TEXAS REGISTERED ENGINEERING FIRM F-204			
© 2024			
YOUNG RD AT VENADO CREEK ABUTMENT NO. 1 & 2 DETAILS VENADO CREEK BRIDGE CSJ 0913-18-037			
SHEET 2 OF 2			
CONT	SECT	JOB	HIGHWAY
0913	18	037	CR
DIST	COUNTY		SHEET NO.
YKM	JACKSON		36


FILE: \\stv-sw-pw.bentley.com:stv-sw-pw-01\Documents\Active Projects\TXFW1700958.03\Plan Set 2378.00 Plans and Drawings\8.30 Cut Sheets\8.3.08 Bridge\Young_MD01.dgn




SHOWING FRONT FACE REINFORCEMENT SHOWING BACK FACE REINFORCEMENT
VERTICAL ABUTMENT WALL ELEVATION



SECTION B-B




SECTION A-A



BAR	NO.	SIZE	LENGTH	WEIGHT	
L1	22	#6	4'-0"	132	
L2	22	#6	4'-0"	132	
wD	88	#6	3'-0"	397	
wE	22	#6	8'-4"	275	
wH1	11	#9	32'-11"	1,231	
wH2	33	#5	5'-4"	184	
wV	60	#5	11'-9"	735	
wU	54	#4	1'-11"	69	
REINFORCING STEEL				LB	3,155
CLASS "C" CONC (RET WALL)				CY	13.1

- GENERAL NOTES:**
- DESIGNED ACCORDING TO AASHTO LRFD BRIDGE DESIGN SPECIFICATIONS, 9TH EDITION (2020) AND TXDOT BRIDGE DESIGN MANUAL (JAN 2023).
 - SEE BRIDGE LAYOUT FOR FOUNDATION SIZE AND LENGTH.
 - SEE FD STANDARD SHEET FOR ALL FOUNDATION DETAILS AND NOTES.
 - COVER DIMENSIONS ARE CLEAR DIMENSIONS, UNLESS NOTED OTHERWISE. REINFORCING BAR DIMENSIONS ARE OUT-TO-OUT OF BAR.
- MATERIAL NOTES:**
- PROVIDE CLASS C CONCRETE ($f'c = 3,600$ psi).
 - PROVIDE GRADE 60 REINFORCING STEEL.
- ① EMBED BARS wD 1'-6" MIN INTO DRILLED SHAFT. AT CONTRACTOR'S OPTION, BARS wD MAY BE PLACED WITH THE DRILLED SHAFT OR MAY BE DRILLED AND GROUTED WITH THE ANCHORAGE END SLOPE 1:6 INTO DRILLED SHAFT.

HL93 LOADING



NO.	REVISION	BY	DATE

stv TEXAS REGISTERED ENGINEERING FIRM F-204 © 2024
 Texas Department of Transportation

YOUNG RD AT VENADO CREEK


VERTICAL ABUTMENT WALL DETAILS
 VENADO CREEK BRIDGE
 CSJ 0913-18-037

SHEET 1 OF 1


COUNT	SECT	JOB	HIGHWAY
0913	18	037	CR
DIST	COUNTY	SHEET NO.	
YKM	JACKSON	37	

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: FILE:




JOINTS AT ABUTMENTS **SKEWS OVER 15°** **SKEWS THRU 15°**
PLANS OF ARMOR PLATES




ELEVATION OF BASIC ARMOR PLATE

- ① Adjust 6" plate height for overlay thicknesses other than the 2" shown. Adjust weight by 1.70 plf for each 1/2" variation in thickness.
- ② Do not paint top 1 1/2" of plate if using sealed armor joint.
- ③ Set top of backer rod 1" below top of armor plate. Backer rod must be compatible with joint sealant. Use of multiple pieces to create a backer rod cross section is not permitted. Top of backer rod must be convex as shown.
- ④ Blast clean entire contact area between sealant and plate (SSPC-SP10) before installing sealant. Light brush blast and thoroughly clean all dust and debris from concrete surfaces in contact with joint sealant before application of silicone seal.
- ⑤ Use Class 7 joint sealant that conforms to DMS-6310.
- ⑥ Place sealant while ambient temperature is between 55°F and 80°F and is rising.
- ⑦ Armor joint does not include joint sealant or backer rod.
- ⑧ Armor joint (sealed) includes Class 7 joint sealant and backer rod.
- ⑨ Form vertical leg of seal as per the Manufacturer's recommendations. Use Class 4 joint sealant if Class 7 cannot be installed correctly. Install according to Manufacturer's recommendations.
- ⑩ Unless shown otherwise, terminate armor plate at slab break point if break is more than 2'-0" from slab edge.
- ⑪ See "Plans of Armor Plates".
- ⑫ At Fabricator's option, armor plate may extend up to 6" beyond this point for skews through 15°.
- ⑬ Align shipping angle perpendicular to joint.



SHOWN WITHOUT 2" OVERLAY AT JOINT LOCATION



SHOWN WITH 2" OVERLAY AT JOINT LOCATION

ARMOR JOINT SECTIONS

Showing Armor Joint (Sealed)

FABRICATION NOTES:


Match mark corresponding plate sections and secure together for shipment with shipping angle. Do not use erection bolts. Ship armor joints in convenient lengths of 10'-0" Min and 24'-0" Max unless necessary for stage construction or widenings. One shop splice is permitted in each shipping length provided no piece is less than 2'-0" long and sufficient studs are added to limit the stud to shop splice distance to 2" Min and 4" Max. Weld studs in accordance with AWS D1.1. Use groove welds for all shop and field butt splices. Grind smooth areas in contact with seal. Make all necessary field splice joint preparations in the shop. Paint the entire steel section, except as stated in Note 2, with System II or IV primer in accordance with Item 446 "Field Cleaning and Painting Steel." Provide paints in accordance with Item 446.2. Prepare steel and apply paint in accordance with Items 446.4.7.3 and 446.4.7.4. Shop drawings for the fabrication of armor joints will not require the Engineer's approval if fabrication is in accordance with the details shown on this standard.

CONSTRUCTION NOTES:

Secure armor joints in position and place to proper grade and alignment by welding braces to adjacent reinforcing steel, to prestressed beam stirrups, or to anchors cast in concrete diaphragms. Include cost of temporary bracing in the price bid for Armor Joint. Remove shipping angle immediately after each joint half is secured in place. Grind smooth, and touch up with organic zinc-rich paint.


GENERAL NOTES:

Provide armor joints at locations shown on the plans. Provide the seal when "Armor Joint (Sealed)" is noted on the plans. These joint details accommodate a joint movement range of 1 3/8" (3/4" opening movement and 5/8" closure movement). Payment for armor joint, with or without seal, is based on length of armor plate.



JOINT SEALANT TERMINATION DETAILS

Armor joint (sealed) only. Armor plate is not shown for clarity.



SHIPPING ANGLE

An alternate method of securing joint sections may be used if approved by the Bridge Division. Erection bolts are not allowed.

WEIGHTS FOR ONE ARMOR JOINT (2 PLATES)	
WITHOUT OVERLAY	16.10 plf
WITH 2" OVERLAY ①	22.90 plf


Texas Department of Transportation Bridge Division Standard

ARMOR JOINT DETAILS

AJ


FILE: ajstd01-19.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
©TxDOT April 2019	CONT	SECT	JOB	HIGHWAY
REVISIONS	0913	18	037	CR
	DIST	COUNTY	SHEET NO.	
	YKM	JACKSON	39	

DISCLAIMER: This standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.



OPTION 1 ~ PLAN WITH WINGWALLS

Cast-in-place retaining walls similar.



OPTION 1 ~ PLAN WITH MSE RETAINING WALLS

- 1 Usual limit of Cement Stabilized Backfill is at end of wingwall. Extend CSB limits as required to maintain a slope no steeper than 1:1 at bottom of backfill.
- 2 Bench backfill as shown with 12" (approximate) bench depths.
- 3 Where MSE retaining walls are present, adjust CSB limits to accommodate the select fill zone. See retaining wall details for additional information.
- 4 When distance between select fill zones is less than 5'-0", MSE select fill may be substituted for cement stabilized backfill with approval from the Engineer.
- 5 If shown in the plans, flowable backfill can be used as a substitute for cement stabilized backfill with the following constraints:
 - a. If flowable backfill is to be placed over MSE backfill, then a filter fabric will be placed over the MSE backfill prior to placement of the flowable fill; and
 - b. Place flowable fill in lifts not exceeding 2 feet in height. Place each successive lift when the previous lift has stiffened/hardened (i.e. has lost its flowability).

GENERAL NOTES:

See the Bridge Layout for selected Option. Option 1 is intended for construction only requiring plasticity index (PI) controlled embankment fill or excavation in competent soils/rocks in order to construct the abutment. Option 2 is intended for new construction requiring high plasticity embankment fill with a PI greater than 30 or pavement built in poor native soil. Poor soils are defined as high plasticity clays or expansive clays.


Construct abutment backfill in accordance with Item 400, "Excavation and Backfill for Structures".

Provide Cement Stabilized Backfill (CSB) meeting the requirements of Item 400, "Excavation and Backfill for Structures", to the limits shown at bridge abutments.


If required elsewhere in the plans, provide Flowable Backfill meeting the requirements of Item 401, "Flowable Backfill", to the limits shown at bridge abutments.

Details are drawn showing left forward skew. See Bridge Layout for actual skew direction.

These details do not apply when Concrete Block retaining walls are used in lieu of wingwalls.



WITHOUT APPROACH SLAB



WITH APPROACH SLAB
(Showing BAS-C, BAS-A similar.)

SECTION A-A

SHEET 1 OF 2




**CEMENT STABILIZED
ABUTMENT BACKFILL
BRIDGE ABUTMENT**

CSAB

FILE: MS-CSAB-23.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
©TxDOT April 2019	CONT	SECT	JOB	HIGHWAY
REVISIONS	0913	18	037	CR
02-20: Added Option 2.	DIST	COUNTY	SHEET NO.	
03-23: Updated General Notes.	YKM	JACKSON	40	


DATE:
FILE:

DISCLAIMER: This standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.




OPTION 2 ~ PLAN WITH WINGWALLS

Cast-in-place retaining walls similar.




OPTION 2 ~ PLAN WITH MSE RETAINING WALLS

- ① Usual limit of Cement Stabilized Backfill is at end of wingwall. Extend CSB limits as required to maintain a slope no steeper than 1:1 at bottom of backfill.
- ② Bench backfill as shown with 12" (approximate) bench depths.
- ③ Where MSE retaining walls are present, adjust CSB limits to accommodate the select fill zone. See retaining wall details for additional information.
- ④ When distance between select fill zones is less than 5'-0", MSE select fill may be substituted for cement stabilized backfill with approval from the Engineer.
- ⑤ If shown in the plans, flowable backfill can be used as a substitute for cement stabilized backfill with the following constraints:
 - a). If flowable backfill is to be placed over MSE backfill, then a filter fabric will be placed over the MSE backfill prior to placement of the flowable fill; and
 - b). Place flowable fill in lifts not exceeding 2 feet in height. Place each successive lift when the previous lift has stiffened/hardened (i.e. has lost its flowability).
- ⑥ 1'-0" for BAS-A
1'-10" for BAS-C



WITHOUT APPROACH SLAB



SECTION B-B

WITH APPROACH SLAB
(Showing BAS-C, BAS-A similar.)

SHEET 2 OF 2




**CEMENT STABILIZED
ABUTMENT BACKFILL
BRIDGE ABUTMENT**

CSAB


FILE: MS-CSAB-23.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
©TxDOT April 2019	CONT	SECT	JOB	HIGHWAY
REVISIONS	0913	18	037	CR
02-20: Added Option 2. 03-23: Updated General Notes.	DIST	COUNTY	SHEET NO.	
	YKM	JACKSON	41	

DATE:
FILE:


DISCLAIMER: This standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.




ABUTMENTS, WINGWALLS AND MULTI-DRILLED SHAFT FOOTINGS




INTERIOR BENTS DRILLED SHAFT DIA EQUAL TO COLUMN DIA



INTERIOR BENTS DRILLED SHAFT DIA GREATER THAN COLUMN DIA



OPTIONAL INTERIOR BENT DRILLED SHAFT DETAIL





DRILLED SHAFT SECTIONS

DRILLED SHAFT DETAILS

TABLE OF PILE EMBEDMENT	
Pile Type	Embedment Depth (Ft)
16" Sq Concrete 18" Sq Concrete HP14 Steel HP16 Steel	1'-0"
20" Sq Concrete 24" Sq Concrete HP18 Steel	1'-6"

See Prestressed Concrete Piling (CP) standard for additional details on concrete pile embedment.


ORIENTATION OF STEEL H-PILING



VERTICAL PILE


BATTERED PILE

PILING DETAILS (Concrete or steel H)



DETAIL "A"

(Showing plan view of a 30° skewed abutment)




ELEVATION

SECTION A-A


STEEL H-PILE TIP REINFORCEMENT

See Item 407 "Steel Piling" to determine when tip reinforcement is required and for options to the details shown.



SECTION B-B

SECTION C-C



SECTION THRU FLANGE OR WEB

STEEL H-PILE SPLICE DETAIL

Use when required.

- ① #3 spiral at 6" pitch (one and a half flat turns top and bottom).
- ② Min extension into supported element:
#6 Bars = 1'-11"
#7 Bars = 2'-0"
#9 Bars = 2'-3"
- ③ Min lap with column reinf:
#7 Bars = 2'-11"
#9 Bars = 3'-9"
#11 Bars = 4'-8"
- ④ Min extension into supported element:
#6 Bars = 1'-11"
#7 Bars = 2'-3"
#9 Bars = 2'-9"
- ⑤ Drilled shafts may extend to the bottom of bent caps for "H" heights of 6 ft and less (as shown on the Bridge Layout), if approved. This option can only be used when the drilled shaft diameter equals the column diameter. Obtain approval of the forming method above the ground line prior to construction. No adjustments in payment will be made if this option is used.
- ⑥ 1'-0" Min, unless shown otherwise on plans.
- ⑦ Or as shown on plans.



SHEET 1 OF 2

				Bridge Division Standard	
<h2>COMMON FOUNDATION DETAILS</h2>					
FD					
FILE: fdstde01-20.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT	
©TxDOT April 2019	CONT	SECT	JOB	HIGHWAY	
REVISIONS	0913	18	037	CR	
01-20: Added #11 bars to the FD bars.	DIST	COUNTY		SHEET NO.	
	YKM	JACKSON		42	


DATE: FILE:

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.


DATE: FILE:





THREE PILE FOOTING^⑧
For 36" Dia and smaller columns.



FOUR PILE FOOTING^⑧
For 42" Dia and smaller columns.



FIVE PILE FOOTING^⑧
For 42" Dia and smaller columns.



- ③ Min lap with column reinforcing:
#7 Bars = 2'-11"
#9 Bars = 3'-9"
#11 Bars = 4'-8"
- ⑥ 1'-0" Min, unless shown otherwise on plans.
- ⑦ Or as shown on plans.
- ⑧ See Bridge Layout for type, size and length of piling.
- ⑨ Number and size of FD bars must match column reinforcing. Tie FD bars to the top of the bottom reinforcing mat.
- ⑩ Adjust FD quantity, size and weight as needed to match column reinforcing.

TABLE OF FOOTING QUANTITIES FOR 30" COLUMNS

ONE 3 PILE FOOTING					
Bar	No.	Size	Length	Weight	
F1	11	#4	3'- 2"	23	
F2	6	#4	8'- 2"	33	
F3	6	#4	6'- 11"	28	
F4	8	#9	3'- 2"	86	
F5	4	#9	6'- 11"	94	
F6	4	#9	8'- 2"	111	
FC	12	#4	3'- 6"	28	
FD ^⑩	8	#9	8'- 1"	220	
Reinforcing Steel				Lb	623
Class "C" Concrete				CY	4.8
ONE 4 PILE FOOTING					
Bar	No.	Size	Length	Weight	
F1	20	#4	7'- 2"	96	
F2	16	#8	7'- 2"	306	
FC	16	#4	3'- 6"	37	
FD ^⑩	8	#9	8'- 1"	220	
Reinforcing Steel				Lb	659
Class "C" Concrete				CY	6.3
ONE 5 PILE FOOTING					
Bar	No.	Size	Length	Weight	
F1	20	#4	8'- 2"	109	
F2	16	#9	8'- 2"	444	
FC	24	#4	3'- 6"	56	
FD ^⑩	8	#9	8'- 1"	220	
Reinforcing Steel				Lb	829
Class "C" Concrete				CY	8.0

CONSTRUCTION NOTES:

See Bridge Layout for foundation type required. Use these foundation details unless shown otherwise.
 Drive piling under abutment wingwalls to a minimum resistance of 10 Tons/Pile unless shown otherwise.
 Provide Class C Concrete ($f'_c = 3,600$ psi), unless shown otherwise.
 Provide Grade 60 reinforcing steel.
 Galvanize reinforcing if shown elsewhere in the plans.
 Provide bar laps for drilled shaft reinforcing, where required, as follows:
 Uncoated or galvanized (#6) ~ 2'-6"
 Uncoated or galvanized (#7) ~ 2'-11"
 Uncoated or galvanized (#9) ~ 3'-9"

GENERAL NOTES:

Designed according to AASHTO LRFD Bridge Design Specifications.

Cover dimensions are clear dimensions, unless noted otherwise.
 Reinforcing bar dimensions shown are out-to-out of bar.

DESIGNER NOTES:

Do not use the drilled shaft details shown on this standard for retaining wall, noise wall, barrier, or sign foundations without structural evaluation.
 Do not use the footings shown on this standard in direct contact with salt water or exposed to salt water spray.
 Maximum allowable pile loads for the footings shown are:
 72 Tons/Pile with 24" Dia Columns
 80 Tons/Pile with 30" Dia Columns
 100 Tons/Pile with 36" Dia Columns
 120 Tons/Pile with 42" Dia Columns

SHEET 2 OF 2




COMMON FOUNDATION DETAILS

FD



FILE: fdstd01-20.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
©TxDOT April 2019	CONT	SECT	JOB	HIGHWAY
REVISIONS	0913	18	037	CR
01-20: Added #11 bars to the FD bars.	DIST	COUNTY	SHEET NO.	
	YKM	JACKSON	43	

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: FILE:




ELEVATION




PLAN


BRIDGE SIGN LOCATIONS



BRIDGE IDENTIFICATION SIGN




DETAIL "A"



PLAN

BRIDGE CLASS CULVERT SIGN PLACEMENT



ANCHOR DETAIL

SHEETING REQUIREMENTS

Usage	Color	Sign Face Material
Background	White	Type B or C Sheeting
Letters and Symbols	Black	Type B or C Sheeting

- ① Bridge identification sign location
- ② Alternate sign placement location for exterior concrete beams.
- ③ If adjacent bridges are less than 2 feet apart, these signs may be omitted.
- ④ 1/4" Diameter stainless steel expansion anchor with hex nut, washer, and spring-lock washer.

SIGN NOTES:

Standard sign designs can be found in the Standard Highway Sign Designs for Texas (SHSD).

Use the Clearview Alphabet CV-2W for the letters and symbols.

MATERIAL NOTES:

Provide lateral spacing between letters and numerals conforming with the SHSD, and any approved changes thereto. Provide a balanced appearance when spacing is not shown.

Provide aluminum sign blanks with a minimum thickness of 0.080" that meet the requirements of DMS-7110.

Provide sign face materials that meet the requirements of DMS-8300 and the sheeting requirements shown in the table.

Provide 1/4" diameter stainless steel expansion anchors with one hex head nut, one flat washer, and one helical spring-lock washer each.

Use torque controlled mechanical expansion anchors that are approved for use in cracked concrete by the International Code Council, Evaluation Service (ICC-ES). Provide anchor products that have a designated ICC-ES Evaluation Report number. The approval status must be maintained on the ICC-ES website under Division 031600 for Concrete Anchors.

Unless otherwise approved by the Engineer: do not use adhesive anchors; do not use expansion anchors that are not included in the ICC-ES approval list; and do not use expansion anchors that are only approved for use in uncracked concrete.

Use anchors manufactured with stainless steel expansion wedges. Anchors manufactured with carbon steel expansion wedges are not allowed. Anchor bodies can be either zinc-plated carbon steel or stainless steel. For application in marine environments, provide both stainless steel anchor bodies and expansion wedges.

GENERAL NOTES:

Prior to hole drilling, locate rebar to ensure clearing of existing reinforcement and/or strands.

Prior to installation, obtain approval of sign locations from the Engineer. Avoid placement of sign over travel lanes and pedestrian walkways. Submit proposed installation method to Engineer prior to beginning work. Install anchors as shown on plans and in accordance with the anchor manufacturer's published installation instructions.

Do not install anchors sections of members under tension.

For new construction, the signs and anchors are subsidiary to the bridge. For installations on existing structures, the signs and anchors are paid under Item 442, "Metal for Structures." Each sign weighs 28 lbs.




Bridge Division Standard

**NBIS
BRIDGE IDENTIFICATION
SIGN STANDARD**


NBIS

FILE: MS-NBIS-23 (4).dgn	DN: TAR	CK: TxDOT	DW: JER	CK: TAR
©TxDOT March 2023	CONT	SECT	JOB	HIGHWAY
REVISIONS	0913	18	037	CR
	DIST	COUNTY		SHEET NO.
	YKM	JACKSON		44

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.




PART PLAN




PART SKEW PLAN

(Showing θ over 0° to 15° Skew)




PART SKEW PLAN


(Showing θ over 15° to 30° Skew)




ELEVATION




BARS D(#6)




BARS M(#4)




BARS H(#4)




BARS M1(#4)




BARS M2(#4)




SECTION




BARS C(#4)




BARS U(#5)




BARS N(#4)




BARS C1(#4)



BARS N1(#4)



ELEVATION OF BLOCKOUT (6)



END MAT REINFORCING

Bars H not shown for clarity.

BEAM PROPERTIES		
Area	in ²	716.2
Y top	in	7.50
Y bott	in	7.50
I	in ⁴	13,429
Weight (4)	lb/ft	746

GENERAL NOTES:

- Designed according to AASHTO LRFD Bridge Design Specifications.
- Provide Class H concrete. Provide Class H (HPC) if shown elsewhere in the plans.
- Provide Grade 60 reinforcing steel.
- An equal area of welded wire reinforcement (WWR) (ASTM 1064) may be substituted for bars C and D if approved by the Engineer.
- These details can be used for any skew angle up to a maximum of 30 degrees.
- Chamfer all exposed corners 3/4" or round to a 3/4" radius.
- Details are drawn showing right forward skew. See Bridge Layout for actual direction.

Cover dimensions are clear dimensions, unless noted otherwise.
Reinforcing bar dimensions shown are out-to-out of bar.

- (1) See End Mat Reinforcing detail.
- (2) Adjust bars M vertically to avoid strands.
- (3) See sheet PSBND or PSBSD for strand locations.
- (4) Assumes 150 pcf weight density of concrete.
- (5) 90° at conventional interior bents. End of beam must be vertical at abutment backwall and inverted-T stem.
- (6) Blockout required at armor joint (AJ) and sealed expansion joint (SEJ) locations to accommodate joint anchorage.

HL93 LOADING



**PRESTRESSED CONCRETE
SLAB BEAM DETAILS
(TYPE 4SB15)**


PSB-4SB15

FILE: PSB-4SB15-17.dgn	DN: TxDOT	CK: TxDOT	OW: TxDOT	CK: TxDOT
©TxDOT January 2017	CONT	SECT	JOB	HIGHWAY
REVISIONS	0913	18	037	CR
	DIST	COUNTY	SHEET NO.	
	YKM	JACKSON	45	


DATE: FILE:

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.


DATE: FILE:




TWO-PAD DETAIL PLAN
(At abutment or inverted-T cap or at interior bent)




TWO-PAD DETAIL SKEW PLAN
(At abutment or inverted-T cap)




TWO-PAD DETAIL SKEW PLAN
(At interior bent)



ONE-PAD DETAIL PLAN
(At abutment or inverted-T cap or at interior bent)




ONE-PAD DETAIL SKEW PLAN
(At abutment or inverted-T cap)



ONE-PAD DETAIL SKEW PLAN
(At interior bent)

ELASTOMERIC BEARING PAD PLACEMENT AND BEAM END DIAGRAMS

Place one bearing pad at forward station beam end.
Place two bearing pads at back station beam end.



LAMINATED ELASTOMERIC BEARING PAD
(50 DUROMETER)

- ① Maximum and minimum layer thicknesses shown are for elastomer only, on tapered layers.
- ② Indicate BEARING TYPE on all pads. For tapered pads, locate BEARING TYPE on the high side. The Fabricator must include the value of "N" (amount of taper in 1/8" increments) in this mark.
Examples: N=0, (for 0" taper)
N=1, (for 1/8" taper)
N=2, (for 1/4" taper)
(etc.)
Fabricated pad top surface slope must not vary from plan beam slope by more than $\left(\frac{0.0625}{\text{Length}}\right)$ IN/IN.
- ③ Locate permanent mark here.

TABLE OF BEARING PAD DIMENSIONS (ALL PRESTR CONC SLAB BM TYPES)

One-Pad (Ty SB1-"N") ②			Two-Pad (Ty SB2-"N") ②		
W	L	T	W	L	T
14"	7"	2"	7"	7"	2"

Pad sizes shown are applicable for the following conditions:

- (1) All one, two and three span units where the minimum span length is not less than 25' and the maximum span is not more than 50'.
- (2) Skews less than or equal to 30°.

GENERAL NOTES:


These details accommodate skew angles up to 30°. Shop drawings for approval are required. A bearing layout which identifies location and orientation of all bearings must be developed by the bearing fabricator. Permanently mark each bearing in accordance with the bearing layout. A copy of the bearing layout is to be provided to the Engineer. Cost of furnishing and installing elastomeric bearings must be included in unit price bid for "Prestressed Concrete Slab Beams".

HL93 LOADING


		Bridge Division Standard	
ELASTOMERIC BEARING AND BEAM END DETAILS			
PRESTR CONCRETE SLAB BEAM			
PSBEB			
FILE: psbste06-17.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT
©TxDOT January 2017	CONT	SECT	JOB
REVISIONS	0913	18	037
	DIST	COUNTY	SHEET NO.
	YKM	JACKSON	46

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: FILE:




CAST-IN-PLACE ANCHORAGE OPTION




ADHESIVE ANCHORAGE OPTION

T631LS & T631 RAIL ANCHORAGE PLACEMENT (2)(7)



PART SPAN ELEVATION




SECTION


TYPICAL CONCRETE RAIL ANCHORAGE

(Showing typical concrete rail anchorage)

5/8" Dia heavy hex head anchor bolt (ASTM F3125 Gr A325 or A449) with one hardened steel washer (ASTM F436) and one regular lock washer placed under heavy hex nut (ASTM A563).



T631LS & T631 RAIL C-I-P ANCHOR BOLT



PLAN OF CONCRETE RAILS AT EXPANSION JOINTS

- ① Cast-in-place slab thickness varies due to beam camber (5" minimum).
- ② Replace cast-in-place anchor bolts shown on T631LS and T631 Rail standard with an adhesive anchor system or cast-in-place anchor bolts shown on this sheet.
- ③ Bar length shown on rail standard, minus 1 1/4". Adjust bar length for a raised sidewalk.
- ④ See rail standard for projection from finished grade or top of sidewalk.
- ⑤ Place additional (#5) longitudinal bar.
- ⑥ Excess bolt length has been provided to accommodate a variable slab thickness due to beam camber. If slab thickness on span details exceed 7", bolt length must be increased accordingly. After posts have been set and bolts tightened, bolt projection above nuts of more than 1/2" must be cut off and painted with two coats of zinc-rich paint conforming to the Item 445 "Galvanizing".
- ⑦ Distance from end of top outside edge of slab to center of first bolt group can not be less than 9", except: 15° Skew: 1'-0" (acute corner only) 30° Skew: 1'-3" (acute corner only)
- ⑧ Location of rail expansion joint must be at the intersection of slab expansion joint, rail footprint and perpendicular to slab outside edge.
- ⑨ Cross-hatched area must have 1/2" preformed bituminous fiber material under concrete rail, as shown.

CONSTRUCTION NOTES:

Rail anchorage bars may be field bent as required to clear rail reinforcing or provide minimum cover shown on standard rail detail sheets.
 Test adhesive anchors in accordance with Item 450.3.3, "Tests". Test 3 anchors per 100 anchors installed. Perform corrective measures to provide adequate capacity if any of the tests do not meet the required test load. Repair damage from testing as directed.

MATERIAL NOTES:

Galvanize all steel components of steel rail system.
 Provide Grade 60 reinforcing steel.
 Cast-in-place anchorage system for T631LS and T631 Rail must be 5/8" Dia heavy hex head anchor bolts (ASTM F3125 Gr 325 or A449) with one hardened steel washer (ASTM F436) and one regular lock washer placed under heavy hex nut. Nuts must conform to ASTM A563 requirements. Embed anchor bolts 4 1/2" minimum.
 Adhesive anchors for T631LS and T631 Rail must be 5/8" Dia ASTM A193 Gr B7 or F1554 Gr 105 fully threaded rods with one hardened steel washer (ASTM F436) and one regular lock washer placed under each heavy hex nut. Nuts must conform to ASTM A563 requirements. Embed fully threaded rod into slab and/or abutment wingwall using a Type III, Class C, D, E, or F anchor adhesive. Minimum adhesive anchor embedment depth is 4 3/4". Anchor adhesive chosen must be able to achieve a nominal bond strength in tension of a single anchor, Na, of 8 kips (edge distance must be accounted for). Submit signed and sealed calculations or the manufacturer's published literature showing the proposed anchor adhesive's ability to develop this load to the Engineer for approval prior to use. Anchor installation, including hole size, drilling, and clean out, must be in accordance with Item 450, "Railing."
 Epoxy coat or galvanize reinforcing steel shown on this standard if rail reinforcement is epoxy coated or galvanized.

GENERAL NOTES:

Designed in accordance with AASHTO LRFD Bridge Design Specifications.
 This standard is for use with structures with a 5" minimum cast-in-place concrete slab.
 This standard may require modification for interior rails. This standard does not apply to median barriers.
 This standard does not provide details for Type T221P, T224, T80HT, T80SS, C412, PR11, PR22 and PR3 rails on slab beam bridges.
 See rail standards for approved speed restrictions, notes and details not shown.

Cover dimensions are clear dimensions, unless noted otherwise.

		Bridge Division Standard	
<h2>RAIL ANCHORAGE DETAILS</h2>			
<h3>PRESTR CONCRETE SLAB BEAMS</h3>			
<h4>PSBRA</h4>			
FILE: pbslte07-18.dgn	DN: TxDOT	CK: TxDOT	DW: JTR
CS: TxDOT	CON: January 2017	SECT:	JOB: HIGHWAY
REVISIONS	0913	18	037
03-18: Updated adhesive anchor notes.	DIST:	COUNTY:	SHEET NO.
YKM	JACKSON		47


DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

STRUCTURE	DESIGNED BEAMS (STRAIGHT STRANDS)																			OPTIONAL DESIGN					LOAD RATING FACTORS				
	SPAN LENGTH (ft)	BEAM NO.	BEAM TYPE	PRESTRESSING STRANDS							DEBONDED STRANDS PER ROW					CONCRETE		DESIGN LOAD COMP STRESS (TOP ϵ) (SERVICE I) fct (ksi)	DESIGN LOAD TENSILE STRESS (BOTT ϵ) (SERVICE III) fcb (ksi)	REQUIRED MINIMUM ULTIMATE MOMENT CAPACITY (STRENGTH I) (kip-ft)	LIVE LOAD DISTRIBUTION FACTOR		STRENGTH I			SERVICE III			
				NON-STD STRAND PATTERN	TOTAL NO.	SIZE (in)	STRGTH (ksi)	"e" \bar{c} (in)	"e" END (in)	TOT NO. DEB	DIST FROM BOTTOM (in)	NO. OF STRANDS		NUMBER OF STRANDS DEBONDED TO (ft from end)							RELEASE STRGTH ϕ (ksi)	MINIMUM 28 DAY COMP STRGTH f'_c (ksi)	LIVE LOAD DISTRIBUTION FACTOR		STRENGTH I			SERVICE III	
												TOTAL	DE-BONDED	3	6	9	12						15	Moment	Shear	Inv	Opr	Inv	
24' ROADWAY SB12 BEAM	25	ALL	5SB12		8	0.6	270	3.50	3.50	0	2.5	8	0	0	0	0	0	0	4.000	5.000	0.914	-1.217	448	0.450	0.450	1.40	1.82	1.71	
	30	ALL	5SB12		10	0.6	270	3.50	3.50	0	2.5	10	0	0	0	0	0	4.000	5.000	1.292	-1.685	530	0.450	0.450	1.25	1.62	1.29		
	35	ALL	5SB12		14	0.6	270	3.50	3.50	0	2.5	14	0	0	0	0	0	4.000	5.000	1.730	-2.219	675	0.450	0.450	1.33	1.73	1.23		
	40	ALL	5SB12		18	0.6	270	3.50	3.50	0	2.5	18	0	0	0	0	0	4.000	5.000	2.218	-2.796	820	0.440	0.440	1.34	1.74	1.12		
24' ROADWAY SB15 BEAM	25	ALL	5SB15		8	0.6	270	5.00	5.00	0	2.5	8	0	0	0	0	0	4.000	5.000	0.725	-0.897	551	0.450	0.450	1.77	2.29	2.41		
	30	ALL	5SB15		8	0.6	270	5.00	5.00	0	2.5	8	0	0	0	0	0	4.000	5.000	1.020	-1.244	574	0.450	0.450	1.23	1.59	1.45		
	35	ALL	5SB15		10	0.6	270	5.00	5.00	0	2.5	10	0	0	0	0	0	4.000	5.000	1.361	-1.640	708	0.450	0.450	1.15	1.49	1.14		
	40	ALL	5SB15		14	0.6	270	5.00	5.00	0	2.5	14	0	0	0	0	0	4.000	5.000	1.739	-2.068	864	0.440	0.440	1.32	1.71	1.19		
	45	ALL	5SB15		18	0.6	270	5.00	5.00	2	2.5	18	2	2	0	0	0	4.000	5.000	2.179	-2.574	1054	0.440	0.440	1.34	1.73	1.08		
50	ALL	5SB15		24	0.6	270	5.00	5.00	8	2.5	24	8	4	4	0	0	0	4.000	5.000	2.680	-3.153	1276	0.440	0.440	1.33	1.72	1.11		
28' ROADWAY SB12 BEAM	25	ALL	5SB12		8	0.6	270	3.50	3.50	0	2.5	8	0	0	0	0	0	4.000	5.000	0.903	-1.184	444	0.430	0.430	1.47	1.91	1.80		
	30	ALL	5SB12		10	0.6	270	3.50	3.50	0	2.5	10	0	0	0	0	0	4.000	5.000	1.276	-1.639	508	0.430	0.430	1.32	1.71	1.37		
	35	ALL	5SB12		12	0.6	270	3.50	3.50	0	2.5	12	0	0	0	0	0	4.000	5.000	1.708	-2.159	647	0.430	0.430	1.18	1.53	1.02		
	40	ALL	5SB12		18	0.6	270	3.50	3.50	0	2.5	18	0	0	0	0	0	4.000	5.000	2.200	-2.744	799	0.430	0.430	1.37	1.78	1.17		
28' ROADWAY SB15 BEAM	25	ALL	5SB15		8	0.6	270	5.00	5.00	0	2.5	8	0	0	0	0	0	4.000	5.000	0.716	-0.874	529	0.430	0.430	1.85	2.40	2.53		
	30	ALL	5SB15		8	0.6	270	5.00	5.00	0	2.5	8	0	0	0	0	0	4.000	5.000	1.007	-1.212	570	0.430	0.430	1.29	1.67	1.53		
	35	ALL	5SB15		10	0.6	270	5.00	5.00	0	2.5	10	0	0	0	0	0	4.000	5.000	1.343	-1.598	680	0.430	0.430	1.21	1.57	1.22		
	40	ALL	5SB15		14	0.6	270	5.00	5.00	0	2.5	14	0	0	0	0	0	4.000	5.000	1.725	-2.032	842	0.430	0.430	1.36	1.76	1.24		
	45	ALL	5SB15		18	0.6	270	5.00	5.00	2	2.5	18	2	2	0	0	0	4.000	5.000	2.149	-2.508	1013	0.420	0.420	1.41	1.82	1.16		
50	ALL	5SB15		22	0.6	270	5.00	5.00	6	2.5	22	6	4	2	0	0	0	4.000	5.000	2.643	-3.073	1227	0.420	0.420	1.33	1.72	1.01		
30' ROADWAY SB12 BEAM	25	ALL	4SB12		6	0.6	270	3.50	3.50	0	2.5	6	0	0	0	0	0	4.000	5.000	0.904	-1.187	341	0.340	0.340	1.38	1.79	1.67		
	30	ALL	4SB12		8	0.6	270	3.50	3.50	0	2.5	8	0	0	0	0	0	4.000	5.000	1.277	-1.646	407	0.340	0.340	1.32	1.71	1.37		
	35	ALL	4SB12		10	0.6	270	3.50	3.50	0	2.5	10	0	0	0	0	0	4.000	5.000	1.711	-2.169	518	0.340	0.340	1.24	1.60	1.08		
	40	ALL	4SB12		14	0.6	270	3.50	3.50	0	2.5	14	0	0	0	0	0	4.000	5.000	2.205	-2.758	640	0.340	0.340	1.34	1.73	1.11		
30' ROADWAY SB15 BEAM	25	ALL	4SB15		6	0.6	270	5.00	5.00	0	2.5	6	0	0	0	0	0	4.000	5.000	0.723	-0.888	431	0.350	0.350	1.69	2.19	2.32		
	30	ALL	4SB15		6	0.6	270	5.00	5.00	0	2.5	6	0	0	0	0	0	4.000	5.000	1.017	-1.231	438	0.350	0.350	1.16	1.50	1.37		
	35	ALL	4SB15		8	0.6	270	5.00	5.00	0	2.5	8	0	0	0	0	0	4.000	5.000	1.346	-1.605	545	0.340	0.340	1.21	1.57	1.21		
	40	ALL	4SB15		12	0.6	270	5.00	5.00	0	2.5	12	0	0	0	0	0	4.000	5.000	1.729	-2.043	675	0.340	0.340	1.47	1.91	1.38		
	45	ALL	4SB15		14	0.6	270	5.00	5.00	2	2.5	14	2	2	0	0	0	4.000	5.000	2.166	-2.542	823	0.340	0.340	1.33	1.73	1.06		
50	ALL	4SB15		18	0.6	270	5.00	5.00	4	2.5	18	4	2	2	0	0	0	4.000	5.000	2.665	-3.115	998	0.340	0.340	1.32	1.71	1.02		

① Based on the following allowable stresses (ksi):
 Compression = 0.65 f'_ci
 Tension = 0.24 $\sqrt{f'_ci}$
 Optional designs must likewise conform.
 ② Portion of full HL93.

DESIGN NOTES:
 Designed according to AASHTO LRFD Bridge Design Specifications. Load rated using Load and Resistance Factor Rating according to AASHTO Manual for Bridge Evaluation. Prestress losses for the designed beams have been calculated for a relative humidity of 60 percent. Optional designs must likewise conform.

FABRICATION NOTES:
 Provide Class H concrete. Provide Grade 60 reinforcing steel. Use low relaxation strands, each pretensioned to 75 percent of fpu. Full-length debonded strands are not permitted in positions "A" and "B". Strand debonding must comply with Item 424.4.2.2.4. When shown on this sheet, the Fabricator has the option of furnishing either the designed beam or an approved optional beam design. All optional design submittals and shop drawings must be signed, sealed and dated by a Professional Engineer registered in the State of Texas. Locate strands for the designed beam as low as possible on the 2" grid system unless a non-standard strand pattern is indicated. Fill row "2.5", then row "4.5". Place strands within a row as follows:
 1) Locate a strand in each "A" position.
 2) Place strand symmetrically about vertical centerline of beam.
 3) Space strands as equally as possible across the entire width. Do not debond strands in position "A". Distribute debonded strands symmetrically about the vertical centerline. Increase debonded lengths working outward, with debonding staggered in each row.




HL93 LOADING

		Bridge Division Standard	
PRESTRESSED CONCRETE SLAB BEAM STD DESIGNS (TY SB12 OR SB15) 24', 28' & 30' ROADWAY PSBSD			
FILE: psbsts08-21.dgn	DN: SRW	CK: BMP	DW: SFS
CTxDOT January 2017	CONT SECT	JOB	HIGHWAY
REVISIONS	0913 18	037	CR
1-21: Added load rating.	DIST	COUNTY	SHEET NO.
	YKM	JACKSON	48


DATE: FILE:

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE:
FILE:



ROADWAY ELEVATION OF RAIL ON BRIDGE



ROADWAY ELEVATION OF RAIL ON BOX CULVERTS

Showing 0° skew culvert. Skewed culverts similar. See RAC standard for details not shown. Vertical joints in concrete rail are not required, unless shown elsewhere.

- ① Terminal Connectors and associated hardware are to be paid for under the Item "Metal Beam Guard Fence". Attach Metal Beam Guard Fence Transitions to the bridge rail and extend along the embankment unless otherwise shown in the plans.
- ② Wingwall Length minus 5'-0" (Varies)





TRAFFIC RAIL

TYPE T223

FILE: r1std005-19.dgn	DN: TxDOT	CK: TxDOT	DW: JTR	CK: AES
©TxDOT September 2019	CONT	SECT	JOB	HIGHWAY
REVISIONS	0913	18	037	CR
	DIST	COUNTY	SHEET NO.	
	YKM	JACKSON	49	

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.


DATE: FILE:



SECTIONS THRU RAIL

Sections on box culverts similar.

- ② Wingwall Length minus 5'-0" (Varies)
- ③ Increase 2" for structures with overlay.
- ④ Bars L(#5) are part of rail reinforcing and are included in unit price bid for railing. Space with Bars U. Bars L match slab bar cover. Bars L may be bundled with top slab reinforcing if spacing is equivalent.
- ⑥ Substitute Bars U(#5) for Bars WU(#5) when parapet end is located on anchorage curb over culvert top slab. Use Bars WU(#5) in culvert parallel wings.
- ⑦ When vertical reinforcing has closer clear cover over horizontal reinforcing in abutment wingwalls on traffic side of wall, move the horizontal wingwall/retaining wall reinforcing to the inside of Bars WU where bars conflict.
- ⑧ Top longitudinal slab bar may be adjusted laterally 3" plus or minus to tie reinforcing.
- ⑨ At the Contractor's option, Bars V may be replaced by extending Bars U to 2'-5 1/4" above the roadway surface without overlay.



PLAN OF RAIL AT EXPANSION JOINTS

Example showing Slab Expansion Joints without breakbacks.

CONSTRUCTION NOTES:

Face of rail and parapet must be vertical transversely unless otherwise shown in the plans or approved by the Engineer.
Provide water barriers at openings draining onto undercrossing roadways and sidewalks. They may be cast-in-place or precast in convenient lengths and bonded to the bridge deck with an approved epoxy cement.
Chamfer all exposed corners.







MATERIAL NOTES:

Provide Class "C" concrete. Provide Class "C" (HPC) if required elsewhere.
Provide Grade 60 reinforcing steel.
Epoxy coat or galvanize all reinforcing steel if slab bars are epoxy coated or galvanized.
Deformed Welded Wire Reinforcing (WWR) (ASTM A1064) of equal size and spacing may be substituted for Bars U, V, and WU unless noted otherwise. Provide the same laps as required for reinforcing bars.
Provide bar laps, where required, as follows:
Uncoated or galvanized ~ #5 = 2'-0"
Epoxy coated ~ #5 = 3'-0"

GENERAL NOTES:

This rail has been evaluated by full-scale crash test to meet MASH TL-3 criteria. This rail can be used for speeds of 50 mph and greater when a TL-3 rated guard fence transition is used. When a TL-2 rated guard fence transition is used, this rail can only be used for speeds of 45 mph and less.
Do not use this railing on bridges with expansion joints providing more than 5" movement.
Rail anchorage details shown on this standard may require modification for select structure types. See appropriate details elsewhere in plans for these modifications.
Shop drawings are not required for this rail.
Average weight of railing with no overlay is 358 plf.

Cover dimensions are clear dimensions, unless noted otherwise. Reinforcing bar dimensions shown are out-to-out of bar.



		Bridge Division Standard	
<h1>TRAFFIC RAIL</h1>			
<h2>TYPE T223</h2>			
FILE: r1std005-19.dgn	DN: TxDOT	CK: TxDOT	DW: JTR
©TxDOT September 2019	CONT	SECT	JOB
REVISIONS	0913	18	037
DIST	COUNTY		SHEET NO.
YKM	JACKSON		51

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of units.

DATE: 9/17/2023 10:48:30 PM
 FILE: pw:\stc-sw-pw-bentley.com\stc-sw-pw-01\Documents\Active Projects\TXFW1700958.00\TXFW1700958.dwg

REFLECTOR UNIT SIZES FOR DELINEATORS AND OBJECT MARKERS					DELINEATORS				D & OM DESCRIPTIVE CODES		
DEVICE	SIZE 1	SIZE 2	SIZE 3	SIZE 4	SINGLE		DOUBLE		INSTL DEL ASSM (D-XX)SZ X (XXXX)XXX (XX) NUMBER OF REFLECTORS S = Single D = Double COLOR OF REFLECTORS W = White Y = Yellow R = Red REFLECTOR UNIT SIZE 1 or 2 TYPE OF POST OR DELINEATOR WC = Wing Channel Post YFLX = Yellow Flexible Post WFLX = White Flexible Post BRF = Barrier Reflector TYPE OF MOUNT GND = Embedded (drivable or set in concrete) CTB = Concrete Barrier Mount GF1 or GF2 = Guard Fence Attachment SRF = Surface Mount		
	SHEETING	Yellow, White or Red Type B or C reflective sheeting				SHEETING		Yellow, White or Red Type B or C Reflective Sheeting			
NOTE	1. Size 1 and 4 - Direct applied reflective sheeting for use on flexible post (flx). 2. Size 2 and 3 - For use on wing channel (wc) post only. Use approved metal, plastic or fiberglass backplate with 17/64" mounting holes.				POST TYPE	WC	YFLX, WFLX	WC	YFLX, WFLX	DIRECTION	
MOUNT TYPE					GND	GND, SRF	GND	GND, SRF	INSTL OM ASSM (OM-XX) (XXXX)XXX (XX)		

OBJECT MARKERS									
DEVICE	Type 1 (OM-1)		Type 2 (OM-2)			Type 3 (OM-3)			Type 4 (OM-4)
	OM-1	OM-2X	OM-2Y	OM-2Z	OM-3L	OM-3R	OM-3C	OM-4	
SHEETING	Yellow-Type B _{FL} or C _{FL} Sheeting		Yellow - Type B or C Sheeting			Alternating acrylic black and retroreflective yellow - Type B _{FL} or C _{FL} Sheeting			Red -Type B _{FL} or C _{FL} Sheeting
POST TYPE	TWT		WC	WC	WFLX	TWT			TWT
MOUNT TYPE	WAS, WAP		GND	GND	GND, SRF	WAS, WAP			WAS, WAP

BARRIER REFLECTORS (BRF)			CHEVRONS				ONE DIRECTION LARGE ARROW		NOTE:		
DEVICE	GF1	GF2	CTB								
NOTE	1. Barrier reflectors shall meet the requirements of DMS 8600. 2. Approved Barrier Reflectors are listed on the "Barrier Reflectors" Material Producer List at: www.txdot.gov.			1. CHEVRON (W1-8) signs and ONE DIRECTION LARGE ARROW (W1-6) Signs shall be installed per Sign Mounting Details (SMD) Standard Sheets and paid under Item 644 (Small Roadside Sign Assemblies). 2. When there is a need to increase conspicuity, the Texas version of the ONE DIRECTION LARGE ARROW sign (W1-9T) may be used instead of the ONE DIRECTION LARGE ARROW (W1-6).				Delineator and object marker substrates and sign substrates shall be 0.080" Aluminum sign blank to conform to ASTM B-209 Alloy 6061-T6 or approved alternative.			
SHEETING	Yellow, White, Red			SIZE (W x L)				SIZE (W x L)		MOUNTING HEIGHT	
NOTE	1. Reflective sheeting shall have a minimum dimension of 3 inches and minimum surface area of 9 square inches.			18" x 24" (Conventional)		24" x 30" (Conventional Oversize)		30" x 36" (Expressway)		36" x 48" (Freeway)	
				4'-0" or 7'-0"		7'-0" Only		48" x 24" (Conventional)		60" x 30" (Expressway & Freeway)	

DEPARTMENTAL MATERIAL SPECIFICATIONS	
FLEXIBLE DELINEATOR & OBJECT MARKER POSTS (EMBEDDED & SURFACE MOUNT TYPES)	DMS-4400
SIGN FACE MATERIALS	DMS-8300
DELINEATORS, OBJECT MARKERS AND BARRIER REFLECTORS	DMS-8600

Texas Department of Transportation

Traffic Safety Division Standard

DELINEATOR & OBJECT MARKER MATERIAL DESCRIPTION

D & OM(1)-20

FILE: dom1-20.dgn	DN: TXDOT	CK: TXDOT	DW: TXDOT	CR: TXDOT
© TXDOT August 2004	CONT	SECT	JOB	HIGHWAY
REVISIONS	0913	18	037	CR
10-09 3-15	DIST	COUNTY		SHEET NO.
4-10 7-20	YKM	JACKSON		52

20A

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of units or the use of this standard in any project.

DATE: 9/17/2023 10:51:26 PM
 FILE: pw://stvs-sw-pw.bentley.com:stvs-sw-pw-01/Documents/Active Projects/TXFW1700958.00/TXFW1700958.dwg

POST TYPE AND SUPPORT FOUNDATION DETAILS				TYPE OF BARRIER MOUNTS	
WING CHANNEL (WC)	FLEXIBLE POSTS (YFLX, WFLX)		WEDGE ANCHOR SYSTEMS		GUARD FENCE ATTACHMENT
GND	GND	SRF	WAS	WAP	GF1
	EMBEDDED		SURFACE MOUNT		
NOTES 1. Embedded Wing Channel (WC) post option may be used for Type 2 Object Markers and Delineators only. 2. 1.12 lbs/ft steel per ASTM A 1011 SS Gr. 50, or ASTM A499.	NOTES 1. See "Flexible Delineator and Object Marker Posts" Material Producer List for approved devices. 2. Install per manufacturer's recommendations. 3. Post length may vary to meet field conditions. 4. When using yellow delineators with flexible posts to separate opposing direction of travel, such as centerline or median use, the flexible posts shall be yellow.		NOTE 1. Install per manufacturer's recommendations.		

CONCRETE TRAFFIC BARRIER (CTB)

GENERAL NOTES

- Place delineators on a section of roadway at a consistent distance from the edge of pavement.
- Where a restriction prevents consistent placement from the pavement edge, place the affected object markers in line with the innermost edge of the obstruction.
- When Type 2 object markers and delineators are more than 8'-0" from the edge of the pavement, it may not be possible to maintain a height of approximately 4'-0". If this is the case, place the object marker or delineator as close to the desired height as possible.
- Install all delineators, object markers and barrier reflectors in accordance with the manufacturer's recommendation.
- Barrier reflectors should be installed a minimum of 18 inches above the edge of the pavement surface.
- Diagonal stripes on Type 3 object markers shall slope down toward the intended travel lane.

TYPES 1,3, AND 4 OBJECT MARKERS AND CHEVRONS

NOTE
 Mounting at 4 feet to the bottom of the chevron is permitted for chevrons that will not exceed a height of 6'-6" to the top of the chevron (sizes 24" x 30" and smaller)

PROP. EL.
EXIST. EL.

CHEVRONS AND ONE DIRECTION LARGE ARROW SIGN

NOTE
 Chevrons 30" x 36" and larger shall be mounted at a height of 7' to the bottom of the chevron. Chevron sign and ONE DIRECTION LARGE ARROW sign (W1-9T) shall be installed per SMD standard sheets and paid under item 644.

DELINEATORS AND TYPE 2 OBJECT MARKERS

See general notes 1, 2 and 3.

Texas Department of Transportation

Traffic Safety Division Standard

DELINEATOR & OBJECT MARKER INSTALLATION

D & OM(2)-20

FILE: dom2-20.dgn	DN: TXDOT	CK: TXDOT	DW: TXDOT	CK: TXDOT
© TXDOT August 2004	CONT	SECT	JOB	HIGHWAY
REVISIONS	0913	18	037	CR
10-09 3-15	DIST	COUNTY		SHEET NO.
4-10 7-20	YKM	JACKSON		53


20B

DATE: 7/28/2023 10:39:58 AM
 FILE: pw:\stl-sw-pw.bentley.com\stl-sw-pw-01\Documents\Active Projects\TXFW1700958.00\TXFW1700958.dgn
 DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of units or the accuracy of the information contained herein.

MINIMUM WARNING DEVICES AT CURVES WITH ADVISORY SPEEDS

Amount by which Advisory Speed is less than Posted Speed	Curve Advisory Speed	
	Turn (30 MPH or less)	Curve (35 MPH or more)
5 MPH & 10 MPH	● RPMs	● RPMs
15 MPH & 20 MPH	● RPMs and One Direction Large Arrow sign	● RPMs and Chevrons; or ● RPMs and One Direction Large Arrow sign where geometric conditions or roadside obstacles prevent the installation of chevrons.
25 MPH & more	● RPMs and Chevrons; or ● RPMs and One Direction Large Arrow sign where geometric conditions or roadside obstacles prevent the installation of chevrons	● RPMs and Chevrons


SUGGESTED SPACING FOR DELINEATORS ON HORIZONTAL CURVES



NOTE

ONE DIRECTION LARGE ARROW (W1-6) sign should be located at approximately and perpendicular to the extension of the centerline of the tangent section of approach lane.

SUGGESTED SPACING FOR CHEVRONS ON HORIZONTAL CURVES



NOTE

At least one chevron pair is installed beyond the point of tangent in tangent section.

DELINEATOR AND CHEVRON SPACING

Degree of Curve	FEET			
	Radius of Curve	Spacing in Curve	Spacing in Straightaway	Chevron Spacing in Curve
		A	2A	B
1	5730	225	450	—
2	2865	160	320	—
3	1910	130	260	200
4	1433	110	220	160
5	1146	100	200	160
6	955	90	180	160
7	819	85	170	160
8	716	75	150	160
9	637	75	150	120
10	573	70	140	120
11	521	65	130	120
12	478	60	120	120
13	441	60	120	120
14	409	55	110	80
15	382	55	110	80
16	358	55	110	80
19	302	50	100	80
23	249	40	80	80
29	198	35	70	40
38	151	30	60	40
57	101	20	40	40

Curve delineator approach and departure spacing should include 3 delineators spaced at 2A. This spacing should be used during design preparation or when the degree of curve is known.

DELINEATOR AND CHEVRON SPACING

WHEN DEGREE OF CURVE OR RADIUS IS NOT KNOWN			
Advisory Speed (MPH)	Spacing in Curve	Spacing in Straightaway	Chevron Spacing in Curve
	A	2xA	B
65	130	260	200
60	110	220	160
55	100	200	160
50	85	170	160
45	75	150	120
40	70	140	120
35	60	120	120
30	55	110	80
25	50	100	80
20	40	80	80
15	35	70	40

If the degree of curve is not known, delineator spacing may be determined based on the Advisory Speed of the curve. Use the delineator curve spacing for each Advisory Speed (MPH).

DELINEATOR AND OBJECT MARKER APPLICATION AND SPACING

CONDITION	REQUIRED TREATMENT	MINIMUM SPACING
Frwy./Exp. Tangent	RPMs	See PM-series and FPM-series standard sheets
Frwy./Exp. Curve	Single delineators on right side	See delineator spacing table
Frwy/Exp. Ramp	Single delineators on at least one side of ramp (should be on outside of curves) (see Detail 3 on D&OM(4))	100 feet on ramp tangents Use delineator spacing table for ramp curves ("straightway spacing" does not apply to ramp curves)
Acceleration/Deceleration Lane	Double delineators (see Detail 3 on D&OM(4))	100 feet (See Detail 3 on D & OM (4))
Truck Escape Ramp	Single red delineators on both sides	50 feet
Bridge Rail (steel or concrete) and Metal Beam Guard Fence	Bi-Directional Delineators when undivided with one lane each direction Single Delineators when multiple lanes each direction	Equal spacing (100' max) but not less than 3 delineators
Concrete Traffic Barrier (CTB) or Steel Traffic Barrier	Barrier reflectors matching the color of the edge line	Equal spacing 100' max
Cable Barrier	Reflectors matching the color of the edge line	Every 5th cable barrier post (up to 100' max)
Guard Rail Terminus/Impact Head	Divided highway - Object marker on approach end Undivided 2-lane highways - Object marker on approach and departure end	Requires reflective sheeting provided by manufacturer per D & OM (VIA) or a Type 3 Object Marker (OM-3) in front of the terminal end See D & OM (5) and D & OM (6)
Bridges with no Approach Rail	Type 3 Object Marker (OM-3) at end of rail and 3 single delineators approaching rail	See D & OM(5)
Reduced Width Approaches to Bridge Rail	Type 2 and Type 3 Object Markers (OM-3) and 3 single delineators approaching bridge	Requires reflective sheeting provided by manufacturer per D & OM (VIA) or a Type 3 Object Marker (OM-3) in front of the terminal end See D & OM (5)
Culverts without MBGF	Type 2 Object Markers	See Detail 2 on D & OM(4)
Crossovers	Double yellow delineators and RPMs	See Detail 1 on D & OM (4)
Pavement Narrowing (lane merge) on Freeways/Expressway	Single delineators adjacent to affected lane for full length of transition	100 feet

NOTES

- Unless indicated otherwise, the delineator or barrier reflector color shall conform to the color of the pavement edge line on the side of the road where the delineators or barrier reflectors are placed.
- Barrier reflectors may be used to replace required delineators.
- Single red delineators may be mounted on the back side of delineator posts for wrong way driver applications

LEGEND	
	Bi-directional Delineator
	Delineator
	Sign



DELINEATOR & OBJECT MARKER PLACEMENT DETAILS

D & OM(3)-20


FILE: dom3-20.dgn	DN: TXDOT	CK: TXDOT	DN: TXDOT	CK: TXDOT
© TXDOT August 2004	CONT	SECT	JOB	HIGHWAY
REVISIONS	0913	18	037	CR
3-15 8-15	DIST	COUNTY	SHEET NO.	
8-15 7-20	YKM	JACKSON	54	

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of any kind of units or for the accuracy of any information derived from this standard.

DATE: 7/28/2023 10:41:24 AM
 FILE: pw://stc-sw-pw.bentley.com/stc-sw-pw-01/Documents/Active Projects/TXFW1700958.00/TXFW1700958.dgn


CK: CJK

CROSSOVERS



DETAIL 1


FOR CULVERTS WITHOUT MBGF



DETAIL 2


PROP. EL.
 EXIST. EL.

FREEWAY DELINEATION FOR RAMPS AND ACCELERATION/DECELERATION LANES




DETAIL 3

TYPICAL APPLICATION OF DEAD END BARRICADE



DETAIL 4

TYPICAL DEAD END BARRICADE INSTALLATION



NOTES

- Barricade striping shall be red and white reflective sheeting for all permanent road closures.
- Barricade striping is red and white sloping toward the center of the roadway.
- Type 3 Barricade Supports should be anchored to soil or pavement as described in compliant Work Zone Traffic Control Devices List, section D.2.f and D.2.g.

DETAIL 5

LEGEND	
	Bidirectional Delineator
	Delineator
	OM-3
	Barricade
	Sign
	OM-2
	Double Delineator




DELINEATOR & OBJECT MARKER PLACEMENT DETAILS

D & OM(4) - 20

FILE: dom4-20.dgn	DN: TXDOT	CK: TXDOT	DN: TXDOT	CK: TXDOT
© TXDOT August 2004	CONT	SECT	JOB	HIGHWAY
REVISIONS	0913	18	037	CR
3-15	DIST	COUNTY	SHEET NO.	
7-20	YKM	JACKSON	55	


**TWO-WAY, TWO LANE ROADWAY
WITH REDUCED WIDTH APPROACH RAIL**



NOTE:

1. Terminal ends require reflective sheeting provided by manufacturer per D & OM (VIA) or a Type 3 Object Marker (OM-3) in front of the terminal end.


**TWO-WAY, TWO LANE ROADWAY
WITH METAL BEAM GUARD FENCE (MBGF)**



NOTE:

1. Terminal ends require reflective sheeting provided by manufacturer per D & OM (VIA) or a Type 3 Object Marker (OM-3) in front of the terminal end.

**TWO-WAY, TWO LANE ROADWAY
BRIDGE WITH NO APPROACH RAIL**



LEGEND

	Bidirectional Delineator
	Delineator
	OM-3
	OM-2
	Terminal End
	Traffic Flow



**DELINEATOR &
OBJECT MARKER
PLACEMENT DETAILS**

D & OM(5) - 20








FILE: dom5-20.dgn	DN: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
© TxDOT August 2015	CONT	SECT	JOB	HIGHWAY
REVISIONS	0913	18	037	CR
7-20	DIST	COUNTY	SHEET NO.	
	YKM	JACKSON	56	

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of any kind of units or for any errors or omissions. This standard is based on the current standards of the American Road & Builders Builders Association (ARBA) and the American National Standards Institute (ANSI). The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of any kind of units or for any errors or omissions. This standard is based on the current standards of the American Road & Builders Builders Association (ARBA) and the American National Standards Institute (ANSI).


DATE: 7/28/2023 10:42:08 AM
 FILE: pw:\stvs-sw-pw.bentley.com\stvs-sw-pw-01\Documents\Active Projects\TXFW1700958.00\TXFW1700958.dwg

PROP. EL.
 EXIST. EL.

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of units or the accuracy of the information contained herein. This standard is based on the current standards of the American Road & Builders Builders Association (ARBA) and the American National Standards Institute (ANSI).
 DATE: 7/28/2023 10:42:56 AM
 FILE: pw://stl-sw-pw.bentley.com/stl-sw-pw-01/Documents/Active Projects/TXFW1700958.00/TXFW1700958.dgn



OBJECT MARKERS SMALLER THAN 3 FT²



- NOTES
1. Spacing should be adjusted to attach through centerline of drum, per attenuator manufacturer's recommendation, or as directed by the Engineer.
 2. Mounting should be flush with top of attenuator. Minimum size 96" x 24".

NOTES

1. Object Markers shall conform to the Texas MUTCD and meet the color and reflectivity requirement of Department Material Specification DMS 8300. Background shall be yellow reflective sheeting (Type B or C) and Chevron shall be black.
2. Object Markers may be fabricated from adhesive backed reflective sheeting applied directly to guardrail end treatment, or applied directly to an "end cap" as per the manufacturer's recommendation. Direct applied sheeting shall provide a smooth surface and have no wrinkles, air bubbles, cuts or tears. A radius at the corners is not required for direct applied sheeting.
3. Object Marker size may be reduced to fit smaller devices. Width of alternating black and yellow stripes are typically 6". Object Markers smaller than 3ft may have reduced width stripes of a minimum of 2 1/4".
4. Pop rivets, screws, or nuts and bolts may be used to attach object markers and reflectors. Holes, slots or other openings may be cut or drilled through object markers to allow cable or other attachments.
5. Object Marker at nose of attenuator is subsidiary to the attenuator.
6. See D & OM (1-4) for required barrier reflectors.

Texas Department of Transportation Traffic Safety Division Standard



DELINEATOR & OBJECT MARKER FOR VEHICLE IMPACT ATTENUATORS
 D & OM(VIA) - 20

FILE: _dcmv1a20.dgn	DN: TXDOT	CK: TXDOT	DW: TXDOT	CK: TXDOT
© TXDOT December 1989	CONT	SECT	JOB	HIGHWAY
REVISIONS				
4-92 8-04				
8-95 3-15				
4-98 7-20				
	DIST	COUNTY	SHEET NO.	
	YKM	JACKSON	57	

20G

CK: DW: CK: DW:



DATE: 1/26/2024 10:26:10 AM
 FILE: pw://stvs-sw-pw-bentley.com:stvs-sw-pw-01/Documents/Active Projects/TXFW1700958.00/TXFW1700958.03/Plan Set 23/8.00 Plans and Drawings/8.30 Cut Streets/8.3.14 SW3P/1700958ENVsw3p.dgn



LEGEND


- SEDIMENT CONTROL FENCE
- DIRECTION OF FLOW
- DITCH FLOWLINE
- BROADCAST SEEDING (TEMP & PERM)

NOTES:
 ACTUAL BMP LOCATION AND LENGTHS MAY VARY TO MEET FIELD CONDITIONS AS APPROVED OR DIRECTED BY THE ENGINEER.



Jaime Aguilar
 01/27/2024

NO.	REVISION	BY	DATE



YOUNG RD AT VENADO CREEK

SW3P LAYOUT

CSJ 0913-18-037

SHEET 1 OF 1

CONT	SECT	JOB	HIGHWAY
0913	18	037	CR
DIST	COUNTY	SHEET NO.	
YKM	JACKSON	58	

I. STORMWATER POLLUTION PREVENTION

Texas Pollutant Discharge Elimination System (TPDES) TXR 150000: Stormwater Discharge Permit or Construction General Permit is required for projects with 1 or more acres disturbed soil. Projects with any disturbed soil must protect for erosion and sedimentation in accordance with Item 506. If applicable list MS4 operator that may receive discharges from this project. MS4 operator should be notified prior to construction activities.

Prevent stormwater pollution erosion and sedimentation in accordance with TPDES Permit TXR 150000.

Comply with the SW3P and revise when necessary to control pollution or as required by the Engineer.

Post Construction Site Notice (CSN) with SW3P information on or near the site, accessible to the public and TCEQ, EPA, or other inspectors.

When Contractor project specific locations (PSL) increase disturbed soil area to 5 acres or more, submit Notice of Intent (NOI) to TCEQ and Engineer.

MS4 Operator(s):

No Additional Comments

II. WORK IN OR NEAR STREAMS, WATERBODIES AND WETLANDS

United States Army Corps of Engineers (USACE) Permit is required for filling, dredging, excavating or other work in water bodies, rivers, creeks, streams, wetlands or wet areas. The Contractor must adhere to all of the terms and general conditions associated with the following permit(s). If additional work not represented in the plans is required, contact the Engineer immediately.

No USACE Permit Required

Work is authorized by the USACE under a Nationwide Permit 14 without a Pre-Construction Notification (PCN). Project specific permit was not issued by USACE, therefore is not in the plan set.

Work is authorized by the USACE under a Nationwide Permit _____ with a Pre-Construction Notification (PCN). The project specific permit issued by the USACE is included in the plan set.

Work is authorized by the USACE under a Individual Permit (IP). The project specific permit issued by the USACE is included in the plan set.

Work would be authorized by the USACE. The project specific permit issued by the USACE or Nationwide Permit will be provided to the contractor.

United States Coast Guard (USCG) Permit is required for projects that involve the construction or modification (including changes to lighting) of a bridge or causeway across a water body determined to be navigable by the United States Coast Guard (USCG) under Section 9 of the Rivers and Harbors Act. If additional work not represented in the plans is required, contact the Engineer immediately.

No United States Coast Guard (USCG) Coordination Required

United States Coast Guard (USCG) Permit

United States Coast Guard (USCG) Exemption

Best Management Practices

Erosion	Sedimentation	Post Construction TSS
<input checked="" type="checkbox"/> Temporary Vegetation	<input checked="" type="checkbox"/> Silt Fence	<input checked="" type="checkbox"/> Vegetative Filter Strips
<input type="checkbox"/> Vegetation Lined Ditches	<input type="checkbox"/> Rock Filter Dam	<input type="checkbox"/> Vegetation Lined Ditches
<input type="checkbox"/> Sodding	<input type="checkbox"/> Sand Bag Berm	<input type="checkbox"/> Grassy Swales

No Additional Comments

III. CULTURAL RESOURCES

Refer to TxDOT Standard Specifications in the event historical issues or archeological artifacts are found during construction. Upon discovery of archeological artifacts (bones, burnt rock, flint, pottery, etc.) cease work in the area and contact the Engineer immediately.

No Additional Comments

IV. VEGETATION RESOURCES

Preserve native vegetation to the extent practical. Refer to TxDOT Standard Specifications 162, 164, 192, 193, 506, 730, 751, and 752 in order to comply with requirements for invasive species, beneficial landscaping and tree/brush removal.

No Additional Comments

V. FEDERAL LISTED, PROPOSED THREATENED, ENDANGERED SPECIES, CRITICAL HABITAT, STATE LISTED SPECIES, CANDIDATE SPECIES AND MIGRATORY BIRDS

If any of the listed species below are observed, cease work in the area, do not disturb species or habitat and contact the Engineer immediately.

The work may not remove active nests (from bridges, structures, or vegetation adjacent to the roadway, etc.) during nesting season (February 15 to October 1). If removal of structures or vegetation is necessary during the nesting season, the Contractor shall conduct a bird survey no more than 3 days in advance of the clearing/demolish start date. All bird surveys shall be conducted by a Field Biologist and adhere to the guidance document "Avoiding Migratory Birds and Handling Potential Violations" found in the TxDOT Environmental Compliance Toolkits at the time of the survey. (See below for Field Biologist and Ornithologist qualifications)

No Additional Comments

Field Biologist, Ornithologist – a field biologist is defined as an individual qualified to perform field investigations, presence/absence surveys and habitat surveys for protected avian species or species of concern. A mandatory bachelor's degree in biology or a related science is required. At a minimum, the Field Biologist, Ornithologist, shall have completed and reported a minimum of three presence/absence and habitat surveys for protected avian species in the past five years. A minimum of three projects must have been conducted in Texas. Surveys shall have been performed for documentation of species in accordance with a protocol approved by USFWS or TPWD, or following generally accepted methodologies.

Field Biologist, Ornithologist – a field biologist is defined as an individual qualified to perform field investigations, presence/absence surveys and habitat surveys for protected avian species or species of concern. A mandatory bachelor's degree in biology or a related science is required. At a minimum, the Field Biologist, Ornithologist, shall have completed and reported a minimum of three presence/absence and habitat surveys for protected avian species in the past five years. A minimum of three projects must have been conducted in Texas. Surveys shall have been performed for documentation of species in accordance with a protocol approved by USFWS or TPWD, or following generally accepted methodologies.

VI. HAZARDOUS MATERIALS OR CONTAMINATION ISSUES

Refer to TxDOT Standard Specifications in the event potentially contaminated materials are observed, such as dead or distressed vegetation, trash disposal areas, drums, canisters, barrels, leaching or seepage of substances, unusual smells or odors, or stained soil, cease work in the area and contact the Engineer immediately.

Does the project involve any bridge class structure rehabilitation or replacements (bridge class structures not including box culverts)? Yes No

Are results of the asbestos inspection positive (is asbestos present)? Yes No

TxDOT is still required to notify DSHS 14 working days prior to any scheduled demolition.

The Contractor is responsible for providing the date(s) for abatement activities and/or demolition with careful coordination between the Engineer and asbestos consultant in order to minimize construction delays and subsequent claims.


No Additional Comments

VII. GENERAL NOTES

The contractor's attention is directed to the fact that discharges of permanent or temporary fill material into the waters of the United States, including jurisdictional wetlands, as necessary for construction, will require specific approval of the USACE under Section 404 of the Clean Water Act.

TxDOT will obtain the appropriate permit(s), Nationwide or Individual, when necessary as dictated by the proposed actions for the project and it's potential to affect USACE jurisdictional areas. The contractor may review the permitted plans at the office of the Area Engineer in charge of construction. TxDOT will hold the contractor responsible for following all conditions of the approved permit. If the contractor cannot work within the limits of the permit(s), then it becomes the contractor's entire responsibility to consult with the USACE pertaining to the need for changes or amendments to the conditions of the exiting permit(s) as originally obtained by the department.

Particular importance is stressed on the fact that any impacts to USACE jurisdictional waters of the United States, including jurisdictional wetlands, be the minimum necessary to complete the proposed work. The contractor shall maintain near normal flow of any jurisdictional waters of the United States at all times during construction. If the contractor needs further explanation of the conditions of the permit, including means of compliance, they may contact the Yoakum District Environmental Coordinator.

				TxDOT Yoakum District
<p>ENVIRONMENTAL PERMITS, ISSUES AND COMMITMENTS</p> <p>EPIC</p>				
FILE: EPIC Sheet.dgn	DN:	CK:	DW:	CK:
© TxDOT: March 2017	CONT	SECT	JOB	HIGHWAY
REVISIONS		0913	18	037
		DIST	COUNTY	SHEET NO.
		YKM	JACKSON	59

STORMWATER POLLUTION PREVENTION PLAN (SWP3):

This SWP3 has been developed in accordance with TxDOT policy for projects disturbing less than 1 acre of soil, and not part of a larger common plan of development.

For projects with less than one acre of soil disturbing activity and that have Environmental, Permits, Issues, and Commitments (EPICs) dependent on stormwater controls and water quality measures TxDOT will maintain a SWP3 with all pertinent records, correspondence, environmental documents, etc. at the project field office, Area Office, or electronically.

This SWP3 is consistent with requirements specified in applicable stormwater plans, and the project's environmental permits, issues, and commitments (EPICs).

1.0 SITE/PROJECT DESCRIPTION

1.1 PROJECT CONTROL SECTION JOB (CSJ):
0913-18-037

1.2 PROJECT LIMITS:

From: AT VENADO CREEK

To: STR#AA01-57-001 (Young Rd)

1.3 PROJECT COORDINATES:

BEGIN: (Lat) 28.852, (Long) -96.661

END: (Lat) 28.853, (Long) -96.659

1.4 TOTAL PROJECT AREA (Acres): 0.76

1.5 TOTAL AREA TO BE DISTURBED (Acres): 0.69

1.6 NATURE OF CONSTRUCTION ACTIVITY:

REPLACEMENT OF AN OFF-SYSTEM BRIDGE CONSISTING OF REPLACEMENT OF THE BRIDGE AND APPROACHES

1.7 MAJOR SOIL TYPES:

Soil Type	Description
Laewest clay, 0 to 1 percent slopes	Sta 2+95.00 to Sta 7+55.00 100% clay, moderately well drained, runoff high

1.8 PROJECT SPECIFIC LOCATIONS (PSLs):

PSLs must be depicted on the Environmental Layout Sheets in Attachment 1.2 of this SWP3. PSLs may be identified during preconstruction meetings or during the construction process. Please choose from the options below:

- PSLs determined during preconstruction meeting
- PSLs determined during construction
- No PSLs planned for construction

Type	Sheet #s

All off-ROW PSLs required by the Contractor are the Contractor's responsibility. The Contractor shall secure all permits required by local, state, federal laws for off-ROW PSLs. The contractor shall provide diagrams, areas of disturbance, acreage, and BMPs for all off-ROW PSLs within one mile of the project.

1.9 CONSTRUCTION ACTIVITIES:

(Use the following list as a starting point when developing the Construction Activity Schedule and Ceasing Record in Attachment 2.3.)

- Mobilization
- Install sediment and erosion controls
- Blade existing topsoil into windrows, prep ROW, clear and grub
- Remove existing pavement
- Grading operations, excavation, and embankment
- Excavate and prepare subgrade for proposed pavement widening
- Remove existing culverts, safety end treatments (SETs)
- Remove existing metal beam guard fence (MBGF), bridge rail
- Install proposed pavement per plans
- Install culverts, culvert extensions, SETs
- Install mow strip, MBGF, bridge rail
- Place flex base
- Rework slopes, grade ditches
- Blade windrowed material back across slopes
- Revegetation of unpaved areas
- Achieve site stabilization and remove sediment and erosion control measures

- Other: _____
- Other: _____
- Other: _____

1.10 POTENTIAL POLLUTANTS AND SOURCES:

- Sediment laden stormwater from stormwater conveyance over disturbed area
- Fuels, oils, and lubricants from construction vehicles, equipment, and storage
- Solvents, paints, adhesives, etc. from various construction activities
- Transported soils from offsite vehicle tracking
- Construction debris and waste from various construction activities
- Contaminated water from excavation or dewatering pump-out water
- Sanitary waste from onsite restroom facilities
- Trash from various construction activities/receptacles
- Long-term stockpiles of material and waste

- Other: _____
- Other: _____
- Other: _____

1.11 RECEIVING WATERS:

Receiving waters must be depicted on the Environmental Layout Sheets in Attachment 1.2 of this SWP3. Include Segment # for receiving waters.

Tributaries	Classified Waterbody
Venado Creek	No Information Available

* Add (*) for impaired waterbodies with pollutant in ().

1.12 ROLES AND RESPONSIBILITIES: TxDOT

- Development of plans and specifications
- Perform SWP3 inspections
- Maintain SWP3 records and update to reflect daily operations
- Other: _____
- Other: _____

1.13 ROLES AND RESPONSIBILITIES: CONTRACTOR

- Day To Day Operational Control
- Maintain schedule of major construction activities
- Install, maintain and modify BMPs
- Other: _____
- Other: _____

STORMWATER POLLUTION PREVENTION PLAN (SWP3) (Less Than 1 Acre)

FED. RD. DIV. NO.	PROJECT NO.			SHEET NO.
6	BR 2023 (537)			60
STATE	STATE DIST.	COUNTY		
TEXAS	YKM	JACKSON		
CONT.	SECT.	JOB	HIGHWAY NO.	
0913	18	037	CR	

STORMWATER POLLUTION PREVENTION PLAN (SWP3):

2.0 BEST MANAGEMENT PRACTICES (BMPs) AND CONTROLS, INSPECTION, AND MAINTENANCE

The Contractor shall be the responsible party for implementing the BMPs described herein and for complying with the SWP3 for control of erosion and sedimentation during day-to-day operations. The Contractor shall implement changes to this SWP3 approved by TxDOT within the times specified in this SWP3 or the CGP.

2.1 EROSION CONTROL AND SOIL STABILIZATION BMPs:

T / P

- Protection of Existing Vegetation
- Vegetated Buffer Zones
- Soil Retention Blankets
- Geotextiles
- Mulching/ Hydromulching
- Soil Surface Treatments
- Temporary Seeding
- Permanent Planting, Sodding or Seeding
- Biodegradable Erosion Control Logs
- Rock Filter Dams/ Rock Check Dams
- Vertical Tracking
- Interceptor Swale
- Riprap
- Diversion Dike
- Temporary Pipe Slope Drain
- Embankment for Erosion Control
- Paved Flumes
- Other: _____
- Other: _____
- Other: _____
- Other: _____

2.2 SEDIMENT CONTROL BMPs:

T / P

- Biodegradable Erosion Control Logs
- Dewatering Controls
- Inlet Protection
- Rock Filter Dams/ Rock Check Dams
- Sandbag Berms
- Sediment Control Fence
- Stabilized Construction Exit
- Floating Turbidity Barrier
- Vegetated Buffer Zones
- Vegetated Filter Strips
- Other: _____
- Other: _____
- Other: _____
- Other: _____

Refer to the Environmental Layout Sheets/ SWP3 Layout Sheets located in Attachment 1.2 of this SWP3

2.3 PERMANENT CONTROLS:

(Coordinate post-construction BMPs with appropriate TxDOT maintenance sections.)

BMPs To Be Left In Place Post Construction:

Type	Stationing	
	From	To
No permanent controls are planned		

Refer to the Environmental Layout Sheets/ SWP3 Layout Sheets located in Attachment 1.2 of this SWP3

2.4 OFFSITE VEHICLE TRACKING CONTROLS:

- Excess dirt/mud on road removed daily
- Haul roads dampened for dust control
- Loaded haul trucks to be covered with tarpaulin
- Stabilized construction exit
- Daily street sweeping
- Other: _____
- _____
- Other: _____
- _____
- Other: _____
- _____

Refer to the Environmental Layout Sheets/ SWP3 Layout Sheets located in Attachment 1.2 of this SWP3

2.5 POLLUTION PREVENTION MEASURES:

- Chemical Management
- Concrete and Materials Waste Management
- Debris and Trash Management
- Dust Control
- Sanitary Facilities
- Other: _____
- _____
- Other: _____
- _____
- Other: _____
- _____
- Other: _____
- _____

2.6 VEGETATED BUFFER ZONES:

Natural vegetated buffers shall be maintained as feasible to protect adjacent surface waters. If vegetated natural buffer zones are not feasible due to site geometry, the appropriate additional sediment control measures have been incorporated into this SWP3.

Type	Stationing	
	From	To
No surface waters present, vegetated buffer zones are not planned		

Refer to the Environmental Layout Sheets/ SWP3 Layout Sheets located in Attachment 1.2 of this SWP3

2.7 ALLOWABLE NON-STORMWATER DISCHARGES:

- Fire hydrant flushings
- Irrigation drainage
- Pavement washwater (where spills or leaks have not occurred, and detergents are not used)
- Potable water sources
- Springs
- Uncontaminated groundwater
- Water used to wash vehicles or control dust
- Other allowable non-stormwater discharges as allowed by TPDES GP TXR150000.

2.8 DEWATERING:

Dewatering discharges of accumulated stormwater, groundwater, and surface water including discharges from dewatering of trenches, excavations, foundations, vaults, and other points of accumulation are prohibited unless managed by appropriate controls to prevent and minimize the offsite discharge of sediment and other pollutants.

2.9 INSPECTIONS:

All disturbed areas and erosion and sediment control devices shall be inspected at least once every seven (7) days. Inspections shall be performed by TxDOT as indicated on the Field Inspection and Maintenance Report Form 2118 and retained in Attachment 2.3 of this SWP3 .

2.10 MAINTENANCE:


Control measures shall be properly installed according to specifications. If it is determined that a BMP or control measure is not operating effectively, maintenance must be accomplished as soon as possible and before the next anticipated rain event, but in no case later than 7 calendar days after being able to access the site. Maintenance shall be performed by the Contractor as indicated on the Field Inspection and Maintenance Report Form 2118 and retained in Attachment 2.3 of this SWP3.

STORMWATER POLLUTION PREVENTION PLAN (SWP3) (Less Than 1 Acre)

FED. RD. DIV. NO.	PROJECT NO.			SHEET NO.
6	BR 2023 (537)			61
STATE	STATE DIST.	COUNTY		
TEXAS	YKM	JACKSON		
CONT.	SECT.	JOB	HIGHWAY NO.	
0913	18	037	CR	


DISCLAIMER: This standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. The use of this standard is the responsibility of the user. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 7/28/2023 11:20:38 AM
 FILE: p:\stc\stc-pw\pw-bentley.com\stc-sw-pw-01\Documents\Active Projects\TXFW1700958.03\Plan Set 23\8.00 Plans and Drawings\8.30 Cut Sheets\8.30 Cut Sheets\8.30 Cut Sheets\EC(1)-16.dgn




TEMPORARY SEDIMENT CONTROL FENCE

SCF



HINGE JOINT KNOT WOVEN MESH (OPTION) DETAIL

Galvanized hinge joint knot woven mesh (12.5 GA. SWG Min.) requires a minimum of five horizontal wires spaced at a maximum of 12 inches apart and all vertical wires spaced at a maximum of 12 inches apart.



SEDIMENT CONTROL FENCE USAGE GUIDELINES

A sediment control fence may be constructed near the downstream perimeter of a disturbed area along a contour to intercept sediment from overland runoff. A 2 year storm frequency may be used to calculate the flow rate to be filtered.


Sediment control fence should be sized to filter a maximum flow through rate of 100 GPM/FT². Sediment control fence is not recommended to control erosion from a drainage area larger than 2 acres.

LEGEND

Sediment Control Fence
 SCF

GENERAL NOTES

1. Vertical tracking is required on projects where soil distributing activities have occurred unless otherwise approved.
2. Perform vertical tracking on slopes to temporarily stabilize soil.
3. Provide equipment with a track undercarriage capable of producing linear soil impressions measuring a minimum of 12" in length by 2" to 4" in width by 1/2" to 2" in depth.
4. Do not exceed 12" between track impressions.
5. Install continuous linear track impressions where the minimum 12" length impressions are perpendicular to the slope or direction of water flow.



VERTICAL TRACKING

				Design Division Standard
TEMPORARY EROSION, SEDIMENT AND WATER POLLUTION CONTROL MEASURES FENCE & VERTICAL TRACKING EC(1)-16				
FILE: ec116	DN: TxDOT	CK: KM	DW: VP	DN/CK: LS
© TxDOT: JULY 2016	CONT	SECT	JOB	HIGHWAY
REVISIONS	0913	18	037	CR
	DIST	COUNTY		SHEET NO.
	YKM	JACKSON		62