

FINAL PLANS

NAME OF CONTRACTOR: _____

DATE OF LETTING: _____

DATE WORK BEGAN: _____

DATE WORK COMPLETED: _____

DATE WORK ACCEPTED: _____

SUMMARY OF CHANGE ORDERS: _____

STATE OF TEXAS
DEPARTMENT OF TRANSPORTATION

PLANS OF PROPOSED
STATE HIGHWAY IMPROVEMENT

FEDERAL AID PROJECT
F 2025(289)
CSJ: 0095-03-110

US 80

KAUFMAN COUNTY

DESIGN	FED.RD. DIV.NO.	PROJECT NO.			
VD	6	F 2025(289)			
GRAPHICS	STATE	CONT	SECT	JOB	HIGHWAY NO.
VD	TEXAS	0095	03	110	US 80
CHECK	CHECK	DIST	COUNTY		SHEET NO.
FR	FR	DAL	KAUFMAN		1

DESIGN SPEEDS = N/A (SA)
ADT (2023) = 73,742 (2024)
ADT (2043) = 102,104 (2044)

FUNCTIONAL CLASSIFICATION (URBAN): PRINCIPAL ARTERIAL


NOTE:

SPECIFICATIONS ADOPTED BY THE TEXAS DEPARTMENT OF TRANSPORTATION, SEPTEMBER 1, 2024, AND THE CONTRACT PROVISIONS LISTED AND DATED AS FOLLOWS SHALL GOVERN ON THIS PROJECT: REQUIRED CONTRACT PROVISIONS FOR ALL FEDERAL-AID CONSTRUCTION CONTRACTS (FORM FHWA 1273, OCTOBER 23, 2023)

LIMITS: FROM BUFFALO CREEK RELIEF TO FM 548

TOTAL LENGTH OF PROJECT =	ROADWAY = 11330.00 FT. = 2.146 MI.
	BRIDGE = 70.00 FT. = 0.013 MI.
	TOTAL = 11400.00 FT. = 2.159 MI.

FOR THE CONSTRUCTION OF SAFETY IMPROVEMENT PROJECTS
CONSISTING OF INSTALL CONCRETE MEDIAN BARRIER



BEGIN PROJECT
CSJ 0095-03-110
STA 83+00.00
TRM 674+0.59

END PROJECT
CSJ 0095-03-110
STA 197+00.00
TRM 676+0.916

KAUFMAN COUNTY
SCALE 0 1 2 3 4 5 6 MILES
DALLAS DISTRICT

EQUATIONS: NONE
EXCEPTIONS: NONE
RAILROAD CROSSINGS: NONE

WORK WAS COMPLETED ACCORDING
TO THE PLANS AND CONTRACT.

_____, P.E.
Signature of Registrant & Date

TEXAS DEPARTMENT OF TRANSPORTATION

SUBMITTED FOR CONSTRUCTION BY: 9/12/2024
Falon Benfroe, P.E.
BF3C6897 ASSESSOR ENGINEER

RECOMMENDED FOR CONSTRUCTION BY: 9/13/2024
James T. Campbell, P.E.
98671 DIRECTOR OF TRANSPORTATION PLANNING & DEVELOPMENT

RECOMMENDED FOR CONSTRUCTION BY: 9/13/2024
Lane Selman, P.E.
29F92BAFC ASSESSOR ENGINEER

APPROVED FOR CONSTRUCTION BY: 9/13/2024
Casson Clemens, P.E.
A879E0D DISTRICT ENGINEER

INDEX OF SHEETS

I. GENERAL
 1 TITLE SHEET
 2 INDEX OF SHEETS
 3 PROJECT LAYOUT
 4 TYPICAL SECTIONS
 5, 5A-5C GENERAL NOTES
 6 ESTIMATE & QUANTITY SHEET
 7 SUMMARY SHEET
 8 CRASH CUSHION SUMMARY SHEET

VII. BRIDGE
 NONE

VIII. TRAFFIC ITEMS

* 46-48 D&OM(1)-20 THRU D&OM(3)-20
 * 49 D&OM(6)-20
 * 50 D&OM(VIA)-20

II. TRAFFIC CONTROL PLAN
 9 TCP PHASE NARRATIVE
 10 TCP TYPICAL SECTIONS
 11-16 TCP LAYOUT

IX. RAILROAD
 NONE

* 17-28 BC (1)-21 THRU BC (12)-21
 * 29 TCP(5-1)-18
 * 30 TCP(6-1)-12
 * 31 ABSORB(M)-19
 * 32 SLED-19
 * 33-34 CSB(1)-10

X. ENVIRONMENTAL ISSUES

51 ENVIRONMENTAL PERMITS, ISSUES AND COMMITMENTS (EPIC)(DAL)
 52-53 STORMWATER POLLUTION PREVENTION PLAN (SWP3)
 54 RECEIVING WATERS MAP
 55-59 SW3P SITE MAP

III. ROADWAY DETAILS
 35 ALIGNMENT DATA
 36-40 ROADWAY PLAN
 41 MISCELLANEOUS DETAILS

* 60 EC (1)-16
 * 61-63 EC (9)-16
 ** 64 VEGETATION ESTABLISHMENT SHEET (DAL)
 ** 65 SW3P SIGN SHEET (DAL)


* 42 SSCB(1F)-10
 * 43 QGUARD(M10)(N)-20
 * 44 TAU(M)(N)-19
 * 45 DELTACC-22

XI. MISCELLANEOUS ITEMS
 NONE

IV. RETAINING WALL DETAILS
 NONE

V. DRAINAGE DETAILS
 NONE

VI. UTILITIES
 NONE



Falon Renfro, P.E. 9/10/2024
 Signature of Registrant & Date


*STATEWIDE STANDARDS
 ** DALLAS DISTRICT STANDARDS

THE STANDARD SHEETS SPECIFICALLY IDENTIFIED ABOVE HAVE BEEN
 SELECTED BY ME OR UNDER MY RESPONSIBLE SUPERVISION AS BEING
 APPLICABLE TO THIS PROJECT.

US 80 INDEX OF SHEETS			
SHEET 1 OF 1			
CONT	SECT	JOB	HIGHWAY
0095	03	110	US 80
DIST	COUNTY		SHEET NO.
DAL	KAUFMAN		2

DATE: 9/10/2024 2:53:28 PM
 FILE: pw://txdot.projectwiseonline.com:TxDOT5/Documents/18 - DAL/Design Projects/009503110/4 - Design/Plan Set/1 - General/3 - 0095-03-110 US 80 PROJECT LAYOUT.dgn

CK: DW: CK: DN:



NOTE: PLACE ADVANCE WARNING SIGNS IN ACCORDANCE WITH BC STANDARDS, TCP STANDARDS, WZ STANDARDS, TMUTCD, AND AS DIRECTED BY THE ENGINEER.

BEGIN PROJECT
 CSJ: 0095-03-110
 STA. 83+00.00

END PROJECT
 CSJ: 0095-03-110
 STA. 197+00.00



Falon Renfro P.E. 9/10/2024
 Signature of Registrant & Date




**US 80
 PROJECT LAYOUT**


SCALE: NTS SHEET 1 OF 1

CONT	SECT	JOB	HIGHWAY
0095	03	110	US 80
DIST	COUNTY	SHEET NO.	
DAL	KAUFMAN	3	

DATE: 9/10/2024 2:53:48 PM
 FILE: \\txdot\projectwiseonline.com\TXDOT5\Documents\18 - DAL\Design Projects\009503110\4 - Design\Plan Set\1 - General\4_0095-03-110 US 80 Typical Section.dgn



EXISTING TYPICAL
 STA 86+00 TO 197+00
 * Existing cable barrier varies between eastbound and westbound edge of pavement.



PROPOSED TYPICAL
 STA 86+00 TO 197+00

- NOTES:
 1. SEE MISCELLANEOUS ROADWAY DETAILS FOR FURTHER INFORMATION.
 2. SEE SSCB STANDARD FOR FURTHER INFORMATION.

Falon Renfro, P.E. 9/10/2024
 Signature of Registrant & Date

Texas Department of Transportation

US 80
TYPICAL SECTIONS

SHEET 1 OF 1

CONT	SECT	JOB	HIGHWAY
0095	03	110	US 80
DIST	COUNTY	SHEET NO.	
DAL	KAUFMAN	4	

County: Kaufman

Highway: US 80

SPECIFICATION DATA

Table 1: Basis of Estimate for Permanent Construction					
Item	Description	Thickness	Rate		Quantity
164	Hydro Mulch Seed (Prm) (Rural) (Clay)	N/A	See Specifications		12,665 SY
166 *	Fertilizer (12-6-6)	N/A	500	Lbs./Ac	0.65 Ton
168	Vegetative Watering (Warm)**	N/A	12	TGL/Ac/Day	1,884 TGL

*For contractor's information only
 **Use Summer rate for calculation, adjust for actual field conditions/temperatures as necessary. See Vegetation Establishment Plan Sheet for estimated daily rates.

Table 2: Basis of Estimate for Temporary Erosion Control Items				
Item	Description	Rate		Quantity
164	Hydro Mulch Seed (Temp_Warm)	See Specifications		4,224 SY
166*	Fertilizer (12-6-6)	500	Lb/Ac	0.22 Ton
168	Vegetative Watering (Warm)**	12	TGL/Ac/Day	628 TGL

*For Contractor's Information Only.
 **Use Summer rate for calculation, adjust for Actual Field Conditions/Temperatures as Necessary. See Vegetation Establishment Sheet for estimated daily rates.

GENERAL

The construction, operation and maintenance of the proposed project will be consistent with the state implementation plan as prepared by the Texas Commission on Environmental Quality.

The disturbed area for this project, as shown on the plans is 3.72 acres. However, the Total Disturbed Area (TDA) will establish the required authorization for storm water discharges. The TDA of this project will be determined by the sum of the disturbed area in all project locations in the contract, and all disturbed area on all Project-Specific Locations (PSL) located in the project limits and/or within 1 mile of the project limits. The department will obtain an authorization to discharge storm water from the Texas Commission on Environmental Quality (TCEQ) for the construction site as shown on the plans, according to the TDA of the project. The contractor will obtain any required authorization from the TCEQ for the discharge of storm water from any PSL for construction support activities on or off of the project row according to the TDA of the project. When the TDA for the project exceeds 1 acre, provide a copy of the appropriate application of permit (NOI, or Construction Site Notice) to the engineer, for any PSL located in the project limits or within 1 mile of the project limits. Follow the directives and adhere to all requirements

County: Kaufman

Highway: US 80

set forth in the TCEQ, Texas Pollution Discharge Elimination System, Construction General Permit (TPDES, CGP).

This project required permits with environmental resources agencies. There is a high probability that an environmentally sensitive area could be encountered on the contractor designated Project-Specific Locations (PSL) for this project (haul roads, equipment staging areas, borrow pits, disposal sites, field offices, storage areas, parking areas, etc.). Item 7.6 "Project-Specific Locations", provides a listing of regulatory agencies that may need to be contacted regarding this project.

Leave all right of way areas undisturbed until actual construction is to be performed in said areas.

Questions may be submitted via the Letting Pre-Bid Q&A web page. This webpage can be accessed from the Notice to Contractors dashboard located at the following Address: <https://tableau.txdot.gov/views/ProjectInformationDashboard/NoticetoContractors> or Contractor questions on this project are to be addressed to the following individual(s):

Lane Selman, P.E. Lane.Selman@txdot.gov
 Nicholas Wadlington, P.E. Nicholas.Wadlington@txdot.gov

Contractor questions will be accepted through email, phone, and in person by the above individuals.

All contractor questions will be reviewed by the Engineer. All questions and any corresponding responses that are generated will be posted through the same Letting Pre-Bid Q&A web page.

The Letting Pre-Bid Q&A web page for each project can be accessed by using the dashboard to navigate to the project you are interested in by scrolling or filtering the dashboard using the controls on the left. Hover over the blue hyperlink for the project you want to view the Q&A for and click on the link in the window that pops up.

Item 5:

Underground utilities owned by the Texas Department of Transportation may be present within the Right-Of-Way on this project. For signal, illumination, surveillance, and communications & control maintained by TxDOT, call the TxDOT Traffic Signal Office (214-320-6682) for locates a minimum of 48 hours in advance of excavation. For irrigation systems, call TxDOT Landscape Office (214-320-6205) for locates a minimum of 48 hours in advance of excavation. If city or town owned irrigation facilities are present, call the appropriate department of the local city or town a minimum of 48 hours in advance of excavation. The Contractor is liable for all damages when utilities are damaged due to Contractor's negligence including, but not limited to, repair or replacement at the Contractor's expense.

For the project to be deemed complete, permanently stabilize all unpaved disturbed areas of the project with a vegetative cover at a minimum of 70% density for the control of erosion.

Place construction stakes/station markings at intervals of no more than 100 feet or as directed

County: Kaufman

Highway: US 80

by the Engineer. Place stakes and markings so as not to interfere with normal construction operations.

Item 6:

The Buy America Material Classification Sheet is located at the below link.

<https://www.txdot.gov/business/resources/materials/buy-america-material-classification-sheet.html> for clarification on material categorization.

Item 7:

Repair or replace any structures and utilities that might have been damaged by negligence or a failure to have utility locates performed.

Holiday restrictions – The Engineer may decide that no lane closures or construction operations shall be allowed during the restricted periods listed in the following holiday schedule. TxDOT has the right to lengthen, shorten, or otherwise modify these restricted periods as actual, or expected, traffic conditions may warrant. Working days will not be charged for these restricted periods. No additional compensation will be allowed for these closures (i.e., overhead, delays, stand-by, barricades or any other associated cost impacts).

- New Year's Eve and Day (5 am on December 31 thru 10:00 pm January 1)
- Easter Holiday weekend (5 am on Friday thru 10:00 pm Sunday)
- Memorial Day weekend (5 am on Friday thru 10:00pm Monday)
- Independence Day (5 am on July 3 thru 10:00 pm on July 5)
- Labor Day weekend (5 am on Friday thru 10:00 pm Monday)
- Thanksgiving Holiday (5 am on Wednesday thru 10:00 pm Sunday)
- Christmas Holiday (5 am on December 23 thru 10:00 pm December 26)

No significant traffic generator events identified.

Item 8:

This Project will be a Standard Workweek in accordance with Article 8.3.1.4

Critical Path Method (CPM) schedule in P6 format will be required for this project. Submit baseline schedule and obtain approval prior to beginning construction. The Estimate will be held if monthly schedule update is not submitted.

Nighttime work is allowed in accordance with Article 8.3.3.

Meet weekly with the engineer to notify him or her of planned work for the upcoming week. Provide the engineer with a daily work schedule of planned work.

This project contains a 60 day convenience delay per the Item 8 special provisions for Contractor Mobilization.

County: Kaufman

Highway: US 80

Item 134:

Start backfilling pavement edges as soon as possible after the surface course is started.

Backfill and compact the pavement edges to produce a smooth surface adjacent to the pavement with no vertical edges.

Use Type "A" or "B" material to backfill pavement edges as shown in plans. Type "A" or "B" material shall consist of suitable material that when compacted will support the pavement edge. Rap is considered suitable Type "A" or "B" material.

Blade the existing vegetation into a neat wind-row prior to overlay. After placing Ty A or Ty B backfill and placing seeding, the material from the wind-row shall be replaced on the completed slopes. Emulsion shall be placed at a 50/50 solution of water to emulsion over disturbed area. Emulsion rate=0.15 Gal/SY residual. This work, materials and equipment shall be subsidiary to Item 134.

Item 160:

Sequence construction operations to salvage topsoil from one location and spread on areas ready to receive topsoil. Keep stockpiling of topsoil to a minimum.

Use fertile clay or loam from the project site not more than six inches below natural grade as topsoil.

Item 161:

Provide tickets representing quantity of compost delivered to site.

Item 421:

Furnish mix designs to the Engineer in a format compatible to the latest version of the Department's Construction Management System (Site Manager). Mix Design templates will be provided by the Engineer.

Strength evaluation using maturity testing, Tex-426-A, may be used for all concrete elements except drilled shafts and mass concrete pours.

Supply the Engineer with a list of certified personnel and copies of their current ACI certificates before beginning production and when personnel changes are made. Supply hard copies of calibration reports for testing equipment when required by the Engineer.

Item 440:

Epoxy coated reinforcing is not required for portions of rail or concrete traffic barrier not located on a bridge.

Fiber Reinforced Concrete (FRC) can be used as a substitute for Non-Structural Class Reinforced Concrete in Mow-Strip and Rip Rap Items as approved. FRC may also be used for other Non-Structural Class Reinforced Concrete Items as approved.

County: Kaufman

Highway: US 80

Item 500:

Material On Hand (MOH) will not be used in calculating partial payments for Mobilization.

Item 502:

The Contractor Force Account "Safety Contingency" that has been established for this project is intended to be utilized for work zone enhancements, to improve the effectiveness of the Traffic Control Plan, that could not be foreseen in the project planning and design stage. These enhancements will be mutually agreed upon by the Engineer and the Contractor's Responsible Person based on weekly or more frequent traffic management reviews on the project. The Engineer may choose to use existing bid items if it does not slow the implementation of enhancement.

Access will be provided to all business and residences at all times. Where turning radii are limited during phased construction at intersections, provide all weather surfaces such as RAP or base in turning movements to accommodate and to protect the traffic from edge drop-offs. Materials, labor, maintenance and removal for these temporary accesses and radii will not be paid for directly but will be considered subsidiary to the various bid items.

Provide written proposed lane closure information by 1:00 pm on the business day prior to the proposed closures. Do not close lanes when this requirement is not met.

When excavation is required next to a pavement lane carrying traffic and the widening is not completed by the end of the work day, backfill against the edge of the pavement with at least a 3:1 slope using an acceptable material to support vehicular traffic. Carefully remove and dispose of this material when work resumes. Backfilling pavement edges, and the materials required for the work will be subsidiary to this item.

Place barricades and signs in locations that do not obstruct the sight distance of drivers entering the highway from driveways or side streets.

Do not operate or park any equipment/machinery closer than 30 feet from the traveled roadway after sunset unless authorized by the engineer.

When moving unlicensed equipment on or across any pavement or public highways, protect the pavement from all damage using an acceptable method.

As approved by the Engineer, provide uniformed off duty police officers that are licensed peace officers in the State of Texas during lane or ramp closures, night time work or other situations that indicate a need for additional traffic control to protect the traveling public or the construction workforce. Provide documentation such as payroll, log sheets with signatures and badge number, or invoices from the government entity providing the officers for reimbursement. Complete the weekly tracking form provided by the department and submit invoices that agree with the tracking form for payment at the end of each month approved services were provided. Reimbursement will not be made for coordination fees charged by any party.

Patrol vehicles must be clearly marked to correspond with the officer's agency and equipped with appropriate permanently affixed red and blue flashing lights to identify them as law

County: Kaufman

Highway: US 80

enforcement. For patrol vehicles not owned by a law enforcement agency, markings will be retroreflective and legible from 100 ft. from both sides and the rear of the vehicle. Red and Blue flashing lights will be high intensity and visible from all angles.

The Contractor may begin closing 1 Lane of the EBML and/or WBML's at 9 AM during the day and 9 PM during the night. The Contractor must have all lanes EBML/WBML's open by 5 AM for nighttime work and 3 PM for daytime work. Full Freeway closures are not allowed unless otherwise approved in writing by the Engineer.

The lane closure assessment fee is shown on the following table. The fee applies to the Contractor for closures that are outside the times specified above for each hour, regardless of the length of the lane closure or obstruction.

Freeway Main Lane Closure Assessment Fees

*No. of ML's Closed	**Cost Deduction/Hr
1	\$ 15,000.00
2	\$ 25,000.00
3	\$ 35,000.00
4	\$ 45,000.00
5+	\$ 55,000.00

*Main Lanes include all Thru lanes including HOV/Managed Lanes

**Deducted costs will be prorated by rounding up to the nearest 15-minute increment

Traffic Control Plans with Lane Closures causing backups of 20 minutes or greater in duration will be modified by the Engineer up to and including removal of the lane closure and adjustment of lane closure times.

Work in other areas of the project is not restricted to this time frame.

Additional lanes may be closed, started earlier, or extended later with written permission of the Engineer.

All freeway Lane Closures require a PCMB to advertise in accordance with the District's SOP. The PCMB message must be updated to state "Lanes/Road Closed Ahead" during the closures.

Road/Lane Closure signage will be used on both sides of the road per the TCP sheets unless the inside shoulder is less than 4' or otherwise approved.

County: Kaufman

Highway: US 80

Item 505:

The total number of truck mounted attenuators (TMAs) or trailer attenuators (TAs) required when utilizing the traffic control standards are shown in the tables below.

TCP 5 Series	Scenario		Required TMA/TA
(5-1)-18	A	B	1

TCP 6 Series	Scenario		Required TMA/TA	
(6-1)-12	A	B	1	2

The contractor will be responsible for determining if one or more of these operations will be ongoing at the same time to determine the total number of TMAs/TAs needed for the project. Additional TMAs/TAs used that are not specified in the plans in which the contractor expects compensation will require prior approval from the Engineer.

The TMA/TA used for installation/removal of traffic control for a work area will be subsidiary to the TMA/TA used to perform the work.

Item 506:

Take all practicable precautions to prevent debris from being discharged into the Waters of Texas or a designated wetland. Install Best Management Practices before demolition begins and maintain them during the demolition. Remove any debris or construction material that escapes containment devices and are discharged into the restricted areas, before the next rain event or within 24 hours of the discharge.

If temporary construction stream crossings are allowed under a Nationwide Permit, submit in writing for approval the type and location of each temporary stream crossing. Use temporary bridges, timber mats, or other structurally sound and non-eroding material for temporary stream crossings. A temporary culvert crossing will consist of storm sewer pipes and 4- to 8-inch nominal size rock. Temporary stream crossings must not cause more than minimal changes to the hydraulic flow characteristics of the stream, increase flooding, or cause more than minimal degradation of water quality. Remove the temporary stream crossings in their entirety and return the affected areas to their pre-existing elevation. All work and materials use for temporary construction stream crossings will not be paid for directly but are subsidiary to pertinent Items.

Provide SW3P Signs. Obtain from the Engineer a copy of the project's completed TPDES Storm Water Program Construction Site Notice and Contractor Site Notice. Laminate the sheets and bond with adhesive to 36" X 36" plywood sign blanks. Ensure the sheets remain dry. Apply Type C Blue reflective sheeting as the background and add the text "SW3P" in 5" white lettering, centered at the top. Attach the signs to approved temporary mounts and locate at each of the project limits just inside the right of way line at a readable height or as directed by the Engineer. If the sign cannot be placed outside the clear zone, it must adhere to the TMUTCD. SW3P signs, maintenance, and reposting (for replacement or as needed to ensure readability) will be subsidiary to Item 502.

County: Kaufman

Highway: US 80

Concrete Washouts are required per the CGP. The Concrete Washout Area(s) structural controls must consist of temporary berms, temporary shallow pits, and/or temporary storage tanks to prevent contaminated runoff and must be lined as to prevent contamination of underlying soil. Ensure pits properly maintained including removal of concrete as not to allow over flow. The location(s) of washout area will be approved by the Engineer. When washout pits are no longer needed, they will be removed and area will be restored to original condition. This work, materials and labor will not be measured or paid for directly but will be subsidiary to Item 506, "Temporary Erosion, Sedimentation, and Environmental Controls.

Item 512:

The contractor will furnish pre-cast F Shape Barrier or single slope barrier for traffic control, and remove and retain possession of non-permanent barriers at the end of the project. Pre-cast Barriers must have drainage slots as detailed on the Concrete Barrier Standards. Submit for approval the type of barrier joint connection proposed for the project.

Item 542:

Remove and dispose of metal beam guard fence removed from this project. The work involved in hauling this material will not be paid for directly, but will be considered subsidiary to this item.

Item 730:

At the discretion of the Engineer, mow non-paved areas within the project prior to placement of permanent vegetation. Mow up to four (4) cycles per growing season.



Estimate & Quantity Sheet

CONTROLLING PROJECT ID 0095-03-110

DISTRICT Dallas
HIGHWAY US 80

COUNTY Kaufman

CONTROL SECTION JOB				0095-03-110		TOTAL EST.	TOTAL FINAL
PROJECT ID				A00190745			
COUNTY				Kaufman			
HIGHWAY				US 80			
ALT	BID CODE	DESCRIPTION	UNIT	EST.	FINAL		
	134-7004	BACKFILL (TY A OR B)	STA	114.000		114.000	
	161-7002	COMPOST MANUF TOPSOIL (4")	SY	12,665.000		12,665.000	
	164-7018	HYDRO MULCH SEED (PERM_RURAL_CLAY)	SY	12,665.000		12,665.000	
	164-7021	HYDRO MULCH SEED (TEMP_WARM)	SY	4,224.000		4,224.000	
	168-7001	VEGETATIVE WATERING	TGL	2,516.000		2,516.000	
	432-7004	RIPRAP (CONC)(CL A)	CY	519.000		519.000	
	500-7001	MOBILIZATION	LS	1.000		1.000	
	502-7001	BARRICADES, SIGNS AND TRAFFIC HANDLING	MO	8.000		8.000	
	503-7002	PORTABLE CHANGEABLE MESSAGE SIGN	EA	2.000		2.000	
	505-7001	TMA (STATIONARY)	DAY	118.000		118.000	
	505-7003	TMA (MOBILE OPERATION)	DAY	10.000		10.000	
	506-7039	TEMP SEDMT CONT FENCE (INSTALL)	LF	53.000		53.000	
	506-7041	TEMP SEDMT CONT FENCE (REMOVE)	LF	53.000		53.000	
	506-7044	BIODEG EROSN CONT LOGS (INSTL) (12")	LF	168.000		168.000	
	506-7046	BIODEG EROSN CONT LOGS (REMOVE)	LF	168.000		168.000	
	512-7005	PORT CTB (FUR & INST)(F-SHAPE)(TY 1)	LF	23,580.000		23,580.000	
	512-7053	PORT CTB (REMOVE)(F-SHAPE)(TY 1)	LF	23,580.000		23,580.000	
	514-7001	PERM CTB (SGL SLOPE) (TY 1) (42)	LF	11,100.000		11,100.000	
	542-7001	REMOVE METAL BEAM GUARD FENCE	LF	225.000		225.000	
	542-7003	REMOVE DOWNSTREAM ANCHOR TERMINAL	EA	1.000		1.000	
	543-7018	CABLE BARRIER TERM SEC (INSTL)(TL-4)	EA	1.000		1.000	
	543-7037	CABLE BARRIER (REMOVE)	LF	10,642.000		10,642.000	
	543-7038	CABLE BARRIER TERMINAL SECTION (REMOVE)	EA	3.000		3.000	
	544-7003	GUARDRAIL END TREATMENT (REMOVE)	EA	1.000		1.000	
	545-7004	CRASH CUSH ATTEN (REMOVE)	EA	2.000		2.000	
	545-7010	CRASH CUSH ATTEN (INSTL)(R)(N)(TL3)	EA	1.000		1.000	
	545-7014	CRASH CUSH ATTEN (INSTL)(S)(N)(TL3)	EA	2.000		2.000	
	658-7031	INSTL DEL ASSM (D-SY)SZ 1(BRF)CTB	EA	601.000		601.000	
	730-7019	FULL - WIDTH MOWING	CYC	2.000		2.000	
	08	SAFETY CONTINGENCY: CONTRACTOR FORCE ACCOUNT WORK (NON-PART)	LS	1.000		1.000	
	18	EROSION CONTROL MAINTENANCE: CONTRACTOR FORCE ACCOUNT WORK (PART)	LS	1.000		1.000	
		LAW ENFORCEMENT: CONTRACTOR FORCE ACCOUNT WORK (PART)	LS	1.000		1.000	
		SAFETY CONTINGENCY: CONTRACTOR FORCE ACCOUNT WORK (PART)	LS	1.000		1.000	

DATE: 9/10/2024 3:37:36 PM
 FILE: p:\dot\project\wiseonline.com\TxDOT\5\Documents\18 - DAL\Design Projects\095031104 - Design\Plan Set\1 - General\6_0095-03-110 US 80 SUMMARY.dgn

SUMMARY OF WORKZONE TRAFFIC CONTROL ITEMS										
LOCATION		503	505	505	512	512	545	545	658	
		7002	7001	7003	7005	7053	7004	7014	7031	
STA	STA	EA	DAY	DAY	LF	LF	EA	EA	EA	
77+00	101+00	1	118	10	3720	3720	1	1	77	
101+00	125+00				4800	4800				98
125+00	149+00				4800	4800				98
149+00	173+00				4800	4800				98
173+00	197+00				4800	4800				98
197+00	203+00	1			660	660	1	1		16
PROJECT TOTALS		2	118	10	23580	23580	2	2	485	

SUMMARY OF ROADWAY ITEMS													
LOCATION		LENGTH	134	432	514	542	542	543	543	543	544	545	658
			7004	7004	7001	7001	7003	7018	7037	7038	7003	7010	7031
STA	STA	LF	BACKFILL (TY A OR B)	RIPRAP (CONC) (CL A)	PERM CTB (SGL SLOPE) (TY 1) (42)	REMOVE METAL BEAM GUARD FENCE	REMOVE DOWNSTREAM ANCHOR TERMINAL	CABLE BARRIER TERMINAL SECTION (INSTALL) (TL-4)	CABLE BARRIER (REMOVE)	CABLE BARRIER TERMINAL SECTION (REMOVE)	GUARDRAIL END TREATMENT (REMOVE)	CRASH CUSH ATTEN (INSTALL) (R) (N) (TL3)	INSTR DEL ASSM (D-SY) SZ 1 (BRF) CTB *
STA	STA	LF	STA	CY	LF	LF	EA	EA	LF	EA	EA	EA	EA
83+00	107+00	2400	24	98	2100			1	1975			1	22
107+00	131+00	2400	24	112	2400	225	1		2132	2	1		25
131+00	155+00	2400	24	112	2400				2400				25
155+00	179+00	2400	24	112	2400				2400				25
179+00	197+00	1800	18	85	1800				1735	1			19
PROJECT TOTALS			114	519	11100	225	1	1	10642	3	1	1	116

* BID ITEM SHOWN IN MULTIPLE DICIPLINES

SUMMARY OF EROSION CONTROL ITEMS										
LOCATION		161	164	164	168	506	506	506	506	730
		7002	7018	7021	7001	7039	7041	7044	7046	7019
STA	STA	SY	SY	SY	TGL	LF	LF	LF	LF	CYC
83+00	107+00	2420	2420	807	481	50	50	40	40	2
107+00	131+00	2668	2668	890	530			40	40	
131+00	155+00	2668	2668	890	530			40	40	
155+00	179+00	2668	2668	890	530			40	40	
179+00	197+00	2241	2241	747	445			40	40	
ADDITIONAL 5% (2)						3	3	8	8	
PROJECT TOTALS		12665	12665	4224	2516	53	53	168	168	2

- (1) APPROXIMATELY 60 ACRES PER FULL WIDTH MOWING CYCLE FOR CONTRACTOR'S INFORMATION
- (2) 5% INCREASE FOR SW3P QUANTITIES TO ACCOUNT FOR REPLACEMENTS DUE TO NORMAL WEAR ON DIFFERING SITE CONDITIONS.



**US 80
SUMMARY SHEET**

SHEET 1 OF 1

CONT	SECT	JOB	HIGHWAY
0095	03	110	US 80
DIST	COUNTY	SHEET NO.	
DAL	KAUFMAN	7	

DATE: 9/10/2024 2:56:32 PM
FILE: pw://txdot.projectwiseonline.com/TxDOT5/Documents/18 - DAL/Design Projects/009503110/4 - Design/Plan Set/2 - TCP/0095-03-110 US 80 TCP PHASE NARRATIVE.dgn

DN:
CK:
DW:
CK:

SUGGESTED SEQUENCE OF CONSTRUCTION

PHASE I - SET PROJECT BARRICADES & PORTABLE CTB

1. ERECT PROJECT LIMITS & ADVANCE WARNING SIGNS AS SHOWN IN THE PLANS, BC, TCP, AND WZ STANDARDS, AND AS DIRECTED BY THE ENGINEER.
2. PLACE AND MAINTAIN SW3P DEVICES AS DIRECTED BY THE ENGINEER AND AS SHOWN ON THE PLANS.
3. SET UP TCP IN ACCORDANCE WITH TCP (5-1) OR TCP(6-1) TO PLACE PORTABLE CTB & CRASH CUSHION ATTENUATORS ON EASTBOUND & WESTBOUND INSIDE SHOULDERS.
4. PLACE DELINEATORS ON PCTB

PHASE II - PLACE RIPRAP & SSCB

1. SET UP TCP IN ACCORDANCE WITH TCP (5-1) OR TCP(6-1) TO PERFORM REMOVAL OF MBGF, CABLE BARRIER, AND TERMINAL SECTIONS. BEGIN WORK ON PROPOSED SSCB & RIPRAP.
2. PLACE AND MAINTAIN SW3P DEVICES AS DIRECTED BY THE ENGINEER AND AS SHOWN ON THE PLANS.
3. PLACE CRASH CUSHION ATTENUATORS.
4. PLACE DELINEATORS ON SSCB.
5. RE-VEGETATE ANY DISTURBED AREAS OR AS DIRECTED BY THE ENGINEER.

PHASE III - REMOVE PORTABLE CTB & FINAL CLEAN-UP

1. PERFORM PUNCH-LIST ITEMS
2. REMOVE SW3P DEVICES AND ESTABLISH PERMANENT VEGETATIVE COVER AS SHOWN IN THE PLANS AND AS DIRECTED BY THE ENGINEER.
3. PERFORM FINAL SITE CLEAN-UP
4. REMOVE PORTABLE CTB & CRASH CUSHIONS
5. REMOVE BARRICADES AND ADVANCED WARNING SIGNS FROM THE PROJECT.

TCP GENERAL NOTES

PROJECT LIMIT TRAFFIC CONTROL DEVICES SHALL BE INSTALLED ACCORDING TO THE BARRICADE AND CONSTRUCTION (BC) STANDARDS AND SHALL REMAIN IN PLACE UNTIL THE PROJECT IS COMPLETED.

ONE LANE IN EACH DIRECTION MUST BE OPEN THROUGHOUT THE DURATION OF THE PROJECT.

THE CONTRACTOR WILL PROVIDE WRITTEN NOTICE TO THE ENGINEER BEFORE 1:00 PM ON THE BUSINESS DAY PRECEDING PROPOSED LANE CLOSURES. LANE CLOSURES WILL NOT BE PERMITTED WITHOUT THIS NOTIFICATION.

THE CONTRACTOR SHALL COVER OR REMOVE ANY CONFLICTING SIGNS OR PAVEMENT MARKINGS DURING CONSTRUCTION AS DIRECTED BY ENGINEER AND THIS WORK SHALL BE SUBSIDIARY TO ITEM 502.

PAY ATTENTION TO OVERHEAD UTILITIES.


MAINTAIN CROSSOVER AND RAMP ACCESS AT ALL TIMES WITH AN ALL WEATHER SURFACE CONSISTING OF RAP OR BASE.

TEMPORARY SW3P EROSION CONTROL MEASURES SHALL ONLY BE PLACED IN AREAS WHERE SOIL DISTURBANCE IS EXPECTED TO OCCUR WITHIN TWO WEEKS. TEMPORARY SW3P EROSION CONTROL MEASURES SHALL BE REMOVED IN EACH AREA WITHIN TWO WEEKS OF VEGETATION ESTABLISHMENT OR AS DIRECTED BY THE ENGINEER.

STORE EQUIPMENT, SUPPLIES, AND SIGNS 30 FEET OFF TRAVEL LANE AND/OR WITH POSITIVE BARRIER WITHIN ROW.

ALL TCP DEVICES/SIGNS SHOWN ON TCP PLAN ARE CONSIDERED MINIMUM, ADDITIONAL DEVICES/SIGNS MAY BE NECESSARY AND SUBSIDIARY TO ITEM 502.

MAINTAIN POSITIVE DRAINAGE AT ALL TIMES.



Falon Renfro 9/10/2024
Signature of Registrant & Date




US 80
TCP PHASE NARRATIVE

SHEET 1 OF 1


CONT	SECT	JOB	HIGHWAY
0095	03	110	US 80
DIST	COUNTY	SHEET NO.	
DAL	KAUFMAN	9	

DATE: 9/10/2024 2:57:20 PM
 FILE: pw://ttdot.projectwiseonline.com/TxDOT5/Documents/18 - DAL/Design Projects/009503110/4 - Design/Plan Set/2 - TCP/0095-03-110 US 80 TCP Typical Sections.dgn

CK: DW: CK: DW:



PHASE I - PLACE PORTABLE CTB & CRASH CUSHIONS
 STA 80+60 TO 201+50



PHASE II - PLACE RIPRAP & SSCB
 STA 80+60 TO 201+50



Falon J. Renfro P.E. 9/17/2024
 Signature of Registrant & Date





US 80
 TCP TYPICAL SECTIONS

NTS		SHEET 1 OF 1	
CONT	SECT	JOB	HIGHWAY
0095	03	110	US 80
DIST	COUNTY	SHEET NO.	
DAL	KAUFMAN	10	

DATE: 9/10/2024 2:58:27 PM
 FILE: \\txdot\projectwiseonline.com\TxDOT5\Documents\18 - DAL\Design Projects\009503110\4 - Design\Plan Set\2 - TCP\0095-03-110 US 80 TCP Layout.dgn

CK: _____
 DW: _____
 CK: _____
 DW: _____




PI 123+42.41
 Δ 21°38'04.6" (RT)
 D 01°00'36.4"
 T 1083.82'
 L 2141.83'
 R 5672.29'
 PC 112+58.59
 PT 134+00.42



- LEGEND:**
- CHANNELIZING DEVICE
 - PORTABLE CONCRETE BARRIER
 - CRASH CUSHION ATTENUATOR (CCA)

NOTES

1. SET TRAFFIC CONTROL IN ACCORDANCE WITH BC SHEETS, WZ SHEETS, TCP STANDARDS, & TMUTCD.



Falon Renfro, P.E. 9/10/2024
 Signature of Registrant & Date



**US 80
 TCP LAYOUT**

SCALE 1"=100'		SHEET 2 OF 6	
CONT	SECT	JOB	HIGHWAY
0095	03	110	US 80
DIST	COUNTY	SHEET NO.	
DAL	KAUFMAN	12	



DATE: 9/10/2024 2:58:32 PM
 FILE: pw://txdot.projectwiseonline.com:TxDOT5/Documents/18 - DAL/Design Projects/009503110/4 - Design/Plan Set/2 - TCP/0095-03-110 US 80 TCP Layout.dgn

CK: _____
 DW: _____
 CK: _____
 DW: _____



- LEGEND:
-  CHANNELIZING DEVICE
 -  PORTABLE CONCRETE BARRIER
 -  CRASH CUSHION ATTENUATOR (CCA)

- NOTES
1. SET TRAFFIC CONTROL IN ACCORDANCE WITH BC SHEETS, WZ SHEETS, TCP STANDARDS, & TMUTCD.



Falon Renfro, P.E. 9/10/2024
 Signature of Registrant & Date




US 80
TCP LAYOUT

SCALE 1"=100'		SHEET 3 OF 6	
CONT	SECT	JOB	HIGHWAY
0095	03	110	US 80
DIST	COUNTY	SHEET NO.	
DAL	KAUFMAN	13	


DATE: 9/10/2024 2:58:37 PM
 FILE: pw://txdot.projectwiseonline.com/TxDOT5/Documents/18 - DAL/Design Projects/009503110/4 - Design/Plan Set/2 - TCP/0095-03-110 US 80 TCP Layout.dgn

CK: DW: CK: DW: CK: DW:



- LEGEND:**
- CHANNELIZING DEVICE
 - PORTABLE CONCRETE BARRIER
 - CRASH CUSHION ATTENUATOR (CCA)

- NOTES**
1. SET TRAFFIC CONTROL IN ACCORDANCE WITH BC SHEETS, WZ SHEETS, TCP STANDARDS, & TMUTCD.



Falon J. Renfro, P.E. 9/10/2024
 Signature of Registrant & Date





**US 80
TCP LAYOUT**

SCALE 1"=100' SHEET 4 OF 6

CONT	SECT	JOB	HIGHWAY
0095	03	110	US 80
DIST	COUNTY	SHEET NO.	
DAL	KAUFMAN	14	

DATE: 9/10/2024 2:58:42 PM
 FILE: pw://ttdot.projectwiseonline.com/TxDOT5/Documents/18 - DAL/Design Projects/009503110/4 - Design/Plan Set/2 - TCP/0095-03-110 US 80 TCP Layout.dgn

CK: DW: CK: DW: CK: DW:



PI 187+92.28
 Δ 16°22'22.1" (LT)
 D 00°59'21.7"
 T 833.12'
 L 1654.88'
 R 5791.19'
 PC 179+59.17
 PT 196+14.05



- LEGEND:
- CHANNELIZING DEVICE
 - PORTABLE CONCRETE BARRIER
 - CRASH CUSHION ATTENUATOR (CCA)

NOTES

1. SET TRAFFIC CONTROL IN ACCORDANCE WITH BC SHEETS, WZ SHEETS, TCP STANDARDS, & TMUTCD.



Falon Renfro, P.E. 9/10/2024
 Signature of Registrant & Date




US 80
 TCP LAYOUT

SCALE 1"=100' SHEET 5 OF 6

CONT	SECT	JOB	HIGHWAY
0095	03	110	US 80
DIST	COUNTY	SHEET NO.	
DAL	KAUFMAN	15	

DATE: 9/17/2024 10:41:29 AM
 FILE: p:\w\txdot\projectwiseonline.com\TxDOT5\Documents\18 - DAL\Design Projects\009503110\4 - Design\Plan Set\2 - TCP\0095-03-110 US 80 TCP Layout.dgn

CK: DW: CK: DW: CK: DW:



- LEGEND:**
-  CHANNELIZING DEVICE
 -  PORTABLE CONCRETE BARRIER
 -  CRASH CUSHION ATTENUATOR (CCA)

- NOTES**
1. SET TRAFFIC CONTROL IN ACCORDANCE WITH BC SHEETS, WZ SHEETS, TCP STANDARDS, & TMUTCD.



Falon J. Renfro 9/17/2024
 Signature of Registrant & Date



**US 80
 TCP LAYOUT**

SCALE 1"=100' SHEET 6 OF 6

CONT	SECT	JOB	HIGHWAY
0095	03	110	US 80
DIST	COUNTY	SHEET NO.	
DAL	KAUFMAN	16	

DATE: 6/3/2024 8:41:08 AM
 FILE: D:\projects\00950311024\Design\18 - DAL\Design Projects\00950311024\Set/2 - TCP/STANDARD/00950311024 - BC(1)-21.dgn
 The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to any other format or for any errors or omissions in this standard.

BARRICADE AND CONSTRUCTION (BC) STANDARD SHEETS GENERAL NOTES:

- The Barricade and Construction Standard Sheets (BC sheets) are intended to show typical examples for placement of temporary traffic control devices, construction pavement markings, and typical work zone signs. The information contained in these sheets meet or exceed the requirements shown in the "Texas Manual on Uniform Traffic Control Devices" (TMUTCD).
- The development and design of the Traffic Control Plan (TCP) is the responsibility of the Engineer.
- The Contractor may propose changes to the TCP that are signed and sealed by a licensed professional engineer for approval. The Engineer may develop, sign and seal Contractor proposed changes.
- The Contractor is responsible for installing and maintaining the traffic control devices as shown in the plans. The Contractor may not move or change the approximate location of any device without the approval of the Engineer.
- Geometric design of lane shifts and detours should, when possible, meet the applicable design criteria contained in manuals such as the American Association of State Highway and Transportation Officials (AASHTO), "A Policy on Geometric Design of Highways and Streets," the TxDOT "Roadway Design Manual" or engineering judgment.
- When projects abut, the Engineer(s) may omit the END ROAD WORK, TRAFFIC FINES DOUBLE, and other advance warning signs if the signing would be redundant and the work areas appear continuous to the motorists. If the adjacent project is completed first, the Contractor shall erect the necessary warning signs as shown on these sheets, the TCP sheets or as directed by the Engineer. The BEGIN ROAD WORK NEXT X MILES sign shall be revised to show appropriate work zone distance.
- The Engineer may require duplicate warning signs on the median side of divided highways where median width will permit and traffic volumes justify the signing.
- All signs shall be constructed in accordance with the details found in the "Standard Highway Sign Designs for Texas," latest edition. Sign details not shown in this manual shall be shown in the plans or the Engineer shall provide a detail to the Contractor before the sign is manufactured.
- The temporary traffic control devices shown in the illustrations of the BC sheets are examples. As necessary, the Engineer will determine the most appropriate traffic control devices to be used.
- Where highway construction or maintenance work is being undertaken, other than mobile operations as defined by the Texas Manual on Uniform Traffic Control Devices, CSJ limit signs are required. CSJ limit signs are shown on BC(2). The OBEY WARNING SIGNS STATE LAW sign, STAY ALERT TALK OR TEXT LATER and the WORK ZONE TRAFFIC FINES DOUBLE sign with plaque shall be erected in advance of the CSJ limits. The BEGIN ROAD WORK NEXT X MILES, CONTRACTOR and END ROAD WORK signs shall be erected at or near the CSJ limits. For mobile operations, CSJ limit signs are not required.
- Traffic control devices should be in place only while work is actually in progress or a definite need exists.
- The Engineer has the final decision on the location of all traffic control devices.
- Inactive equipment and work vehicles, including workers' private vehicles must be parked away from travel lanes. They should be as close to the right-of-way line as possible, or located behind a barrier or guardrail, or as approved by the Engineer.

WORKER SAFETY NOTES:

- Workers on foot who are exposed to traffic or to construction equipment within the right-of-way shall wear high-visibility safety apparel meeting the requirements of ISEA "American National Standard for High-Visibility Apparel," or equivalent revisions, and labeled as ANSI 107-2004 standard performance for Class 2 or 3 risk exposure. Class 3 garments should be considered for high traffic volume work areas or night time work.
- Except in emergency situations, flagger stations shall be illuminated when flagging is used at night.

COMPLIANT WORKZONE TRAFFIC CONTROL DEVICES

- Only pre-qualified products shall be used. The "Compliant Work Zone Traffic Control Devices List" (CWZTCD) describes pre-qualified products and their sources.
- Work zone traffic control devices shall be compliant with the Manual for Assessing safety Hardware (MASH).


THE DOCUMENTS BELOW CAN BE FOUND ON-LINE AT http://www.txdot.gov
COMPLIANT WORK ZONE TRAFFIC CONTROL DEVICES LIST (CWZTCD)
DEPARTMENTAL MATERIAL SPECIFICATIONS (DMS)
MATERIAL PRODUCER LIST (MPL)
ROADWAY DESIGN MANUAL - SEE "MANUALS (ONLINE MANUALS)"
STANDARD HIGHWAY SIGN DESIGNS FOR TEXAS (SHSD)
TEXAS MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (TMUTCD)
TRAFFIC ENGINEERING STANDARD SHEETS

SHEET 1 OF 12

 Texas Department of Transportation		Traffic Safety Division Standard	
BARRICADE AND CONSTRUCTION GENERAL NOTES AND REQUIREMENTS			
BC (1) - 21			
FILE: bc-21.dgn	DWG: TxDOT	CHK: TxDOT	APP: TxDOT
© TxDOT November 2002	CONT: 0095	SECT: 03	JOB: 110
REVISIONS	DIST: DAL		COUNTY: KAUFMAN
4-03 7-13			SHEET NO. 17
9-07 8-14			
5-10 5-21			


DATE: 6/3/2024 8:41:11 AM
 FILE: D:\dal\project\projectwiseonline.com\TXDOT15\Documents\18 - DAL\Design Projects\009503\02 - Plans\01 - BC(2)-21.dgn
 The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of units or the use of any other information not contained herein.

TYPICAL LOCATION OF CROSSROAD SIGNS



- ## May be mounted on back of "ROAD WORK AHEAD" (CW20-1D) sign with approval of Engineer. (See note 2 below)
- The typical minimum signing on a crossroad approach should be a "ROAD WORK AHEAD" (CW20-1D) sign and a (G20-2) "END ROAD WORK" sign, unless noted otherwise in plans.
 - The Engineer may use the reduced size 36" x 36" ROAD WORK AHEAD (CW20-1D) sign mounted back to back with the reduced size 36" x 18" "END ROAD WORK" (G20-2) sign on low volume crossroads (see Note 4 under "Typical Construction Warning Sign Size and Spacing"). See the "Standard Highway Sign Designs for Texas" manual for sign details. The Engineer may omit the advance warning signs on low volume crossroads. The Engineer will determine whether a road is low volume as per TMUTCD Part 5. This information shall be shown in the plans.
 - Based on existing field conditions, the Engineer/Inspector may require additional signs such as FLAGGER AHEAD, LOOSE GRAVEL, or other appropriate signs. When additional signs are required, these signs will be considered part of the minimum requirements. The Engineer/Inspector will determine the proper location and spacing of any sign not shown on the BC sheets, Traffic Control Plan sheets or the Work Zone Standard Sheets.
 - The "ROAD WORK NEXT X MILES" (G20-1aT) sign shall be required at high volume crossroads to advise motorists of the length of construction in either direction from the intersection. The Engineer will determine whether a roadway is considered high volume.
 - Additional traffic control devices may be shown elsewhere in the plans for higher volume crossroads.
 - When work occurs in the intersection area, appropriate traffic control devices, as shown elsewhere in the plans or as determined by the Engineer/Inspector, shall be in place.

T-INTERSECTION



CSJ LIMITS AT T-INTERSECTION

- The Engineer will determine the types and location of any additional traffic control devices, such as a flagger and accompanying signs, or other signs, that should be used when work is being performed at or near an intersection.
- If construction closes the road at a T-intersection, the Contractor shall place the "CONTRACTOR NAME" (G20-6T) sign behind the Type 3 Barricades for the road closure (see BC(10) also). The "ROAD WORK NEXT X MILES" left arrow (G20-1bTL) and "ROAD WORK NEXT X MILES" right arrow (G20-1bTR) signs shall be replaced by the detour signing called for in the plans.

TYPICAL CONSTRUCTION WARNING SIGN SIZE AND SPACING^{1,5,6}

Sign Number or Series	SIZE		SPACING	
	Conventional Road	Expressway/Freeway	Posted Speed MPH	Sign Δ Spacing "x" Feet (Apprx.)
CW20 ⁴	48" x 48"	48" x 48"	30	120
CW21			35	160
CW23			40	240
CW25			45	320
CW1, CW2, CW7, CW8, CW9, CW11, CW14	36" x 36"	48" x 48"	50	400
CW3, CW4, CW5, CW6, CW8-3, CW10, CW12	48" x 48"	48" x 48"	60	600 ²
			65	700 ²
			70	800 ²
			80	1000 ²
*			*	* ³


* For typical sign spacings on divided highways, expressways and freeways, see Part 6 of the "Texas Manual on Uniform Traffic Control Devices" (TMUTCD) typical application diagrams or TCP Standard Sheets.

Δ Minimum distance from work area to first Advance Warning sign nearest the work area and/or distance between each additional sign.

GENERAL NOTES


- Special or larger size signs may be used as necessary.
- Distance between signs should be increased as required to have 1500 feet advance warning.
- Distance between signs should be increased as required to have 1/2 mile or more advance warning.
- 36" x 36" "ROAD WORK AHEAD" (CW20-1D) signs may be used on low volume crossroads at the discretion of the Engineer as per TMUTCD Part 5. See Note 2 under "Typical Location of Crossroad Signs".
- Only diamond shaped warning sign sizes are indicated.
- See sign size listing in "TMUTCD", Sign Appendix or the "Standard Highway Sign Designs for Texas" manual for complete list of available sign design sizes.

WORK AREAS IN MULTIPLE LOCATIONS WITHIN CSJ LIMITS




When extended distances occur between minimal work spaces, the Engineer/Inspector should ensure additional "ROAD WORK AHEAD" (CW20-1D) signs are placed in advance of these work areas to remind drivers they are still within the project limits. See the applicable TCP sheets for exact location and spacing of signs and channelizing devices.

SAMPLE LAYOUT OF SIGNING FOR WORK BEGINNING DOWNSTREAM OF THE CSJ LIMITS



SAMPLE LAYOUT OF SIGNING FOR WORK BEGINNING AT THE CSJ LIMITS



NOTES

- The Contractor shall determine the appropriate distance to be placed on the G20-1 series signs and "BEGIN ROAD WORK NEXT X MILES" (G20-5T) sign for each specific project. This distance shall replace the "X" and shall be rounded to the nearest whole mile with the approval of the Engineer. No decimals shall be used.
- The "BEGIN WORK ZONE" (G20-9TP) and "END WORK ZONE" (G20-2bT) shall be used as shown on the sample layout when advance signs are required outside the CSJ Limits. They inform the motorist of entering or leaving a part of the work zone lying outside the CSJ Limits where traffic fines may double if workers are present.
 - CSJ limit signing is required for highway construction and maintenance work, with the exception of mobile operations.
 - Area for placement of "ROAD WORK AHEAD" (CW20-1D) sign and other signs or devices as called for on the Traffic Control Plan.
 - Contractor will install a regulatory speed limit sign at the end of the work zone.

LEGEND

—	Type 3 Barricade
○ ○ ○	Channelizing Devices
■	Sign
X	See Typical Construction Warning Sign Size and Spacing chart or the TMUTCD for sign spacing requirements.

BARRICADE AND CONSTRUCTION PROJECT LIMIT


BC(2)-21

FILE: bc-21.dgn	DWG: TXDOT	CHK: TXDOT	DNW: TXDOT	CR: TXDOT
© TXDOT November 2002	CONT: 009503	SECT: 110	JOB: US 80	HIGHWAY: KAUFMAN
REVISIONS: 9-07 8-14 7-13 5-21	DIST: DAL	COUNTY: KAUFMAN	SHEET NO.: 18	

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 6/3/2024 8:41:15 AM
 FILE: \\ttdot.projectwiseonline.com:TXDOT15\Documents\18 - DAL\Design Projects\009503110\4 - Design\Plan Set\2 - TCP\STANDARDS\0095-03-110 US 80 bc-21.dgn


TYPICAL MINIMUM CLEARANCES FOR LONG TERM AND INTERMEDIATE TERM SIGNS



* When placing skid supports on unlevel ground, the leg post lengths must be adjusted so the sign appears straight and plumb. Objects shall NOT be placed under skids as a means of leveling.

** When plaques are placed on dual-leg supports, they should be attached to the upright nearest the travel lane. Supplemental plaques (advisory or distance) should not cover the surface of the parent sign.

ATTACHMENT FOR SIGN SUPPORTS



Splicing embedded perforated square metal tubing in order to extend post height will only be allowed when the splice is made using four bolts, two above and two below the splice point. Splice must be located entirely behind the sign substrate, not near the base of the support. Splice insert lengths should be at least 5 times nominal post size, centered on the splice and of at least the same gauge material.

GENERAL NOTES FOR WORK ZONE SIGNS

- Contractor shall install and maintain signs in a straight and plumb condition and/or as directed by the Engineer.
- Wooden sign posts shall be painted white.
- Barricades shall NOT be used as sign supports.
- All signs shall be installed in accordance with the plans or as directed by the Engineer. Signs shall be used to regulate, warn, and guide the traveling public safely through the work zone.
- The Contractor may furnish either the sign design shown in the plans or in the "Standard Highway Sign Designs for Texas" (SHSD). The Engineer/Inspector may require the Contractor to furnish other work zone signs that are shown in the TMUTCD but may have been omitted from the plans. Any variation in the plans shall be documented by written agreement between the Engineer and the Contractor's Responsible Person. All changes must be documented in writing before being implemented. This can include documenting the changes in the Inspector's TxDOT diary and having both the Inspector and Contractor initial and date the agreed upon changes.
- The Contractor shall furnish sign supports listed in the "Compliant Work Zone Traffic Control Device List" (CWZTCD) for small roadside signs. Supports for temporary large roadside signs shall meet the requirements detailed on the Temporary Large Roadside Signs (TLRS) standard sheets. The Contractor shall install the sign support in accordance with the manufacturer's recommendations. If there is a question regarding installation procedures, the Contractor shall furnish the Engineer a copy of the manufacturer's installation recommendations so the Engineer can verify the correct procedures are being followed.
- The Contractor is responsible for installing signs on approved supports and replacing signs with damaged or cracked substrates and/or damaged or marred reflective sheeting as directed by the Engineer/Inspector.
- Identification markings may be shown only on the back of the sign substrate. The maximum height of letters and/or company logos used for identification shall be 1 inch.
- The Contractor shall replace damaged wood posts. New or damaged wood sign posts shall not be spliced.

DURATION OF WORK (as defined by the "Texas Manual on Uniform Traffic Control Devices" Part 6)

- The types of sign supports, sign mounting height, the size of signs, and the type of sign substrates can vary based on the type of work being performed. The Engineer is responsible for selecting the appropriate size sign for the type of work being performed. The Contractor is responsible for ensuring the sign support, sign mounting height and substrate meets manufacturer's recommendations in regard to crashworthiness and duration of work requirements.
 - Long-term stationary - work that occupies a location more than 3 days.
 - Intermediate-term stationary - work that occupies a location more than one daylight period up to 3 days, or nighttime work lasting more than one hour.
 - Short-term stationary - daytime work that occupies a location for more than 1 hour in a single daylight period.
 - Short, duration - work that occupies a location up to 1 hour.
 - Mobile - work that moves continuously or intermittently (stopping for up to approximately 15 minutes.)

SIGN MOUNTING HEIGHT

- The bottom of Long-term/Intermediate-term signs shall be at least 7 feet, but not more than 9 feet, above the paved surface, except as shown for supplemental plaques mounted below other signs.
- The bottom of Short-term/Short Duration signs shall be a minimum of 1 foot above the pavement surface but no more than 2 feet above the ground.
- Long-term/Intermediate-term Signs may be used in lieu of Short-term/Short Duration signing.
- Short-term/Short Duration signs shall be used only during daylight and shall be removed at the end of the workday or raised to appropriate Long-term/Intermediate sign height.
- Regulatory signs shall be mounted at least 7 feet, but not more than 9 feet, above the paved surface regardless of work duration.

SIZE OF SIGNS

- The Contractor shall furnish the sign sizes shown on BC (2) unless otherwise shown in the plans or as directed by the Engineer.

SIGN SUBSTRATES

- The Contractor shall ensure the sign substrate is installed in accordance with the manufacturer's recommendations for the type of sign support that is being used. The CWZTCD lists each substrate that can be used on the different types and models of sign supports.
- "Mesh" type materials are NOT an approved sign substrate, regardless of the tightness of the weave.
- All wooden individual sign panels fabricated from 2 or more pieces shall have one or more plywood cleat, 1/2" thick by 6" wide, fastened to the back of the sign and extending fully across the sign. The cleat shall be attached to the back of the sign using wood screws that do not penetrate the face of the sign panel. The screws shall be placed on both sides of the splice and spaced at 6" centers. The Engineer may approve other methods of splicing the sign face.

REFLECTIVE SHEETING

- All signs shall be retroreflective and constructed of sheeting meeting the color and retro-reflectivity requirements of DMS-8300 for rigid signs or DMS-8310 for roll-up signs. The web address for DMS specifications is shown on BC(1).
- White sheeting, meeting the requirements of DMS-8300 Type A, shall be used for signs with a white background.
- Orange sheeting, meeting the requirements of DMS-8300 Type B_{FL} or Type C_{FL}, shall be used for rigid signs with orange backgrounds.

SIGN LETTERS

- All sign letters and numbers shall be clear, and open rounded type uppercase alphabet letters as approved by the Federal Highway Administration (FHWA) and as published in the "Standard Highway Sign Design for Texas" manual. Signs, letters and numbers shall be of first class workmanship in accordance with Department Standards and Specifications.

REMOVING OR COVERING

- When sign messages may be confusing or do not apply, the signs shall be removed or completely covered.
- Long-term stationary or intermediate stationary signs installed on square metal tubing may be turned away from traffic 90 degrees when the sign message is not applicable. This technique may not be used for signs installed in the median of divided highways or near any intersections where the sign may be seen from approaching traffic.
- Signs installed on wooden skids shall not be turned at 90 degree angles to the roadway. These signs should be removed or completely covered when not required.
- When signs are covered, the material used shall be opaque, such as heavy mil black plastic, or other materials which will cover the entire sign face and maintain their opaque properties under automobile headlights at night, without damaging the sign sheeting.
- Burlap shall NOT be used to cover signs.
- Duct tape or other adhesive material shall NOT be affixed to a sign face.
- Signs and anchor stubs shall be removed and holes backfilled upon completion of work.

SIGN SUPPORT WEIGHTS


- Where sign supports require the use of weights to keep from turning over, the use of sandbags with dry, cohesionless sand should be used.
- The sandbags will be tied shut to keep the sand from spilling and to maintain a constant weight.
- Rock, concrete, iron, steel or other solid objects shall not be permitted for use as sign support weights.
- Sandbags should weigh a minimum of 35 lbs and a maximum of 50 lbs.
- Sandbags shall be made of a durable material that tears upon vehicular impact. Rubber (such as tire inner tubes) shall NOT be used.
- Rubber ballasts designed for channelizing devices should not be used for ballast on portable sign supports. Sign supports designed and manufactured with rubber bases may be used when shown on the CWZTCD list.
- Sandbags shall only be placed along or laid over the base supports of the traffic control device and shall not be suspended above ground level or hung with rope, wire, chains or other fasteners. Sandbags shall be placed along the length of the skids to weigh down the sign support.
- Sandbags shall NOT be placed under the skid and shall not be used to level sign supports placed on slopes.

FLAGS ON SIGNS

- Flags may be used to draw attention to warning signs. When used, the flag shall be 16 inches square or larger and shall be orange or fluorescent red-orange in color. Flags shall not be allowed to cover any portion of the sign face.

STOP/SLOW PADDLES

- STOP/SLOW paddles are the primary method to control traffic by flaggers. The STOP/SLOW paddle size should be 24" x 24".
- STOP/SLOW paddles shall be retroreflective when used at night.
- STOP/SLOW paddles may be attached to a staff with a minimum length of 6' to the bottom of the sign.
- Any lights incorporated into the STOP or SLOW paddle faces shall only be as specifically described in Section 6E.03 Hand Signaling Devices in the TMUTCD.



SHEETING REQUIREMENTS (WHEN USED AT NIGHT)		
USAGE	COLOR	SIGN FACE MATERIAL
BACKGROUND	RED	TYPE B OR C SHEETING
BACKGROUND	ORANGE	TYPE B _{FL} OR C _{FL} SHEETING
LEGEND & BORDER	WHITE	TYPE B OR C SHEETING
LEGEND & BORDER	BLACK	ACRYLIC NON-REFLECTIVE FILM

CONTRACTOR REQUIREMENTS FOR MAINTAINING PERMANENT SIGNS WITHIN THE PROJECT LIMITS

- Permanent signs are used to give notice of traffic laws or regulations, call attention to conditions that are potentially hazardous to traffic operations, show route designations, destinations, directions, distances, services, points of interest, and other geographical, recreational, specific service (LOGO), or cultural information. Drivers proceeding through a work zone need the same, if not better route guidance as normally installed on a roadway without construction.
- When permanent regulatory or warning signs conflict with work zone conditions, remove or cover the permanent signs until the permanent sign message matches the roadway condition. For details for covering large guide signs see the TS-CD standard.
- When existing permanent signs are moved and relocated due to construction purposes, they shall be visible to motorists at all times.
- If existing signs are to be relocated on their original supports, they shall be installed on crashworthy bases as shown on the SMD Standard sheets. The signs shall meet the required mounting heights shown on the BC Sheets or the SMD Standards. This work should be paid for under the appropriate pay item for relocating existing signs.
- If permanent signs are to be removed and relocated using temporary supports, the Contractor shall use crashworthy supports as shown on the BC standard sheets, TLRS standard sheets or the CWZTCD list. The signs shall meet the required mounting heights shown on the BC, or the SMD standard sheets during construction. This work should be paid for under the appropriate pay item for relocating existing signs.
- Any sign or traffic control device that is struck or damaged by the Contractor or his/her construction equipment shall be replaced as soon as possible by the Contractor to ensure proper guidance for the motorists. This will be subsidiary to Item 502.

SHEET 4 OF 12





BARRICADE AND CONSTRUCTION TEMPORARY SIGN NOTES

BC (4) - 21


FILE: bc-21.dgn	DWG: TxDOT	CR: TxDOT	REV: TxDOT	CR: TxDOT
© TxDOT November 2002	CONT: 0095 03	SECT: 110	JOB: US 80	HIGHWAY
9-07 8-14	DIST: DAL	COUNTY: KAUFMAN	SHEET NO.: 20	
7-13 5-21				

DATE: 6/3/2024 8:41:19 AM
 FILE: D:\tdot\project\wiseonline.com\TXDOT15\Documents\18 - DAL\Design Projects\0095031104 - Design\Plan Set\2 - CP\STANDARDS\0095-03-110 US 80 bc-21.dgn
 DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results resulting from its use.





SKID MOUNTED WOOD SIGN SUPPORTS

* LONG/INTERMEDIATE TERM STATIONARY - PORTABLE SKID MOUNTED SIGN SUPPORTS



GROUND MOUNTED SIGN SUPPORTS

Refer to the CWZTCD and the manufacturer's installation procedure for each type sign support.
 The maximum sign square footage shall adhere to the manufacturer's recommendation.
 Two post installations can be used for larger signs.



SKID MOUNTED PERFORATED SQUARE STEEL TUBING SIGN SUPPORTS

* LONG/INTERMEDIATE TERM STATIONARY - PORTABLE SKID MOUNTED SIGN SUPPORTS

WEDGE ANCHORS

Both steel and plastic Wedge Anchor Systems as shown on the SMD Standard Sheets may be used as temporary sign supports for signs up to 10 square feet of sign face. They may be set in concrete or in sturdy soils if approved by the Engineer. (See web address for "Traffic Engineering Standard Sheets" on BC(1)).

OTHER DESIGNS

MORE DETAILS OF APPROVED LONG/INTERMEDIATE AND SHORT TERM SUPPORTS CAN BE FOUND ON THE CWZTCD LIST. SEE BC(1) FOR WEBSITE LOCATION.

GENERAL NOTES

- Nails may be used in the assembly of wooden sign supports, but 3/8" bolts with nuts or 3/8" x 3 1/2" lag screws must be used on every joint for final connection.
- No more than 2 sign posts shall be placed within a 7 ft. circle, except for specific materials noted on the CWZTCD List.
- When project is completed, all sign supports and foundations shall be removed from the project site. This will be considered subsidiary to Item 502.

- * See BC(4) for definition of "Work Duration."
- ** Wood sign posts MUST be one piece. Splicing will NOT be allowed. Posts shall be painted white.
- ☐ See the CWZTCD for the type of sign substrate that can be used for each approved sign support.

SHEET 5 OF 12



BARRICADE AND CONSTRUCTION TYPICAL SIGN SUPPORT

BC(5) - 21

FILE: bc-21.dgn	DNR TxDOT	CR: TxDOT	DW: TxDOT	CR: TxDOT
© TxDOT November 2002	CONT	SECT	JOB	HIGHWAY
REVISIONS	0095 03		110	US 80
9-07 8-14	DIST	COUNTY		SHEET NO.
7-13 5-21	DAL	KAUFMAN		21

WHEN NOT IN USE, REMOVE THE PCMS FROM THE RIGHT-OF-WAY OR PLACE THE PCMS BEHIND BARRIER OR GUARDRAIL WITH SIGN PANEL TURNED PARALLEL TO TRAFFIC

RECOMMENDED PHASES AND FORMATS FOR PCMS MESSAGES DURING ROADWORK ACTIVITIES

(The Engineer may approve other messages not specifically covered here.)

PORTABLE CHANGEABLE MESSAGE SIGNS

- The Engineer/Inspector shall approve all messages used on portable changeable message signs (PCMS).
- Messages on PCMS should contain no more than 8 words (about four to eight characters per word), not including simple words such as "TO," "FOR," "AT," etc.
- Messages should consist of a single phase, or two phases that alternate. Three-phase messages are not allowed. Each phase of the message should convey a single thought, and must be understood by itself.
- Use the word "EXIT" to refer to an exit ramp on a freeway; i.e., "EXIT CLOSED." Do not use the term "RAMP."
- Always use the route or interstate designation (IH, US, SH, FM) along with the number when referring to a roadway.
- When in use, the bottom of a stationary PCMS message panel should be a minimum 7 feet above the roadway, where possible.
- The message term "WEEKEND" should be used only if the work is to start on Saturday morning and end by Sunday evening at midnight. Actual days and hours of work should be displayed on the PCMS if work is to begin on Friday evening and/or continue into Monday morning.
- The Engineer/Inspector may select one of two options which are available for displaying a two-phase message on a PCMS. Each phase may be displayed for either four seconds each or for three seconds each.
- Do not "flash" messages or words included in a message. The message should be steady burn or continuous while displayed.
- Do not present redundant information on a two-phase message; i.e., keeping two lines of the message the same and changing the third line.
- Do not use the word "Danger" in message.
- Do not display the message "LANES SHIFT LEFT" or "LANES SHIFT RIGHT" on a PCMS. Drivers do not understand the message.
- Do not display messages that scroll horizontally or vertically across the face of the sign.
- The following table lists abbreviated words and two-word phrases that are acceptable for use on a PCMS. Both words in a phrase must be displayed together. Words or phrases not on this list should not be abbreviated, unless shown in the TMUTCD.
- PCMS character height should be at least 18 inches for trailer mounted units. They should be visible from at least 1/2 (.5) mile and the text should be legible from at least 600 feet at night and 800 feet in daylight. Truck mounted units must have a character height of 10 inches and must be legible from at least 400 feet.
- Each line of text should be centered on the message board rather than left or right justified.
- If disabled, the PCMS should default to an illegible display that will not alarm motorists and will only be used to alert workers that the PCMS has malfunctioned. A pattern such as a series of horizontal solid bars is appropriate.

Phase 1: Condition Lists

Road/Lane/Ramp Closure List

FREEWAY CLOSED X MILE
ROAD CLOSED AT SH XXX
ROAD CLSD AT FM XXXX
RIGHT X LANES CLOSED
CENTER LANE CLOSED
NIGHT LANE CLOSURES
VARIOUS LANES CLOSED
EXIT CLOSED
MALL DRIVEWAY CLOSED
XXXXXXXX BLVD CLOSED

Other Condition List

FRONTAGE ROAD CLOSED
SHOULDER CLOSED XXX FT
RIGHT LN CLOSED XXX FT
RIGHT X LANES OPEN
DAYTIME LANE CLOSURES
I-XX SOUTH EXIT CLOSED
EXIT XXX CLOSED X MILE
RIGHT LN TO BE CLOSED
X LANES CLOSED TUE - FRI
ROADWORK XXX FT
FLAGGER XXXX FT
RIGHT LN NARROWS XXXX FT
MERGING TRAFFIC XXXX FT
LOOSE GRAVEL XXXX FT
DETOUR X MILE
ROADWORK PAST SH XXXX
BUMP XXXX FT
TRAFFIC SIGNAL XXXX FT
ROAD REPAIRS XXXX FT
LANE NARROWS XXXX FT
TWO-WAY TRAFFIC XX MILE
CONST TRAFFIC XXX FT
UNEVEN LANES XXXX FT
ROUGH ROAD XXXX FT
ROADWORK NEXT FRI-SUN
US XXX EXIT X MILES
LANES SHIFT *

* LANES SHIFT in Phase 1 must be used with STAY IN LANE in Phase 2.

Phase 2: Possible Component Lists

Action to Take/Effect on Travel List

MERGE RIGHT
DETOUR NEXT X EXITS
USE EXIT XXX
STAY ON US XXX SOUTH
TRUCKS USE US XXX N
WATCH FOR TRUCKS
EXPECT DELAYS
REDUCE SPEED XXX FT
USE OTHER ROUTES
STAY IN LANE *

Location List

AT FM XXXX
BEFORE RAILROAD CROSSING
NEXT X MILES
PAST US XXX EXIT
XXXXXXXX TO XXXXXXX
US XXX TO FM XXXX

Warning List

SPEED LIMIT XX MPH
MAXIMUM SPEED XX MPH
MINIMUM SPEED XX MPH
ADVISORY SPEED XX MPH
RIGHT LANE EXIT
USE CAUTION
DRIVE SAFELY
DRIVE WITH CARE

** Advance Notice List

TUE-FRI XX AM - X PM
APR XX - XX X PM - X AM
BEGINS MONDAY
BEGINS MAY XX
MAY X-X XX PM - XX AM
NEXT FRI-SUN
XX AM TO XX PM
NEXT TUE AUG XX
TONIGHT XX PM - XX AM

** See Application Guidelines Note 6.

APPLICATION GUIDELINES

- Only 1 or 2 phases are to be used on a PCMS.
- The 1st phase (or both) should be selected from the "Road/Lane/Ramp Closure List" and the "Other Condition List".
- A 2nd phase can be selected from the "Action to Take/Effect on Travel, Location, General Warning, or Advance Notice Phase Lists".
- A Location Phase is necessary only if a distance or location is not included in the first phase selected.
- If two PCMS are used in sequence, they must be separated by a minimum of 1000 ft. Each PCMS shall be limited to two phases, and should be understandable by themselves.
- For advance notice, when the current date is within seven days of the actual work date, calendar days should be replaced with days of the week. Advance notification should typically be for no more than one week prior to the work.

WORDING ALTERNATIVES

- The words RIGHT, LEFT and ALL can be interchanged as appropriate.
- Roadway designations IH, US, SH, FM and LP can be interchanged as appropriate.
- EAST, WEST, NORTH and SOUTH (or abbreviations E, W, N and S) can be interchanged as appropriate.
- Highway names and numbers replaced as appropriate.
- ROAD, HIGHWAY and FREEWAY can be interchanged as needed.
- AHEAD may be used instead of distances if necessary.
- FT and MI, MILE and MILES interchanged as appropriate.
- AT, BEFORE and PAST interchanged as needed.
- Distances or AHEAD can be eliminated from the message if a location phase is used.

PCMS SIGNS WITHIN THE R.O.W. SHALL BE BEHIND GUARDRAIL OR CONCRETE BARRIER OR SHALL HAVE A MINIMUM OF FOUR (4) PLASTIC DRUMS PLACED PERPENDICULAR TO TRAFFIC ON THE UPSTREAM SIDE OF THE PCMS, WHEN EXPOSED TO ONE DIRECTION OF TRAFFIC. WHEN EXPOSED TO TWO WAY TRAFFIC, THE FOUR DRUMS SHOULD BE PLACED WITH ONE DRUM AT EACH OF THE FOUR CORNERS OF THE UNIT.

FULL MATRIX PCMS SIGNS

- When Full Matrix PCMS signs are used, the character height and legibility/visibility requirements shall be maintained as listed in Note 15 under "PORTABLE CHANGEABLE MESSAGE SIGNS" above.
- When symbol signs, such as the "Flagger Symbol" (CW20-7) are represented graphically on the Full Matrix PCMS sign and, with the approval of the Engineer, it shall maintain the legibility/visibility requirement listed above.
- When symbol signs are represented graphically on the Full Matrix PCMS, they shall only supplement the use of the static sign represented, and shall not substitute for, or replace that sign.
- A full matrix PCMS may be used to simulate a flashing arrow board provided it meets the visibility, flash rate and dimming requirements on BC(7), for the same size arrow.

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results obtained from its use.

WORD OR PHRASE	ABBREVIATION	WORD OR PHRASE	ABBREVIATION
Access Road	ACCS RD	Major	MAJ
Alternate	ALT	Miles	MI
Avenue	AVE	Miles Per Hour	MPH
Best Route	BEST RTE	Minor	MNR
Boulevard	BLVD	Monday	MON
Bridge	BRDG	Normal	NORM
Canal	CANT	North	N
Center	CTR	Northbound (route) N	
Construction Ahead	CONST AHD	Parking	PKING
CROSSING	XING	Road	RD
Detour Route	DETOUR RTE	Right Lane	RT LN
Do Not	DONT	Saturday	SAT
East	E	Service Road	SERV RD
Eastbound (route) E		Shoulder	SHLDR
Emergency	EMER	Slippery	SLIP
Emergency Vehicle	EMER VEH	South	S
Entrance, Enter	ENT	Southbound (route) S	
Express Lane	EXP LN	Speed	SPD
Expressway	EXPWY	Street	ST
XXXX Feet	XXXX FT	Sunday	SUN
Fog Ahead	FOG AHD	Telephone	PHONE
Freeway	FRWY, FWY	Temporary	TEMP
Freeway Blocked	FWY BLKD	Thursday	THURS
Friday	FRI	To Downtown	TO DWNTN
Hazardous Driving	HAZ DRIVING	Traffic	TRAF
Hazardous Material	HAZMAT	Travelers	TRVLR
High Occupancy Vehicle	HOV	Tuesday	TUES
Highway	HWY	Time Minutes	TIME MIN
Hour(s)	HR, HRS	Upper Level	UPR LEVEL
Information	INFO	Vehicles (s)	VEH, VEHS
It Is	ITS	Warning	WARN
Junction	JCT	Wednesday	WED
Left	LFT	Weight Limit	WT LIMIT
Left Lane	LFT LN	West	W
Lane Closed	LN CLOSED	Westbound (route) W	
Lower Level	LWR LEVEL	Wet Pavement	WET PVMT
Maintenance	MAINT	Will Not	WONT

Roadway designation = IH-number, US-number, SH-number, FM-number



BARRICADE AND CONSTRUCTION PORTABLE CHANGEABLE MESSAGE SIGN (PCMS)

BC (6) - 21


FILE: bc-21.dgn	DWG: TxDOT	CR: TxDOT	DWG: TxDOT	CR: TxDOT
© TxDOT November 2002	CONT: 0095 03	SECT: 110	JOB: US 80	HIGHWAY: 22
REVISIONS: 9-07 8-14	DIST: DAL	COUNTY: KAUFMAN	SHEET NO.: 22	
7-13 5-21				

No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.


DATE: 6/3/2024 8:41:23 AM
 FILE: P:\t\dot\project\wiseonline.com\TXDOT5\Documents\18 - DAL\Design Projects\009503110\4 - Design\Plan Set\2 - TCP\STANDARDS\0095-03-110 US 80 bc-21.dgn

- Barrier Reflectors shall be pre-qualified, and conform to the color and reflectivity requirements of DMS-8600. A list of prequalified Barrier Reflectors can be found at the Material Producer List web address shown on BC(1).
- Color of Barrier Reflectors shall be as specified in the TMUTCD. The cost of the reflectors shall be considered subsidiary to Item 512.




CONCRETE TRAFFIC BARRIER (CTB)

- Where traffic is on one side of the CTB, two (2) Barrier Reflectors shall be mounted in approximately the midsection of each section of CTB. An alternate mounting location is uniformly spaced at one end of each CTB. This will allow for attachment of a barrier grapple without damaging the reflector. The Barrier Reflector mounted on the side of the CTB shall be located directly below the reflector mounted on top of the barrier, as shown in the detail above.
- Where CTB separates two-way traffic, three barrier reflectors shall be mounted on each section of CTB. The reflector unit on top shall have two yellow reflective faces (Bi-Directional) while the reflectors on each side of the barrier shall have one yellow reflective face, as shown in the detail above.
- When CTB separates traffic traveling in the same direction, no barrier reflectors will be required on top of the CTB.
- Barrier Reflector units shall be yellow or white in color to match the edgeline being supplemented.
- Maximum spacing of Barrier Reflectors is forty (40) feet.
- Pavement markers or temporary flexible-reflective roadway marker tabs shall NOT be used as CTB delineation.
- Attachment of Barrier Reflectors to CTB shall be per manufacturer's recommendations.
- Missing or damaged Barrier Reflectors shall be replaced as directed by the Engineer.
- Single slope barriers shall be delineated as shown on the above detail.



Max. spacing of barrier reflectors is 20 feet. Attach the delineators as per manufacturer's recommendations.

LOW PROFILE CONCRETE BARRIER (LPCB)



DELINEATION OF END TREATMENTS

END TREATMENTS FOR CTB'S USED IN WORK ZONES

End treatments used on CTB's in work zones shall meet the appropriate crashworthy standards as defined in the Manual for Assessing Safety Hardware (MASH). Refer to the CWZTCD List for approved end treatments and manufacturers.

BARRIER REFLECTORS FOR CONCRETE TRAFFIC BARRIER AND ATTENUATORS

WARNING LIGHTS



- Warning lights shall meet the requirements of the TMUTCD.
- Warning lights shall NOT be installed on barricades.
- Type A-Low Intensity Flashing Warning Lights are commonly used with drums. They are intended to warn of or mark a potentially hazardous area. Their use shall be as indicated on this sheet and/or other sheets of the plans by the designation "FL". The Type A Warning Lights shall not be used with signs manufactured with Type B_{PL} or C_{FL} Sheeting meeting the requirements of Departmental Material Specification DMS-8300.
- Type-C and Type D 360 degree Steady Burn Lights are intended to be used in a series for delineation to supplement other traffic control devices. Their use shall be as indicated on this sheet and/or other sheets of the plans by the designation "SB".
- The Engineer/Inspector or the plans shall specify the location and type of warning lights to be installed on the traffic control devices.
- When required by the Engineer, the Contractor shall furnish a copy of the warning lights certification. The warning light manufacturer will certify the warning lights meet the requirements of the latest ITE Purchase Specifications for Flashing and Steady-Burn Warning Lights.
- When used to delineate curves, Type-C and Type D Steady Burn Lights should only be placed on the outside of the curve, not the inside.
- The location of warning lights and warning reflectors on drums shall be as shown elsewhere in the plans.

WARNING LIGHTS MOUNTED ON PLASTIC DRUMS

- Type A flashing warning lights are intended to warn drivers that they are approaching or are in a potentially hazardous area.
- Type A random flashing warning lights are not intended for delineation and shall not be used in a series.
- A series of sequential flashing warning lights placed on channelizing devices to form a merging taper may be used for delineation. If used, the successive flashing of the sequential warning lights should occur from the beginning of the taper to the end of the merging taper in order to identify the desired vehicle path. The rate of flashing for each light shall be 65 flashes per minute, plus or minus 10 flashes.
- Type C and D steady-burn warning lights are intended to be used in a series to delineate the edge of the travel lane on detours, on lane changes, on lane closures, and on other similar conditions.
- Type A, Type C and Type D warning lights shall be installed at locations as detailed on other sheets in the plans.
- Warning lights shall not be installed on a drum that has a sign, chevron or vertical panel.
- The maximum spacing for warning lights on drums should be identical to the channelizing device spacing.


WARNING REFLECTORS MOUNTED ON PLASTIC DRUMS AS A SUBSTITUTE FOR TYPE C (STEADY BURN) WARNING LIGHTS

- A warning reflector or approved substitute may be mounted on a plastic drum as a substitute for a Type C, steady burn warning light at the discretion of the Contractor unless otherwise noted in the plans.
- The warning reflector shall be yellow in color and shall be manufactured using a sign substrate approved for use with plastic drums listed on the CWZTCD.
- The warning reflector shall have a minimum retroreflective surface area (one-side) of 30 square inches.
- Round reflectors shall be fully reflectorized, including the area where attached to the drum.
- Square substrates must have a minimum of 30 square inches of reflectorized sheeting. They do not have to be reflectorized where it attaches to the drum.
- The side of the warning reflector facing approaching traffic shall have sheeting meeting the color and retroreflectivity requirements for DMS 8300-Type B or Type C.
- When used near two-way traffic, both sides of the warning reflector shall be reflectorized.
- The warning reflector should be mounted on the side of the handle nearest approaching traffic.
- The maximum spacing for warning reflectors should be identical to the channelizing device spacing requirements.



Arrow Boards may be located behind channelizing devices in place for a shoulder taper or merging taper, otherwise they shall be delineated with four (4) channelizing devices placed perpendicular to traffic on the upstream side of traffic.

- The Flashing Arrow Board should be used for all lane closures on multi-lane roadways, or slow moving maintenance or construction activities on the travel lanes.
- Flashing Arrow Boards should not be used on two-lane, two-way roadways, detours, diversions or work on shoulders unless the "CAUTION" display (see detail below) is used.
- The Engineer/Inspector shall choose all appropriate signs, barricades and/or other traffic control devices that should be used in conjunction with the Flashing Arrow Board.
- The Flashing Arrow Board should be able to display the following symbols:



- The "CAUTION" display consists of four corner lamps flashing simultaneously, or the Alternating Diamond Caution mode as shown.
- The straight line caution display is NOT ALLOWED.
- The Flashing Arrow Board shall be capable of minimum 50 percent dimming from rated lamp voltage. The flashing rate of the lamps shall not be less than 25 nor more than 40 flashes per minute.
- Minimum lamp "on time" shall be approximately 50 percent for the flashing arrow and equal intervals of 25 percent for each sequential phase of the flashing chevron.
- The sequential arrow display is NOT ALLOWED.
- The flashing arrow display is the TxDOT standard; however, the sequential chevron display may be used during daylight operations.
- The Flashing Arrow Board shall be mounted on a vehicle, trailer or other suitable support.
- A Flashing Arrow Board SHALL NOT BE USED to laterally shift traffic.
- A full matrix PCMS may be used to simulate a Flashing Arrow Board provided it meets visibility, flash rate and dimming requirements on this sheet for the same size arrow.
- Minimum mounting height of trailer mounted Arrow Boards should be 7 feet from roadway to bottom of panel.

REQUIREMENTS			
TYPE	MINIMUM SIZE	MINIMUM NUMBER OF PANEL LAMPS	MINIMUM VISIBILITY DISTANCE
B	30 x 60	13	3/4 mile
C	48 x 96	15	1 mile

ATTENTION

Flashing Arrow Boards shall be equipped with automatic dimming devices.

WHEN NOT IN USE, REMOVE THE ARROW BOARD FROM THE RIGHT-OF-WAY OR PLACE THE ARROW BOARD BEHIND CONCRETE TRAFFIC BARRIER OR GUARDRAIL.

FLASHING ARROW BOARDS

SHEET 7 OF 12

TRUCK-MOUNTED ATTENUATORS

- Truck-mounted attenuators (TMA) used on TxDOT facilities must meet the requirements outlined in the Manual for Assessing Safety Hardware (MASH).
- Refer to the CWZTCD for the requirements of Level 2 or Level 3 TMAs.
- Refer to the CWZTCD for a list of approved TMAs.
- TMAs are required on freeways unless otherwise noted in the plans.
- A TMA should be used anytime that it can be positioned 30 to 100 feet in advance of the area of crew exposure without adversely affecting the work performance.
- The only reason a TMA should not be required is when a work area is spread down the roadway and the work crew is an extended distance from the TMA.




BARRICADE AND CONSTRUCTION ARROW PANEL, REFLECTORS, WARNING LIGHTS & ATTENUATOR

BC (7) - 21

FILE: bc-21.dgn	DWG: TxDOT	CR: TxDOT	DWG: TxDOT	CR: TxDOT
© TxDOT November 2002		CONT: 0095 03	SECT: 110	HIGHWAY: US 80
REVISIONS		DATE	COUNTY	SHEET NO.
9-07 8-14		7-13 5-21	DAL KAUFMAN	23


DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 6/3/2024 8:41:27 AM
 FILE: D:\Design Projects\009503110\4 - Design\Plan Set\2 - TCP\STANDARDS\0095-03-110 US 80 bc-21.dgn



FIXED
(Rigid or self-righting)


DRIVEABLE



PORTABLE


VERTICAL PANELS (VPs)

- Vertical Panels (VP's) are normally used to channelize traffic or divide opposing lanes of traffic.
- VP's may be used in daytime or nighttime situations. They may be used at the edge of shoulder drop-offs and other areas such as lane transitions where positive daytime and nighttime delineation is required. The Engineer/Inspector shall refer to the Roadway Design Manual for additional requirements on the use VP's for drop-offs.
- VP's should be mounted back to back if used at the edge of cuts adjacent to two-way two lane roadways. Stripes are to be reflective orange and reflective white and should always slope downward toward the travel lane.
- VP's used on expressways and freeways or other high speed roadways, may have more than 270 square inches of retroreflective area facing traffic.
- Self-righting supports are available with portable base. See "Compliant Work Zone Traffic Control Devices List" (CWZTCD).
- Sheeting for the VP's shall be retroreflective Type A or Type B conforming to Departmental Material Specification DMS-8300, unless noted otherwise.
- Where the height of reflective material on the vertical panel is 36 inches or greater, a panel stripe of 6 inches shall be used.




OPPOSING TRAFFIC LANE DIVIDERS (OTLD)

- Opposing Traffic Lane Dividers (OTLD) are delineation devices designed to convert a normal one-way roadway section to two-way operation. OTLD's are used on temporary centerlines. The upward and downward arrows on the sign's face indicate the direction of traffic on either side of the divider. The base is secured to the pavement with an adhesive or rubber weight to minimize movement caused by a vehicle impact or wind gust.
- The OTLD may be used in combination with 42" cones or VPs.
- Spacing between the OTLD shall not exceed 500 feet. 42" cones or VPs placed between the OTLD's should not exceed 100 foot spacing.
- The OTLD shall be orange with a black non-reflective legend. Sheeting for the OTLD shall be retroreflective Type B_{FL} or Type C_{FL} conforming to Departmental Material Specification DMS-8300, unless noted otherwise. The legend shall meet the requirements of DMS-8300.



- The chevron shall be a vertical rectangle with a minimum size of 12 by 18 inches.
- Chevrons are intended to give notice of a sharp change of alignment with the direction of travel and provide additional emphasis and guidance for vehicle operators with regard to changes in horizontal alignment of the roadway.
- Chevrons, when used, shall be erected on the outside of a sharp curve or turn, or on the far side of an intersection. They shall be in line with and at right angles to approaching traffic. Spacing should be such that the motorist always has three in view, until the change in alignment eliminates its need.
- To be effective, the chevron should be visible for at least 500 feet.
- Chevrons shall be orange with a black nonreflective legend. Sheeting for the chevron shall be retroreflective Type B_{FL} or Type C_{FL} conforming to Departmental Material Specification DMS-8300, unless noted otherwise. The legend shall meet the requirements of DMS-8300.
- For Long Term Stationary use on tapers or transitions on freeways and divided highways, self-righting chevrons may be used to supplement plastic drums but not to replace plastic drums.

CHEVRONS



LONGITUDINAL CHANNELIZING DEVICES (LCD)

- LCDs are crashworthy, lightweight, deformable devices that are highly visible, have good target value and can be connected together. They are not designed to contain or redirect a vehicle on impact.
- LCDs may be used instead of a line of cones or drums.
- LCDs shall be placed in accordance to application and installation requirements specific to the device, and used only when shown on the CWZTCD list.
- LCDs should not be used to provide positive protection for obstacles, pedestrians or workers.
- LCDs shall be supplemented with retroreflective delineation as required for temporary barriers on BC(7) when placed roughly parallel to the travel lanes.
- LCDs used as barricades placed perpendicular to traffic should have at least one row of reflective sheeting meeting the requirements for barricade rails as shown on BC(10). Place reflective sheeting near the top of the LCD along the full length of the device.

WATER BALLASTED SYSTEMS USED AS BARRIERS

- Water ballasted systems used as barriers shall not be used solely to channelize road users, but also to protect the work space per the appropriate Manual for Assessing Safety Hardware (MASH) crashworthiness requirements based on roadway speed and barrier application.
- Water ballasted systems used to channelize vehicular traffic shall be supplemented with retroreflective delineation or channelizing devices to improve daytime/nighttime visibility. They may also be supplemented with pavement markings.
- Water ballasted systems used as barriers shall be placed in accordance to application and installation requirements specific to the device, and used only when shown on the CWZTCD list.
- Water ballasted systems used as barriers should not be used for a merging taper except in low speed (less than 45 MPH) urban areas. When used on a taper in a low speed urban area, the taper shall be delineated and the taper length should be designed to optimize road user operations considering the available geometric conditions.
- When water ballasted systems used as barriers have blunt ends exposed to traffic, they should be attenuated as per manufacturer recommendations or flared to a point outside the clear zone.

If used to channelize pedestrians, longitudinal channelizing devices or water ballasted systems must have a continuous detectable bottom for users of long canes and the top of the unit shall not be less than 32 inches in height.

HOLLOW OR WATER BALLASTED SYSTEMS USED AS LONGITUDINAL CHANNELIZING DEVICES OR BARRIERS

GENERAL NOTES

- Work Zone channelizing devices illustrated on this sheet may be installed in close proximity to traffic and are suitable for use on high or low speed roadways. The Engineer/Inspector shall ensure that spacing and placement is uniform and in accordance with the "Texas Manual on Uniform Traffic Control Devices" (TMUTCD).
- Channelizing devices shown on this sheet may have a driveable, fixed or portable base. The requirement for self-righting channelizing devices must be specified in the General Notes or other plan sheets.
- Channelizing devices on self-righting supports should be used in work zone areas where channelizing devices are frequently impacted by errant vehicles or vehicle related wind gusts making alignment of the channelizing devices difficult to maintain. Locations of these devices shall be detailed elsewhere in the plans. These devices shall conform to the TMUTCD and the "Compliant Work Zone Traffic Control Devices List" (CWZTCD).
- The Contractor shall maintain devices in a clean condition and replace damaged, nonreflective, faded, or broken devices and bases as required by the Engineer/Inspector. The Contractor shall be required to maintain proper device spacing and alignment.
- Portable bases shall be fabricated from virgin and/or recycled rubber. The portable bases shall weigh a minimum of 30 lbs.
- Pavement surfaces shall be prepared in a manner that ensures proper bonding between the adhesives, the fixed mount bases and the pavement surface. Adhesives shall be prepared and applied according to the manufacturer's recommendations.
- The installation and removal of channelizing devices shall not cause detrimental effects to the final pavement surfaces, including pavement surface discoloration or surface integrity. Driveable bases shall not be permitted on final pavement surfaces. The Engineer/Inspector shall approve all application and removal procedures of fixed bases.

Posted Speed	Formula	Minimum Desirable Taper Lengths **			Suggested Maximum Spacing of Channelizing Devices	
		10' Offset	11' Offset	12' Offset	On a Taper	On a Tangent
30	L = WS ² / 60	150'	165'	180'	30'	60'
35		205'	225'	245'	35'	70'
40		265'	295'	320'	40'	80'
45	L = WS	450'	495'	540'	45'	90'
50		500'	550'	600'	50'	100'
55		550'	605'	660'	55'	110'
60		600'	660'	720'	60'	120'
65		650'	715'	780'	65'	130'
70		700'	770'	840'	70'	140'
75		750'	825'	900'	75'	150'
80		800'	880'	960'	80'	160'

**Taper lengths have been rounded off.
 L=Length of Taper (FT.) W=Width of Offset (FT.)
 S=Posted Speed (MPH)

SUGGESTED MAXIMUM SPACING OF CHANNELIZING DEVICES AND MINIMUM DESIRABLE TAPER LENGTHS

SHEET 9 OF 12



BARRICADE AND CONSTRUCTION CHANNELIZING DEVICES

BC (9) - 21


FILE: bc-21.dgn	DWG: TxDOT	CHK: TxDOT	APP: TxDOT	CR: TxDOT
© TxDOT November 2002	CONT: 0095 03	SECT: 110	JOB: US 80	HIGHWAY: 25
REVISIONS:	0095 03	110	US 80	
9-07 8-14	DIST: DAL	COUNTY: KAUFMAN	SHEET NO.: 25	
7-13 5-21				

DATE: 6/3/2024 8:41:30 AM
 FILE: P:\t\dot\projectwiseonline.com\TXDOT15\Documents\18 - DAL\Design Projects\009503110\4 - Design\Plan Set\2 - TCP\STANDARDS\0095-03-110 US 80 bc-21.dgn
 DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.


TYPE 3 BARRICADES

1. Refer to the Compliant Work Zone Traffic Control Devices List (CWZTCD) for details of the Type 3 Barricades and a list of all materials used in the construction of Type 3 Barricades.
2. Type 3 Barricades shall be used at each end of construction projects closed to all traffic.
3. Barricades extending across a roadway should have stripes that slope downward in the direction toward which traffic must turn in detouring. When both right and left turns are provided, the chevron striping may slope downward in both directions from the center of the barricade. Where no turns are provided at a closed road, striping should slope downward in both directions toward the center of roadway.
4. Striping of rails, for the right side of the roadway, should slope downward to the left. For the left side of the roadway, striping should slope downward to the right.
5. Identification markings may be shown only on the back of the barricade rails. The maximum height of letters and/or company logos used for identification shall be 1".
6. Barricades shall not be placed parallel to traffic unless an adequate clear zone is provided.
7. Warning lights shall NOT be installed on barricades.
8. Where barricades require the use of weights to keep from turning over, the use of sandbags with dry, cohesionless sand is recommended. The sandbags will be tied shut to keep the sand from spilling and to maintain a constant weight. Sand bags shall not be stacked in a manner that covers any portion of a barricade rails reflective sheeting. Rock, concrete, iron, steel or other solid objects will NOT be permitted. Sandbags should weigh a minimum of 35 lbs and a maximum of 50 lbs. Sandbags shall be made of a durable material that tears upon vehicular impact. Rubber (such as tire inner tubes) shall not be used for sandbags. Sandbags shall only be placed along or upon the base supports of the device and shall not be suspended above ground level or hung with rope, wire, chains or other fasteners.
9. Sheeting for barricades shall be retroreflective Type A or Type B conforming to Departmental Material Specification DMS-8300 unless otherwise noted.

Barricades shall NOT be used as a sign support.




TYPICAL STRIPING DETAIL FOR BARRICADE RAIL




Stiffener may be inside or outside of support, but no more than 2 stiffeners shall be allowed on one barricade.

TYPICAL PANEL DETAIL FOR SKID OR POST TYPE BARRICADES




TRAFFIC CONTROL FOR MATERIAL STOCKPILES

Each roadway of a divided highway shall be barricaded in the same manner.



PERSPECTIVE VIEW


The three rails on Type 3 barricades shall be reflectorized orange and reflective white stripes on one side facing one-way traffic and both sides for two-way traffic. Barricade striping should slant downward in the direction of detour.




PLAN VIEW

1. Signs should be mounted on independent supports at a 7 foot mounting height in center of roadway. The signs should be a minimum of 10 feet behind Type 3 Barricades.
2. Advance signing shall be as specified elsewhere in the plans.

TYPE 3 BARRICADE (POST AND SKID) TYPICAL APPLICATION



PERSPECTIVE VIEW




PLAN VIEW

CULVERT WIDENING OR OTHER ISOLATED WORK WITHIN THE PROJECT LIMITS

1. Where positive redirection capability is provided, drums may be omitted.
2. Plastic construction fencing may be used with drums for safety as required in the plans.
3. Vertical Panels on flexible support may be substituted for drums when the shoulder width is less than 4 feet.
4. When the shoulder width is greater than 12 feet, steady-burn lights may be omitted if drums are used.
5. Drums must extend the length of the culvert widening.

LEGEND	
	Plastic drum
	Plastic drum with steady burn light or yellow warning reflector
	Steady burn warning light or yellow warning reflector



Two-Piece cones

One-Piece cones

Tubular Marker

28" Cones shall have a minimum weight of 9 1/2 lbs.
 42" 2-piece cones shall have a minimum weight of 30 lbs. including base.

1. Traffic cones and tubular markers shall be predominantly orange, and meet the height and weight requirements shown above.
2. One-piece cones have the body and base of the cone molded in one consolidated unit. Two-piece cones have a cone shaped body and a separate rubber base, or ballast, that is added to keep the device upright and in place.
3. Two-piece cones may have a handle or loop extending up to 8" above the minimum height shown, in order to aid in retrieving the device.
4. Cones or tubular markers shall have white or white and orange reflective bands as shown above. The reflective bands shall have a smooth, sealed outer surface and meet the requirements of Departmental Material Specification DMS-8300 Type A or Type B.
5. 28" cones and tubular markers are generally suitable for short duration and short-term stationary work as defined on BC(4). These should not be used for intermediate-term or long-term stationary work unless personnel is on-site to maintain them in their proper upright position.
6. 42" two-piece cones, vertical panels or drums are suitable for all work zone durations.
7. Cones or tubular markers used on each project should be of the same size and shape.



BARRICADE AND CONSTRUCTION CHANNELIZING DEVICES

BC (10) - 21

FILE: bc-21.dgn	DWG: TXDOT	CR: TXDOT	REV: TXDOT	CHK: TXDOT
© TXDOT November 2002	CONT: 0095	SECT: 03	JOB: 110	HIGHWAY: US 80
REVISIONS: 9-07 8-14	DIST: DAL	COUNTY: KAUFMAN	SHEET NO.: 26	
7-13 5-21				

WORK ZONE PAVEMENT MARKINGS

GENERAL

- The Contractor shall be responsible for maintaining work zone and existing pavement markings, in accordance with the standard specifications and special provisions, on all roadways open to traffic within the CSJ limits unless otherwise stated in the plans.
- Color, patterns and dimensions shall be in conformance with the "Texas Manual on Uniform Traffic Control Devices" (TMUTCD).
- Additional supplemental pavement marking details may be found in the plans or specifications.
- Pavement markings shall be installed in accordance with the TMUTCD and as shown on the plans.
- When short term markings are required on the plans, short term markings shall conform with the TMUTCD, the plans and details as shown on the Standard Plan Sheet WZ(STPM).
- When standard pavement markings are not in place and the roadway is opened to traffic, DO NOT PASS signs shall be erected to mark the beginning of the sections where passing is prohibited and PASS WITH CARE signs at the beginning of sections where passing is permitted.
- All work zone pavement markings shall be installed in accordance with Item 662, "Work Zone Pavement Markings."

RAISED PAVEMENT MARKERS

- Raised pavement markers are to be placed according to the patterns on BC(12).
- All raised pavement markers used for work zone markings shall meet the requirements of Item 672, "RAISED PAVEMENT MARKERS" and Departmental Material Specification DMS-4200 or DMS-4300.

PREFABRICATED PAVEMENT MARKINGS

- Removable prefabricated pavement markings shall meet the requirements of DMS-8241.
- Non-removable prefabricated pavement markings (foil back) shall meet the requirements of DMS-8240.


MAINTAINING WORK ZONE PAVEMENT MARKINGS

- The Contractor will be responsible for maintaining work zone pavement markings within the work limits.
- Work zone pavement markings shall be inspected in accordance with the frequency and reporting requirements of work zone traffic control device inspections as required by Form 599.
- The markings should provide a visible reference for a minimum distance of 300 feet during normal daylight hours and 160 feet when illuminated by automobile low-beam headlights at night, unless sight distance is restricted by roadway geometrics.
- Markings failing to meet this criteria within the first 30 days after placement shall be replaced at the expense of the Contractor as per Specification Item 662.

REMOVAL OF PAVEMENT MARKINGS

- Pavement markings that are no longer applicable, could create confusion or direct a motorist toward or into the closed portion of the roadway shall be removed or obliterated before the roadway is opened to traffic.
- The above shall not apply to detours in place for less than three days, where flaggers and/or sufficient channelizing devices are used in lieu of markings to outline the detour route.
- Pavement markings shall be removed to the fullest extent possible, so as not to leave a discernable marking. This shall be by any method approved by TxDOT Specification Item 677 for "Eliminating Existing Pavement Markings and Markers".
- The removal of pavement markings may require resurfacing or seal coating portions of the roadway as described in Item 677.
- Subject to the approval of the Engineer, any method that proves to be successful on a particular type pavement may be used.
- Blast cleaning may be used but will not be required unless specifically shown in the plans.
- Over-painting of the markings SHALL NOT BE permitted.
- Removal of raised pavement markers shall be as directed by the Engineer.
- Removal of existing pavement markings and markers will be paid for directly in accordance with Item 677, "ELIMINATING EXISTING PAVEMENT MARKINGS AND MARKERS," unless otherwise stated in the plans.
- Black-out marking tape may be used to cover conflicting existing markings for periods less than two weeks when approved by the Engineer.

Temporary Flexible-Reflective Roadway Marker Tabs



**STAPLES OR NAILS SHALL NOT BE USED TO SECURE
TEMPORARY FLEXIBLE-REFLECTIVE ROADWAY MARKER
TABS TO THE PAVEMENT SURFACE**

- Temporary flexible-reflective roadway marker tabs used as guidemarks shall meet the requirements of DMS-8242.
- Tabs detailed on this sheet are to be inspected and accepted by the Engineer or designated representative. Sampling and testing is not normally required, however at the option of the Engineer, either "A" or "B" below may be imposed to assure quality before placement on the roadway.
 - Select five (5) or more tabs at random from each lot or shipment and submit to the Construction Division, Materials and Pavement Section to determine specification compliance.
 - Select five (5) tabs and perform the following test. Affix five (5) tabs at 24 inch intervals on an asphaltic pavement in a straight line. Using a medium size passenger vehicle or pickup, run over the markers with the front and rear tires at a speed of 35 to 40 miles per hour, four (4) times in each direction. No more than one (1) out of the five (5) reflective surfaces shall be lost or displaced as a result of this test.
- Small design variances may be noted between tab manufacturers.
- See Standard Sheet WZ(STPM) for tab placement on new pavements. See Standard Sheet TCP(7-1) for tab placement on seal coat work.

RAISED PAVEMENT MARKERS USED AS GUIDEMARKS

- Raised pavement markers used as guidemarks shall be from the approved product list, and meet the requirements of DMS-4200.
- All temporary construction raised pavement markers provided on a project shall be of the same manufacturer.
- Adhesive for guidemarks shall be bituminous material hot applied or butyl rubber pad for all surfaces, or thermoplastic for concrete surfaces.

Guidemarks shall be designated as:
 YELLOW - (two amber reflective surfaces with yellow body).
 WHITE - (one silver reflective surface with white body).

DEPARTMENTAL MATERIAL SPECIFICATIONS	
PAVEMENT MARKERS (REFLECTORIZED)	DMS-4200
TRAFFIC BUTTONS	DMS-4300
EPOXY AND ADHESIVES	DMS-6100
BITUMINOUS ADHESIVE FOR PAVEMENT MARKERS	DMS-6130
PERMANENT PREFABRICATED PAVEMENT MARKINGS	DMS-8240
TEMPORARY REMOVABLE, PREFABRICATED PAVEMENT MARKINGS	DMS-8241
TEMPORARY FLEXIBLE, REFLECTIVE ROADWAY MARKER TABS	DMS-8242

A list of prequalified reflective raised pavement markers, non-reflective traffic buttons, roadway marker tabs and other pavement markings can be found at the Material Producer List web address shown on BC(1).

SHEET 11 OF 12




BARRICADE AND CONSTRUCTION PAVEMENT MARKINGS

BC(11)-21


FILE: bc-21.dgn	DWG: TxDOT	CHK: TxDOT	DRW: TxDOT	CR: TxDOT
© TxDOT February 1998	CONT	SECT	JOB	HIGHWAY
REVISIONS		0095 03	110	US 80
2-98 9-07 5-21	DIST	COUNTY	SHEET NO.	
1-02 7-13	DAL	KAUFMAN	27	
11-02 8-14				

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.
 DATE: 6/3/2024 8:41:32 AM
 FILE: P:\t\tdot\projectwiseonline.com\TXDOT15\Documents\18 - DAL\Design Projects\009503110\4 - Design\Plan Set\2 - TCP\STANDARDS\0095-03-110 US 80 bc-21.dgn

PAVEMENT MARKING PATTERNS




REFLECTORIZED PAVEMENT MARKINGS - PATTERN A




REFLECTORIZED PAVEMENT MARKINGS - PATTERN B

Pattern A is the TXDOT Standard, however Pattern B may be used if approved by the Engineer. Prefabricated markings may be substituted for reflectORIZED pavement markings.




RAISED PAVEMENT MARKERS - PATTERN A




RAISED PAVEMENT MARKERS - PATTERN B

CENTER LINE & NO-PASSING ZONE BARRIER LINES FOR TWO-LANE, TWO-WAY HIGHWAYS




REFLECTORIZED PAVEMENT MARKINGS

Prefabricated markings may be substituted for reflectORIZED pavement markings.




RAISED PAVEMENT MARKERS

EDGE & LANE LINES FOR DIVIDED HIGHWAY




REFLECTORIZED PAVEMENT MARKINGS

Prefabricated markings may be substituted for reflectORIZED pavement markings.




RAISED PAVEMENT MARKERS

LANE & CENTER LINES FOR MULTILANE UNDIVIDED HIGHWAYS



REFLECTORIZED PAVEMENT MARKINGS


Prefabricated markings may be substituted for reflectORIZED pavement markings.






RAISED PAVEMENT MARKERS

TWO-WAY LEFT TURN LANE


STANDARD WORK ZONE PAVEMENT MARKINGS DETAILS



SOLID LINES




BROKEN LINES



REMOVABLE MARKINGS WITH RAISED PAVEMENT MARKERS

If raised pavement markers are used to supplement REMOVABLE markings, the markers shall be applied to the top of the tape at the approximate mid length of tape used for broken lines or at 20 foot spacing for solid lines. This allows an easier removal of raised pavement markers and tape.



SHEET 12 OF 12



BARRICADE AND CONSTRUCTION PAVEMENT MARKING PATTERNS

BC(12)-21


Raised pavement markers used as standard pavement markings shall be from the approved products list and meet the requirements of Item 672 "RAISED PAVEMENT MARKERS."

FILE: bc-21.dgn	DWG: TxDOT	CHK: TxDOT	DRW: TxDOT	CR: TxDOT
©TxDOT February 1998	CONT	SECT	JOB	HIGHWAY
REVISIONS	0095	03	110	US 80
1-97 9-07 5-21	DIST	COUNTY	SHEET NO.	
2-98 7-13	DAL	KAUFMAN	28	
11-02 8-14				


DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TXDOT for any purpose whatsoever. TXDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 6/3/2024 8:41:33 AM
 FILE: D:\Design Projects\009503110\4 - Design\Plan Set\2 - TCP\STANDARDS\0095-03-110 US 80 bc-21.dgn

DATE: 6/3/2024 8:41:54 AM
 FILE: \\txdot.projectwiseonline.com:TXDOT15\Documents\18 - DAL\Design Projects\0955091 of 01\0955091.dgn
 DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of any information from one format to another.



TCP (5-1a)
WORK AREA ON SHOULDER



TCP (5-1b)
WORK AREA ON SHOULDER

LEGEND			
	Type 3 Barricade		Channelizing Devices
	Heavy Work Vehicle		Truck Mounted Attenuator (TMA)
	Trailer Mounted Flashing Arrow Board		Portable Changeable Message Sign (PCMS)
	Sign		Traffic Flow
	Flag		Flagger

Posted Speed *	Formula	Minimum Desirable Taper Lengths **			Suggested Maximum Spacing of Channelizing Devices		Suggested Longitudinal Buffer Space "B"
		10' Offset	11' Offset	12' Offset	On a Taper	On a Tangent	
30	L = WS ² / 60	150'	165'	180'	30'	60'	90'
35		205'	225'	245'	35'	70'	120'
40		265'	295'	320'	40'	80'	155'
45	L = WS	450'	495'	540'	45'	90'	195'
50		500'	550'	600'	50'	100'	240'
55		550'	605'	660'	55'	110'	295'
60		600'	660'	720'	60'	120'	350'
65		650'	715'	780'	65'	130'	410'
70	700'	770'	840'	70'	140'	475'	
75	750'	825'	900'	75'	150'	540'	
80	800'	880'	960'	80'	160'	615'	

* Conventional Roads Only
 ** Taper lengths have been rounded off.
 L=Length of Taper (FT) W=Width of Offset (FT) S=Posted Speed (MPH)

TYPICAL USAGE				
MOBILE	SHORT DURATION	SHORT TERM STATIONARY	INTERMEDIATE TERM STATIONARY	LONG TERM STATIONARY
	TCP (5-1a)	TCP (5-1b)	TCP (5-1b)	

- GENERAL NOTES**
- A Shadow Vehicle with a TMA should be used anytime it can be positioned 30' to 100' in advance of the area of crew exposure without adversely affecting the performance or quality of the work. Type 3 barricades or drums may be substituted when workers on foot are no longer present when approved by the Engineer.
 - 28" tall or taller one-piece cones will be allowed only for Short Duration or Short Term stationary operations when workers are present to maintain the devices upright and in proper location. Intermediate Term stationary work areas should use Drums, Vertical Panels or 42" tall two-piece cones.




**TRAFFIC CONTROL PLAN
 SHOULDER WORK FOR
 FREEWAYS / EXPRESSWAYS**


TCP (5-1) - 18

FILE: tcp5-1-18.dgn	DN: February 2012	CK: 0095 03	DW: 110	CK: US 80
© TxDOT	REVISIONS	CONT	SECT	JOB
2-18	DIST	COUNTY	SHEET NO.	
	DAL	KAUFMAN		29

DATE: 6/3/2024 8:42:23 AM
 FILE: D:\projects\projectwiseonline.com\TXDOT15\Documents\18 - DAL\Design\Projects\09550101\09550101.dwg
 DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of any units or for the accuracy of any data or information provided by others.



TCP (6-1a)
TYPICAL FREEWAY ONE LANE CLOSURE



TCP (6-1b)
TYPICAL FREEWAY TWO LANE CLOSURE

LEGEND			
	Type 3 Barricade		Channelizing Devices
	Heavy Work Vehicle		Truck Mounted Attenuator (TMA)
	Trailer Mounted Flashing Arrow Board		Portable Changeable Message Sign (PCMS)
	Sign		Traffic Flow
	Flag		Flagger

Posted Speed	Formula	Minimum Desirable Taper Lengths "L"			Suggested Maximum Spacing of Channelizing Devices		Suggested Longitudinal Buffer Space "B"
		10' Offset	11' Offset	12' Offset	On a Taper	On a Tangent	
45	L = WS	450'	495'	540'	45'	90'	195'
50		500'	550'	600'	50'	100'	240'
55		550'	605'	660'	55'	110'	295'
60		600'	660'	720'	60'	120'	350'
65		650'	715'	780'	65'	130'	410'
70		700'	770'	840'	70'	140'	475'
75		750'	825'	900'	75'	150'	540'
80		800'	880'	960'	80'	160'	615'

** Taper lengths have been rounded off.
 L=Length of Taper (FT) W=Width of Offset (FT) S=Posted Speed (MPH)

TYPICAL USAGE				
MOBILE	SHORT DURATION	SHORT TERM STATIONARY	INTERMEDIATE TERM STATIONARY	LONG TERM STATIONARY
	✓	✓	✓	

GENERAL NOTES

- All traffic control devices illustrated are REQUIRED. Devices denoted with the triangle symbol may be omitted when stated elsewhere in the plans.
- Drums or 42" cones are the typical channelizing devices. For Intermediate Term Stationary work, drums shall be used on tapers with drums or 42" cones used on tangent sections. Other channelizing devices may be used as directed by the Engineer.
- All construction signs and barricades placed during any phase of work shall remain in place until removal is approved by the Engineer.
- The Engineer may direct the Contractor to furnish additional signs and barricades as required to maintain traffic flow, detours and motorist safety during construction.
- Static message boards or changeable message signs stating the date and duration of ramp or freeway lane closures shall be placed a minimum of seven (7) calendar days in advance of the actual closure.
- Phase 2 of the PCMS message should include appropriate information formatted as shown on BC(6), such as "MERGE LEFT," recommended advisory speed, delay information, or other specific warnings.
- Duplicate construction warning signs should be erected on the medians side of freeways where median width will permit and traffic volume justifies the signing.
- The number of closed lanes may be increased provided the spacing of traffic control devices, taper lengths and tangent lengths meet the requirements of the TMUTCD.
- Warning signs for intermediate term stationary work should be mounted at 7' to the bottom of the sign.
- Warning signs shown shall be appropriately altered for left lane closures. When signs are mounted at 1' height for short term stationary or short duration work, sign versions shown in the SHSD for Texas with distances on the sign face rather than mounted on a plaque below the sign may be used.
- When possible, PCMS units should be located in advance of the last available exit ramp prior to the lane closure to allow motorists an alternate route. They may also be relocated to improve advance warning in case of unanticipated queuing or congestion.
- For Intermediate Term Stationary work at night, floodlights should be used to illuminate the work area and equipment crossings. Floodlights shall not produce a disabling glare condition for road users or workers.
- The END ROAD WORK (G20-2) sign may be omitted when it conflicts with G20-2 signs already in place on the project.

* A shadow vehicle equipped with a Truck Mounted Attenuator is typically required. A shadow vehicle equipped with a TMA shall be used if it can be positioned 30' to 100' in advance of the area of crew exposure without adversely affecting the work performance.





**TRAFFIC CONTROL PLAN
 FREEWAY LANE CLOSURES**

TCP (6-1) - 12

FILE:	tcp6-1.dgn	DATE:	TXDOT	CHK:	TXDOT	DATE:	TXDOT	CHK:	TXDOT
© TXDOT	February 1998	CONT:	SECT:	JOB:	HIGHWAY:				
8-12	REVISIONS	0095	03	110	US	80			
	DIST:	COUNTY:		SHEET NO.:					
	DAL	KAUFMAN		30					

DISCLAIMER: THE USE OF THIS STANDARD IS COVERED BY THE "TEXAS ENGINEERING PRACTICE ACT". NO WARRANTY OF ANY KIND IS MADE BY TxDOT FOR ANY PURPOSE WHATSOEVER. TxDOT ASSUMES NO RESPONSIBILITY FOR THE CONVERSION OF THIS STANDARD TO OTHER FORMATS OR FOR INCORRECT RESULTS OR DAMAGES RESULTING FROM ITS USE.

DATE: 6/3/2024
 FILE: \\txdot.projectwiseonline.com:TXDOT15\Documents\18 - DAL\Design Projects\009503110\4 - Design\Plan Set\2 - TCP\STANDARDS\absorbm19.dgn




THE ABSORB-M IS A NON-REDIRECTIVE, GATING, CRASH CUSHION DESIGNED TO MEET THE LATEST TL-3 & TL-2 MASH REQUIREMENTS.

THE SYSTEM IS DESIGNED TO ACCOMMODATE A VARIETY OF F-SHAPE AND SINGLE SLOPE CONCRETE BARRIERS. CONTACT THE MANUFACTURER FOR GUIDANCE REGARDING OTHER ALLOWABLE SHAPES.

TEST LEVEL	NUMBER OF ELEMENTS	EFFECTIVE LENGTH	MAXIMUM LENGTH
TL-2	2	14'- 7 3/4"	17'- 4"
TL-3	3	20'- 11 3/4"	23'- 8"

NOTE: CROSS SLOPES OF UP TO 8% (OR 1:12 SLOPE) CAN BE ACCOMMODATED WITH STANDARD HARDWARE SHOWN WITHIN THE INSTRUCTIONS MANUAL. FOR SLOPES WITH EXCESS OF 8% (OR 1:12) CONTACT, LINDSAY TRANSPORTATION SOLUTIONS.




NOTE: APPLY A HIGH REFLECTIVE DECAL TO THE NOSE PLATE. DELINEATION DECAL ORIENTATION IS SHOWN ON THE CONSTRUCTION PLAN SET AND SHALL BE IN ACCORDANCE WITH THE TEXAS MUTCD FOR (TRAFFIC CONTROL DEVICES). DECALS ARE AVAILABLE FOR TRAFFIC FLOW ON THE LEFT-SIDE, BOTH -SIDES AND RIGHT-SIDE.

GENERAL NOTES

- FOR SPECIFIC INFORMATION REGARDING THE INSTALLATION AND TECHNICAL GUIDANCE, CONTACT: LINDSAY TRANSPORTATION SOLUTIONS (LTS) - BARRIER SYSTEMS, INC. AT (707) 374-6800. 180 RIVER ROAD, RIO VISTA, CA 94571
- THE ABSORB-M SYSTEM IS ONLY APPROVED FOR USE IN (TEMPORARY WORK ZONE) LOCATIONS.
- THE ABSORB-M IS A WATER FILLED NON-REDIRECTIVE, GATING CRASH CUSHION THAT DOES NOT NEED TO BE ATTACHED TO A FOUNDATION AND CAN BE INSTALLED ON TOP OF CONCRETE, ASPHALT, OR ANY SURFACE CAPABLE OF BEARING THE WEIGHT OF THE SYSTEM.
- MAXIMUM PERMISSIBLE CROSS-SLOPE IS 8%.
- THE INSTALLATION AREA SHOULD BE FREE FROM CURBS, ELEVATED OBJECTS, OR DEPRESSIONS.
- THE ABSORB-M SHOULD BE LOCATED APPROXIMATELY PARALLEL WITH THE BARRIER.
- THE USE OF THE ABSORB-M IS RESTRICTED TO A BARRIER HEIGHT OF UP TO 42 INCHES.
- DO NOT ADD WATER TO FRONT ELEMENT (TL-2 OR TL-3 UNIT).

BILL OF MATERIALS (BOM) ABSORB-M TL-3 & TL-2 SYSTEMS			QTY	QTY
ITEM #	PART NUMBER	PART DESCRIPTION	TL-2 SYSTEM	TL-3 SYSTEM
1	BSI-1809036-00	TRANSITION - (GALV)	1	1
2	BSI-1808002-00	PRE-ASSEMBLED ABSORBING (ELEMENTS)	2	3
3	BSI-4004598	FILL CAPS	8	12
4	BSI-4004599	DRAIN PLUGS	2	3
5	BSI-1809053-00	TENSION STRAP - (GALV)	8	12
6	BSI-2001998	C-SCR FH 3/8-16 X 1 1/2 GR5 PLT	8	12
7	BSI-2001999	C-SCR FH 3/8-16 X 1 GR5 PLT	8	12
8	BSI-1809035-00	MIDNOSE - (GALV)	1	1
9	BSI-1808014-00	NOSE PLATE	1	1
10	BSI-1809037-00	TRANSITION STRAP (LEFT-HAND) - (GALV)	1	1
11	BSI-1809038-00	TRANSITION STRAP (RIGHT-HAND) - (GALV)	1	1
12	BSI-1808005-00	PIN ASSEMBLY	8	10
13	BSI-2002001	ANC MECH 5/8-11X5 (GALV)	6	6
14	ABSORB-M	INSTALLATION AND INSTRUCTIONS MANUAL	1	1

* COMPONENTS PRE-ASSEMBLED WITH ELEMENT ASSEMBLY



SACRIFICIAL


Texas Department of Transportation
 Design Division Standard

**LINDSAY TRANSPORTATION SOLUTIONS
 CRASH CUSHION
 (MASH TL-3 & TL-2)
 TEMPORARY - WORK ZONE
 ABSORB (M) - 19**


FILE: absorbm19	DN: TxDOT	CK: KM	DW: VP	CK:
© TxDOT: JULY 2019	CONT SECT	JOB	HIGHWAY	
REVISIONS	0095 03	110	US 80	
DIST	COUNTY	SHEET NO.		
DAL	KAUFMAN	31		

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 6/3/2024
 FILE: P:\t\project\wiseonline.com\TXDOT5\Documents\18 - DAL\Design Projects\009503110\4 - Design\Plan Set\2 - TCP\STANDARDS\sled19.dgn




PLAN VIEW



ELEVATION VIEW

GENERAL NOTES

1. REFER TO THE INSTALLATION MANUAL FOR SPECIFIC SYSTEM ASSEMBLY AND MODULE ORIENTATION. FOR ADDITIONAL INFORMATION, CONTACT TRAFFIX, INC. AT (949) 361-5663.
2. THE SLED SYSTEM IS A MASH APPROVED TEST LEVEL 3 (TL-3) CRASH CUSHION APPROVED FOR USE IN TEMPORARY WORK ZONES. THE SLED SYSTEM IS A NON-REDIRECTIVE, GATING CRASH CUSHION THAT DOES NOT NEED TO BE ATTACHED TO THE GROUND AND CAN BE INSTALLED ON CONCRETE, ASPHALT, GRAVEL OR COMPACTED SOIL.
3. MAXIMUM PERMISSIBLE CROSS SLOPE IS 8° (DEGREES) (14%).
4. THE INSTALLATION AREA SHOULD BE FREE FROM CURBS, ELEVATED OBJECTS, OR DEPRESSIONS.
5. THE SLED SYSTEM CAN BE ATTACHED TO:
 - CONCRETE BARRIER, TEMPORARY OR PERMANENT, 45" MAXIMUM HEIGHT
 - STEEL BARRIER
 - PLASTIC BARRIER
 - CONCRETE BRIDGE ABUTMENTS
 - W-BEAM GUARD RAIL
 - THRIE BEAM GUARD RAIL




NOSE SHEETING PANEL DELINEATION

NOTE:
SEE INSTALLATION MANUAL FOR CUSTOMIZED DELINEATION NOSE SHEETING FOR DECAL PLACEMENT.

TEST LEVEL	NUMBER OF SECONDARY MODULES	SYSTEM LENGTH
TL-3	3	25' 3"

BILL OF MATERIAL		
PART NUMBER	DESCRIPTION	QTY: TL-3
45131	TRANSITION FRAME, GALVANIZED	1
45150	TRANSITION PANEL, GALVANIZED	2
45147-CP	TRANSITION SHORT DROP PIN W/ KEEPER PIN, GALVANIZED	2
45148-CP	TRANSITION LONG DROP PIN W/ KEEPER PIN, GALVANIZED	1
45050	ANCHOR BOLTS	9
12060	WASHER, 3/4" ID X 2" OD	9
45044-Y	SLED YELLOW WATER FILLED MODULE	3
45044-YH	SLED YELLOW "NO FILL" MODULE	1
45044-S	CIS (CONTAINMENT IMPACT SLED), GALVANIZED	1
45043-CP	T-PIN W/ KEEPER PIN	4
18009-B-I	FILL CAP W/ "DRIVE BY" FLOAT INDICATOR	3
45033-RC-B	DRAIN PLUG	3
45032-DPT	DRAIN PLUG REMOVAL TOOL	1



SLED TRANSITION COMPONENTS FOR ATTACHMENT TO CMB

NOTE:
SEE MANUFACTURER'S INSTALLATION MANUAL FOR FURTHER DETAILS.

TRANSITION OPTIONS
SLED TRANSITION TO CONCRETE TRAFFIC BARRIER (TEMPORARY OR PERMANENT)
SLED TRANSITION TO STEEL TRAFFIC BARRIER (CONTACT MFGR FOR PROPER TRANSITION)
SLED TRANSITION TO PLASTIC TRAFFIC BARRIER (CONTACT MFGR FOR PROPER TRANSITION)
SLED TRANSITION TO W-BEAM OR THRIE BEAM GUARD RAIL (CONTACT MFGR FOR PROPER TRANSITION)
SLED TRANSITION TO CONCRETE BRIDGE ABUTMENT

NOTE:
THIS STANDARD IS A BASIC REPRESENTATION OF THE SLED, IT IS NOT INTENDED TO REPLACE THE INSTALLATION INSTRUCTIONS MANUAL.

SACRIFICIAL


Design Division Standard

SLED CRASH CUSHION TL-3 MASH COMPLIANT (TEMPORARY, WORK ZONE) SLED-19


FILE: sled19.dgn	DNR TxDOT	CK: KM	DWR: VP	CR:
© TxDOT: DECEMBER 2019	CONT	SECT	JOB	HIGHWAY
REVISIONS	0095	03	110	US 80
DIST	COUNTY	SHEET NO.		
DAL	KAUFMAN	32		

DATE: 6/3/2024 9:48:17 AM
 FILE: pw://txdot.projectwiseonline.com:TXDOT5/Documents/18 - DAL/Design Projects/009503110/4 - Design/Plan Set/2 - TCP/STANDARDS/csb110.dgn


DISCLAIMER:
 The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.




End View Precast Barrier
 See sheet 2 of 3 for Joint connection Type X




Reinforcement for Precast (CSB) Concrete Safety Barrier (Type 1)
 Showing reinforcement for Joint Type X



S3 Bar
 #4 Bar



S1 Bar
 #4 Bar (2)
 (Joint Type X)




Concrete Safety Barrier


* When 1" ACP is "not" used as lateral support for permanent barrier placement. A permissible method of attaining the equivalent lateral support may be used, See CSB(6) sheet.

GENERAL NOTES


- Concrete shall be Class H with a minimum compressive strength of 3,600 psi.
- Where used, rebar reinforcement shall be Grade 60 and conform to ASTM A615.
- Precast barrier length shall be 30 ft. unless otherwise specified on the plans.
- All precast barrier edges shall have a 3/4" chamfer or tooling radius.
- All concrete, reinforcement, joint connection systems, grout etc. as shown, are considered as part of the barrier payment.
- All steel assemblies for joint shall be galvanized after fabrication in accordance with Item 445, "Galvanizing."
- Regardless of the method of handling, barrier lifting points shall be approx. 7.5 feet from the ends of the barrier. Lifting devices and attachments to barrier sections shall be approved by the Engineer.
- Surface finishing and grouting (where required) shall be two parts sand and one part cement with enough water to make the mixture plastic. Grouting shall be done in a manner that will assure a smooth surface. Surface finishing shall be considered subsidiary to the various bid items involved.
- Conduit trough when required shall be shown elsewhere on the plans, or as directed by the Engineer.




DEFORMED BAR ANCHOR DETAILS
 Two (2) Bars required per assembly. Eight (8) required per joint.



UPPER CONNECTION PIPE DETAILS
 One (1) Steel Pipe required per Upper Assembly. Two (2) required per joint.




LOWER CONNECTION PIPE DETAILS
 One (1) Steel Pipe required per Lower Assembly. Two (2) required per joint.




TYPE X JOINT INSTALLATION DETAIL


Barrier reinforcing and Type X Joint Leave-Out dimensions not shown for clarity.



CONNECTION PLATE DETAILS
 One (1) Plate required per assembly. Four (4) required per joint. All steel fittings for joint Type X shall be galvanized after fabrication in accordance with Item 445.




BARRIER PLAN AT END JOINTS




Welded Wire Reinforcement (WWR) Option for Bars R and S3
 (WWR) General Notes

- Deformed Welded Wire Reinforcement (WWR) shall conform to ASTM A497.
- Welded wire cage may be cut or bent to accommodate the Type X joint connection and drainage slots, as directed by the Engineer.
- All reinforcement shall comply with Item 440, "Reinforcing Steel."
- Combinations of reinforcing steel and WWR will be permitted, as directed by the Engineer. The dimension from the end of the barrier section to the first wire shall not exceed 3".



CONNECTION BOLT OR THREADED ROD DETAIL
 Two (2) Threaded Rods (or Equivalent Hex Hd. Bolts) (w/ Two (2) PL 3/8 x 3 x 3 Plate Washers & Two (2) Std Hex Nuts) required per joint.

* The connection hardware shall not extend beyond the concrete face of the barrier. Hex head bolts may be provided. The proper length of all hardware should be verified.



ISOMETRIC OF TYPICAL WELDED ASSEMBLY


Four (4) [2 Upper & 2 Lower] Assemblies required per joint.

Weight of one Precast 30 ft. (CSB) segment = Approx. 6.5 Tons or 440 lbs per ft.


		Design Division Standard	
CONCRETE SAFETY BARRIER (F-SHAPE) PRECAST BARRIER (TYPE 1) CSB(1)-10			
FILE: csb110.dgn	DN: TxDOT	CK: AM	DW: BD
© TxDOT December 2010	CONT SECT	JOB	HIGHWAY
REVISIONS	0095 03	110	US 80
DIST	COUNTY	SHEET NO.	
DAL	KAUFMAN	33	

DISCLAIMER: This standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.


DATE: 6/3/2024 9:50:47 AM
 FILE: pw://txdot.projectwiseonline.com:TXDOT5/Documents/18 - DAL/Design Projects/009503110/4 - Design/Plan Set/2. TCP/STANDARDS/csb110.dgn



END VIEW (CSB) QUICK-BOLT
 QUICK-BOLT POCKET LOCATIONS




ELEVATION (CSB) QUICK-BOLT
 See Manufacturer's shop drawing for additional details




ELEVATION VIEW SHOWING JOINT CONNECTION
"QUICK-BOLT"

Joint Connection (Type Q)




TOP VIEW
PRECAST (CSB) WITH J-J HOOKS
 See Manufacturer's shop drawing for additional details



END VIEW
J-J HOOK CONNECTION

Joint Connection (Type J)



VIEW FROM ABOVE
J-J HOOK CONNECTION

Proprietary Joint Connections (CSB)

Two proprietary joint connections are acceptable as alternates to the (Type X) connection shown, here on. These joint connections types are:

J-J Hooks by Easi-Set Industries, (800)547-4045
 Quick-Bolt by Bexar Concrete, (210)497-3773

If one of these connection systems are exclusively specified in the plans, prior approval for sole source use must be obtained. Details of the connection components and barrier reinforcement for these systems, will be shown on the manufacturer's shop drawing(s) furnished to the Engineer.

SHEET 2 OF 2

		Design Division Standard	
CONCRETE SAFETY BARRIER (F-SHAPE) PRECAST BARRIER (TYPE 1) CSB(1)-10			
FILE: csb110.dgn	DN: TxDOT	CK: AM	DW: BD
© TxDOT December 2010	CONT SECT	JOB	HIGHWAY
REVISIONS	0095 03	110	US 80
DIST	COUNTY	SHEET NO.	
DAL	KAUFMAN	34	

CK: DW: CK: DW:

US 80 HORIZONTAL ALIGNMENT DATA (CL US80)

Alignment Name: US80_GEOM
 Alignment Description:
 Alignment Style: Alignment\Baseline

Station	Northing	Easting
50+00.000 R1	6968800.335	2587708.726
(BL CL-) 58+54.366 R1	6968158.949	2588273.142
Tangential Direction: S41°20'51.450"E		
Tangential Length: 854.366		
58+54.366 R1	6968158.949	2588273.142
() 71+24.283 R1	6967204.548	2589110.881
Tangential Direction: S41°16'31.693"E		
Tangential Length: 1269.917		
71+24.283 R1	6967204.548	2589110.881
() 86+15.598 R1	6966083.755	2590094.672
() 6970986.321	2593419.301	
() 100+42.239 R1	6965584.446	2591499.916
Radius: 5732.738		
Delta: 29°09'48.515" Left		
Degree of Curvature (Arc): 00°59'58.015"		
Length: 2917.956		
Tangent: 1491.315		
Chord: 2886.559		
Middle Ordinate: 184.655		
External: 190.8		
Back Tangent Direction: S41°16'31.693"E		
Back Radial Direction: S48°43'28.307"W		
Chord Direction: S55°51'25.951"E		
Ahead Radial Direction: S19°33'39.792"W		
Ahead Tangent Direction: S70°26'20.208"E		
100+42.239 R1	6965584.446	2591499.916
() 109+93.734 R1	6965265.875	2592396.496
Tangential Direction: S70°26'20.208"E		
Tangential Length: 951.495		
109+93.734 R1	6965265.875	2592396.496
() 112+58.590 R1	6965177.112	2592646.036
Tangential Direction: S70°25'09.475"E		
Tangential Length: 264.856		
112+58.590 R1	6965177.112	2592646.036
() 123+42.413 R1	6964813.886	2593667.182
() 6959832.848	2590745.057	
() 134+00.420 R1	6964099.765	2594482.475
Radius: 5672.291		
Delta: 21°38'04.604" Right		
Degree of Curvature (Arc): 01°00'36.358"		
Length: 2141.83		
Tangent: 1083.823		
Chord: 2129.128		
Middle Ordinate: 100.793		
External: 102.617		
Back Tangent Direction: S70°25'09.475"E		
Back Radial Direction: S19°34'50.525"W		
Chord Direction: S59°36'07.173"E		
Ahead Radial Direction: S41°12'55.129"W		
Ahead Tangent Direction: S48°47'04.871"E		

US 80 HORIZONTAL ALIGNMENT DATA (CL US80) CONT.

Element: Linear

PT	()	134+00.420 R1	6964099.765	2594482.475
PI	()	138+30.443 R1	6963816.427	2594805.955
Tangential Direction: S48°47'04.871"E				
Tangential Length: 430.023				
Element: Linear				
PI	(BL CL-4)	138+30.443 R1	6963816.427	2594805.955
PC	(BL CL-12)	179+59.165 R1	6961083.239	2597900.471
Tangential Direction: S48°32'52.440"E				
Tangential Length: 4128.722				
Element: Circular				
PC	()	179+59.165 R1	6961083.239	2597900.471
PI	()	187+92.284 R1	6960531.72	2598524.902
CC	()	6965423.788	2601734.2	
PCC	()	196+14.050 R1	6960178.583	2599279.476
Radius: 5791.186				
Delta: 16°22'22.060" Left				
Degree of Curvature (Arc): 00°59'21.702"				
Length: 1654.885				
Tangent: 833.119				
Chord: 1649.26				
Middle Ordinate: 59.012				
External: 59.619				
Back Tangent Direction: S48°32'52.440"E				
Back Radial Direction: S41°27'07.560"W				
Chord Direction: S56°44'03.470"E				
Ahead Radial Direction: S25°04'45.500"W				
Ahead Tangent Direction: S64°55'14.500"E				
Element: Circular				
PCC	()	196+14.050 R1	6960178.583	2599279.476
PI	()	199+59.939 R1	6960033.091	2599593.278
CC	()	6965458.212	2601727.355	
PT	()	203+05.015 R1	6959925.793	2599922.104
Radius: 5819.5				
Delta: 06°48'10.409" Left				
Degree of Curvature (Arc): 00°59'04.373"				
Length: 690.966				
Tangent: 345.889				
Chord: 690.56				
Middle Ordinate: 10.252				
External: 10.27				
Back Tangent Direction: S65°07'31.414"E				
Back Radial Direction: S24°52'28.586"W				
Chord Direction: S68°31'36.619"E				
Ahead Radial Direction: S18°04'18.177"W				
Ahead Tangent Direction: S71°55'41.823"E				
Element: Linear				
PT	()	203+05.015 R1	6959925.793	2599922.104
POT	()	203+48.405 R1	6959912.334	2599963.353
Tangential Direction: S71°55'41.823"E				
Tangential Length: 43.389				

DATE: 6/3/2024 8:43:20 AM
 FILE: \\txdot\projectwiseonline.com\TXDOT5\Documents\18 - DAL\Design Projects\009503110\4 - Design\Plan Set\3 - Roadway\0095-03-110 Alignment Data.dgn



Falon Benfro, P.E.
 Signature of Registrant & Date

8/14/2024



US 80 ALIGNMENT DATA

SHEET 1 OF 1



CONT	SECT	JOB	HIGHWAY
0095	03	110	US 80
DIST	COUNTY	SHEET NO.	
DAL	KAUFMAN	35	

DATE: 9/10/2024 3:02:04 PM
 FILE: pw://txdot.projectwiseonline.com/TxDOT5/Documents/18 - DAL/Design Projects/009503110/4 - Design/Plan Set/3 - Roadway/0095-03-110 US 80 Roadway Plan.dgn




- LEGEND:**
- PERMANENT CONCRETE BARRIER
 - CRASH CUSHION ATTENUATION (CCA)

- NOTES**
1. PIPE UNDERDRAIN, RCP, & INLET LOCATIONS ARE APPROXIMATE. FIELD VERIFY LOCATIONS.
 2. CONTRACTOR TO TAKE CARE NOT TO DAMAGE PIPE UNDERDRAIN, RCP, & INLETS. CONTRACTOR TO REPAIR ANY DAMAGE DUE TO NEGLIGENCE.
 3. REFERENCE AS-BUILTS CSJ 0095-03-079 AND CSJ 0095-03-088 FOR FURTHER INFORMATION REGARDING THE EXISTING STORM SEWER SYSTEM.
 4. SSCB BEGINNING AND END STATIONS MAY VARY DEPENDING ON LENGTH OF BRIDGE RAIL. FIELD VERIFY BEFORE PLACING SSCB.
 5. PLACE JOINT IN BETWEEN THE BRIDGE RAIL AND THE PROPOSED SSCB. DO NOT TIE THE SSCB TO THE BRIDGE.
 6. EXISTING MEDIAN CONSIST OF RUBBLIZED CONCRETE & ASPHALT ALONG WITH EXISTING VEGETATION.



PI 123+42.41
 Δ 21°38'04.6" (RT)
 D 01°00'36.4"
 T 1083.82'
 L 2141.83'
 R 5672.29'
 PC 112+58.59
 PT 134+00.42

REMOVAL
 1 - GET
 1 - DAT
 225LF MBGF



Falon Renfro P.E. 9/10/2024
 Signature of Registrant & Date




**US 80
 ROADWAY PLAN**

SCALE 1"=100' SHEET 2 OF 5


CONT	SECT	JOB	HIGHWAY
0095	03	110	US 80
DIST	COUNTY	SHEET NO.	
DAL	KAUFMAN	37	

DATE: 9/10/2024 3:02:14 PM
 FILE: pw://ttdot.projectwiseonline.com/TxDOT5/Documents/18 - DAL/Design Projects/009503110/4 - Design/Plan Set/3 - Roadway/0095-03-110 US 80 Roadway Plan.dgn



- LEGEND:**
- PERMANENT CONCRETE BARRIER
 - CRASH CUSHION ATTENUATION (CCA)

- NOTES**
1. PIPE UNDERDRAIN, RCP, & INLET LOCATIONS ARE APPROXIMATE. FIELD VERIFY LOCATIONS.
 2. CONTRACTOR TO TAKE CARE NOT TO DAMAGE PIPE UNDERDRAIN, RCP, & INLETS. CONTRACTOR TO REPAIR ANY DAMAGE DUE TO NEGLIGENCE.
 3. REFERENCE AS-BUILTS CSJ 0095-03-079 AND CSJ 0095-03-088 FOR FURTHER INFORMATION REGARDING THE EXISTING STORM SEWER SYSTEM.
 4. SSCR BEGINNING AND END STATIONS MAY VARY DEPENDING ON LENGTH OF BRIDGE RAIL. FIELD VERIFY BEFORE PLACING SSCR.
 5. PLACE JOINT IN BETWEEN THE BRIDGE RAIL AND THE PROPOSED SSCR. DO NOT TIE THE SSCR TO THE BRIDGE.
 6. EXISTING MEDIAN CONSIST OF RUBBLIZED CONCRETE & ASPHALT ALONG WITH EXISTING VEGETATION.



Falon Renfro P.E. 9/10/2024
 Signature of Registrant & Date




**US 80
ROADWAY PLAN**

SCALE 1"=100' SHEET 4 OF 5

CONT	SECT	JOB	HIGHWAY
0095	03	110	US 80
DAL	KAUFMAN		SHEET NO. 39

DATE: 9/10/2024 3:02:19 PM
 FILE: \\txdot\projectwiseonline.com\TxDOT5\Documents\18 - DAL\Design Projects\009503110\4 - Design\Plan Set\3 - Roadway\0095-03-110 US 80 Roadway Plan.dgn

CK: DW: CK: DW:





LEGEND:

— PERMANENT CONCRETE BARRIER

▬ CRASH CUSHION ATTENUATION (CCA)

- NOTES**
1. PIPE UNDERDRAIN, RCP, & INLET LOCATIONS ARE APPROXIMATE. FIELD VERIFY LOCATIONS.
 2. CONTRACTOR TO TAKE CARE NOT TO DAMAGE PIPE UNDERDRAIN, RCP, & INLETS. CONTRACTOR TO REPAIR ANY DAMAGE DUE TO NEGLIGENCE.
 3. REFERENCE AS-BUILTS CSJ 0095-03-079 AND CSJ 0095-03-088 FOR FURTHER INFORMATION REGARDING THE EXISTING STORM SEWER SYSTEM.
 4. SSCB BEGINNING AND END STATIONS MAY VARY DEPENDING ON LENGTH OF BRIDGE RAIL. FIELD VERIFY BEFORE PLACING SSCB.
 5. PLACE JOINT IN BETWEEN THE BRIDGE RAIL AND THE PROPOSED SSCB. DO NOT TIE THE SSCB TO THE BRIDGE.
 6. EXISTING MEDIAN CONSIST OF RUBBLIZED CONCRETE & ASPHALT ALONG WITH EXISTING VEGETATION.



Falon Renfro, P.E. 9/10/2024
 Signature of Registrant & Date




**US 80
ROADWAY PLAN**

SCALE 1"=100' SHEET 5 OF 5


CONT	SECT	JOB	HIGHWAY
0095	03	110	US 80
DIST	COUNTY	SHEET NO.	
DAL	KAUFMAN	40	

DATE: 9/10/2024 4:03:07 PM
 FILE: pw://txdot.projectwiseonline.com:TxDOT5/Documents/18 - DAL/Design Projects/009503110/4 - Design/Plan Set/3 - Roadway/0095-03-110 US 80 Misc Details.dgn

DN:
 CK:
 DW:
 CK:
 CK:




SSCB & CONCRETE RIPRAP DETAIL
 ELEVATION VIEW
 CAST-IN-PLACE (CIP) BARRIER
 BARRIER IS SYMMETRICAL ABOUT THE CENTER LINE



CONCRETE RIPRAP DETAIL
 PLAN VIEW

NOTES

1. REFERENCE SSCB(1F)-10 STANDARD SHEET FOR FURTHER DETAILS.
2. THE LATERAL SUPPORT FOR SSCB WILL BE DRILLED SHAFT ANCHORS. SEE SSCB(1F)-10 FOR FURTHER DETAILS.
3. CONTRACTOR TO TAKE CARE NOT TO DAMAGE EXISTING STORM SEWER WITH SSCB DRILLED SHAFTS. ANY DAMAGE TO THE STORM SEWER THAT OCCURS DUE TO CONSTRUCTION SHALL BE REPAIRED AT THE CONTRACTOR'S EXPENSE.
4. DRAINAGE SLOTS SHALL BE SPACED 12'-0" C-C AND BE 3' IN LENGTH AND 5" IN HEIGHT.
5. EXPANSION JOINTS ARE PLACED AT 100' MAX, BUT MAY NEED TO BE REDUCED IN AREAS WHERE THE SSCB DRILL SHAFT ANCHORS ARE IN CONFLICT WITH THE EXISTING STORM SEWER. THIS WORK WILL NOT BE PAID FOR DIRECTLY, BUT IS SUBSIDIARY TO ITEM 514.
6. REFERENCE PLAN SHEETS FOR LOCATION OF CONCRETE RIPRAP AND SSCB.



Falon Renfro P.E. 9/11/2024
 Signature of Registrant & Date



US 80
MISCELLANEOUS
DETAILS


SHEET 1 OF 1

CONT	SECT	JOB	HIGHWAY
0095	03	110	US 80
DIST	COUNTY	SHEET NO.	
DAL	KAUFMAN	41	

SCALE: NTS

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: 6/13/2024
 FILE: D:\projects\projectwiseonline.com\TXDOT\Documents\18 - DAL\Design Projects\009503110\4 - Design\Plan Set\3. Roadway\STANDARDS\1. 0095-03-110 US 80 sscb1f10.dgn



END VIEW
CAST-IN-PLACE (CIP) BARRIER
 Barrier is Symmetrical About the Center Line


Notes:
 Bottom of reinforcement cage may rest on top of the finished grade.
 Reinforcement around the drainage slots may be cut or bent to accommodate the edge and top clearances.

ELEVATION VIEW
 Cast-in-Place (SSCB) (Type 2) on Roadway


GENERAL NOTES

- Concrete shall be Class C. Unless otherwise specified in the plans.
- Where used, rebar reinforcement shall be Grade 60 and conform to ASTM A615.
- These details cover barrier per Item 514, "Permanent Concrete Traffic Barrier".
- The Anchorage shown is considered subsidiary to the bid item.
- Top edges of CIP barrier shall have a 3/4 inch chamfer or tooled radius.
- Drainage slot locations (12'-0", C-C Min. Spacing) are shown elsewhere, or as directed by the Engineer. Drainage slot heights on the SSCB may be increased to a maximum of 5 inches, without geometric changes to the barrier face.
- Cast-in-place barrier may be slip formed. Bracing may be tied or tack welded to the reinforcement cage to provide cage stability. Do not weld to anchorage.
- For locations where lighting is required, see the SSCB(4) sheet for the proper reinforcement and anchorage.

Top edges of CIP barrier shall have 3/4 inch chamfer or tooled radius.




SINGLE SLOPE CONCRETE BARRIER
(SSCB) (42")




BARRIER HEIGHT (IN.)	* DIMENSIONS (IN.)		
	A	B	C
42	24	40 1/4	20 1/2
48	26 1/4	46 1/4	22 3/4
54	28 1/2	52 1/4	25 1/4


* (SSCB) (42") Barrier height may be increased to 48" or 54". This would increase the barrier and reinforcement dimensions accordingly.



SECTION E-E
ANCHOR DETAIL




SECTION D-D
ANCHOR DETAIL
EXPANSION JOINT (Dowel Connection)
 Dowels may be used, as directed by the Engineer, in locations where the barrier could be laterally displaced.



Welded Wire Reinforcement (WWR) Option for Bars V1 and H1

- (WWR) General Notes**
- Deformed Welded Wire Reinforcement (WWR) shall conform to ASTM A497.
 - Welded wire cage may be cut and bent to accommodate the drainage slots, as directed by the Engineer.
 - Welded wire splice locations shall have a "minimum" splice lap length of 12".
 - Combinations of reinforcing steel and WWR will be permitted, as directed by the Engineer. The dimension from the end of the barrier section to the first wire shall not exceed 3".



ELEVATION
ANCHOR LOCATION

Cast-In-Place (CIP) or Slip-Formed (SSCB)

Cast-in-Place barrier may be connected to precast SSCB. Joint connection "Types" may be used in Cast-in-Place barrier, to match the precast barrier connection. (See required connection "Type" elsewhere in the plans)

The weight of Cast-in-Place (SSCB) 42" is approx. 717 lbs per ft.

Texas Department of Transportation
 Design Division Standard


SINGLE SLOPE CONCRETE BARRIER
CAST-IN-PLACE (TYPE 1)
(FLEXIBLE PAVEMENT)
SSCB(1F) - 10

FILE: sscb1f10.dgn	DNR TxDOT	CR: AM	DWR: BD	CR:
© TxDOT December 2010	CONT	SECT	JOB	HIGHWAY
REVISIONS	0095 03	110	US 80	
DIST	COUNTY	SHEET NO.		
DAL	KAUFMAN	42		

DATE: 6/13/2024
 FILE: \\txdot.projectwiseonline.com\TXDOT5\Documents\18 - DAL\Design Projects\009503110\4 - Design\Plan Set\3. Roadway\STANDARDS\2. qguardm10n20.dgn
 DISCLAIMER: THE USE OF THIS STANDARD IS COVERED BY THE "TEXAS ENGINEERING PRACTICE ACT". NO WARRANTY OF ANY KIND IS MADE BY TXDOT FOR ANY PURPOSE WHATSOEVER. TXDOT ASSUMES NO RESPONSIBILITY FOR THE CONVERSION OF THIS STANDARD TO OTHER FORMATS OR FOR INCORRECT RESULTS OR DAMAGES RESULTING FROM ITS USE.


NOTE:
A TRANSITION MAY BE REQUIRED TO INSTALL THE QUADGUARD M10 TO THE OBJECT BEING SHIELDED.

QUADGUARD M10 24" WIDE 6-BAY SYSTEM



KEY		KEY	
1	QUADGUARD CARTRIDGE	4	MONORAILS
2	DIAPHRAGM	5	NOSE ASSEMBLY
3	FENDER PANEL	6	BACKUP ASSEMBLY

NOTE:
PROVISION SHALL BE MADE FOR REAR FENDER SIDE PANELS TO SLIDE REARWARD UPON IMPACT, 30" MIN.



NOTES:
CONTACT THE MANUFACTURER WITH SITE SPECIFIC DATA (SSD) FOR CONCRETE PAD AND ANCHOR BLOCK INSTALLATION REQUIREMENTS.

A MANUFACTURER'S DRAWING PACKAGE UNIQUE AND SPECIFIC FOR THE QUADGUARD M10 (N) INSTALLATION AND DETAILED INFORMATION REGARDING THE TYPE OF BACKUP ASSEMBLY FOR THE REQUIRED TRANSITION WILL BE PROVIDED TO THE ENGINEER AND INSTALLER.

6" REINFORCED CONCRETE PAD REQUIRES THE INSTALLATION OF AN ANCHOR BLOCK AS SHOWN ON THE MANUFACTURER'S DRAWING PACKAGE.

8" NON-REINFORCED CONCRETE PAD MAY NOT REQUIRE AN ANCHOR BLOCK, IF THE PAD IS INSTALLED AGAINST AN IMMOVABLE CONCRETE BACKUP.

CONCRETE PAD AND ANCHOR BLOCK COMBINATIONS SHALL BE CONFIRMED WITH THE MANUFACTURER BASED UPON SITE SPECIFIC DATA (SSD).

NOTE:
THE QUADGUARD M10 24" WIDE 6-BAY - NARROW SYSTEM HAS BEEN TESTED TO MASH TEST LEVEL 3.

TL-3 MODEL #	QM10024	CARTRIDGE TYPES IN BAYS		
BAYS	6	TYPE-MII	TYPE-MI	TYPE-MI
DIAPHRAGMS	6	3	3	1
WIDTH	24"	REAR	FRONT	NOSE

TL-2 MODEL #	QM7024	CARTRIDGE TYPES IN BAYS		
BAYS	3	TYPE-MII	TYPE-MI	TYPE-MI
DIAPHRAGMS	3	1	2	1
WIDTH	24"	REAR	FRONT	NOSE

BACKUP ASSEMBLY TYPES FOR SYSTEM TRANSITIONS

SEE GENERAL NOTE 10 FOR CLEARANCE LIMITATIONS

SYSTEM TRANSITIONS TYPES	
1	QUAD-BEAM TO CONCRETE SAFETY BARRIER
2	QUAD-BEAM TO CONCRETE BRIDGE RAIL
3	QUAD-BEAM TO CONCRETE END SHOE
4	QUAD-BEAM TO THRIE-BEAM RAIL
5	QUAD-BEAM TO W-BEAM RAIL

NOTE:
TRANSITION ASSEMBLIES FOR THE QUADGUARD M10 TO THRIE-BEAM OR W-BEAM FENCE REQUIRES I-BEAM POSTS:
ALL POSTS W6x8.5/9 I-BEAMS (78" LONG).

NOTE:
CONTACT THE MANUFACTURER WITH SITE SPECIFIC DATA (SSD) FOR THE CORRECT BACKUP ASSEMBLY AND TRANSITION PANELS OR SIDE PANELS USED FOR STANDARD AND BI-DIRECTIONAL INSTALLATIONS: AT DIVIDED-HIGHWAY MEDIANS OR UNDIVIDED ROADWAYS WHERE THE SYSTEM IS EXPOSED TO IMPACTS FROM ONE OR TWO DIFFERENT DIRECTIONS OF TRAFFIC FLOW.

GENERAL NOTES

- FOR SPECIFIC INFORMATION REGARDING INSTALLATION AND TECHNICAL GUIDANCE OF THE SYSTEM, CONTACT: TRINITY HIGHWAY - ENERGY ABSORPTION INC. AT 1(888)323-6374.
- SEE THE RECENT QUADGUARD M10 PRODUCT DESCRIPTION ASSEMBLY MANUAL FOR IMPACT PERFORMANCE CHARACTERISTICS AND DESIGN LIMITATIONS AND THE DRAWING PACKAGE FOR THE NARROW 24" SYSTEM BEFORE INSTALLING THE QUADGUARD M10 SYSTEM AT ANY GIVEN LOCATION.
- FOR BI-DIRECTIONAL TRAFFIC: THE PLACEMENT OF THE QUADGUARD M10 IS RESTRICTED. AS BI-DIRECTIONAL TRAFFIC APPROACHES THE REAR OF THE QUADGUARD M10 THE CRASH CUSHION MUST BE PLACED SUCH THAT THE TRAFFIC SIDE OF CRASH CUSHION IS AT LEAST AS FAR FROM ADJACENT TRAVEL LANE LINE AS THE TRAFFIC SIDE OF BARRIER/OBJECT BEING SHIELDED.
- SYSTEM TRANSITION: APPROPRIATE TRANSITION PANELS OR SIDE PANELS WILL BE REQUIRED FOR PROPER IMPACT PERFORMANCE. THE CORRECT PANEL(S) TO USE WILL DEPEND ON THE DIRECTION OF TRAFFIC FLOW AND WHAT TYPE OF BARRIER OR ROAD FEATURE THE QUADGUARD M10 SYSTEM IS SHIELDING. SEE THE QUADGUARD M10 PRODUCT DESCRIPTION & ASSEMBLY MANUAL FOR FURTHER DETAILS.
- COMPONENTS FOR THE QUADGUARD M10 BACKUP AND REINFORCING DETAILS ARE SHOWN ON THE QUADGUARD M10 PRODUCT DESCRIPTION & ASSEMBLY MANUAL.
- CONCRETE PAD SHALL BE 6" MIN. REINFORCED 28MPa [4,000 PSI] (P.C.) OR 8" MIN. NON-REINFORCED 28MPa [4,000 PSI] CONCRETE ROADWAY MEASURING AT LEAST 12'-0" WIDE BY 50'-0" LONG. ANCHOR BLOCK IS NOT REQUIRED WHEN USING 8" CONCRETE PAD INSTALLED AGAINST AN IMMOVABLE STRUCTURE, E.G. CONCRETE WALL.
- IF THE CROSS-SLOPE VARIES MORE THAN 2% OVER THE LENGTH OF THE SYSTEM, THE CONCRETE PAD WILL REQUIRE LEVELING. MAXIMUM PERMISSIBLE CROSS-SLOPE IS 8%.
- THE INSTALLATION AREA SHOULD BE FREE OF CURBS, ELEVATED OBJECTS, OR DEPRESSIONS.
- THE QUADGUARD M10 SYSTEM SHOULD BE INSTALLED APPROXIMATELY PARALLEL WITH THE BARRIER.
- FOR THE TENSION STRUT BACKUP THE DISTANCE BETWEEN THE BACK OF BACKUP AND THE BARRIER WALL SHOULD NOT EXCEED 7" IN ANY CASE.
- TXDOT HAS ONLY APPROVED THE 24" WIDE QUADGUARD M10 SYSTEM. THE QUADGUARD M10 PRODUCT DESCRIPTION AND ASSEMBLY MANUAL INCLUDES SYSTEM WIDTH OF 24". ONLY THE 24" SYSTEM IS ALLOWED TO BE INSTALLED ON TEXAS ROADWAYS.

FOUNDATION & ANCHORING REQUIREMENTS	
FOUNDATION TYPES: A, B, C, & D	
FOUNDATION TYPE: A	REINFORCED CONCRETE PAD OR ROADWAY
FOUNDATION:	6" MINIMUM DEPTH (P.C.C.)
ANCHORAGE:	7" STUDS EMBEDDED 5 1/2" - APPROVED ADHESIVE
FOUNDATION TYPE: B	ASPHALT OVER P.C.C.
FOUNDATION:	3" MIN. (A.C.) OVER 3" MIN. (P.C.C.)
ANCHORAGE:	18" THREADED ROD EMBEDDED 16 1/2" - APPROVED ADHESIVE
FOUNDATION TYPE: C	ASPHALT OVER SUBBASE
FOUNDATION:	6" MIN. (A.C.) OVER 6" MIN. (C.S.)
ANCHORAGE:	18" THREADED ROD EMBEDDED 16 1/2" - APPROVED ADHESIVE
FOUNDATION TYPE: D	ASPHALT ONLY
FOUNDATION:	8" MIN. (A.C.)
ANCHORAGE:	18" THREADED ROD EMBEDDED 16 1/2" - APPROVED ADHESIVE

KEY:
ASPHALT CONCRETE (A.C.)
COMPACTED SUBBASE (C.S.)
PORTLAND CEMENT CONCRETE (P.C.C.)

NOTE: SEE TRINITY'S PRODUCT DESCRIPTION ASSEMBLY MANUAL FOR THE APPROVED ADHESIVE.

IF THE UNIT IS ANCHORED TO ASPHALTIC CONCRETE, IT SHOULD BE RELOCATED TO FRESH, UNDISTURBED ASPHALT AND RE-ANCHORED AFTER EACH IMPACT TO ENSURE ADEQUATE FUTURE PERFORMANCE.

TENSION STRUT BACKUP MAY BE USED IN CONSTRUCTION ZONES ON ASPHALT CONCRETE (A.C.) FOR TEMPORARY USE ONLY.

REUSABLE

Texas Department of Transportation
 Design Division Standard


**TRINITY HIGHWAY
 ENERGY ABSORPTION
 QUADGUARD M10
 (MASH TL-3 & TL-2 NARROW-24" ONLY)**

QUADGUARD (M10) (N) - 20

FILE: qguardm10n20.dgn	DN: TXDOT	CK: KM	DW: VP	CK: AG
© TXDOT: NOVEMBER 2020	CONT	SECT	JOB	HIGHWAY
REVISIONS	0095 03	110	US 80	
	DIST	COUNTY	SHEET NO.	
	DAL	KAUFMAN	43	

DISCLAIMER: THIS STANDARD IS GOVERNED BY THE "TEXAS ENGINEERING PRACTICE ACT". NO WARRANTY OF ANY KIND IS MADE BY TxDOT FOR ANY PURPOSE WHATSOEVER. TxDOT ASSUMES NO RESPONSIBILITY FOR THE CONVERSION OF THIS STANDARD TO OTHER FORMATS OR FOR INCORRECT RESULTS OR DAMAGES RESULTING FROM ITS USE.

DATE: 6/13/2024
 FILE: D:\Design Projects\009503110\4 - Design\Plan Set\3. Roadway\Standards\3. taum19.dgn



GENERAL NOTES

- FOR SPECIFIC INFORMATION REGARDING THE INSTALLATION AND TECHNICAL GUIDANCE OF THE SYSTEM, CONTACT: LINDSAY TRANSPORTATION SOLUTIONS (LTS) - BARRIER SYSTEMS, INC. AT (707) 374-6800. 180 RIVER ROAD, RIO VISTA, CA 94571
- REFER TO THE LATEST (LTS) INSTALLATION INSTRUCTION MANUAL FOR IMPORTANT SAFETY MESSAGES, COMPLETE SYSTEM ASSEMBLY, AND ANCHOR INSTALLATION REQUIREMENTS FOR THE NINE (9) DIFFERENT SITE TRANSITIONS.
- INSTALLATION DETAILS FOR THE COMPACT BACKSTOP, FRONT CABLE ANCHOR AND FOUNDATION OPTIONS ARE SHOWN ON THE INSTALLATION INSTRUCTION MANUAL FURNISHED TO THE ENGINEER.
- CONCRETE SHALL BE CLASS "S" WITH A MINIMUM COMPRESSIVE STRENGTH OF 4,000 P.S.I.
- IF THE CROSS-SLOPES VARIES MORE THAN 2% OVER THE LENGTH OF THE SYSTEM, THE CONCRETE PAD WILL REQUIRE LEVELING. MAXIMUM PERMISSIBLE CROSS-SLOPE IS 8%
- THE INSTALLATION AREA SHOULD BE FREE FROM CURBS, ELEVATED OBJECTS, OR DEPRESSIONS.
- THE TAU(M) (N) SYSTEM SHOULD BE APPROXIMATELY PARALLEL WITH THE BARRIER OR CENTER LINE OF MERGING BARRIERS.
- THIS DRAWING REPRESENTS THE UNIVERSAL TAU(M) (N) TL-3 SYSTEM, A RE-DIRECTIVE NON-GATING CRASH CUSHION THAT CAN PROTECT HAZARDS UP TO 30-INCHES IN WIDTH. ALSO AVAILABLE IN TL-2 CONFIGURATION.

NOTE:
 TAU(M) (N) TL-2 SYSTEM CONTAINS (4) TYPE B (EAC) CARTRIDGES.
 INSTALLED ON ROADWAYS WITH MAXIMUM SPEEDS OF 45 MPH.

NOTE:
 PAD THICKNESS VARIES - SEE FOUNDATION OPTIONS

NOTES:
 TRANSITIONS AND ATTACHMENTS TO VARIOUS BARRIER SHAPES, RAILINGS AND BI-DIRECTIONAL TRAFFIC FLOWS ARE AVAILABLE. SEE MANUFACTURER'S INSTALLATION INSTRUCTIONS MANUAL FOR ADDITIONAL TRANSITION DETAILS.

NOTE:
 CONCRETE FOUNDATION PAD LENGTH VARIES WITH TL-3 AND TL-2 SYSTEMS, SEE SYSTEM & FOUNDATION LENGTH TABLE.

BILL OF MATERIALS FOR TAU(M) (N) TL-3 & TL-2 SYSTEMS		QUANTITIES	
PART NUMBER	PART DESCRIPTION	TL-3 SYSTEM	TL-2 SYSTEM
BSI-1708019-00	SLIDING PANEL GALVANIZED TAU(M) (N)	14	8
BSI-1708030-00	END PANEL, THRIE BEAM, GALV, TAU(M) (N)	2	2
BSI-1706001-00	CABLE ASSEMBLY, 7 BAY, TAU(M) (N)	2	-
BSI-1805036-00	CABLE ASSEMBLY, 4 BAY, TAU(M) (N)	-	2
BSI-1708018-00	FRONT CABLE ANCHOR	1	1
BSI-1707034-00	COMPACT BACKSTOP	1	1
B030703	MIDDLE SUPPORT ASSEMBLY	6	3
B030704	FRONT SUPPORT	1	1
B010722	ENERGY ABSORBING CARTRIDGE, TYPE B	7	4
K001005	TAU-II FRONT SUPPORT LEG KIT	1	1
BSI-1709083-KT	TETHER KIT (INCLUDES ALL HARDWARE)	1	1
BSI-1809041-KT	SLIDER KIT (INCLUDES ALL HARDWARE)	7	4
BSI-1808033-KT	CABLE GUIDE KIT (INCLUDES ALL HARDWARE)	6	3
BSI-1809040-KT	TOW HOOK KIT (INCLUDES ALL HARDWARE)	1	1
BSI-1808034-KT	DELINEATION BRACKET KIT (INCLUDES ALL HARDWARE)	1	1
BSI-1808035-KT	END PANEL MOUNT KIT (INCLUDES ALL HARDWARE)	1	1
BSI-1808036-KT	CONCRETE ANCHORING KIT	1	1
SEE NOTE	HIGH REFLECTIVE DECAL	1	1
ECN 3883	INSTALLATION AND INSTRUCTIONS MANUAL	1	1

FOUNDATION OPTIONS
6" REINFORCED CONCRETE
8" UNREINFORCED CONCRETE
ASPHALT OVER CONCRETE WITH MINIMUM 6" EMBEDMENT IN CONCRETE
6" ASPHALT OVER 6" COMPACT SUBBASE
8" MINIMUM ASPHALT


SYSTEM & FOUNDATION LENGTH TABLE	
SYSTEM LENGTH	FOUNDATION LENGTH
TL-2 = 15'-5"	TL-2 = 15'-4"
TL-3 = 23'-11"	TL-3 = 23'-10"

* NOTE:
 REQUIRES AN ASPHALT ANCHORAGE PACKAGE: INCLUDES ADDITIONAL BRACES FOR THE FRONT CABLE ANCHOR AND THE COMPACT BACKSTOP, AND ASPHALT HARDWARE KIT. THE TL-3 ASPHALT CONFIGURATION ALSO REQUIRES NESTED SLIDER PANELS AND SHIMS AT THE LAST TWO BAYS. SEE MANUFACTURER'S INSTALLATION INSTRUCTION MANUAL FOR DETAILS.

** NOTE:
 ENGINEER OR CONTRACTOR SHALL COORDINATE WITH THE MANUFACTURER FOR THE CORRECT DECAL PER TRAFFIC FLOW, LEFT, RIGHT OR BOTH-SIDES.

NOTE:
 SEE MANUFACTURER'S INSTALLATION INSTRUCTION MANUAL FOR FOUNDATION SPECIFICATIONS THAT INCLUDE, STONE AGGREGATE MIX, COMPRESSION STRENGTH, STEEL SIZE, ANCHOR SIZE, AND EMBEDMENT DEPTH.

NOTE:
 DELINEATION BRACKET ATTACHES TO FRONT SUPPORT ASSEMBLY.



DELINEATION BRACKET

NOTE:
 APPLY A HIGH REFLECTIVE DECAL TO THE DELINEATION BRACKET. DELINEATION DECAL ORIENTATION IS SHOWN ON THE CONSTRUCTION PLAN SET AND SHALL BE IN ACCORDANCE WITH THE TEXAS MUTCD FOR (TRAFFIC CONTROL DEVICES). DECALS ARE AVAILABLE FOR TRAFFIC FLOW ON THE LEFT-SIDE, BOTH -SIDES AND RIGHT-SIDE.

NOTES:
 UPGRADE KITS ARE AVAILABLE TO RETROFIT EXISTING NCHRP 350 TAU-II SYSTEMS TO MASH COMPLIANT SYSTEMS. SEE MANUFACTURER'S PRODUCT INFORMATION.

THE TAU(M) (N) UNIDIRECTIONAL SYSTEM IS FREE STANDING AND IS NOT REQUIRED TO BE CONNECTED TO THE HAZARD.


TRANSITIONS TO GUARD FENCE, BRIDGE RAILS AND ROADSIDE BARRIERS SHALL BE IN ACCORDANCE WITH TxDOT'S POLICY.

NOTE:
 THIS STANDARD IS A BASIC REPRESENTATION OF THE UNIVERSAL TAU(M) (N) SYSTEM, IT IS NOT INTENDED TO REPLACE THE INSTALLATION INSTRUCTION MANUAL.


REUSABLE

		<i>Design Division Standard</i>	
LINDSAY TRANSPORTATION SOLUTIONS UNIVERSAL CRASH CUSHION (MASH TL-3 & TL-2) TAU(M) (N) - 19			
FILE: taum19.dgn	DNR TxDOT	CK: KM	DWR: VP
© TxDOT: APRIL 2019	CONT SECT	JOB	HIGHWAY
REVISIONS	0095 03	110	US 80
DIST	COUNTY	SHEET NO.	
DAL	KAUFMAN	44	


DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.



PLAN VIEW



ELEVATION VIEW



ISOMETRIC VIEW

DELINEATION DECAL PLACEMENT GUIDE



* NOTE: ENGINEER OR CONTRACTOR SHALL COORDINATE WITH THE MANUFACTURER FOR THE CORRECT DECAL PER TRAFFIC FLOW, LEFT, RIGHT OR BOTH-SIDES.
NOTE: APPLY A HIGH REFLECTIVE DECAL TO THE NOSE PLATE. DELINEATION DECAL ORIENTATION IS SHOWN ON THE CONSTRUCTION PLAN SET AND SHALL BE IN ACCORDANCE WITH THE TEXAS MUTCD FOR TRAFFIC CONTROL DEVICES. DECALS ARE AVAILABLE FOR TRAFFIC FLOW ON THE LEFT-SIDE, BOTH -SIDES AND RIGHT-SIDE. THE ORIENTATION BETWEEN THE LEFT-SIDE AND RIGHT-SIDE TRAFFIC IS CHANGED BY ROTATING THE DECAL 90 DEGREES AND REINSTALLING.

FOUNDATION & ANCHORING REQUIREMENTS

FOUNDATION TYPE:	REINFORCED CONCRETE PAD OR ROADWAY
FOUNDATION:	6" MINIMUM DEPTH CONCRETE [4,000 PSI]
ANCHORAGE:	7/8" x 8" THREADED RODS EMBEDDED 5 1/2" - APPROVED ADHESIVE
FOUNDATION TYPE:	NON-REINFORCED CONCRETE PAD OR ROADWAY
FOUNDATION:	8" MINIMUM CONCRETE [4,000 PSI]
ANCHORAGE:	7/8" x 8" THREADED ROD EMBEDDED 5 1/2" - APPROVED ADHESIVE
FOUNDATION TYPE:	ASPHALT OVER COMPACTED SUBBASE
FOUNDATION:	6" MINIMUM ASPHALT OVER 6" MINIMUM SUBBASE
ANCHORAGE:	7/8" x 18" THREADED ROD EMBEDDED 17" - APPROVED ADHESIVE
FOUNDATION TYPE:	ASPHALT OVER CONCRETE
FOUNDATION:	3" MINIMUM ASPHALT OVER 3" MINIMUM CONCRETE [4,000 PSI]
ANCHORAGE:	7/8" x 18" THREADED ROD EMBEDDED 17" - APPROVED ADHESIVE
FOUNDATION TYPE:	ASPHALT ONLY
FOUNDATION:	8" MINIMUM
ANCHORAGE:	7/8" x 18" THREADED ROD EMBEDDED 17" - APPROVED ADHESIVE

NOTE: SEE TRAFFIX'S PRODUCT INSTALLATION MANUAL FOR THE ANCHORING INSTALLATION AND APPROVED ADHESIVE.

NOTE: IF THE SYSTEM IS ANCHORED TO ASPHALTIC CONCRETE, IT SHOULD BE RELOCATED TO FRESH, UNDISTURBED ASPHALT AND RE-ANCHORED AFTER EACH IMPACT TO ENSURE ADEQUATE FUTURE PERFORMANCE. SINCE ASPHALT PADS MAY EXPAND OR CONTRACT WHEN EXPERIENCING HEAT CYCLES, IT IS IMPORTANT TO CHECK ANCHOR BOLTS EVERY SIX MONTHS TO ENSURE THEY HAVE NOT LOOSENED.

TEST LEVEL	UNIT LENGTH (APPROX.)	UNIT WIDTH
TL-3	21'-0"	2'-6 1/8"

NOTE: CRASH CUSHION ATTENUATOR LOCATION DETAILS ARE IN THE GENERAL NOTES AND IN THE TRAFFIX'S PRODUCT INSTALLATION MANUAL.

TRANSITION OPTIONS

1	THREE-BEAM TRANSITION
2	NARROW VERTICAL FACE TRANSITION
3	THREE-BEAM ROADSIDE TRANSITION
4	SAFETY SHAPE TRANSITION
5	BRIDGE SHOE ROADSIDE TRANSITION

NOTE: THIS STANDARD IS A BASIC REPRESENTATION OF THE DELTA CRASH CUSHION, IT IS NOT INTENDED TO REPLACE THE INSTALLATION INSTRUCTIONS MANUAL.

- GENERAL NOTES**
- FOR SPECIFIC INFORMATION REGARDING INSTALLATION AND TECHNICAL GUIDANCE OF THE SYSTEM, CONTACT: TRAFFIX DEVICES, INC. HEADQUARTERS AT 1(949)361-5663, WEBSITE: www.traffixdevices.com
 - THE DELTA CRASH CUSHION IS A NON-GATING, REDIRECTIVE CRASH CUSHION MANUFACTURED BY TRAFFIX DEVICES, INC. THE DELTA CC IS A MASH APPROVED TL-3 CRASH CUSHION.
 - MAXIMUM PERMISSIBLE CROSS SLOPE IS 10%.
 - THE ANCHORS MAY BE SET IN CONCRETE, ASPHALT OR A HYBRID OF THE TWO.
 - CONCRETE PADS SHALL BE 6" MIN. REINFORCED 28 MPa [4,000 PSI] (P.C.) OR 8" MIN. NON-REINFORCED 28MPa [4,000 PSI] CONCRETE FOUNDATION. PLACING ANCHORS REQUIRES A STEP PROCESS, PLEASE SEE INSTALLATION MANUAL FOR MORE INFORMATION ON ANCHORING.
 - APPROPRIATE TRANSITION PANELS OR SIDE PANELS WILL BE REQUIRED FOR PROPER IMPACT PERFORMANCE, AND THE DELTA CC REAR FENDER PANELS MUST BE ABLE TO TELESCOPE REARWARD WITHOUT OBSTRUCTION FOR 35" (890 mm). THE CORRECT TRANSITION(S) WILL DEPEND ON THE TYPE OF BARRIER OR ROAD FEATURE THE DELTA CC IS SHIELDING.
 - CRASH CUSHION ATTENUATES THE INCOMING CRASH ENERGY WITH SHEAR BOLTS TEARING THROUGH CUT-OUTS OF VARIOUS SIZES AND SHAPES. SEE PRODUCT MANUFACTURER'S INSTALLATION MANUAL FOR MORE INFORMATION.
 - TRANSITION PANEL(S) MUST NEST UNDER THE REAR 45N FENDER PANELS IN ORDER FOR THE DELTA CC TO PROPERLY OPERATE. PLEASE SEE MANUFACTURER'S SHOP DRAWINGS FOR APPROVED TRANSITION INSTALLATION AND THE OBSTRUCTIONS THAT ARE BEING SHIELDED WITH MINIMUM AND MAXIMUM REQUIRED WIDTHS AND DELTA CC PLACEMENT.

PARTS IDENTIFICATION GUIDE FOR DELTA CC

QUANTITY (PER SYSTEM)	PART NUMBER	PART DESCRIPTION
2	75260-TL3-1N-KIT	FENDER PANEL 1 KN KIT
2	75260-TL3-2N-KIT	FENDER PANEL 2 KN KIT
2	75260-TL3-3N-KIT	FENDER PANEL 3 KN KIT
4	75260-TL3-45N-KIT	FENDER PANEL 45 KN KIT
1	75220-N-4Y	FRONT ATTENUATION MODEL KIT
1	75221-MO-4Y	OBJECT MARKER KIT
1	75230-N	FRONT IMPACT DIAPHRAGM KIT
39 ANCHOR RODS (7/8" x 9x8"), 39 NUTS (7/8"-9), 39 WASHERS (7/8")	75208-CA-KIT	CONCRETE *** ANCHOR KIT
1 ANCHOR ROD (7/8" x 9x8"), 1 NUT (7/8"-9), 1 WASHER (7/8")	75208-CA	CONCRETE *** ANCHOR ROD
39 ANCHOR RODS (7/8" x 9x18"), 39 NUTS (7/8"-9), 39 WASHERS (7/8")	75218-AA-KIT	ASPHALT *** ANCHOR KIT
1 ANCHOR ROD (7/8" x 9x18"), 1 NUT (7/8"-9), 1 WASHER (7/8")	75218-AA	ASPHALT *** ANCHOR ROAD
24	75207-KIT	WING WASHER KIT
9	75240-N	STEEL DIAPHRAGM
1	75250-TL3-1N-KIT	TRACK WELDMENT COMPLETE

*** OPTION TO USE EITHER ONE OR THE OTHER.

DELTA CRASH CUSHION (NARROW) TL-3 MASH COMPLIANT DELTACC-22

FILE: del1acc21.dgn		DN: TxDOT	CK: KM	DW: SS	CR: AG
© TxDOT: SEPTEMBER 2021		CONT	SECT	JOB	HIGHWAY
REVISIONS		0095	03	110	US80
DIST	COUNTY	SHEET NO.			
DAL	KAUFMAN	45			

REUSABLE

DATE: FILE:

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of units or the accuracy of any data or information contained herein.

DATE: 6/13/2024 11:15:45 AM
 FILE: D:\t\project\wiseonline.com\TXDOT15\Documents\18 - DAL\Design Projects\18-00000000000000000000.dgn

POST TYPE AND SUPPORT FOUNDATION DETAILS

TYPE OF BARRIER MOUNTS

WING CHANNEL (WC)

FLEXIBLE POSTS (YFLX, WFLX)

WEDGE ANCHOR SYSTEMS

GUARD FENCE ATTACHMENT

GND

GND








SRF

WAS

WAP

GF1

GF2



NOTES

1. Embedded Wing Channel (WC) post option may be used for Type 2 Object Markers and Delineators only.
2. 1.12 lbs/ft steel per ASTM A 1011 SS Gr. 50, or ASTM A499.


NOTES

1. See "Flexible Delineator and Object Marker Posts" Material Producer List for approved devices.
2. Install per manufacturer's recommendations.
3. Post length may vary to meet field conditions.
4. When using yellow delineators with flexible posts to separate opposing direction of travel, such as centerline or median use, the flexible posts shall be yellow.

NOTE

1. Install per manufacturer's recommendations.

CONCRETE TRAFFIC BARRIER (CTB)




GENERAL NOTES

1. Place delineators on a section of roadway at a consistent distance from the edge of pavement.
2. Where a restriction prevents consistent placement from the pavement edge, place the affected object markers in line with the innermost edge of the obstruction.
3. When Type 2 object markers and delineators are more than 8'-0" from the edge of the pavement, it may not be possible to maintain a height of approximately 4'-0". If this is the case, place the object marker or delineator as close to the desired height as possible.
4. Install all delineators, object markers and barrier reflectors in accordance with the manufacturer's recommendation.
5. Barrier reflectors should be installed a minimum of 18 inches above the edge of the pavement surface.
6. Diagonal stripes on Type 3 object markers shall slope down toward the intended travel lane.


TYPES 1,3, AND 4 OBJECT MARKERS AND CHEVRONS

CHEVRONS AND ONE DIRECTION LARGE ARROW SIGN


DELINEATORS AND TYPE 2 OBJECT MARKERS



NOTE
 Mounting at 4 feet to the bottom of the chevron is permitted for chevrons that will not exceed a height of 6'-6" to the top of the chevron (sizes 24" x 30" and smaller)



NOTE
 Chevrons 30" x 36" and larger shall be mounted at a height of 7' to the bottom of the chevron. Chevron sign and ONE DIRECTION LARGE ARROW sign (W1-9T) shall be installed per SMD standard sheets and paid under item 644.



See general notes 1, 2 and 3.



DELINEATOR & OBJECT MARKER INSTALLATION

D & OM(2) - 20

FILE: dom2-20.dgn	DNR TXDOT	CR: TXDOT	DNR TXDOT	CR: TXDOT
© TXDOT August 2004	CONT	SECT	JOB	HIGHWAY
REVISIONS	0095 03		110	US 80
10-09 3-15	DIST	COUNTY		SHEET NO.
4-10 7-20	DAL	KAUFMAN		47


DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of units or the accuracy of any data.

DATE: 6/13/2024 11:16:08 AM
 FILE: \\txdot.projectwiseonline.com:TXDOT15\Documents\18 - DAL\Design Projects\009503\009503.dgn

MINIMUM WARNING DEVICES AT CURVES WITH ADVISORY SPEEDS

Amount by which Advisory Speed is less than Posted Speed	Curve Advisory Speed	
	Turn (30 MPH or less)	Curve (35 MPH or more)
5 MPH & 10 MPH	• RPMs	• RPMs
15 MPH & 20 MPH	• RPMs and One Direction Large Arrow sign	• RPMs and Chevrons; or • RPMs and One Direction Large Arrow sign where geometric conditions or roadside obstacles prevent the installation of chevrons.
25 MPH & more	• RPMs and Chevrons; or • RPMs and One Direction Large Arrow sign where geometric conditions or roadside obstacles prevent the installation of chevrons	• RPMs and Chevrons


SUGGESTED SPACING FOR DELINEATORS ON HORIZONTAL CURVES



NOTE

ONE DIRECTION LARGE ARROW (W1-6) sign should be located at approximately and perpendicular to the extension of the centerline of the tangent section of approach lane.

SUGGESTED SPACING FOR CHEVRONS ON HORIZONTAL CURVES



NOTE

At least one chevron pair is installed beyond the point of tangent in tangent section.

DELINEATOR AND CHEVRON SPACING

WHEN DEGREE OF CURVE OR RADIUS IS KNOWN				
Degree of Curve	FEET			
	Radius of Curve	Spacing in Curve	Spacing in Straightaway	Chevron Spacing in Curve
		A	2A	B
1	5730	225	450	—
2	2865	160	320	—
3	1910	130	260	200
4	1433	110	220	160
5	1146	100	200	160
6	955	90	180	160
7	819	85	170	160
8	716	75	150	160
9	637	75	150	120
10	573	70	140	120
11	521	65	130	120
12	478	60	120	120
13	441	60	120	120
14	409	55	110	80
15	382	55	110	80
16	358	55	110	80
19	302	50	100	80
23	249	40	80	80
29	198	35	70	40
38	151	30	60	40
57	101	20	40	40

Curve delineator approach and departure spacing should include 3 delineators spaced at 2A. This spacing should be used during design preparation or when the degree of curve is known.

DELINEATOR AND CHEVRON SPACING

WHEN DEGREE OF CURVE OR RADIUS IS NOT KNOWN			
Advisory Speed (MPH)	Spacing in Curve	Spacing in Straightaway	Chevron Spacing in Curve
	A	2xA	B
65	130	260	200
60	110	220	160
55	100	200	160
50	85	170	160
45	75	150	120
40	70	140	120
35	60	120	120
30	55	110	80
25	50	100	80
20	40	80	80
15	35	70	40

If the degree of curve is not known, delineator spacing may be determined based on the Advisory Speed of the curve. Use the delineator curve spacing for each Advisory Speed (MPH).

DELINEATOR AND OBJECT MARKER APPLICATION AND SPACING

CONDITION	REQUIRED TREATMENT	MINIMUM SPACING
Frwy./Exp. Tangent	RPMs	See PM-series and FPM-series standard sheets
Frwy./Exp. Curve	Single delineators on right side	See delineator spacing table
Frwy/Exp. Ramp	Single delineators on at least one side of ramp (should be on outside of curves) (see Detail 3 on D&OM(4))	100 feet on ramp tangents Use delineator spacing table for ramp curves ("straightway spacing" does not apply to ramp curves)
Acceleration/Deceleration Lane	Double delineators (see Detail 3 on D&OM(4))	100 feet (See Detail 3 on D & OM (4))
Truck Escape Ramp	Single red delineators on both sides	50 feet
Bridge Rail (steel or concrete) and Metal Beam Guard Fence	Bi-Directional Delineators when undivided with one lane each direction Single Delineators when multiple lanes each direction	Equal spacing (100' max) but not less than 3 delineators
Concrete Traffic Barrier (CTB) or Steel Traffic Barrier	Barrier reflectors matching the color of the edge line	Equal spacing 100' max
Cable Barrier	Reflectors matching the color of the edge line	Every 5th cable barrier post (up to 100' max)
Guard Rail Terminus/Impact Head	Divided highway - Object marker on approach end Undivided 2-lane highways - Object marker on approach and departure end	Requires reflective sheeting provided by manufacturer per D & OM (VIA) or a Type 3 Object Marker (OM-3) in front of the terminal end See D & OM (5) and D & OM (6)
Bridges with no Approach Rail	Type 3 Object Marker (OM-3) at end of rail and 3 single delineators approaching rail	See D & OM(5)
Reduced Width Approaches to Bridge Rail	Type 2 and Type 3 Object Markers (OM-3) and 3 single delineators approaching bridge	Requires reflective sheeting provided by manufacturer per D & OM (VIA) or a Type 3 Object Marker (OM-3) in front of the terminal end See D & OM (5)
Culverts without MBGF	Type 2 Object Markers	See Detail 2 on D & OM(4)
Crossovers	Double yellow delineators and RPMs	See Detail 1 on D & OM (4)
Pavement Narrowing (lane merge) on Freeways/Expressway	Single delineators adjacent to affected lane for full length of transition	100 feet

NOTES

- Unless indicated otherwise, the delineator or barrier reflector color shall conform to the color of the pavement edge line on the side of the road where the delineators or barrier reflectors are placed.
- Barrier reflectors may be used to replace required delineators.
- Single red delineators may be mounted on the back side of delineator posts for wrong way driver applications

LEGEND	
	Bi-directional Delineator
	Delineator
	Sign

Texas Department of Transportation
Traffic Safety Division Standard

DELINEATOR & OBJECT MARKER PLACEMENT DETAILS


D & OM(3)-20

FILE: dom3-20.dgn	DNR TXDOT	CR: TXDOT	DNR TXDOT	CR: TXDOT
© TXDOT August 2004	CONT	SECT	JOB	HIGHWAY
REVISIONS		0095 03	110	US 80
3-15 8-15	DIST	COUNTY	SHEET NO.	
8-15 7-20	DAL	KAUFMAN	48	


DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of any information from a digital file to a printed format. For more information, contact TxDOT at (512) 463-1000 or visit our website at www.txdot.gov.

DATE: 6/13/2024 11:16:30 AM
 FILE: //txdot.projectwiseonline.com:TXDOT15/Documents/18 - DAL/Design Projects/09252024/09252024-03-sul/09252024-03.dgn


CONTINUOUS CONCRETE OR STEEL BARRIER




MULTI-LANE UNDIVIDED, TWO-WAY ROADWAY WITH METAL BEAM GUARD FENCE (MBGF)



DIVIDED ROADWAY WITH METAL BEAM GUARD FENCE (MBGF)



EMERGENCY CROSSOVER



NOTES

1. Equal spacing (100' max), but not less than 3 single directional white barrier reflectors or delineators. On Continuous Barrier, equal spacing (100' max.)
2. Equal spacing (100' max), but not less than 3 single directional yellow barrier reflectors or delineators.
3. Terminal ends require reflective sheeting provided by manufacturer per D & OM (VIA) or a Type 3 Object Marker (OM-3) in front of the terminal end.

LEGEND

	Bidirectional Delineator
	Delineator
	OM-3
	OM-2
	Terminal End
	Traffic Flow







DELINEATOR & OBJECT MARKER PLACEMENT DETAILS

D & OM(6)-20



FILE: dom6-20.dgn	DW: TxDOT	CK: TxDOT	DW: TxDOT	CK: TxDOT
© TxDOT August 2015	CONT	SECT	JOB	HIGHWAY
REVISIONS	0095	03	110	US 80
7-20	DIST	COUNTY	SHEET NO.	
	DAL	KAUFMAN	49	

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of units or for the accuracy of any drawings or specifications prepared by or for TxDOT.

DATE: 6/13/2024 11:16:52 AM
 FILE: D:\txdot\project\wiseonline.com\TXDOT15\Documents\18 - DAL\Design Project\18-00000000000000000000.dwg





- NOTES**
- Spacing should be adjusted to attach through centerline of drum, per attenuator manufacturer's recommendation, or as directed by the Engineer.
 - Mounting should be flush with top of attenuator. Minimum size 96" x 24".



OBJECT MARKERS SMALLER THAN 3 FT²

NOTES

- Object Markers shall conform to the Texas MUTCD and meet the color and reflectivity requirement of Department Material Specification DMS 8300. Background shall be yellow reflective sheeting (Type B or C) and Chevron shall be black.
- Object Markers may be fabricated from adhesive backed reflective sheeting applied directly to guardrail end treatment, or applied directly to an "end cap" as per the manufacturer's recommendation. Direct applied sheeting shall provide a smooth surface and have no wrinkles, air bubbles, cuts or tears. A radius at the corners is not required for direct applied sheeting.
- Object Marker size may be reduced to fit smaller devices. Width of alternating black and yellow stripes are typically 6". Object Markers smaller than 3ft may have reduced width stripes of a minimum of 2 1/4".
- Pop rivets, screws, or nuts and bolts may be used to attach object markers and reflectors. Holes, slots or other openings may be cut or drilled through object markers to allow cable or other attachments.
- Object Marker at nose of attenuator is subsidiary to the attenuator.
- See D & OM (1-4) for required barrier reflectors.



		Traffic Safety Division Standard	
DELINEATOR & OBJECT MARKER FOR VEHICLE IMPACT ATTENUATORS D & OM(VIA) -20			
FILE: domv ia20.dgn	DNR TXDOT	CR: TXDOT	DW: TXDOT
© TXDOT December 1989	CONT	SECT	JOB
REVISIONS	0095 03	110	US 80
4-92 8-04	DIST	COUNTY	SHEET NO.
8-95 3-15	DAL	KAUFMAN	50
4-98 7-20			
20G			

Notes To Designer:

1. Do not alter Sheet Design or Font style, size or weight - match text attributes.
2. If additional space is needed for a numbered section, fence and adjust sections up or down as needed for proportioning and readability but do not relocate from its relative position.
3. All areas should be addressed thoroughly and verify the necessary pay items are set up to support actions needed.

DISCLAIMER:

The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damage resulting from its use.

Filled Out: XX/XX/XXXX
Prepared By: Name/Section

I. STORMWATER POLLUTION PREVENTION PLAN-CLEAN WATER ACT SECTION 402

TPDES TXR 150000: Stormwater Discharge Permit or Construction General Permit required for projects with 1 or more acres disturbed soil. Projects with any disturbed soil must protect for erosion and sedimentation in accordance with Item 506.

List adjacent MS 4 Operator(s) that receive discharges from this project. They need to be notified prior to construction activities.

(Note: Leave blank only if no adjacent MS 4 Operator(s) are affected.)

1. City of Forney - Voluntary MS4- Contact Candy McQuiston

2.

No Action Required Required Action

Action Number:

1. Prevent stormwater pollution by controlling erosion and sedimentation in accordance with TPDES Permit TXR 150000.
2. Comply with the SW3P and revise when necessary to control pollution or required by the Engineer.
3. Post Construction Site Notice (CSN) with SW3P information on or near the site, accessible to the public and TCEQ, EPA or other inspectors.
4. When Contractor project specific locations (PSL's) increase disturbed soil area to 5 acres or more, submit NOI to TCEQ and the Engineer.

II. WORK IN OR NEAR STREAMS, WATERBODIES AND WETLANDS CLEAN WATER ACT SECTIONS 401 AND 404

USACE Permit required for filling, dredging, excavating or other work in any water bodies, rivers, creeks, streams, wetlands or wet areas. No equipment is allowed in any stream channel below the ordinary High Water Mark except on approved temporary stream crossings or drill pads.

The Contractor must adhere to all of the terms and conditions associated with the following permit(s):

- No Permit Required
- Nationwide Permit 14 - PCN not Required (less than 1/10th acre waters or wetlands affected)
- Nationwide Permit 14 - PCN Required (1/10 to <1/2 acre, 1/3 in tidal waters)
- Individual 404 Permit Required
- Other Nationwide Permit Required: NWP# 3(a)

Required Actions: List Waters of the US Permit applies to, location in project and check Best Management Practices planned to control erosion, sedimentation and post-project TSS.

- 1.
- 2.

The elevation of the ordinary high water marks of any areas requiring work to be performed in the waters of the US requiring the use of a nationwide permit can be found on the Bridge Layouts.

Best Management Practices for applicable 401 General Conditions:
(Note: If CORP Permit not required, do not check boxes.)

Erosion	Sedimentation	Post-Construction TSS
<input type="checkbox"/> Temporary Vegetation	<input type="checkbox"/> Silt Fence	<input type="checkbox"/> Vegetative Filter Strips
<input type="checkbox"/> Blankets/Matting	<input type="checkbox"/> Rock Berm	<input type="checkbox"/> Retention/Irrigation Systems
<input type="checkbox"/> Mulch	<input type="checkbox"/> Triangular Filter Dike	<input type="checkbox"/> Extended Detention Basin
<input type="checkbox"/> Sodding	<input type="checkbox"/> Sand Bag Berm	<input type="checkbox"/> Constructed Wetlands
<input type="checkbox"/> Interceptor Swale	<input type="checkbox"/> Straw Bale Dike	<input type="checkbox"/> Wet Basin
<input type="checkbox"/> Diversion Dike	<input type="checkbox"/> Brush Berms	<input type="checkbox"/> Erosion Control Compost
<input type="checkbox"/> Erosion Control Compost	<input type="checkbox"/> Erosion Control Compost	<input type="checkbox"/> Mulch Filter Berm and Socks
<input type="checkbox"/> Mulch Filter Berm and Socks	<input type="checkbox"/> Mulch Filter Berm and Socks	<input type="checkbox"/> Compost Filter Berm and Socks
<input type="checkbox"/> Compost Filter Berm and Socks	<input type="checkbox"/> Compost Filter Berm and Socks	<input type="checkbox"/> Vegetation Lined Ditches
	<input type="checkbox"/> Stone Outlet Sediment Traps	<input type="checkbox"/> Sand Filter Systems
	<input type="checkbox"/> Sediment Basins	<input type="checkbox"/> Grassy Swales

III. CULTURAL RESOURCES

Refer to TxDOT Standard Specifications in the event historical issues or archeological artifacts are found during construction. Upon discovery of archeological artifacts (bones, burnt rock, flint, pottery, etc.) cease work in the immediate area and contact the Engineer immediately.

No Action Required Required Action

Action Number:

- 1.

IV. VEGETATION RESOURCES

Preserve native vegetation to the extent practical. Contractor must adhere to Construction Specification Requirements Specs 162, 164, 192, 193, 506, 730, 751 & 752 in order to comply with requirements for invasive species, beneficial landscaping and tree/brush removal commitments.

No Action Required Required Action

Action Number:

- 1.

V. FEDERAL LISTED, PROPOSED THREATENED, ENDANGERED SPECIES, CRITICAL HABITAT, STATE LISTED SPECIES, CANDIDATE SPECIES AND MIGRATORY BIRDS TREATY ACT.

No Action Required Required Action

Action Number:

1. Follow Special Notes.

Special Notes:

1. Avoid harming all wildlife species if encountered and allow them to safely leave the project site. Due diligence should be used to avoid killing or harming any wildlife species in the implementation of transportation projects.
2. If any of the listed species are observed, cease work in the immediate area, do not disturb species or habitat and contact the Engineer immediately. The work may not remove active nests from bridges and other structures during nesting season of the birds associated with the nests. If caves or sinkholes are discovered, cease work in the immediated area, and contact the Engineer immediately.
3. The Migratory Bird Act of 1918 states that it is unlawful to kill, capture, collect, possess, buy, sell, trade or transport any migratory bird, nest, young, feather or egg in part or in whole, without a federal permit issued in accordance within the Act's policies and regulations. The contractor would remove all old migratory bird nests from any structure or trees where work would be done from October 1 to February 15. In addition, the contractor would be prepared to prevent migratory birds from building nest(s) between February 15 to October 1. In the event that migratory birds are encountered on-site during project construction, efforts to avoid adverse impacts on protected birds, active nests, eggs and/or young would be observed.

LIST OF ABBREVIATIONS

BMP: Best Management Practice	SPCC: Spill Prevention Control and Countermeasure
CGP: Construction General Permit	SW3P: Storm Water Pollution Prevention Plan
DSHS: Texas Department of State Health Services	PCN: Pre-Construction Notification
FHWA: Federal Highway Administration	PSL: Project Specific Location
MOA: Memorandum of Agreement	TCEQ: Texas Commission on Environmental Quality
MOU: Memorandum of Understanding	TPDES: Texas Pollutant Discharge Elimination System
MS4: Municipal Separate Stormwater Sewer System	TPWD: Texas Parks and Wildlife Department
MBTA: Migratory Bird Treaty Act	TxDOT: Texas Department of Transportation
NOT: Notice of Termination	T&E: Threatened and Endangered Species
NWP: Nationwide Permit	USACE: U.S. Army Corp of Engineers
NOI: Notice of Intent	USFWS: U.S. Fish and Wildlife Service

VI. HAZARDOUS MATERIALS OR CONTAMINATION ISSUES

General (applies to all projects):
Comply with the Hazard Communication Act (the Act) for personnel who will be working with hazardous materials by conducting safety meetings prior to beginning construction and making workers aware of potential hazards in the workplace. Ensure that all workers are provided with personal protective equipment appropriate for any hazardous materials used.

Obtain and keep on-site Safety Data Sheets (SDS) for all hazardous products used on the project, which may include, but are not limited to the following categories: Paints, acids, solvents, asphalt products, chemical additives, fuels and concrete curing compounds or additives. Provide protected storage, off bare ground and covered, for products which may be hazardous. Maintain product labelling as required by the Act. Maintain an adequate supply of on-site spill response materials, as indicated in the SDS. In the event of a spill, take actions to mitigate the spill as indicated in the SDS, in accordance with safe work practices, and contact the District Spill Coordinator immediately. The Contractor shall be responsible for the proper containment and cleanup of all product spills.

Contact the Engineer if any of the following are detected:

- * Dead or distressed vegetation (not identified as normal)
- * Trash piles, drums, canisters, barrels, etc.
- * Undesirable smells or odors
- * Evidence of leaching or seepage of substances

Does the project involve any bridge class structure rehabilitation(s) or replacement(s) (bridge class structures not including box culverts)?

Yes No

If "No", then no further action is required.

If "Yes", then TxDOT is responsible for completing asbestos assessment/inspection.

Are the results of the asbestos inspection positive (is asbestos present)?

Yes No

If "Yes", then TxDOT must retain a DSHS licensed asbestos consultant to assist with the notification, develop abatement/mitigation procedures, and perform management activities as necessary. The notification form to DSHS must be postmarked at least 15 working days prior to scheduled demolition.

If "No", then TxDOT is still required to notify DSHS 15 working days prior to any scheduled demolition.

In either case, the Contractor is responsible for providing the date(s) for abatement activities and/or demolition with careful coordination between the Engineer and asbestos consultant in order to minimize construction delays and subsequent claims.

Any other evidence indicating possible hazardous materials or contamination discovered on site. Hazardous Materials or Contamination Issues Specific to this Project:

No Action Required Required Action

Action Number:

- 1.

VII. OTHER ENVIRONMENTAL ISSUES

(includes regional issues such as Edwards Aquifer District, etc.)

No Action Required Required Action

Action Number:

- 1.

- 2.

GENERAL NOTE:

Any change orders and/or deviations from the final design must be reported to the Engineer prior to commencement of construction activities, as additional environmental clearance may be required.

 Texas Department of Transportation Dallas District				
ENVIRONMENTAL PERMITS, ISSUES AND COMMITMENTS (EPIC)				
FED. RD. DIV. NO.	PROJECT NO.			HIGHWAY NO.
6	SEE TITLE SHEET			US 80
STATE	DISTRICT	COUNTY		SHEET NO.
TEXAS	DALLAS	KAUFMAN		
CONTROL	SECTION	JOB		51
0095	03	110		

STORMWATER POLLUTION PREVENTION PLAN (SWP3):

For all projects with soil disturbing activity and for projects that have Environmental, Permits, Issues, and Commitments (EPICs) dependent on stormwater controls and water quality measures TxDOT will maintain a SWP3 with all pertinent records, correspondence, environmental documents, etc. at the project field office, Area Office, or electronically.

This SWP3 has been developed in accordance with the TPDES Construction General Permit TXR150000 (CGP). The Texas Department of Transportation (TxDOT) ensures that project specifications include adequate best management practices (BMPs) for this project.

This SWP3 is consistent with requirements specified in applicable stormwater plans and the projects environmental permits, issues, and commitments (EPICs). A copy of the CGP is included in Attachment 2.12 of the SWP3 binder.

1.0 SITE/PROJECT DESCRIPTION

1.1 PROJECT CONTROL SECTION JOB (CSJ):
0095-03-110 (US 80)

1.2 PROJECT LIMITS:
From: BUFFALO CREEK RELIEF

To: FM 548

1.3 PROJECT COORDINATES:

BEGIN: (Lat) 32.7646144°, (Long) 96.4836492°

END: (Lat) 32.7428323°, (Long) 96.4488363°

1.4 TOTAL PROJECT AREA (Acres): 99.5

1.5 TOTAL AREA TO BE DISTURBED (Acres): 3.72

1.6 NATURE OF CONSTRUCTION ACTIVITY:
INSTALL MEDIAN BARRIER

1.7 MAJOR SOIL TYPES:

Soil Type	Description
Houston black clay, 0% to 1% slopes	85% Clay 15% minor components, Moderately well drained, High rate of run-off, and very low to moderately low erosion potential
Houston black clay, 0% to 3% slopes	80% Clay 20% similar components, Moderately well drained, Very high rate of run-off, and very low to moderately low erosion potential
Altoga silty clay, 3% to 12% slopes, eroded	80% Clay 20% similar components, Moderately well drained, Very high rate of run-off, and very low to moderately low erosion potential

Soil is moderately well drained. Gently sloping to moderately steep. The general area around the project has an existing vegetation of approximately 90% density of mostly grasses.

1.8 PROJECT SPECIFIC LOCATIONS (PSLs):

PSLs must be depicted on the Environmental Layout Sheets in Attachment 1.2 of this SWP3. PSLs may be identified during preconstruction meetings or during the construction process. Please choose from the options below:
 PSLs determined during preconstruction meeting
 PSLs determined during construction
 No PSLs planned for construction

Type	Sheet #s

All off-ROW PSLs required by the Contractor are the Contractor's responsibility. The Contractor shall secure all permits required by local, state, federal laws for off-ROW PSLs. The contractor shall provide diagrams, areas of disturbance, acreage, and BMPs for all off-ROW PSLs within one mile of the project.

1.9 CONSTRUCTION ACTIVITIES:

(Use the following list as a starting point when developing the Construction Activity Schedule and Ceasing Record in Attachment 2.5.)

- Mobilization
- Install sediment and erosion controls
- Blade existing topsoil into windrows, prep ROW, clear and grub
- Remove existing pavement
- Grading operations, excavation, and embankment
- Excavate and prepare subgrade for proposed pavement widening
- Remove existing culverts, safety end treatments (SETs)
- Remove existing metal beam guard fence (MBGF), bridge rail
- Install proposed pavement per plans
- Install culverts, culvert extensions, SETs
- Install mow strip, MBGF, bridge rail
- Place flex base
- Rework slopes, grade ditches
- Blade windrowed material back across slopes
- Revegetation of unpaved areas
- Achieve site stabilization and remove sediment and erosion control measures

Other: _____
 Other: _____
 Other: _____

1.10 POTENTIAL POLLUTANTS AND SOURCES:

- Sediment laden stormwater from stormwater conveyance over disturbed area
- Fuels, oils, and lubricants from construction vehicles, equipment, and storage
- Solvents, paints, adhesives, etc. from various construction activities
- Transported soils from offsite vehicle tracking
- Construction debris and waste from various construction activities
- Contaminated water from excavation or dewatering pump-out water
- Sanitary waste from onsite restroom facilities
- Trash from various construction activities/receptacles
- Long-term stockpiles of material and waste
- Discharges from concrete washout activities, runoff from concrete cutting activities, and other related activities.

Other: _____
 Other: _____
 Other: _____

1.11 RECEIVING WATERS:

Receiving waters must be depicted on the Environmental Layout Sheets in Attachment 1.2 of this SWP3. Include Segment # for receiving waters.

Tributaries	Classified Waterbody
Buffalo Creek and its tributaries.	* Perennial stream from the confluence of the East Fork of the Trinity River (0819); up to 0.6km above the confluence of Little Buffalo Creek.
Mustang Creek and its tributaries.	Flows to the East Fork of the Trinity River (0819); Bacteria in water (Recreational Use).

* Add (*) for impaired waterbodies with pollutant in ().

1.12 ROLES AND RESPONSIBILITIES: TxDOT

- Development of plans and specifications
- Submit Notice of Intent (NOI) to TCEQ (≥5 acres)
- Post Construction Site Notice
- Submit NOI/CSN to local MS4
- Perform SWP3 inspections
- Maintain SWP3 records and update to reflect daily operations
- Complete and submit Notice of Termination to TCEQ
- Maintain SWP3 records for 3 years

Other: _____
 Other: _____
 Other: _____


1.13 ROLES AND RESPONSIBILITIES: CONTRACTOR

- Day To Day Operational Control
- Submit Notice of Intent (NOI) to TCEQ (≥5 acres)
- Post Construction Site Notice
- Submit NOI/CSN to local MS4
- Maintain schedule of major construction activities
- Install, maintain and modify BMPs
- Complete and submit Notice of Termination to TCEQ
- Maintain SWP3 records for 3 years

Other: _____
 Other: _____
 Other: _____

1.14 LOCAL MUNICIPAL SEPARATE STORM SEWER SYSTEM (MS4) OPERATOR COORDINATION:

MS4 Entity
City of Forney - Candy McQuistin



Falon Renfro, P.E. 9/11/2024
 Signature of Registrant & Date

STORMWATER POLLUTION PREVENTION PLAN (SWP3)

© 2023 July 2023 Sheet 1 of 2
 Texas Department of Transportation

FED. RD. DIV. NO.	PROJECT NO.			SHEET NO.
	SEE TITLE SHEET			52
STATE	STATE DIST.	COUNTY		
TEXAS	DAL	KAUFMAN		
CONT.	SECT.	JOB	HIGHWAY NO.	
0095	03	110	US 80	

STORMWATER POLLUTION PREVENTION PLAN (SWP3):

2.0 BEST MANAGEMENT PRACTICES (BMPs) AND CONTROLS, INSPECTION, AND MAINTENANCE

The Contractor shall be the responsible party for implementing the BMPs described herein and for complying with the SWP3 for control of erosion and sedimentation during day-to-day operations. The Contractor shall implement changes to this SWP3 approved by TxDOT within the times specified in this SWP3 or the CGP.

2.1 EROSION CONTROL AND SOIL STABILIZATION BMPs:

T / P

- Protection of Existing Vegetation
- Vegetated Buffer Zones
- Soil Retention Blankets
- Geotextiles
- Mulching/ Hydromulching
- Soil Surface Treatments
- Temporary Seeding
- Permanent Planting, Sodding or Seeding
- Biodegradable Erosion Control Logs
- Rock Filter Dams/ Rock Check Dams
- Vertical Tracking
- Interceptor Swale
- Riprap
- Diversion Dike
- Temporary Pipe Slope Drain
- Embankment for Erosion Control
- Paved Flumes
- Other: _____
- Other: _____
- Other: _____
- Other: _____

2.2 SEDIMENT CONTROL BMPs:

T / P

- Biodegradable Erosion Control Logs
- Dewatering Controls
- Inlet Protection
- Rock Filter Dams/ Rock Check Dams
- Sandbag Berms
- Sediment Control Fence
- Stabilized Construction Exit
- Floating Turbidity Barrier
- Vegetated Buffer Zones
- Vegetated Filter Strips
- Other: _____
- Other: _____
- Other: _____
- Other: _____

Refer to the Environmental Layout Sheets/ SWP3 Layout Sheets located in Attachment 1.2 of this SWP3

Sediment control BMPs requiring design capacity calculations (See SWP3 Attachment 1.3.):

T / P

- Sediment Trap
 - Calculated volume runoff from 2-year, 24-hour storm for each acre of disturbed area
 - 3,600 cubic feet of storage per acre drained
- Sedimentation Basin
 - Not required (<10 acres disturbed)
 - Required (>10 acres) and implemented.
 - Calculated volume runoff from 2-year, 24-hour storm for each acre of disturbed area
 - 3,600 cubic feet of storage per acre drained
 - Required (>10 acres), but not feasible due to:
 - Available area/Site geometry
 - Site slope/Drainage patterns
 - Site soils/Geotechnical factors
 - Public safety
 - Other: _____

2.3 PERMANENT CONTROLS:

(Coordinate post-construction BMPs with appropriate TxDOT maintenance sections.)

BMPs To Be Left In Place Post Construction:

Type	Stationing	
	From	To
Permanent Planting, Sodding or Seeding	85+50.00	197+18.33

Refer to the Environmental Layout Sheets/ SWP3 Layout Sheets located in Attachment 1.2 of this SWP3

2.4 OFFSITE VEHICLE TRACKING CONTROLS:

- Excess dirt/mud on road removed daily
- Haul roads dampened for dust control
- Loaded haul trucks to be covered with tarpaulin
- Stabilized construction exit
- Daily street sweeping
- Other: _____
- Other: _____
- Other: _____
- Other: _____

2.5 POLLUTION PREVENTION MEASURES:

- Chemical Management
- Concrete and Materials Waste Management
- Debris and Trash Management
- Dust Control
- Sanitary Facilities
- Other: Avoid storing portable sanitary units, concrete washouts or chemicals within 50 feet upgradient of a receiving water or drainage conveyance without adequate pollution controls.
- Other: Capture saw-cutting debris and concrete slurry for proper disposal.
- Other: Maintain paved surfaces free of project sedimentation and debris.

2.6 VEGETATED BUFFER ZONES:

Natural vegetated buffers shall be maintained as feasible to protect adjacent surface waters. If vegetated natural buffer zones are not feasible due to site geometry, the appropriate additional sediment control measures have been incorporated into this SWP3.

Type	Stationing	
	From	To
Tributary to Buffalo Creek Relief	83+77	83+79
Tributary to Buffalo Creek Relief	98+35	103+35
Tributary to Mustang Creek	149+30	149+47
Mustang Creek	150+55	150+70
Tributary to Mustang Creek	161+10	162+30
Tributary to Mustang Creek	192+20	194+30

Refer to the Environmental Layout Sheets/ SWP3 Layout Sheets located in Attachment 1.2 of this SWP3

2.7 ALLOWABLE NON-STORMWATER DISCHARGES:

- Fire hydrant flushings
- Irrigation drainage
- Pavement washwater (where spills or leaks have not occurred, and detergents are not used)
- Potable water sources
- Springs
- Uncontaminated groundwater
- Water used to wash vehicles or control dust
- Other allowable non-stormwater discharges as allowed by TPDES GP TXR150000.

2.8 DEWATERING:

Dewatering discharges of accumulated stormwater, groundwater, and surface water including discharges from dewatering of trenches, excavations, foundations, vaults, and other points of accumulation are prohibited unless managed by appropriate controls to prevent and minimize the offsite discharge of sediment and other pollutants.


2.9 INSPECTIONS:

All disturbed areas and erosion and sediment control devices shall be inspected at least once every seven (7) days. Inspections shall be performed by TxDOT as indicated on the Field Inspection and Maintenance Report Form 2118 and retained in Attachment 2.5 of this SWP3.

When dewatering activities are present, a daily inspection will be conducted once per day during those activities and documented in accordance with CGP and TxDOT requirements.

2.10 MAINTENANCE:

Control measures shall be properly installed according to specifications. If it is determined that a BMP or control measure is not operating effectively, maintenance must be accomplished as soon as possible and before the next anticipated rain event, but in no case later than 7 calendar days after being able to access the site. Maintenance shall be performed by the Contractor as indicated on the Field Inspection and Maintenance Report Form 2118 and retained in Attachment 2.5 of this SWP3.



Falon Renfro, P.E. 9/11/2024
Signature of Registrant & Date


STORMWATER POLLUTION PREVENTION PLAN (SWP3)

© 2023 July 2023 Sheet 2 of 2
Texas Department of Transportation

FED. RD. DIV. NO.	PROJECT NO.			SHEET NO.
	SEE TITLE SHEET			53
STATE	STATE DIST.	COUNTY		
TEXAS	DAL	KAUFMAN		
CONT.	SECT.	JOB	HIGHWAY NO.	
0095	03	110	US 80	

CK: DW: CK: DW:

DATE: 9/10/2024 3:06:53 PM
 FILE: pw://ttdot.projectwiseonline.com:TxDOT5/Documents/18 - DAL/Design Projects/009503110/4 - Design/Plan Set/9 - Environmental/0095-03-110 US 80 SW3P Site Map.dgn




LOCATION	STA. 83+00 TO STA. 107+00	BMP	A1
DATE DISTURBED		INSTALL DATE	
DATE STABILIZED		REMOVAL DATE	

PI 86+15.60
 Δ 29°09'48.5" (LT)
 D 00°59'58.0"
 T 1491.32'
 L 2917.96'
 R 5732.74'
 PC 71+24.28
 PT 100+42.24




- LEGEND:**
- EROSION CONTROL LOG
 - CELL FBR MULCH SEED
 - DIRECTION OF FLOW
 - BMP INSTALLATION
 - AREA OF RE-VEGETATION

- NOTES**
1. BMPs SHALL NOT BE INSTALLED IN THEIR CONTROL AREA ANY SOONER THAN TWO WEEKS PRIOR TO SOIL DISTURBANCE OR OTHER POTENTIAL POLLUTANT-GENERATING ACTIVITIES.
 2. PROTECT TREES AND THEIR ROOTS, IF AT ALL POSSIBLE. PRESERVE CREEKSIDE VEGETATION TO THE EXTENT PRACTICABLE.
 3. CONTRACTOR TO PLACE AND MAINTAIN SW3P MEASURES.
 4. REMOVE LITTER AND CONSTRUCTION DEBRIS DAILY AND AS NEEDED OR AS DIRECTED BY THE ENGINEER. THIS WORK IS SUBSIDIARY TO VARIOUS EROSION CONTROL ITEMS (ITEM 506).
 5. REMOVE SEDIMENT FROM BMP WHEN IT REDUCES BMP'S CAPACITY BY 40%. ALWAYS PROVIDE CONSISTENT DRAINAGE.
 6. SEE DAILY WORK REPORTS FOR INITIAL STABILIZATION TIME FRAMES.



BMP	A2
INSTALL DATE	
REMOVAL DATE	

PT 100+42.24



Falon J. Renfro, P.E. 9/10/2024
 Signature of Registrant & Date



**US 80
 SW3P SITE MAP**

SCALE 1"=100'		SHEET 1 OF 5	
CONT	SECT	JOB	HIGHWAY
0095	03	110	US 80
DIST	COUNTY	SHEET NO.	
DAL	KAUFMAN	55	



CK: DW: CK: DW:

LOCATION	STA. 131+00 TO STA. 155+00
DATE DISTURBED	
DATE STABILIZED	




- LEGEND:**
- EROSION CONTROL LOG
 - CELL FBR MULCH SEED
 - DIRECTION OF FLOW
 - BMP INSTALLATION
 - AREA OF RE-VEGETATION

- NOTES**
1. BMPs SHALL NOT BE INSTALLED IN THEIR CONTROL AREA ANY SOONER THAN TWO WEEKS PRIOR TO SOIL DISTURBANCE OR OTHER POTENTIAL POLLUTANT-GENERATING ACTIVITIES.
 2. PROTECT TREES AND THEIR ROOTS, IF AT ALL POSSIBLE. PRESERVE CREEKSIDE VEGETATION TO THE EXTENT PRACTICABLE.
 3. CONTRACTOR TO PLACE AND MAINTAIN SW3P MEASURES.
 4. REMOVE LITTER AND CONSTRUCTION DEBRIS DAILY AND AS NEEDED OR AS DIRECTED BY THE ENGINEER. THIS WORK IS SUBSIDIARY TO VARIOUS EROSION CONTROL ITEMS (ITEM 506).
 5. REMOVE SEDIMENT FROM BMP WHEN IT REDUCES BMP'S CAPACITY BY 40%. ALWAYS PROVIDE CONSISTENT DRAINAGE.
 6. SEE DAILY WORK REPORTS FOR INITIAL STABILIZATION TIME FRAMES.



BMP	C1
INSTALL DATE	
REMOVAL DATE	



Falon Renfro P.E. 9/10/2024
Signature of Registrant & Date



**US 80
SW3P SITE MAP**

SCALE 1"=100' SHEET 3 OF 5

CONT	SECT	JOB	HIGHWAY
0095	03	110	US 80
DIST	COUNTY	SHEET NO.	
DAL	KAUFMAN	57	

DATE: 9/10/2024 3:07:03 PM
FILE: pw://txdot.projectwiseonline.com/TxDOT5/Documents/18 - DAL/Design Projects/009503110/4 - Design/Plan Set/9 - Environmental/0095-03-110 US 80 SW3P Site Map.dgn

DATE: 9/10/2024 3:07:08 PM
 FILE: pw://ttdot.projectwiseonline.com:TxDOT5/Documents/18 - DAL/Design Projects/009503110/4 - Design/Plan Set/9 - Environmental/0095-03-110 US 80 SW3P Site Map.dgn


CK: _____
 DW: _____
 CK: _____
 DW: _____

LOCATION	STA. 143+00 TO STA. 167+00
DATE DISTURBED	
DATE STABILIZED	




- LEGEND:**
- EROSION CONTROL LOG
 - CELL FBR MULCH SEED
 - DIRECTION OF FLOW
 - BMP INSTALLATION
 - AREA OF RE-VEGETATION

- NOTES**
- BMPs SHALL NOT BE INSTALLED IN THEIR CONTROL AREA ANY SOONER THAN TWO WEEKS PRIOR TO SOIL DISTURBANCE OR OTHER POTENTIAL POLLUTANT-GENERATING ACTIVITIES.
 - PROTECT TREES AND THEIR ROOTS, IF AT ALL POSSIBLE. PRESERVE CREEKSIDE VEGETATION TO THE EXTENT PRACTICABLE.
 - CONTRACTOR TO PLACE AND MAINTAIN SW3P MEASURES.
 - REMOVE LITTER AND CONSTRUCTION DEBRIS DAILY AND AS NEEDED OR AS DIRECTED BY THE ENGINEER. THIS WORK IS SUBSIDIARY TO VARIOUS EROSION CONTROL ITEMS (ITEM 506).
 - REMOVE SEDIMENT FROM BMP WHEN IT REDUCES BMP'S CAPACITY BY 40%. ALWAYS PROVIDE CONSISTENT DRAINAGE.
 - SEE DAILY WORK REPORTS FOR INITIAL STABILIZATION TIME FRAMES.



BMP	D1
INSTALL DATE	
REMOVAL DATE	



Falon Renfro, P.E. 9/10/2024
 Signature of Registrant & Date



**US 80
SW3P SITE MAP**

SCALE 1"=100'		SHEET 4 OF 5	
CONT	SECT	JOB	HIGHWAY
0095	03	110	US 80
DIST	COUNTY	SHEET NO.	
DAL	KAUFMAN	58	

CK: DW: CK: DW:

DATE: 9/10/2024 3:07:13 PM
 FILE: \\txdot\projectwiseonline.com\TxDOT5\Documents\18 - DAL\Design Projects\009503110\4 - Design\Plan Set\9 - Environmental\0095-03-110 US 80 SW3P Site Map.dgn

LOCATION	STA. 167+00 TO STA. 191+00
DATE DISTURBED	
DATE STABILIZED	

BMP	E1
INSTALL DATE	
REMOVAL DATE	



PI 187+92.28
 Δ -16°22'22.1" (LT)
 D 00°59'21.7"
 T 833.12'
 L 1654.88'
 R 5791.19'
 PC 179+59.17
 PT 196+14.05

PI 199+59.94
 Δ 06°48'10.4" (LT)
 D 00°59'04.4"
 T 345.89'
 L 690.97'
 R 5819.50'
 PC 196+14.05
 PT 203+05.02



- LEGEND:**
- EROSION CONTROL LOG
 - CELL FBR MULCH SEED
 - DIRECTION OF FLOW
 - BMP INSTALLATION
 - AREA OF RE-VEGETATION

- NOTES**
1. BMPs SHALL NOT BE INSTALLED IN THEIR CONTROL AREA ANY SOONER THAN TWO WEEKS PRIOR TO SOIL DISTURBANCE OR OTHER POTENTIAL POLLUTANT-GENERATING ACTIVITIES.
 2. PROTECT TREES AND THEIR ROOTS, IF AT ALL POSSIBLE. PRESERVE CREEKSIDE VEGETATION TO THE EXTENT PRACTICABLE.
 3. CONTRACTOR TO PLACE AND MAINTAIN SW3P MEASURES.
 4. REMOVE LITTER AND CONSTRUCTION DEBRIS DAILY AND AS NEEDED OR AS DIRECTED BY THE ENGINEER. THIS WORK IS SUBSIDIARY TO VARIOUS EROSION CONTROL ITEMS (ITEM 506).
 5. REMOVE SEDIMENT FROM BMP WHEN IT REDUCES BMP'S CAPACITY BY 40%. ALWAYS PROVIDE CONSISTENT DRAINAGE.
 6. SEE DAILY WORK REPORTS FOR INITIAL STABILIZATION TIME FRAMES.




Falon Renfro, P.E. 9/10/2024
 Signature of Registrant & Date



**US 80
 SW3P SITE MAP**


SCALE 1"=100'		SHEET 5 OF 5	
CONT	SECT	JOB	HIGHWAY
0095	03	110	US 80
DIST	COUNTY	SHEET NO.	
DAL	KAUFMAN	59	

60A 3E2024
 08/12/2024
 projectwiseonline.com TXDOTS/Documents/18 - DAL/Design Projects/009503110/4 - Design/Plan Set/9. Environmental/STANDARDS/4. 0095-03-110 US 80 ec116.dgn
 DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.



TEMPORARY SEDIMENT CONTROL FENCE

SCF



HINGE JOINT KNOT WOVEN MESH (OPTION) DETAIL

Galvanized hinge joint knot woven mesh (12.5 GA. SWG Min.) requires a minimum of five horizontal wires spaced at a maximum of 12 inches apart and all vertical wires spaced at a maximum of 12 inches apart.

SEDIMENT CONTROL FENCE USAGE GUIDELINES

A sediment control fence may be constructed near the downstream perimeter of a disturbed area along a contour to intercept sediment from overland runoff. A 2 year storm frequency may be used to calculate the flow rate to be filtered.

Sediment control fence should be sized to filter a maximum flow through rate of 100 GPM/FT². Sediment control fence is not recommended to control erosion from a drainage area larger than 2 acres.


LEGEND

Sediment Control Fence

SCF

GENERAL NOTES

1. Vertical tracking is required on projects where soil distributing activities have occurred unless otherwise approved.
2. Perform vertical tracking on slopes to temporarily stabilize soil.
3. Provide equipment with a track undercarriage capable of producing linear soil impressions measuring a minimum of 12" in length by 2" to 4" in width by 1/2" to 2" in depth.
4. Do not exceed 12" between track impressions.
5. Install continuous linear track impressions where the minimum 12" length impressions are perpendicular to the slope or direction of water flow.




VERTICAL TRACKING


				Design Division Standard	
TEMPORARY EROSION, SEDIMENT AND WATER POLLUTION CONTROL MEASURES FENCE & VERTICAL TRACKING EC(1) - 16					
FILE: ec116	DNR TxDOT	CK: KM	DNR VP	DNR/CK: LS	
© TxDOT: JULY 2016	CONT	SECT	JOB	HIGHWAY	
REVISIONS	0095 03	110	US 80		
	DIST	COUNTY	SHEET NO.		
	DAL	KAUFMAN	60		

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE: FILE:



PLAN VIEW




SECTION A-A
EROSION CONTROL LOG DAM


CL-D

LEGEND

- CL-D EROSION CONTROL LOG DAM
- CL-BOC EROSION CONTROL LOG AT BACK OF CURB
- CL-ROW EROSION CONTROL LOG AT EDGE OF RIGHT-OF-WAY
- CL-SST EROSION CONTROL LOGS ON SLOPES STAKE AND TRENCHING ANCHORING
- CL-SSL EROSION CONTROL LOGS ON SLOPES STAKE AND LASHING ANCHORING
- CL-DI EROSION CONTROL LOG AT DROP INLET
- CL-CI EROSION CONTROL LOG AT CURB INLET
- CL-GI EROSION CONTROL LOG AT CURB & GRATE INLET




PLAN VIEW




SECTION B-B
EROSION CONTROL LOG AT BACK OF CURB


CL-BOC



REBAR STAKE DETAIL




PLAN VIEW



SECTION C-C

EROSION CONTROL LOG AT EDGE OF RIGHT-OF-WAY

CL-ROW



DIAMETER MEASUREMENTS OF EROSION CONTROL LOGS SPECIFIED IN PLANS

SEDIMENT BASIN & TRAP USAGE GUIDELINES

An erosion control log sediment trap may be used to filter sediment out of runoff draining from an unstabilized area.

Log Traps: The drainage area for a sediment trap should not exceed 5 acres. The trap capacity should be 1800 CF/Acre (0.5" over the drainage area).

Control logs should be placed in the following locations:

1. Within drainage ditches spaced as needed or min. 500' on center
2. Immediately preceding ditch inlets or drain inlets
3. Just before the drainage enters a water course
4. Just before the drainage leaves the right of way
5. Just before the drainage leaves the construction limits where drainage flows away from the project.

The logs should be cleaned when the sediment has accumulated to a depth of 1/2 the log diameter.

Cleaning and removal of accumulated sediment deposits is incidental and will not be paid for separately.

GENERAL NOTES:

1. EROSION CONTROL LOGS SHALL BE INSTALLED IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS, OR AS DIRECTED BY THE ENGINEER.
2. LENGTHS OF EROSION CONTROL LOGS SHALL BE IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDATIONS AND AS REQUIRED FOR THE PURPOSE INTENDED.
3. UNLESS OTHERWISE DIRECTED, USE BIODEGRADABLE OR PHOTODEGRADABLE CONTAINMENT MESH ONLY WHERE LOG WILL REMAIN IN PLACE AS PART OF A VEGETATIVE SYSTEM. FOR TEMPORARY INSTALLATIONS, USE RECYCLABLE CONTAINMENT MESH.
4. FILL LOGS WITH SUFFICIENT FILTER MATERIAL TO ACHIEVE THE MINIMUM COMPACTED DIAMETER SPECIFIED IN THE PLANS WITHOUT EXCESSIVE DEFORMATION.
5. STAKES SHALL BE 2" X 2" WOOD OR #3 REBAR, 2'-4' LONG, EMBEDDED SUCH THAT 2" PROTRUDES ABOVE LOG, OR AS DIRECTED BY THE ENGINEER.
6. DO NOT PLACE STAKES THROUGH CONTAINMENT MESH.
7. COMPOST CRADLE MATERIAL IS INCIDENTAL & WILL NOT BE PAID FOR SEPARATELY.
8. SANDBAGS USED AS ANCHORS SHALL BE PLACED ON TOP OF LOGS & SHALL BE OF SUFFICIENT SIZE TO HOLD LOGS IN PLACE.
9. TURN THE ENDS OF EACH ROW OF LOGS UPSLOPE TO PREVENT RUNOFF FROM FLOWING AROUND THE LOG.
10. FOR HEAVY RUNOFF EVENTS, ADDITIONAL UPSTREAM STAKES MAY BE NECESSARY TO KEEP LOG FROM FOLDING IN ON ITSELF.

SHEET 1 OF 3

Texas Department of Transportation
Design Division Standard

TEMPORARY EROSION, SEDIMENT AND WATER POLLUTION CONTROL MEASURES


EROSION CONTROL LOG

EC (9) - 16

FILE: ec916	DNR TxDOT	CR: KM	DNR LS/PT	CR: LS
© TxDOT: JULY 2016	CONT	SECT	JOB	HIGHWAY
REVISIONS	0095	03	110	US 80
DIST	COUNTY		SHEET NO.	
DAL	KAUFMAN		61	


DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.

DATE:
FILE:



**EROSION CONTROL LOGS ON SLOPES
STAKE AND TRENCHING ANCHORING**


CL-SST



END SECTION RAP DETAIL


EROSION CONTROL LOG SPACING TABLE				
SLOPE	LOG DIAMETER			
	6"	8"	12"	18"
1:1 OR STEEPER	5'	10'	15'	20'
2:1	10'	20'	30'	40'
3:1	15'	30'	45'	60'
4:1 OR FLATTER	20'	40'	60'	80'

* ADJUSTMENTS CAN BE MADE FOR SOIL TYPE:
SOFT, LOAMY SOILS-ADJUST ROWS CLOSER TOGETHER;
HARD, ROCKY SOILS- ADJUST ROWS FARTHER APART





**EROSION CONTROL LOGS ON SLOPES
STAKE AND LASHING ANCHORING**

CL-SSL



STAKE AND TRENCHING ANCHORING DETAIL


CL-SST



STAKE AND LASHING ANCHORING DETAIL

CL-SSL

TRENCH DEPTH TABLE	
LOG DIAMETER	DEPTH
6"	2"
8"	3"
12"	4"
18"	5"




STAKE NOTCH DETAIL

SHEET 2 OF 3


		Design Division Standard	
TEMPORARY EROSION, SEDIMENT AND WATER POLLUTION CONTROL MEASURES EROSION CONTROL LOG EC (9) - 16			
FILE: ec116	DNR TxDOT	CK: KM	DWR LS/PT
© TxDOT: JULY 2016	CONT SECT	JOB	HIGHWAY
REVISIONS	0095 03	110	US 80
DIST	COUNTY	SHEET NO.	
DAL	KAUFMAN	62	

DISCLAIMER: The use of this standard is governed by the "Texas Engineering Practice Act". No warranty of any kind is made by TxDOT for any purpose whatsoever. TxDOT assumes no responsibility for the conversion of this standard to other formats or for incorrect results or damages resulting from its use.




EROSION CONTROL LOG AT DROP INLET

CL-DI



EROSION CONTROL LOG AT CURB INLET


CL-CI



EROSION CONTROL LOG AT CURB INLET


CL-CI

NOTE:
EROSION CONTROL LOGS USED AT CURB INLETS SHOULD ONLY BE USED IF THEY WILL NOT IMPEDE TRAFFIC OR FLOOD THE ROADWAY OR WHEN THE STORM SEWER SYSTEM IS NOT FULLY FUNCTIONAL.



EROSION CONTROL LOG AT CURB & GRADE INLET

CL-GI



SANDBAG DETAIL

SHEET 3 OF 3

		<i>Design Division Standard</i>	
TEMPORARY EROSION, SEDIMENT AND WATER POLLUTION CONTROL MEASURES EROSION CONTROL LOG EC (9) - 16			
FILE: ec916	DNR TxDOT	CK: KM	DWR: LS/PT
© TxDOT: JULY 2016	CONT SECT	JOB	HIGHWAY
REVISIONS	0095 03	110	US 80
DIST	COUNTY	SHEET NO.	
DAL	KAUFMAN	63	

DATE:
FILE:

USER ID

SURFACE PREPARATION ITEM 160* FURN & PLACE TOPSOIL / ITEM 161* COMPOST MANUF TOPSOIL (4") SY

SURFACE PREPARATION

Prepare planting area surface BEFORE placing Topsoil, Compost, Fertilizer, Seed and/or Sod. Once project area has been completed to final lines, grade and compaction, remove objectionable materials from planting area surface and scarify existing surface to a depth of 4-inches, unless otherwise specified or directed.

Refer to Items 160 and 161 of TxDOT 2024 Standard Specifications* for specifications, dimensions, volumes, and measurements that have been modified or not shown in plans. Materials and construction shall meet all specifications.

TOPSOIL NOTES:

- When Topsoil is specified under Item 160, use suitable material salvaged from the project ROW in accordance with Item 160 specifications, and/or secure additional good material from approved sources.
- Topsoil shall include only the top 6-inches of its native surface, and be easily cultivated, fertile, erosion-resistant and free of objectionable materials. Topsoil obtained from sites outside of the ROW must come from approved sources and have a pH between 5.5 and 8.5 su.
- Place Topsoil on pre-scarified surface, spread to a uniform loose cover at thickness specified, and shape per plans.
- Water and roll the finished surface with a light roller or other suitable equipment per Item 160.3; do not over-compact.

COMPOST NOTES:

- When Compost Manufactured Topsoil (4") is specified under Item 161, use compost meeting all requirements of Item 161.2 and Table 1. Provide quality control (QC) documentation and obtain Engineer approval prior to compost delivery.
- Contractor shall provide tickets/invoices that document material type, quantity and placement for all compost delivered.
- Additional topsoil may be required to be imported to achieve the compost/topsoil mix ratio. Topsoil must meet Item 160 specifications.

APPLICATION OF COMPOST MANUFACTURED TOPSOIL (4")

AFTER Surface Preparation, uniformly spread a 1-inch layer of compost on-grade with 3-inches topsoil over pre-scarified planting area. (25% compost and 75% topsoil = 1" compost and 3" topsoil.) Then mix compost and topsoil together by cultivating the compost into the topsoil (by till or disk) to a 4-inch (4") depth. Roll the finished surface with a light corrugated drum; do not over-compact.

FERTILIZER ITEM 166* FERTILIZER TON

SOIL ANALYSIS FOR FERTILIZER APPLICATION RATE

Unless otherwise stated in the plans, Contractor shall perform at least one soil analysis on each project before fertilization, and submit results to Engineer with recommended fertilizer rates based on soil analysis. Engineer may direct sample location(s). Soil analysis may be waived if both compost and sod are used on entire project.

FERTILIZER NOTES:

- Refer to Item 166 of TxDOT 2024 Standard Specifications* for specifications, dimensions, volumes, and measurements that have been modified or not shown in plans. Materials and construction shall meet all specifications.
- Apply fertilizer BEFORE seeding, or AFTER placing sod.
- Use fertilizer containing nitrogen (N), phosphoric acid (P) and potash (K) nutrients, unless otherwise specified. At least 50% of the Nitrogen component shall be a slow-release sulfur-coated urea as described in Item 166.3. Do not apply more than 60-pounds (lbs) Nitrogen per acre without Engineer concurrence.
- Deliver fertilizer in bags, clearly labeled to show contents, unless otherwise specified or approved prior to delivery. When non-bagged, loose fertilizer is approved, provide documentation for each load of material delivered, to validate authenticity of the material.
- Apply fertilizer uniformly, as a dry, granular material, essentially dust-free, and do not mix with water for application as a slurry.
- When both temporary and permanent seeding are specified for the same area, apply half of the required fertilizer before the temporary seeding operation and the other half before the permanent seeding operation.

SEEDING FOR EROSION CONTROL ITEM 164* DRILL SEED SY

PERMANENT SEEDING MIXES (ADD FLOWER SEEDING MIX TO PERMANENT SEED, ALL SOILS)

			Pure Live Seed Rate **
RURAL CLAY SOILS (PERM_RURAL_CLAY)	Sideoats Grama (Haskell)	15%	1.5 lbs PLS per acre
	Hooded Windmillgrass (Burnet)	15%	0.3 lbs PLS per acre
	White Tridens (Guadalupe)	15%	0.3 lbs PLS per acre
	Little Bluestem (OK Select)	15%	1.05 lbs PLS per acre
	Buffalograss (Texoka)***	10%	1.5 lbs PLS per acre
	Silver Bluestem (Santiago)	05%	0.2 lbs PLS per acre
	Green Sprangletop (Van Horn)	05%	0.2 lbs PLS per acre
	Shortspike Windmillgrass (Welder)	05%	0.1 lbs PLS per acre
	Canada Wildrye (Lavaca)	10%	2.0 lbs PLS per acre
	Sand Dropseed (Taylor)	05%	0.1 lbs PLS per acre
URBAN CLAY SOILS (PERM_URBAN_CLAY)	Green Sprangletop		0.3 lbs PLS per acre
	Sideoats Grama (El Reno)		3.6 lbs PLS per acre
	Buffalograss (Texoka)***		1.6 lbs PLS per acre
	Bermudagrass		2.4 lbs PLS per acre

RURAL SANDY SOILS
(PERM_RURAL_SAND)

URBAN SANDY SOILS
(PERM_URBAN_SAND)

			Pure Live Seed Rate **	
RURAL SANDY SOILS (PERM_RURAL_SAND)	Shortspike Windmillgrass (Welder)	10%	0.2 lbs PLS per acre	
	Hairy Grama (Chaparral)	15%	0.6 lbs PLS per acre	
	Sand Dropseed (Taylor)	10%	0.2 lbs PLS per acre	
	Little Bluestem (OK Select)	15%	1.05 lbs PLS per acre	
	Sideoats Grama (Haskell)	10%	1.0 lbs PLS per acre	
	Green Sprangletop (Van Horn)	10%	0.4 lbs PLS per acre	
	Hooded Windmillgrass (Burnet)	10%	0.2 lbs PLS per acre	
	Sand Lovegrass (Mason)	10%	0.4 lbs PLS per acre	
	Silver Bluestem (Santiago)	10%	0.4 lbs PLS per acre	
	URBAN SANDY SOILS (PERM_URBAN_SAND)	Green Sprangletop		0.3 lbs PLS per acre
		Buffalograss (Texoka)***		1.6 lbs PLS per acre
		Bermudagrass		3.6 lbs PLS per acre
		Sand Dropseed (Borden Co.)		0.4 lbs PLS per acre

SEEDING NOTES:

- When seeding is specified under Item 164, refer to TxDOT 2024 Standard Specifications* for specifications, dimensions, volumes, and measurements that have been modified or not shown. Materials and construction shall meet all specifications.
- Conduct seeding upon completion of each applicable construction stage (dependent upon planting season requirements), without compensation for additional move-ins.
- Place seed AFTER preparing planting area surface. Refer to Surface Preparation detail this sheet, as well as Topsoil Item 160 and Compost Manufactured Topsoil Item 161 when specified. Apply fertilizer per Item 166 BEFORE seeding, per specifications and this sheet, to help drill the fertilizer into the soil.
- When temporary grasses are well-established and more than 2-inches tall, mow planting area before seeding permanent grasses; mowing for this purpose will be subsidiary. When vegetation is not already well-established, scarify planting area to a depth as described in Item 164.3, before temporary seeding and before permanent seeding.
- Seed material must be appropriate to the location, soil type and season. Use the seed mix species and pure live seed rates designated in Tables 1-5 of the TxDOT 2024 Standard Specifications* for Item 164, unless otherwise specified.
- All seed shall meet labeling, delivery, analysis, and testing requirements described in Item 164.2.1. Deliver seed in labeled, unopened bags or containers to Engineer prior to planting.
- Uniformly plant seed over the designated planting area, along the contour of slopes, and drill seed to a depth as described in Item 164.3.5.
- Hydroseeding per Item 164.2.5.2 and 164.3.4 may be allowed, when specified or Engineer concurs. For hydroseeding, increase PLS rate by 25% and avoid microplastics.
- Implement and continue Vegetative Watering per the schedule, rate and volume specified under Item 168.

TxDOT REFERENCE MATERIALS:

- "STANDARD SPECIFICATIONS FOR CONSTRUCTION AND MAINTENANCE OF HIGHWAYS, STREETS, AND BRIDGES" 2024
- "A GUIDANCE TO ROADSIDE VEGETATION ESTABLISHMENT" 2004
- ONLINE TRAINING COURSE: MNT415 REVEGETATION DURING CONSTRUCTION
- DALLAS DISTRICT "VEGETATION ESTABLISHMENT GUIDELINES"

SODDING FOR EROSION CONTROL ITEM 162* BLOCK SODDING SY

BLOCK OR ROLL SOD

COMMON NAME	BOTANICAL NAME
Common Bermuda Grass	Cynodon dactylon

SODDING NOTES:

- Refer to Item 162 of TxDOT 2024 Standard Specifications* for specifications, dimensions, volumes, and measurements that have been modified or not shown in plans. Materials and construction shall meet all specifications.
- Place sod between the average date of the last freeze in the Spring and 6 weeks before the average date of the first freeze in the Fall, per the Texas Almanac for the project area.
- Place sod only AFTER soil surface preparation is complete as detailed in this sheet. Dry soil may require pre-watering.
- Place all sod (blocks or rolls) within 24-hours of delivery to the site, and keep moist from the time it is dug up until it is planted. Sod with dried roots will not be accepted.
- Place sod with joints alternating on each row to prevent all joints from lining up, and place blocks firmly against adjacent blocks. Roll, tamp and trim sod per Item 162.3.
- Place fertilizer promptly AFTER sodding operation is complete in each area.
- Water sod immediately following placement, and continue Vegetative Watering per Item 168.

VEGETATIVE WATERING FOR ESTABLISHING SEED AND SOD ITEM 168* VEGETATIVE WATERING TGL

WATERING SCHEDULE

SEASON (Usual Months)	RATE	TIME SCHEDULE	TOTAL WATER ESTIMATE
SPRING & FALL (March, April, May, and October)	7,000 gallons/acre per working day	Vegetative watering for seed shall begin on the day after rainfall described below and continue for 60-consecutive working days.	420,000 gallons/acre (60 working days)
SUMMER (June through September)	12,000 gallons/acre per working day	Vegetative watering for sod shall begin on the day sod is placed and continue for a minimum of 15-consecutive working days.	720,000 gallons/acre (60 working days)
WINTER (November through February)	1,000 gallons/acre per working day	Vegetative watering for seed and/or sod shall begin on the day after placement and continue for 15-consecutive working days	15,000 gallons/acre (15 working days)

Notes: Watering rate and frequency may be adjusted, with the approval of the Engineer, to meet site conditions (especially with sod). For informational purposes only: 1,000-gallons equals 1 TGL.

VEGETATIVE WATERING NOTES:

- Refer to Item 168 of TxDOT 2024 Standard Specifications* for specifications, dimensions, volumes, and measurements that have been modified or not shown in plans. Materials and construction shall meet all specifications.
- Use clean water, free of industrial waste and other substances harmful to vegetation growth, per Item 168.2.
- For seeding, use Vegetative Watering to keep the seed bed moist during germination; not to provide initial watering. [After drill seeding, postpone watering operations until site receives at least 1/2-inch of natural rainfall in a single day. Also delay watering operations for warm season grasses until soil temperature exceeds 70 degrees F.]
- For sod, water immediately.
- All water distribution equipment shall be furnished and operated to provide water at a uniform and controllable rate. Use a metering device on all watering equipment.
- Evenly distribute water over entire area designated for seeding and/or sodding, using even spray patterns that do not disturb seed bed and/or dislodge seed from seed bed.
- Do not water between the hours of 12:00 p.m. and 6:00 p.m. when daytime temperatures exceed 95 degrees F.
- After initial establishment period, continue intermittent watering of newly established seed or sod at a rate of approximately 1-inch water/week, during summer months until end of contract.
- If 1/4-inch or more of rainfall occurs on site on any given working day, no vegetative watering will be needed on that working day. (Note: 1/4-inch of rain equals 7,000 gallons of water per acre.)
- Should the Contractor fail to apply the specified amount of water within the time allowed, any seed or sod in poor condition shall be replaced, fertilized, and watered at Contractor's expense.

TEMPORARY SEEDING MIX DRILL SEED (TEMP_WARM_COOL)

		Pure Live Seed Rate **
COOL SEASON (Sept.1 to Jan.31)	Brownton Millet	20.0 lbs PLS per acre
WARM SEASON (Feb.1 to Aug.30)	Oats	30.0 lbs PLS per acre
	Wheat	30.0 lbs PLS per acre
	Little Barley	5.0 lbs PLS per acre
	Western Wheatgrass	5.0 lbs PLS per acre

FLOWER SEEDING MIX (INCLUDE WITH PERMANENT SEED, ALL SOILS)

Engelmann Daisy (Eldorado)	1.5 lbs PLS per acre
Awnless Bushsunflower (Plateau)	1.5 lbs PLS per acre
Partridge Pea	1.5 lbs PLS per acre
Illinois Bumbleflower (Sabine)	1.5 lbs PLS per acre
Rio Grande Clammyweed (Zapota)	2.0 lbs PLS per acre

** Note: The amount of Pure Live Seed (PLS) in one-pound (1lb) of bulk seed is based on three factors: % Purity, % Germination, and % Dormant. Use the following formula to calculate PLS in bulk seed: PLS = % Purity X (% Germination + % Dormant) Ensure that the specified amount of pure live seed is placed.
*** Note: When Buffalograss is specified, use seed that is treated with potassium nitrate to overcome dormancy.

ROADSIDE MOWING ITEM 730* AC

MOWING NOTES:

- During project construction, once seed is established, use mowing to promote permanent grasses by mowing any remaining temporary grasses.
- Also mow established turf and ROW grasses in designated areas of project limits as specified or directed by Engineer.
- Remove litter and debris prior to mowing.
- Do not mow on wet ground when soil rutting can occur.
- Hand-trim around obstructions and stormwater control devices as needed.
- Maintain paved surfaces free of tracked soils and clipped vegetation.

SEQUENCE OF WORK:

- SCARIFY SURFACE SOIL.
- PREPARE / PLACE TOPSOIL, OR
- PREPARE / PLACE COMPOST MANUFACTURED TOPSOIL.
- APPLY FERTILIZER AND THEN PLACE SEEDING, OR
- PLACE SOD AND THEN APPLY FERTILIZER.
- CONDUCT VEGETATIVE WATERING.
- CONDUCT ROADSIDE MOWING, AS DIRECTED.



VEGETATION ESTABLISHMENT SHEET
(DALLAS DISTRICT)

TEMPLATE REVISION DATE: 07/17/24

DESIGN	FED. RD. DIV. NO.	PROJECT NO.			HIGHWAY NO.
RAD	6	(See Title Sheet)			US 80
GRAPHICS	XXX	STATE	DISTRICT	COUNTY	SHEET NO.
CHECK	XXX	TEXAS	DALLAS	KAUFMAN	64
CHECK	XXX	CONTROL	SECTION	JOB	
		0095	03	110	

DATE

